

### Selected Recent Reference List

1. Kieltyka L, Urbina EM, Tang R, Bond MG, Srinivasan SR, Berenson GS. Framingham risk score is related to carotid artery intima-media thickness in both white and black young adults: the Bogalusa Heart Study. *Atherosclerosis* 2003;170:125-30.
2. Krishnan P, Balamurugan A, Urbina E, Srinivasan SR, Bond G, Tang R *et al*. Cardiovascular risk profile of asymptomatic healthy young adults with increased carotid artery intima-media thickness: the Bogalusa Heart Study. *J La State Med Soc*. 2003;155:165-69.
3. Srinivasan SR, Li S, Chen W, Boerwinkle E , Berenson GS. R219K polymorphism of the ABCA1 gene and its modulation of the variations in serum high-density lipoprotein cholesterol and triglycerides related to age and adiposity in white versus black young adults. The Bogalusa heart study. *Metabolism* 2003;52:930-34.
4. Chen W, Srinivasan SR, Boerwinkle E, Berenson GS. Hepatic lipase promoter C-514T polymorphism influences serial changes in HDL cholesterol levels since childhood: the Bogalusa Heart Study. *Atherosclerosis* 2003;169:175-82.
5. Nicklas TA, Yang SJ, Baranowski T, Zakeri I, Berenson G. Eating patterns and obesity in children. The Bogalusa Heart Study. *Am J Prev Med* 2003;25:9-16.
6. Freedman DS, Khan LK, Serdula MK, Dietz WH, Srinivasan SR, Berenson GS. The relation of menarcheal age to obesity in childhood and adulthood: the Bogalusa heart study. *BMC.Pediatr.* 2003;3:3.
7. Li S, Chen W, Srinivasan SR, Boerwinkle E, Berenson GS. The peroxisome proliferator-activated receptor-gamma2 gene polymorphism (Pro12Ala) beneficially influences insulin resistance and its tracking from childhood to adulthood: the Bogalusa Heart Study. *Diabetes* 2003;52:1265-69.

8. Srinivasan SR, Frontini MG, Berenson GS. Longitudinal changes in risk variables of insulin resistance syndrome from childhood to young adulthood in offspring of parents with type 2 diabetes: the Bogalusa Heart Study. *Metabolism* 2003;52:443-50.
9. Frontini MG, Srinivasan SR, Elkasabany A, Berenson GS. Awareness of hypertension and dyslipidemia in a semirural population of young adults: the Bogalusa Heart Study. *Prev Med* 2003;36:398-402.
10. Youssef AA, Valdez R, Elkasabany A, Srinivasan SR, Berenson GS. Time-course of adiposity and fasting insulin from childhood to young adulthood in offspring of parents with coronary artery disease: the Bogalusa Heart Study. *Ann Epidemiol* 2002;12:553-59.
11. Gustat J, Srinivasan SR, Elkasabany A, Berenson GS. Relation of self-rated measures of physical activity to multiple risk factors of insulin resistance syndrome in young adults: the Bogalusa Heart Study. *J Clin Epidemiol* 2002;55:997-1006.
12. Hoq S, Chen W, Srinivasan SR, Berenson GS. Childhood blood pressure predicts adult microalbuminuria in African Americans, but not in whites: the Bogalusa Heart Study. *Am J Hypertens* 2002;15:1036-41.
13. Berenson GS. Childhood risk factors predict adult risk associated with subclinical cardiovascular disease. The Bogalusa Heart Study. *Am J Cardiol* 2002;90:3L-7L.
14. Urbina EM, Srinivasan SR, Tang R, Bond MG, Kieltyka L, Berenson GS. Impact of multiple coronary risk factors on the intima-media thickness of different segments of carotid artery in healthy young adults (The Bogalusa Heart Study). *Am J Cardiol* 2002;90:953-58.
15. Freedman DS, Khan LK, Serdula MK, Dietz WH, Srinivasan SR, Berenson GS. Relation of age at menarche to race, time period, and anthropometric dimensions: the Bogalusa Heart Study. *Pediatrics* 2002;110:e43.

16. Tershakovec AM, Jawad AF, Stouffer NO, Elkasabany A, Srinivasan SR, Berenson GS. Persistent hypercholesterolemia is associated with the development of obesity among girls: the Bogalusa Heart Study. *Am J Clin Nutr* 2002;76:730-35.
17. Srinivasan SR, Myers L, Berenson GS. Distribution and correlates of non-high-density lipoprotein cholesterol in children: the Bogalusa Heart Study. *Pediatrics* 2002; 110:e29.
18. Ellsworth DL, Coady SA, Chen W, Srinivasan SR, Elkasabany A, Gustat J *et al*. Influence of the beta2-adrenergic receptor Arg16Gly polymorphism on longitudinal changes in obesity from childhood through young adulthood in a biracial cohort: the Bogalusa Heart Study. *Int.J Obes.Relat Metab Disord.* 2002;26:928-37.
19. Nicklas TA, von Duvillard SP, Berenson GS. Tracking of serum lipids and lipoproteins from childhood to dyslipidemia in adults: the Bogalusa Heart Study. *Int.J Sports Med* 2002;23 Suppl 1:S39-43.:S39-S43.
20. Freedman DS, Bowman BA, Otros JD, Srinivasan SR, Berenson GS. Differences in the relation of obesity to serum triacylglycerol and VLDL subclass concentrations between black and white children: the Bogalusa Heart Study. *Am J Clin Nutr* 2002;75:827-33.