

**ALPHA 1-ANTITRYPSIN DEFICIENCY REGISTRY
PULMONARY FUNCTION TEST RESULTS**

Form Completion Instructions: (See also Appendix 9.5)

This form is used to record the results of the pulmonary function tests for the tests performed at the Clinical Center. All the appropriate numerical and graphical data for the test session with each effort labelled and sent to the Clinical Coordinating Center.

<u>QUESTION #</u>	<u>ITEM</u>	<u>INSTRUCTIONS</u>
8-9	Weight, Height	These two items should be recorded in units requested.
10	Tech Number	Use the technicians number assigned by the Clinical Coordinating Center. This number should be used throughout the duration of the Registry.
12-16	Patient Status	These questions are those which are part of the triage letter as well. If any of these answers are Yes, the pulmonary function test should be delayed until later in the day, if possible. Review these questions/guidelines again with the patient to explain their importance in testing lung function. Inform the patient that testing may have to be rescheduled should the patient fail to adhere to these guidelines.
17	Acute Respiratory Illness	Hopefully, if the patient has had this condition, it will be caught using the triage letter and the patient will be reschedule for the test. If the answer to item #17 is "Yes", try to reschedule for a time three weeks or more after the infection clears up. Be sure the rescheduled visit is still within the six month time window for the visit.

ALPHA 1-ANTITRYPSIN DEFICIENCY REGISTRY
PULMONARY FUNCTION TEST RESULT

Form Completion Instructions:

<u>QUESTION #</u>	<u>ITEM</u>	<u>INSTRUCTIONS</u>
20,33,44	Instrument	<p>Use the instrument number assigned by the Clinical Coordinating Center. That number should be used each time Form #03 is completed to indicate the instrument used. Remember, from visit to visit for each particular patient, it is recommended that the same equipment be used. If a test is not done, enter 0000 as the instrument code and skip to the next section or write "NOT DONE" in large print over the section not tested.</p> <p>If a new machine not assigned a code number, is used, (preferably the Clinical Coordinating Center will already be aware of new equipment - prior to its use) leave this space blank <u>AND</u> complete and submit Form #14 for the machine.</p>

Definitions:

SVC = Slow Vital Capacity

FVC = Forced Vital Capacity

Total amount of air that can be expelled in one forced exhalation after a maximal inhalation

FEV₁ = Forced Expiratory Volume in one second

Maximum volume of air exhaled within the first second of exhalation

FRC = Forced Respiratory Capacity

ERV = Expiratory Reserve Volume

RV = Residual Volume

IC = Inspiratory Capacity

TLC = Total Lung Capacity

DLCO = Diffusing Lung Capacity

V_A = Alveolar Volume

**ALPHA 1-ANTITRYPSIN DEFICIENCY REGISTRY
PULMONARY FUNCTION TEST RESULTS**

Form Completion Instructions:

Form #03 - PFT Results Form accommodates the reporting of spirometry, lung volume and diffusing capacity results. Pre- and post-bronchodilator spirometry are the minimum pulmonary function data requested by the Registry. Lung volumes and diffusion capacity tests are NOT mandatory; space was left on the form for reporting this data if the results are available. In order to assess the technical acceptability of these pulmonary function tests, the Clinical Coordinating Center is requesting the following information. If this information is not available, the data should still be reported on Form #03, PFT Results Form. Be sure to label each effort as reported on Form #03.

SUMMARY OF DATA REQUESTED FOR THE REGISTRY

- I. Pulmonary Function Data requested by the Clinical Coordinating Center
 - A. Spirometry
 1. Copy of volume-time tracing of 3 Liter Syringe Calibration
 2. Volume-time tracing (or copy) use patient Registry ID#
 - a. Volume scale at least 10 mm/L
 - b. Time scale at least 20 mm/second
 3. Flow-volume tracing (or copy) use patient Registry ID#
 - a. Flow scale at least 5 mm/L/sec
 - b. Volume scale at least 10 mm/L
 4. Form PFT #03 including expiratory times (FET)
 5. Printout of numeric parameters showing the three reported efforts (screen dumps are adequate if formal report showing all three efforts is not available)

**ALPHA 1-ANTITRYPSIN DEFICIENCY REGISTRY
PULMONARY FUNCTION TEST RESULTS**

SUMMARY OF DATA REQUESTED FOR THE REGISTRY (CONTINUED)

- B. Lung Volumes
1. Helium dilution
 - a. Helium-time tracing (or copy)
 - b. Tidal volume-time tracing (or copy) during dilution test
 - c. Volume-time tracing (or copy) showing tidal volume and SVC during measurement of lung subdivisions.
 - d. Form PFT #03
 - e. Printout showing lung subdivisions
 2. Nitrogen washout
 - a. Expired nitrogen-time tracing (or copy)
 - b. Tidal volume-time tracing (or copy) during washout test
 - c. Volume-time tracing (or copy) showing tidal volume and SVC during measurement of lung subdivisions
 - d. Form PFT #03
 - e. Printout showing lung subdivisions
 3. Body plethysmography
 - a. Plethysmographic tracings (or copy) including calibration factors
- C. Single Breath Diffusing Capacity (S.B. DLCO)
1. Form PFT #03
 2. Volume-time tracing of maneuvers
 3. Printout showing raw data used to calculate DLCO (He initial, He final, CO initial, CO final, breathholding time, inspiratory vital capacity, calculated V_A , etc.); delete patient name

ALPHA 1-ANTITRYPSIN DEFICIENCY REGISTRY
Pulmonary Function Test Results Form

This form should be completed for each set of Pulmonary Function Tests done. It should be included in the package sent to the Clinical Coordinating Center accompanied by the required printouts and tracings.

1. Date form completed:..... F03Q01-fzd (fuzzed) _____ / _____ / _____
month day year
2. Patient Registry ID:..... Newid (scrambled) _____
3. Patient name code:..... namecode (censored) _____
4. Clinical Center code number:..... clinic (censored) _____
5. Date of tests:..... F03Q05-fzd (fuzzed) _____ / _____ / _____
visit number vsno month day year
6. Visit type:..... F03Q06 _____ (1)Initial _____ (2)Follow-Up
7. Time of day (24-hour clock):..... F03Q07 _____ : _____
8. Patient weight (kg):..... F03Q08 _____
9. Patient height (cm):..... F03Q09 _____

NOTE: If the machine being used is not the primary or secondary machine be sure to use Form #14 to inform the CCC of changes in equipment.

10. Technician study number:..... F03Q10 _____ Not Research Related
11. a. Ambient temperature (°C):..... F03Q11A _____
b. Barometric pressure (mmHg):..... F03Q11B _____
c. Conversion factor (ATPS to BTPS):..... F03Q11C _____

A copy of the 3L syringe calibration should be attached to this form.

PATIENT STATUS

12. Did patient use a prescription or non-prescription inhaled bronchodilator within 8 hours prior to testing?..... F03Q12 _____ (1)Yes _____ (2)No
13. Did patient smoke any tobacco (cigarettes, cigars, pipes, etc.) within 2 hours prior to testing? F03Q13 _____ (1)Yes _____ (2)No
14. Did patient use caffeine-containing products (coffee, tea, colas, Dr. Pepper, Mountain Dew, No-Doz, Vivarin, Midol, Anacin, Excedrin, etc.) within 6 hours prior to testing?..... F03Q14 _____ (1)Yes _____ (2)No
15. Did patient eat a large meal within 1 hour prior to testing?..... F03Q15 _____ (1)Yes _____ (2)No

White/Yellow: Clinical Coordinating Center, Pink: Clinical Center

PWO 1867

Patient Registry ID: _____
Date of Tests: ____/____/____
 month day year

16. Has the patient taken a Theophylline preparation recently? F03Q16 (1)Yes ___(2)No
If NO, skip to Question 17.

If YES,

a. Specify drug taken: F03Q16A (never entered)

b. How many hours before first spirometry was last dose taken? ...F03Q16B

17. Has patient had an acute respiratory infection (including colds, influenza, acute bronchitis, pneumonia, pleurisy or abdominal and/or chest surgery) within 3 weeks prior to the visit? F03Q17 (1)Yes ___(2)No

If YES, specify: never entered

If YES to Question 17, try to reschedule PFT testing for at least three weeks post surgery or after the infection has cleared.

a. Was patient rescheduled? ... F03Q17A (1)Yes ___(2)No

If NO, why not: never entered

18. Has patient had any other co-morbid condition that may affect the PFT? F03Q18
___(1)Yes (specify): ___(2)No ___(9)Unknown

PRE-BRONCHODILATOR SPIROMETRY: (Record the three BEST of up to eight efforts)

19. Patient position: F03Q19 (1)Sitting ___(2)Standing

20. Instrument used: F03Q20 (not research related)

	<u>TEST 1</u>	<u>TEST 2</u>	<u>TEST 3</u>
21. SVC (L) (BTPS):	<u>F03Q21A</u>	<u>F03Q21B</u>	<u>F03Q21C</u>
22. FVC (L) (BTPS):	<u>F03Q22A</u>	<u>F03Q22B</u>	<u>F03Q22C</u>
a. Forced expiratory time (FET _{100%})(sec):	<u>F03Q22AA</u>	<u>F03Q22AB</u>	<u>F03Q22AC</u>
23. FEV ₁ (L) (BTPS):	<u>F03Q23A</u>	<u>F03Q23B</u>	<u>F03Q23C</u>
24. FEV ₁ /FVC (%):	<u>F03Q24A</u>	<u>F03Q24B</u>	<u>F03Q24C</u>

25. If all three tests are not recorded here, state reason:

F03Q25

Patient Registry ID: _____
 Date of Tests: ____/____/____
 month day year

POST-BRONCHODILATOR SPIROMETRY: (Record the three BEST of up to eight efforts)

26. Number of minutes spirometry done post-bronchodilator treatment: F03Q26
27. Type of bronchodilator treatment: F03Q27
 ___(1)Albuterol ___(2)Isoproteronol ___(3)Other (Specify): _____

	<u>TEST 1</u>	<u>TEST 2</u>	<u>TEST 3</u>
28. SVC (L) (BTPS):	<u>F03Q28A</u>	<u>F03Q28B</u>	<u>F03Q28C</u>
29. FVC (L) (BTPS):	<u>F03Q29A</u>	<u>F03Q29B</u>	<u>F03Q29C</u>
a. Forced expiratory time (FET _{100%})(sec):	<u>F03Q29AA</u>	<u>F03Q29AB</u>	<u>F03Q29AC</u>
30. FEV ₁ (L) (BTPS):	<u>F03Q30A</u>	<u>F03Q30B</u>	<u>F03Q30C</u>
31. FEV ₁ /FVC (%):	<u>F03Q31A</u>	<u>F03Q31B</u>	<u>F03Q31C</u>

32. If all three tests are not recorded here, state reason:
F03Q32

LUNG COMPARTMENTS (Please attach all available numeric and graphic data relating to lung compartments and DLCO. Columns for both pre- and post-bronchodilators are provided if the tests are done at all. If either pre- or post is done, simply complete the applicable column and mark the other column "not done".)

	<u>PRE BRONCHODILATOR</u>	<u>POST BRONCHODILATOR</u>
33. Instrument used:	<u>F03Q33A</u> <u>Not Research Related</u>	<u>F03Q33B</u>
34. Patient position:	<u>F03Q34A</u> ___(1)Sit ___(2)Stand	<u>F03Q34B</u> ___(1)Sit ___(2)Stand
35. FRC (L) (BTPS):	<u>F03Q35A</u>	<u>F03Q35B</u>
36. ERV (L):	<u>F03Q36A</u>	<u>F03Q36B</u>
37. RV (L):	<u>F03Q37A</u>	<u>F03Q37B</u>
38. SVC (L):	<u>F03Q38A</u>	<u>F03Q38B</u>
39. IC (L):	<u>F03Q39A</u>	<u>F03Q39B</u>

White/Yellow: Clinical Coordinating Center, Pink: Clinical Center
 PWO 1867

Notes on Coding:

Additional Calculated Variables included in the Form 3 database:

Variable Name	Description
PREDFEV1 ⁽¹⁾	Predicted FEV1 (liters)
PREDFVC ⁽¹⁾	Predicted FVC (liters)
PREDDLCO ⁽²⁾	Predicted DLCO (mlCO/min/mmHg)
PREFEV1	Maximal Pre-BD FEV1 (liters) = Max(F03Q23A,F03Q23B,F03Q23C)
PREFVC	Maximal Pre-BD FVC (liters) = Max(F03Q22A,F03Q22B,F03Q22C)
POSTFEV1	Maximal Post-BD FEV1 (liters) = Max(F03Q30A,F03Q30B,F03Q30C)
POSTFVC	Maximal Post-BD FVC (liters) = Max(F03Q29A,F03Q29B,F03Q29C)
PFEV1_CR	Pre-BD FEV1 % predicted
PFVC_CR	Pre-BD FVC % predicted
OPFEV_CR	Post-BD FEV1 % predicted
OPFVC_CR	Post_BD FVC % predicted
DLCO1	Average DLCO from two tests = F03Q46B3
DLCO2	Average of DLCO values 1 and 2 = Ave(F03Q46B1,F03Q46B2)
PFTDLCO	Max(DLCO1,DLCO2) =Value of DLCO used in analyses
PERCDLCO	DLCO % predicted = 100*(PFTDLCO/PREDDLCO)

(1) Predicted normal values for FEV1 and FVC were calculated using the predictive equations of Crapo et al. *Am Rev Respir Dis* 123: 659-664, 1981.

(2) Predicted normal values for DLCO were calculated using the predictive equations of Crapo et al. *Am Rev Respir Dis* 123: 185-189, 1981.