

Data Set Name: cases.combvars

Obs	Num	Variable	Type	Len	Pos	Format	Label
1	1	B11	Num	8	0		Number of home contacts
2	2	B12	Num	8	8		Exposure large number people at work
3	3	B21	Num	8	16		Community size last 3 yrs
4	4	B31	Num	8	24		Antibiotic exposure
5	5	B41	Num	8	32		Immunosuppressing agents exposure
6	6	B51	Num	8	40		Place of residence and shower
7	7	D11	Num	8	48		Family history of sarcoidosis
8	8	D12	Num	8	56		Number of relatives with sarcoid
9	43	E13	Num	8	336		Social Support - overall score
10	9	E111	Num	8	64		Depression score
11	10	E112	Num	8	72		Depression - missing items
12	13	E121	Num	8	96		Physical Function - score
13	16	E122	Num	8	120		Role - Physical - score
14	19	E123	Num	8	144		Bodily Pain - score
15	22	E124	Num	8	168		Vitality - score
16	25	E125	Num	8	192		Mental Health - score
17	28	E126	Num	8	216		Role - Emotional - score
18	31	E127	Num	8	240		General Health - score
19	34	E128	Num	8	264		Social Function - score
20	74	E131	Num	8	584		Tangible Support - score
21	75	E132	Num	8	592		Affectionate - score
22	76	E133	Num	8	600		Social Interaction - score
23	77	E134	Num	8	608		Emotional Support - score
24	44	E141	Num	8	344		Optimism - score
25	45	E142	Num	8	352		Optimism - missing items
26	11	E1211	Num	8	80		Physical Function - raw score
27	12	E1212	Num	8	88		Physical Function - missing items
28	14	E1221	Num	8	104		Role - Physical - raw score
29	15	E1222	Num	8	112		Role - Physical - missing items
30	17	E1231	Num	8	128		Bodily Pain - raw score
31	18	E1232	Num	8	136		Bodily Pain - missing items
32	20	E1241	Num	8	152		Vitality - raw score
33	21	E1242	Num	8	160		Vitality - missing items

Obs	Num	Variable	Type	Len	Pos	Format	Label
34	23	E1251	Num	8	176		Mental Health - raw score
35	24	E1252	Num	8	184		Mental Health - missing items
36	26	E1261	Num	8	200		Role - Emotional - raw score
37	27	E1262	Num	8	208		Role - Emotional - missing items
38	29	E1271	Num	8	224		General Health - raw score
39	30	E1272	Num	8	232		General Health - missing items
40	32	E1281	Num	8	248		Social Function - raw score
41	33	E1282	Num	8	256		Social Function - missing items
42	35	E1311	Num	8	272		Tangible Support - raw score
43	36	E1312	Num	8	280		Tangible Support - missing items
44	38	E1321	Num	8	296		Affectionate - raw score
45	37	E1322	Num	8	288		Affectionate - missing items
46	39	E1331	Num	8	304		Social Interaction - raw score
47	40	E1332	Num	8	312		Social Interaction - missing items
48	41	E1341	Num	8	320		Emotional Support - raw score
49	42	E1342	Num	8	328		Emotional Support - missing items
50	46	G10	Num	8	360		Income
51	47	G20	Num	8	368		Education
52	48	G311	Num	8	376		Insurance status (A1)
53	49	G312	Num	8	384		Insurance status (A2)
54	58	G325	Num	8	456		Geographic barriers - community
55	61	G327	Num	8	480		Lack of social support
56	50	G3211	Num	8	392		Insurance restrictions (A1)
57	51	G3212	Num	8	400		Insurance restrictions (A2)
58	52	G3221	Num	8	408		Usual source of care
59	53	G3222	Num	8	416		No usual source of care
60	54	G3231	Num	8	424		Regular doctor (A1)
61	55	G3232	Num	8	432		Regular doctor (A2)
62	56	G3241	Num	8	440		Limited med. care - financial
63	57	G3242	Num	8	448		Limited med. care - other
64	59	G3261	Num	8	464		Barriers to medication use (A1)
65	60	G3262	Num	8	472		Barriers to medication use (A2)
66	62	G3281	Num	8	488		Effect of sarcoidosis on care (A1)
67	63	G3282	Num	8	496		Effect of sarcoidosis on care (A2)
68	64	G3291	Num	8	504		Missed appointments for sarcoid care
69	65	G3292	Num	8	512		Missed sarcoidosis medication

Obs	Num	Variable	Type	Len	Pos	Format	Label
70	66	H11	Num	8	520		Cardiovascular system
71	67	H12	Num	8	528		Pulmonary system
72	68	H13	Num	8	536		Cancer
73	69	H14	Num	8	544		Endocrine
74	70	H15	Num	8	552		Kidney
75	71	H16	Num	8	560		Liver
76	72	H17	Num	8	568		Rheumatologic
77	73	H18	Num	8	576		Neurologic
78	155	IA11	Num	8	1232		SIC: Metal dust / fume assoc industry
79	157	IA12	Num	8	1248		SIC: Healthcare workers
80	160	IA14	Num	8	1272		SIC: Fire fighters
81	161	IA15	Num	8	1280		SIC: Military
82	162	IA16	Num	8	1288		SIC: Agriculture - crop related
83	163	IA17	Num	8	1296		SIC: Organic dusts
84	167	IA18	Num	8	1328		SIC: Microbials / bioaerosols
85	156	IA111	Num	8	1240		SIC: Contact dermatitis-causing metals
86	178	IA113	Num	8	1416		SIC: Silica dust
87	179	IA115	Num	8	1424		SIC: Wood dust
88	158	IA131	Num	8	1256		SIC: Childcare providers
89	159	IA132	Num	8	1264		SIC: Educators
90	164	IA171	Num	8	1304		SIC: Agricultural organic dusts
91	165	IA172	Num	8	1312		SIC: Industrial organic dusts
92	166	IA173	Num	8	1320		SIC: Rubber dusts
93	168	IA181	Num	8	1336		SIC: Metal working fluid
94	169	IA191	Num	8	1344		SIC: Chemical agents that produce HP
95	172	IA192	Num	8	1368		SIC: Organic agents that produce HP
96	182	IA353	Num	8	1448		SIC: Exposure to insects
97	173	IA1111	Num	8	1376		SIC: Construction trades
98	174	IA1112	Num	8	1384		SIC: Dusty trades with fiber/fabric
99	175	IA1113	Num	8	1392		SIC: Dusty trades with wood
100	176	IA1114	Num	8	1400		SIC: Dusty trades with crustal dust
101	177	IA1121	Num	8	1408		SIC: Isolated employment
102	170	IA1911	Num	8	1352		SIC: Pesticides that produce HP
103	171	IA1912	Num	8	1360		SIC: Isocyanates that produce HP
104	180	IRA351	Num	8	1432		SIC: Exposure to mammals
105	181	IRA352	Num	8	1440		SIC: Exposure to birds

Obs	Num	Variable	Type	Len	Pos	Format	Label
106	213	NEWID	Num	8	1696	Z5.1	Patient ID
107	125	OA11	Num	8	992		SOC: Metal dust / fume assoc industry
108	127	OA12	Num	8	1008		SOC: Healthcare workers
109	130	OA14	Num	8	1032		SOC: Fire fighters
110	131	OA15	Num	8	1040		SOC: Military
111	132	OA16	Num	8	1048		SOC: Agriculture - crop related
112	133	OA17	Num	8	1056		SOC: Organic dusts
113	137	OA18	Num	8	1088		SOC: Microbials / bioaerosols
114	151	OA35	Num	8	1200		SOC: Exposure to animals
115	126	OA111	Num	8	1000		SOC: Contact dermatitis-causing metals
116	149	OA113	Num	8	1184		SOC: Silica dust
117	150	OA115	Num	8	1192		SOC: Wood dust
118	128	OA131	Num	8	1016		SOC: Childcare providers
119	129	OA132	Num	8	1024		SOC: Educators
120	134	OA171	Num	8	1064		SOC: Agricultural organic dusts
121	135	OA172	Num	8	1072		SOC: Industrial organic dusts
122	136	OA173	Num	8	1080		SOC: Rubber dusts
123	138	OA181	Num	8	1096		SOC: Metal working fluid
124	139	OA191	Num	8	1104		SOC: Chemical agents that produce HP
125	142	OA192	Num	8	1128		SOC: Organic agents that produce HP
126	152	OA351	Num	8	1208		SOC: Exposure to mammals
127	153	OA352	Num	8	1216		SOC: Exposure to birds
128	154	OA353	Num	8	1224		SOC: Exposure to insects
129	143	OA1110	Num	8	1136		SOC: Dusty trades
130	144	OA1111	Num	8	1144		SOC: Construction trades
131	145	OA1112	Num	8	1152		SOC: Dusty trades with fiber/fabric
132	146	OA1113	Num	8	1160		SOC: Dusty trades with wood
133	147	OA1114	Num	8	1168		SOC: Dusty trades with crustal dust
134	148	OA1121	Num	8	1176		SOC: Isolated employment
135	140	OA1911	Num	8	1112		SOC: Pesticides that produce HP
136	141	OA1912	Num	8	1120		SOC: Isocyanates that produce HP
137	103	RA10	Num	8	816		Any occupational exposures
138	78	RA11	Num	8	616		Metal dust / fume assoc industry
139	80	RA12	Num	8	632		Healthcare workers
140	83	RA14	Num	8	656		Fire fighters
141	84	RA15	Num	8	664		Military

Obs	Num	Variable	Type	Len	Pos	Format	Label
142	85	RA16	Num	8	672		Agriculture - crop related
143	89	RA18	Num	8	704		Microbials / bioaerosols
144	114	RA20	Num	8	904		Any avocational exposures
145	104	RA21	Num	8	824		Metal dust/fumes avocational
146	106	RA22	Num	8	840		Avocational exposure to children
147	107	RA23	Num	8	848		Microbial bioaerosol contam. non-occ.
148	108	RA24	Num	8	856		Organic dusts non-occ.
149	124	RA30	Num	8	984		Environmental + occupational exp
150	115	RA31	Num	8	912		Any metal dust/fumes exposure
151	116	RA32	Num	8	920		Any exposure to children
152	117	RA33	Num	8	928		Any microbial bioaerosol exp
153	118	RA34	Num	8	936		Any organic dust exposure
154	119	RA35	Num	8	944		Any exposure to animals
155	123	RA36	Num	8	976		Any non-cigarette smoke exp
156	79	RA111	Num	8	624		Contact dermatitis-causing metals
157	100	RA113	Num	8	792		Silica dust
158	101	RA114	Num	8	800		Employment status
159	102	RA115	Num	8	808		Wood dust
160	81	RA131	Num	8	640		Childcare providers
161	82	RA132	Num	8	648		Educators
162	86	RA171	Num	8	680		Agricultural organic dusts
163	87	RA172	Num	8	688		Industrial organic dusts
164	88	RA173	Num	8	696		Rubber dusts
165	90	RA181	Num	8	712		Metal working fluid
166	91	RA191	Num	8	720		Chemical agents that produce HP
167	94	RA192	Num	8	744		Organic agents that produce HP
168	105	RA211	Num	8	832		Metals contact dermatitis non-occ.
169	109	RA251	Num	8	864		Tobacco exposure (active smoking)
170	110	RA252	Num	8	872		Tobacco exposure (passive smoking)
171	111	RA253	Num	8	880		Tobacco exposure (active or passive)
172	112	RA261	Num	8	888		Rural residence as child
173	113	RA262	Num	8	896		Rural residence last 3 yrs
174	120	RA351	Num	8	952		Any exposure to mammals
175	121	RA352	Num	8	960		Any exposure to birds
176	122	RA353	Num	8	968		Any exposure to insects
177	95	RA1111	Num	8	752		Construction trades

Obs	Num	Variable	Type	Len	Pos	Format	Label
178	96	RA1112	Num	8	760		Dusty trades with fiber/fabric
179	97	RA1113	Num	8	768		Dusty trades with wood
180	98	RA1114	Num	8	776		Dusty trades with crustal dust
181	99	RA1121	Num	8	784		Isolated employment
182	92	RA1911	Num	8	728		Pesticides that produce HP
183	93	RA1912	Num	8	736		Isocyanates that produce HP
184	183	SA11	Num	8	1456		S_S: Metal dust / fume assoc industry
185	185	SA12	Num	8	1472		S_S: Healthcare workers
186	188	SA14	Num	8	1496		S_S: Fire fighters
187	189	SA15	Num	8	1504		S_S: Military
188	190	SA16	Num	8	1512		S_S: Agriculture - crop related
189	191	SA17	Num	8	1520		S_S: Organic dusts
190	195	SA18	Num	8	1552		S_S: Microbials / bioaerosols
191	209	SA35	Num	8	1664		S_S: Exposure to animals
192	184	SA111	Num	8	1464		S_S: Contact dermatitis-causing metals
193	207	SA113	Num	8	1648		S_S: Silica dust
194	208	SA115	Num	8	1656		S_S: Wood dust
195	186	SA131	Num	8	1480		S_S: Childcare providers
196	187	SA132	Num	8	1488		S_S: Educators
197	192	SA171	Num	8	1528		S_S: Agricultural organic dusts
198	193	SA172	Num	8	1536		S_S: Industrial organic dusts
199	194	SA173	Num	8	1544		S_S: Rubber dusts
200	196	SA181	Num	8	1560		S_S: Metal working fluid
201	197	SA191	Num	8	1568		S_S: Chemical agents that produce HP
202	200	SA192	Num	8	1592		S_S: Organic agents that produce HP
203	210	SA351	Num	8	1672		S_S: Exposure to mammals
204	211	SA352	Num	8	1680		S_S: Exposure to birds
205	212	SA353	Num	8	1688		S_S: Exposure to insects
206	201	SA1110	Num	8	1600		S_S: Dusty trades
207	202	SA1111	Num	8	1608		S_S: Construction trades
208	203	SA1112	Num	8	1616		S_S: Dusty trades with fiber/fabric
209	204	SA1113	Num	8	1624		S_S: Dusty trades with wood
210	205	SA1114	Num	8	1632		S_S: Dusty trades with crustal dust
211	206	SA1121	Num	8	1640		S_S: Isolated employment
212	198	SA1911	Num	8	1576		S_S: Pesticides that produce HP
213	199	SA1912	Num	8	1584		S_S: Isocyanates that produce HP

Data Set Name: cases.form02

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
1	4	AGE	Num	6	50	2.	3.	f02q5: Age (Years)
2	2	AGR_STDY	Num	6	38	1.	BEST22.	f02q3: Case agreed to be in study
3	13	BERYLDI	Num	6	104	1.	BEST22.	f02q8f: Had chronic beryllium disease
4	38	BIOP_DY	Num	8	16	4.		f02q9a: Days to biopsy
5	28	BRONACID	Num	6	194	1.	BEST22.	f02q12c1: Br Lavage--acid fast bacilii
6	29	BRONFUNG	Num	6	200	1.	BEST22.	f02q12c2: Br Lavage--fungus
7	30	BRONOTH	Num	6	206	1.	BEST22.	f02q12c3: Br Lavage--other
8	15	BRONPERF	Num	6	116	1.	BEST22.	f02q10a: Bronchoscopy performed where?
9	11	CROHNDI	Num	6	92	1.	BEST22.	f02q8d: Had Crohn's disease
10	34	CULTPOS	Num	6	230	1.	BEST22.	f02q13: Culture was positive
11	20	DIA_SARC	Num	6	146	1.	BEST22.	f02q11b: Pathology report consistent
12	37	F02_DY	Num	8	8	4.		f02q2: Days to conf eligibility
13	3	GENDER	Num	6	44	1.	BEST22.	f02q4: Gender
14	7	HISPANIC	Num	6	68	1.	BEST22.	f02q7: Hispanic
15	12	HISTOPLM	Num	6	98	1.	BEST22.	f02q8e: Meds for histoplasmosis
16	5	LT_18YRS	Num	6	56	1.	BEST22.	f02q5a: Case is less than 18
17	22	LUNGACID	Num	6	158	1.	BEST22.	f02q12a1: Lung biopsy--acid fast bacilii
18	23	LUNGFUNG	Num	6	164	1.	BEST22.	f02q12a2: Lung biopsy--fungus
19	24	LUNGOTH	Num	6	170	1.	BEST22.	f02q12a3: Lung biopsy--other
20	25	LYMPACID	Num	6	176	1.	BEST22.	f02q12b1: Lymph Node--acid fast bacilii
21	26	LYMPFUNG	Num	6	182	1.	BEST22.	f02q12b2: Lymph Node--fungus
22	27	LYMPOTH	Num	6	188	1.	BEST22.	f02q12b3: Lymph Node--other
23	16	LYMPPERF	Num	6	122	1.	BEST22.	f02q10b: Lymph Node biopsy perf where?
24	36	NEWID	Num	8	0	Z5.1		Patient ID
25	31	OTHACID	Num	6	212	1.	BEST22.	f02q12d1: Other--acid fast bacilii
26	32	OTHFUNG	Num	6	218	1.	BEST22.	f02q12d2: Other--fungus
27	33	OTHOTH	Num	6	224	1.	BEST22.	f02q12d3: Other--other
28	18	OTHPERF	Num	6	134	1.	BEST22.	f02q10d: KVEIM/other biosy perf where?
29	19	PATHCOMP	Num	6	140	1.	BEST22.	f02q11: Pathology report completed
30	39	PATH_DY	Num	8	24	4.		f02q11a: Days to path report
31	21	PATH_EXC	Num	6	152	1.	BEST22.	f02q11c: Any pathology exclusion
32	10	PR_BICIR	Num	6	86	1.	BEST22.	f02q8c: Had cirrhosis
33	6	RACE	Num	6	62	1.	BEST22.	f02q6: Race

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
34	1	REV	Num	6	32	1.	BEST22.	REV
35	9	SARC_GT6	Num	6	80	1.	BEST22.	f02q8b: Sarcoidosis > 6 mos
36	17	SKINPERF	Num	6	128	1.	BEST22.	f02q10c: Skin biopsy performed where?
37	14	SPEC_OBT	Num	6	110	1.	BEST22.	f02q9: Tissue specimen obtained
38	35	STOPRESP	Num	6	236	1.	BEST22.	f02q14: Any stop responses
39	8	TBRCM	Num	6	74	1.	BEST22.	f02q8a: Active TB

Data Set Name: cases.form10

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
1	76	BLDCNSNT	Num	6	502	1.	BEST22.	f10q34: Consent for blood use
2	72	BLDRWVOL	Num	8	8	5.	5.	f10q31: Volume of blood drawn (cc)
3	84	BLDRW_DY	Num	8	56	4.		f10q30: Days to blood drawn
4	71	BLDRW_ND	Num	6	478	1.	BEST22.	f10q30: Blood not drawn
5	20	COST_WRY	Num	6	172	1.	BEST22.	f10q12: Worry about cost
6	5	EDUCATN	Num	6	82	1.	BEST22.	f10q7: Schooling completed
7	80	F10_DY	Num	8	24	4.		f10q2: Days to interview
8	16	HLTCARE1	Num	6	148	1.	BEST22.	f10q11a1/11a2: Lack of money/too far
9	17	HLTCARE2	Num	6	154	1.	BEST22.	see 11a1
10	18	HLTCARE3	Num	6	160	1.	BEST22.	f10q11a3: Couldn't get appointment
11	19	HLTCARE4	Num	6	166	1.	BEST22.	f10q11a4: Some other reason
12	7	HLTPLAN1	Num	6	94	1.	BEST22.	f10q8a: Pay less for certain MDs
13	8	HLTPLAN2	Num	6	100	1.	BEST22.	f10q8b: Pay less for certain clinics
14	9	HLTPLAN3	Num	6	106	1.	BEST22.	f10q8c: Limits choice of specialist
15	10	HLTPLCE1	Num	6	112	1.	BEST22.	f10q9: Go to one particular place
16	12	HLTPLCE2	Num	6	124	1.	BEST22.	f10q9b: Place patient would go to
17	27	HLTPRB1	Num	6	214	1.	BEST22.	f10q14a: Hx of asthma
18	30	HLTPRB2	Num	6	232	1.	BEST22.	f10q15a: Hx of chronic bronchitis
19	33	HLTPRB3	Num	6	250	1.	BEST22.	f10q16a: Hx of emphysema
20	36	HLTPRB4	Num	6	268	1.	BEST22.	f10q17a: Hx of sinus trouble
21	39	HLTPRB5	Num	6	286	1.	BEST22.	f10q18a: Hx of allergies
22	42	HLTPRB6	Num	6	304	1.	BEST22.	f10q19a: Hx of heart disease
23	45	HLTPRB7	Num	6	322	1.	BEST22.	f10q20a: Hx of high blood pressure
24	48	HLTPRB8	Num	6	340	1.	BEST22.	f10q21a: Hx of kidney disease
25	51	HLTPRB9	Num	6	358	1.	BEST22.	f10q22a: Hx of liver disease
26	54	HLTPRB10	Num	6	376	1.	BEST22.	f10q23a: Hx of arthritis
27	57	HLTPRB11	Num	6	394	1.	BEST22.	f10q24a: Hx of skin disease
28	60	HLTPRB12	Num	6	412	1.	BEST22.	f10q25a: Hx of cancer
29	63	HLTPRB13	Num	6	430	1.	BEST22.	f10q26a: Hx of lupus
30	66	HLTPRB14	Num	6	448	1.	BEST22.	f10q27a: Hx of diabetes
31	11	HLTTYPE1	Num	6	118	1.	BEST22.	f10q9a: Type of place
32	13	HLTTYPE2	Num	6	130	1.	BEST22.	f10q9c: Type of place
33	6	HLT_INSR	Num	6	88	1.	BEST22.	f10q8: Health insurance plan

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
34	14	HLT_PHYS	Num	6	136	1.	BEST22.	f10q10: Regular doctor
35	4	HOMELESS	Num	6	76	1.	BEST22.	f10q6a: Homeless
36	3	HOME_NBP	Num	8	0	3.	3.	f10q6: Number living at home
37	21	HOW_MANY	Num	6	178	3.	3.	f10q12a: How many times?
38	29	HPSH1	Num	6	226	1.	BEST22.	f10q14c: Still have asthma
39	32	HPSH2	Num	6	244	1.	BEST22.	f10q15c: Still have chronic bronchitis
40	35	HPSH3	Num	6	262	1.	BEST22.	f10q16c: Still have emphysema
41	38	HPSH4	Num	6	280	1.	BEST22.	f10q17c: Still have sinus trouble
42	41	HPSH5	Num	6	298	1.	BEST22.	f10q18c: Still have allergies
43	44	HPSH6	Num	6	316	1.	BEST22.	f10q19c: Still have heart disease
44	47	HPSH7	Num	6	334	1.	BEST22.	f10q20c: Still have high blood pressure
45	50	HPSH8	Num	6	352	1.	BEST22.	f10q21c: Still have kidney disease
46	53	HPSH9	Num	6	370	1.	BEST22.	f10q22c: Still have liver disease
47	56	HPSH10	Num	6	388	1.	BEST22.	f10q23c: Still have arthritis
48	59	HPSH11	Num	6	406	1.	BEST22.	f10q24c: Still have skin disease
49	62	HPSH12	Num	6	424	1.	BEST22.	f10q25c: Still have cancer
50	65	HPSH13	Num	6	442	1.	BEST22.	f10q26c: Still have lupus
51	68	HPSH14	Num	6	460	1.	BEST22.	f10q27c: Still have diabetes
52	28	HP_AGE1	Num	6	220	3.	3.	f10q14b: Age at asthma
53	31	HP_AGE2	Num	6	238	3.	3.	f10q15b: Age at chronic bronchitis
54	34	HP_AGE3	Num	6	256	3.	3.	f10q16b: Age at emphysema
55	37	HP_AGE4	Num	6	274	3.	3.	f10q17b: Age at sinus trouble
56	40	HP_AGE5	Num	6	292	3.	3.	f10q18b: Age at allergies
57	43	HP_AGE6	Num	6	310	3.	3.	f10q19b: Age at heart disease
58	46	HP_AGE7	Num	6	328	3.	3.	f10q20b: Age at high blood pressure
59	49	HP_AGE8	Num	6	346	3.	3.	f10q21b: Age at kidney disease
60	52	HP_AGE9	Num	6	364	3.	3.	f10q22b: Age at liver disease
61	55	HP_AGE10	Num	6	382	3.	3.	f10q23b: Age at arthritis
62	58	HP_AGE11	Num	6	400	3.	3.	f10q24b: Age at skin disease
63	61	HP_AGE12	Num	6	418	3.	3.	f10q25b: Age at cancer
64	64	HP_AGE13	Num	6	436	3.	3.	f10q26b: Age at lupus
65	67	HP_AGE14	Num	6	454	3.	3.	f10q27b: Age at diabetes
66	77	INT_LOC	Num	6	508	1.	BEST22.	f10q35: Interview conducted where
67	2	MARISTAT	Num	6	70	1.	BEST22.	f10q5: Marital status
68	22	MED_DIFF	Num	6	184	1.	BEST22.	f10q13: Difficulty with prescription
69	79	NEWID	Num	8	16	Z5.1		Patient ID

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
70	69	OTHLTPRB	Num	6	466	1.	BEST22.	f10q28: Other health problems
71	70	PREGNANT	Num	6	472	1.	BEST22.	f10q29: Pregnant during ref period
72	23	REAS_MD1	Num	6	190	1.	BEST22.	f10q13a1: Cost
73	24	REAS_MD2	Num	6	196	1.	BEST22.	f10q13a2: Not needed or helpful
74	25	REAS_MD3	Num	6	202	1.	BEST22.	f10q13a3: Couldn't get to store
75	26	REAS_MD4	Num	6	208	1.	BEST22.	f10q13a4: Other
76	82	REF1_DY	Num	8	40	4.		f10q2b1: Days to reference start
77	83	REF2_DY	Num	8	48	4.		f10q2b2: Days to reference end
78	81	REF_DY	Num	8	32	4.		f10q2a: Days to reference date
79	1	REV	Num	6	64	1.	BEST22.	REV
80	78	WHEN_BLD	Num	6	514	1.	BEST22.	f10q39: When blood specimen obtained
81	73	WHER_BSA	Num	6	484	1.	BEST22.	f10q33a: Blood to DNA core lab
82	74	WHER_BSB	Num	6	490	1.	BEST22.	f10q33b: Blood to RNA study
83	75	WHER_BSC	Num	6	496	1.	BEST22.	f10q33c: Blood to L-forms lab
84	15	WNTSEDOC	Num	6	142	1.	BEST22.	f10q11: Wanted, but could not see MD

Data Set Name: cases.form11

Obs	Num	Variable	Type	Len	Pos	Format	Label
1	2	FMTYP	Char	8	38	\$4.	Form Type
2	3	INTWTIME	Num	6	14	2.	f11q3: Time of interview
3	4	JOBHIST	Num	6	20	2.	f11q3a: Complete job history
4	6	JOBSTARD	Num	6	32	2.	f11q5: Current job status
5	5	JOBSTAT	Num	6	26	2.	f11q4: Job status at ref. date
6	7	NEWID	Num	8	0	Z5.1	Patient ID
7	1	REV	Num	6	8	1.	Form Revision

Data Set Name: cases.form12

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
1	161	ACTAOTR	Num	6	968	1.	BEST22.	f12q80a: Exposure to auto/truck repair
2	167	ACTCCOBS	Num	6	1004	1.	BEST22.	f12q83a: Exposure to childcare
3	165	ACTCOWW	Num	6	992	1.	BEST22.	f12q82a: Exposure to carpentry
4	171	ACTEIAHC	Num	6	1028	1.	BEST22.	f12q85a: Exposure to health clubs
5	173	ACTFARM	Num	6	1040	1.	BEST22.	f12q86a: Exposure to farming
6	177	ACTFF	Num	6	1064	1.	BEST22.	f12q88a: Exposure to firefighting
7	179	ACTGARDN	Num	6	1076	1.	BEST22.	f12q89a: Exposure to gardening
8	181	ACTHOC	Num	6	1088	1.	BEST22.	f12q90a: Exposure to hairdressing
9	183	ACTHOHCV	Num	6	1100	1.	BEST22.	f12q91a: Exposure as hosp volunteer
10	185	ACTJM	Num	6	1112	1.	BEST22.	f12q92a: Exposure to jewelry making
11	187	ACTLW	Num	6	1124	1.	BEST22.	f12q93a: Exposure to leather working
12	197	ACTOBAFR	Num	6	1184	1.	BEST22.	f12q98a: Exposure to other reserves
13	219	ACTOE1	Num	6	1316	1.	BEST22.	f12q109a: Exposure to other 1
14	221	ACTOE2	Num	6	1328	1.	BEST22.	f12q110a: Exposure to other 2
15	199	ACTPM	Num	6	1196	1.	BEST22.	f12q99a: Exposure to pottery making
16	201	ACTPP	Num	6	1208	1.	BEST22.	f12q100a: Exposure to painting pictures
17	203	ACTPRINT	Num	6	1220	1.	BEST22.	f12q101a: Exposure to printing
18	175	ACTRANCH	Num	6	1052	1.	BEST22.	f12q87a: Exposure to ranching
19	169	ACTRHC	Num	6	1016	1.	BEST22.	f12q84a: Exposure to home cleaning
20	163	ACTROTB	Num	6	980	1.	BEST22.	f12q81a: Exposure to birds
21	209	ACTSCOP	Num	6	1256	1.	BEST22.	f12q104a: Exposure to stone cutting
22	211	ACTSIAIP	Num	6	1268	1.	BEST22.	f12q105a: Exposure to indoor pools
23	207	ACTSOW	Num	6	1244	1.	BEST22.	f12q103a: Exposure to spinning/weaving
24	205	ACTSPAOV	Num	6	1232	1.	BEST22.	f12q102a: Exposure to spray painting aut
25	215	ACTUAS	Num	6	1292	1.	BEST22.	f12q107a: Exposure to sauna
26	213	ACTUHTOW	Num	6	1280	1.	BEST22.	f12q106a: Exposure to hot tubs
27	193	ACTUSAFR	Num	6	1160	1.	BEST22.	f12q96a: Exposure to AF reserves
28	189	ACTUSAR	Num	6	1136	1.	BEST22.	f12q94a: Exposure to Army reserves/NG
29	195	ACTUSMR	Num	6	1172	1.	BEST22.	f12q97a: Exposure to Marine reserves
30	191	ACTUSNR	Num	6	1148	1.	BEST22.	f12q95a: Exposure to Navy reserves
31	217	ACTWEID	Num	6	1304	1.	BEST22.	f12q108a: Exposure to welding
32	159	ENVIRAAA	Num	6	956	1.	BEST22.	f12q79a1: Exposure to animals at work
33	151	ENVIRHH	Num	6	908	1.	BEST22.	f12q78a1: Exposure to high humidity

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
34	157	ENVIRMMO	Num	6	944	1.	BEST22.	f12q78a4: Exposure to musty odors
35	155	ENVIROMM	Num	6	932	1.	BEST22.	f12q78a3: Exposure to mold/mildew
36	153	ENVIRWD	Num	6	920	1.	BEST22.	f12q78a2: Exposure to water damage
37	3	JOBACM	Num	6	20	1.	BEST22.	f12q4a: Job in aircraft manufacturing
38	17	JOBALW	Num	6	104	1.	BEST22.	f12q11a: Job in animal lab
39	23	JOBAM	Num	6	140	1.	BEST22.	f12q14a: Job in auto manufacturing
40	103	JOBAMVO	Num	6	620	1.	BEST22.	f12q54a: Job as motor vehicle operator
41	19	JOBAOF	Num	6	116	1.	BEST22.	f12q12a: Job in assembling
42	21	JOBAOTR	Num	6	128	1.	BEST22.	f12q13a: Job in auto/truck repair
43	83	JOBATOM	Num	6	500	1.	BEST22.	f12q44a: Job in any type of mining
44	25	JOB BT	Num	6	152	1.	BEST22.	f12q15a: Job in bank telling
45	31	JOBCASH	Num	6	188	1.	BEST22.	f12q18a: Job as cashier
46	33	JOBCCW	Num	6	200	1.	BEST22.	f12q19a: Job in child care work
47	45	JOBCG	Num	6	272	1.	BEST22.	f12q25a: Job in cotton ginning
48	39	JOBCONST	Num	6	236	1.	BEST22.	f12q22a: Job in construction
49	37	JOBCOOW	Num	6	224	1.	BEST22.	f12q21a: Job in clerical/office work
50	29	JOBCOWW	Num	6	176	1.	BEST22.	f12q17a: Job in carpentry
51	71	JOBCP	Num	6	428	1.	BEST22.	f12q38a: Job in commercial printing
52	35	JOBCPH	Num	6	212	1.	BEST22.	f12q20a: Job as domestic worker
53	99	JOBDDPM	Num	6	596	1.	BEST22.	f12q52a: Job in dental work
54	43	JOBDOB	Num	6	260	1.	BEST22.	f12q24a: Job in bldg demolition
55	49	JOBDPTCP	Num	6	296	1.	BEST22.	f12q27a: Job as DP, typist, programmer
56	51	JOBEOEWE	Num	6	308	1.	BEST22.	f12q28a: Job in electric/electronics
57	57	JOBFA	Num	6	344	1.	BEST22.	f12q31a: Job as flight attendant
58	55	JOBFF	Num	6	332	1.	BEST22.	f12q30a: Job in fire fighting
59	141	JOBFP	Num	6	848	1.	BEST22.	f12q73a: Job in food preparation
60	53	JOBFRFL	Num	6	320	1.	BEST22.	f12q29a: Job in farming/ranching
61	59	JOBFW	Num	6	356	1.	BEST22.	f12q32a: Job in forestry work
62	65	JOBGM	Num	6	392	1.	BEST22.	f12q35a: Job in glass making
63	67	JOBHOC	Num	6	404	1.	BEST22.	f12q36a: Job in hairdressing
64	69	JOBHP	Num	6	416	1.	BEST22.	f12q37a: Job in house painting
65	91	JOBHW	Num	6	548	1.	BEST22.	f12q48a: Job as hospital worker
66	41	JOBIACF	Num	6	248	1.	BEST22.	f12q23a: Job in cork factory
67	85	JOBIANH	Num	6	512	1.	BEST22.	f12q45a: Job in nursing home/LTC
68	63	JOBIAP	Num	6	380	1.	BEST22.	f12q34a: Job in a pulpmill
69	147	JOBIAPS	Num	6	884	1.	BEST22.	f12q76a: Job in pet store

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
70	61	JOBIAS	Num	6	368	1.	BEST22.	f12q33a: Job in a sawmill
71	119	JOBIASO	Num	6	716	1.	BEST22.	f12q62a: Job in sales
72	149	JOBIOWRE	Num	6	896	1.	BEST22.	f12q77a: Job with radiation exposure
73	105	JOBIPNOF	Num	6	632	1.	BEST22.	f12q55a: Job as florist or in nursery
74	73	JOBJM	Num	6	440	1.	BEST22.	f12q39a: Job in jewelry making
75	75	JOBLADC	Num	6	452	1.	BEST22.	f12q40a: Job in laundry/dry cleaning
76	77	JOBMOAOI	Num	6	464	1.	BEST22.	f12q41a: Job as machine operator
77	79	JOBMP	Num	6	476	1.	BEST22.	f12q42a: Job in meat packing
78	93	JOBMTOMT	Num	6	560	1.	BEST22.	f12q49a: Job as medical technologist
79	81	JOBMW	Num	6	488	1.	BEST22.	f12q43a: Job in meat wrapping
80	87	JOBNA	Num	6	524	1.	BEST22.	f12q46a: Job as nurses aide
81	15	JOBNW	Num	6	92	1.	BEST22.	f12q10a: Job in nuclear work
82	13	JOBOBAF	Num	6	80	1.	BEST22.	f12q9a: Job in other armed forces
83	111	JOBPFM	Num	6	668	1.	BEST22.	f12q58a: Job in polyurethane foam manufa
84	97	JOBPBYS	Num	6	584	1.	BEST22.	f12q51a: Job as physician
85	107	JOBPM	Num	6	644	1.	BEST22.	f12q56a: Job in plastics manufacturing
86	115	JOBPMOC	Num	6	692	1.	BEST22.	f12q60a: Job in pottery making/ceramics
87	113	JOBPW	Num	6	680	1.	BEST22.	f12q59a: Job as postal worker
88	27	JOBRB	Num	6	164	1.	BEST22.	f12q16a: Job in raising birds
89	145	JOBRFW	Num	6	872	1.	BEST22.	f12q75a: Job in rubber factory
90	89	JOBRNLPN	Num	6	536	1.	BEST22.	f12q47a: Job as RN or LPN
91	101	JOBRT	Num	6	608	1.	BEST22.	f12q53a: Job in respiratory therapies
92	121	JOBSB	Num	6	728	1.	BEST22.	f12q63a: Job in sandblasting
93	125	JOBS COP	Num	6	752	1.	BEST22.	f12q65a: Job stone cutting/polishing
94	123	JOBSIAF	Num	6	740	1.	BEST22.	f12q64a: Job smelting in a foundry
95	95	JOBSWMHW	Num	6	572	1.	BEST22.	f12q50a: Job as social/MH worker
96	135	JOBTC	Num	6	812	1.	BEST22.	f12q70a: Job in tunnel construction
97	129	JOBT CHE	Num	6	776	1.	BEST22.	f12q67a: Job as teacher, Gr 1 - 6
98	131	JOBT CHMS	Num	6	788	1.	BEST22.	f12q68a: Job as teacher, middle & high
99	133	JOBT CHPH	Num	6	800	1.	BEST22.	f12q69a: Job as teacher, post high
100	127	JOBT CHPK	Num	6	764	1.	BEST22.	f12q66a: Job as teacher, pre-K & K
101	47	JOBTMOGI	Num	6	284	1.	BEST22.	f12q26a: Job in textiles/garments
102	5	JOBUSA	Num	6	32	1.	BEST22.	f12q5a: Job in US Army
103	9	JOBUSAF	Num	6	56	1.	BEST22.	f12q7a: Job in US Air Force
104	11	JOBUSM	Num	6	68	1.	BEST22.	f12q8a: Job in US Marines
105	7	JOBUSN	Num	6	44	1.	BEST22.	f12q6a: Job in US Navy

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
106	137	JOBVVW	Num	6	824	1.	BEST22.	f12q71a: Job in veterinary work
107	143	JOBWELD	Num	6	860	1.	BEST22.	f12q74a: Job in welding
108	117	JOBWIAQ	Num	6	704	1.	BEST22.	f12q61a: Job working in a quarry
109	139	JOBWOW	Num	6	836	1.	BEST22.	f12q72a: Job as waiter/waitress
110	109	JOBWWR	Num	6	656	1.	BEST22.	f12q57a: Job working with resins
111	4	MT1ACM	Num	6	26	1.	BEST22.	f12q4b: > 1 yr in aircraft man.
112	18	MT1ALW	Num	6	110	1.	BEST22.	f12q11b: > 1 yr animal lab
113	24	MT1AM	Num	6	146	1.	BEST22.	f12q14b: > 1 yr auto manufacturing
114	104	MT1AMVO	Num	6	626	1.	BEST22.	f12q54b: > 1 yr motor vehicle operator
115	20	MT1AOF	Num	6	122	1.	BEST22.	f12q12b: > 1 yr assembling
116	22	MT1AOTR	Num	6	134	1.	BEST22.	f12q13b: > 1 yr auto/truck repair
117	84	MT1ATOM	Num	6	506	1.	BEST22.	f12q44b: > 1 yr any type of mining
118	26	MT1BT	Num	6	158	1.	BEST22.	f12q15b: > 1 yr bank telling
119	32	MT1CASH	Num	6	194	1.	BEST22.	f12q18b: > 1 yr cashier
120	34	MT1CCW	Num	6	206	1.	BEST22.	f12q19b: > 1 yr child care work
121	46	MT1CG	Num	6	278	1.	BEST22.	f12q25b: > 1 yr cotton ginning
122	40	MT1CONST	Num	6	242	1.	BEST22.	f12q22b: > 1 yr construction
123	38	MT1COOW	Num	6	230	1.	BEST22.	f12q21b: > 1 yr clerical/office work
124	30	MT1COWW	Num	6	182	1.	BEST22.	f12q17b: > 1 yr carpentry
125	72	MT1CP	Num	6	434	1.	BEST22.	f12q38b: > 1 yr commercial printing
126	36	MT1CPH	Num	6	218	1.	BEST22.	f12q20b: > 1 yr domestic worker
127	100	MT1DDPM	Num	6	602	1.	BEST22.	f12q52b: > 1 yr dental work
128	44	MT1DOB	Num	6	266	1.	BEST22.	f12q24b: > 1 yr bldg demolition
129	50	MT1DPTCP	Num	6	302	1.	BEST22.	f12q27b: > 1 yr DP, typist, programmer
130	52	MT1EOEW	Num	6	314	1.	BEST22.	f12q28b: > 1 yr electric/electronics
131	58	MT1FA	Num	6	350	1.	BEST22.	f12q31b: > 1 yr flight attendant
132	56	MT1FF	Num	6	338	1.	BEST22.	f12q30b: > 1 yr fire fighting
133	142	MT1FP	Num	6	854	1.	BEST22.	f12q73b: > 1 yr food preparation
134	54	MT1FRFL	Num	6	326	1.	BEST22.	f12q29b: > 1 yr farming/ranching
135	60	MT1FW	Num	6	362	1.	BEST22.	f12q32b: > 1 yr forestry work
136	66	MT1GM	Num	6	398	1.	BEST22.	f12q35b: > 1 yr glass making
137	68	MT1HOC	Num	6	410	1.	BEST22.	f12q36b: > 1 yr hairdressing
138	70	MT1HP	Num	6	422	1.	BEST22.	f12q37b: > 1 yr house painting
139	92	MT1HW	Num	6	554	1.	BEST22.	f12q48b: > 1 yr hospital worker
140	42	MT1IACF	Num	6	254	1.	BEST22.	f12q23b: > 1 yr cork factory
141	86	MT1IANH	Num	6	518	1.	BEST22.	f12q45b: > 1 yr nursing home/LTC

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
142	64	MT1IAP	Num	6	386	1.	BEST22.	f12q34b: > 1 yr in a pulpmill
143	148	MT1IAPS	Num	6	890	1.	BEST22.	f12q76b: > 1 yr pet store
144	62	MT1IAS	Num	6	374	1.	BEST22.	f12q33b: > 1 yr in a sawmill
145	120	MT1IASO	Num	6	722	1.	BEST22.	f12q62b: > 1 yr sales
146	150	MT1IOWRE	Num	6	902	1.	BEST22.	f12q77b: > 1 yr radiation exposure
147	106	MT1IPNOF	Num	6	638	1.	BEST22.	f12q55b: > 1 yr florist or in nursery
148	74	MT1IJM	Num	6	446	1.	BEST22.	f12q39b: > 1 yr jewelry making
149	76	MT1ILADC	Num	6	458	1.	BEST22.	f12q40b: > 1 yr laundry/dry cleaning
150	78	MT1MOAOI	Num	6	470	1.	BEST22.	f12q41b: > 1 yr machine operator
151	80	MT1IMP	Num	6	482	1.	BEST22.	f12q42b: > 1 yr meat packing
152	94	MT1MTOMT	Num	6	566	1.	BEST22.	f12q49b: > 1 yr medical technologist
153	82	MT1MW	Num	6	494	1.	BEST22.	f12q43b: > 1 yr meat wrapping
154	88	MT1NA	Num	6	530	1.	BEST22.	f12q46b: > 1 yr nurses aide
155	90	MT1NLPN	Num	6	542	1.	BEST22.	f12q47b: > 1 yr RN or LPN
156	16	MT1NW	Num	6	98	1.	BEST22.	f12q10b: > 1 yr nuclear work
157	14	MT1OBAF	Num	6	86	1.	BEST22.	f12q9b: > 1 yr other armed forces
158	112	MT1PFM	Num	6	674	1.	BEST22.	f12q58b: > 1 yr polyurethane foam manufa
159	98	MT1PHYS	Num	6	590	1.	BEST22.	f12q51b: > 1 yr physician
160	108	MT1PM	Num	6	650	1.	BEST22.	f12q56b: > 1 yr plastics manufacturing
161	116	MT1PMOC	Num	6	698	1.	BEST22.	f12q60b: > 1 yr pottery making/ceramics
162	114	MT1PW	Num	6	686	1.	BEST22.	f12q59b: > 1 yr postal worker
163	28	MT1RB	Num	6	170	1.	BEST22.	f12q16b: > 1 yr raising birds
164	146	MT1RFW	Num	6	878	1.	BEST22.	f12q75b: > 1 yr rubber factory
165	102	MT1RT	Num	6	614	1.	BEST22.	f12q53b: > 1 yr respiratory therapies
166	122	MT1SB	Num	6	734	1.	BEST22.	f12q63b: > 1 yr sandblasting
167	126	MT1SCOP	Num	6	758	1.	BEST22.	f12q65b: > 1 yr stone cutting/polishing
168	124	MT1SIAF	Num	6	746	1.	BEST22.	f12q64b: > 1 yr smelting in a foundry
169	96	MT1SWMHW	Num	6	578	1.	BEST22.	f12q50b: > 1 yr social/MH worker
170	136	MT1TC	Num	6	818	1.	BEST22.	f12q70b: > 1 yr tunnel construction
171	130	MT1TCHE	Num	6	782	1.	BEST22.	f12q67b: > 1 yr teacher, Gr 1 - 6
172	132	MT1TCHMS	Num	6	794	1.	BEST22.	f12q68b: > 1 yr teacher, middle & high
173	134	MT1TCHPH	Num	6	806	1.	BEST22.	f12q69b: > 1 yr teacher, post high
174	128	MT1TCHPK	Num	6	770	1.	BEST22.	f12q66b: > 1 yr teacher, pre-K & K
175	48	MT1TMOGI	Num	6	290	1.	BEST22.	f12q26b: > 1 yr textiles/garments
176	6	MT1USA	Num	6	38	1.	BEST22.	f12q5b: > 1 yr US Army
177	10	MT1USAF	Num	6	62	1.	BEST22.	f12q7b: > 1 yr US Air Force

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
178	12	MTIUSM	Num	6	74	1.	BEST22.	f12q8b: > 1 yr US Marines
179	8	MTIUSN	Num	6	50	1.	BEST22.	f12q6b: > 1 yr US Navy
180	138	MT1VVW	Num	6	830	1.	BEST22.	f12q71b: > 1 yr veterinary work
181	144	MT1WELD	Num	6	866	1.	BEST22.	f12q74b: > 1 yr welding
182	118	MT1WIAQ	Num	6	710	1.	BEST22.	f12q61b: > 1 yr working in a quarry
183	140	MT1WOW	Num	6	842	1.	BEST22.	f12q72b: > 1 yr waiter/waitress
184	110	MT1WWR	Num	6	662	1.	BEST22.	f12q57b: > 1 yr working with resins
185	160	MTOAAA	Num	6	962	1.	BEST22.	f12q79b1: > 1 yr animals at work
186	162	MTOAOTR	Num	6	974	1.	BEST22.	f12q80b: > 1 yr auto/truck repair
187	168	MTOCCOBS	Num	6	1010	1.	BEST22.	f12q83b: > 1 yr childcare
188	166	MTOCOWW	Num	6	998	1.	BEST22.	f12q82b: > 1 yr carpentry
189	172	MTOEIAHC	Num	6	1034	1.	BEST22.	f12q85b: > 1 yr health clubs
190	174	MTOFARM	Num	6	1046	1.	BEST22.	f12q86b: > 1 yr farming
191	178	MTOFF	Num	6	1070	1.	BEST22.	f12q88b: > 1 yr firefighting
192	180	MTOGARDN	Num	6	1082	1.	BEST22.	f12q89b: > 1 yr gardening
193	152	MTOHH	Num	6	914	1.	BEST22.	f12q78b1: > 1 yr high humidity
194	182	MTOHOC	Num	6	1094	1.	BEST22.	f12q90b: > 1 yr hairdressing
195	184	MTOHOHCV	Num	6	1106	1.	BEST22.	f12q91b: > 1 yr hospital volunteer
196	186	MTOJM	Num	6	1118	1.	BEST22.	f12q92b: > 1 yr jewelry making
197	188	MTOLW	Num	6	1130	1.	BEST22.	f12q93b: > 1 yr leather working
198	158	MTOMMO	Num	6	950	1.	BEST22.	f12q78b4: > 1 yr musty odors
199	198	MTOOBAFR	Num	6	1190	1.	BEST22.	f12q98b: > 1 yr other reserves
200	220	MTOOE1	Num	6	1322	1.	BEST22.	f12q109b: > 1 yr other 1
201	222	MTOOE2	Num	6	1334	1.	BEST22.	f12q110b: > 1 yr other 2
202	156	MTOO MM	Num	6	938	1.	BEST22.	f12q78b3: > 1 yr mold/mildew
203	200	MTO PM	Num	6	1202	1.	BEST22.	f12q99b: > 1 yr pottery making
204	202	MTO PP	Num	6	1214	1.	BEST22.	f12q100b: > 1 yr painting pictures
205	204	MTO PRINT	Num	6	1226	1.	BEST22.	f12q101b: > 1 yr printing
206	176	MTO RANCH	Num	6	1058	1.	BEST22.	f12q87b: > 1 yr ranching
207	170	MTO RHC	Num	6	1022	1.	BEST22.	f12q84b: > 1 yr home cleaning
208	164	MTO ROTB	Num	6	986	1.	BEST22.	f12q81b: > 1 yr birds
209	210	MTO SCOP	Num	6	1262	1.	BEST22.	f12q104b: > 1 yr stone cutting
210	212	MTO SIAIP	Num	6	1274	1.	BEST22.	f12q105b: > 1 yr indoor pools
211	208	MTO SOW	Num	6	1250	1.	BEST22.	f12q103b: > 1 yr spinning/weaving
212	206	MTO SPAOV	Num	6	1238	1.	BEST22.	f12q102b: > 1 yr spray painting autos
213	216	MTO UAS	Num	6	1298	1.	BEST22.	f12q107b: > 1 yr sauna

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
214	214	MTOUHTOW	Num	6	1286	1.	BEST22.	f12q106b: > 1 yr hot tubs
215	194	MTOUSAFR	Num	6	1166	1.	BEST22.	f12q96b: > 1 yr Air Force reserves
216	190	MTOUSAR	Num	6	1142	1.	BEST22.	f12q94b: > 1 yr Army reserves/NG
217	196	MTOUSMR	Num	6	1178	1.	BEST22.	f12q97b: > 1 yr Marine reserves
218	192	MTOUSNR	Num	6	1154	1.	BEST22.	f12q95b: > 1 yr Navy reserves
219	154	MTOWD	Num	6	926	1.	BEST22.	f12q78b2: > 1 yr water damage
220	218	MTOWEID	Num	6	1310	1.	BEST22.	f12q108b: > 1 yr welding
221	223	NEWID	Num	8	0	Z5.1		Patient ID
222	1	REV	Num	6	8	1.	BEST22.	REV
223	2	UNEMPLOY	Num	6	14	1.	BEST22.	f12q3: Unemp/disabled with no exp.

Data Set Name: cases.form13

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
1	158	AGESTOP2	Num	6	978	3.	3.	f13q61d1: Age when stopped cigarillos
2	164	AGESTOP3	Num	6	1008	3.	3.	f13q62d1: Age when stopped cigars
3	170	AGESTOP4	Num	6	1038	3.	3.	f13q63d1: Age when stopped pipes
4	42	ANIMAL1	Num	6	294	1.	BEST22.	f13q22a: Dogs
5	44	ANIMAL2	Num	6	306	1.	BEST22.	f13q23a: Cats
6	46	ANIMAL3	Num	6	318	1.	BEST22.	f13q24a: Rabbits
7	48	ANIMAL4	Num	6	330	1.	BEST22.	f13q25a: Gerbils/hamsters/guinea pigs
8	50	ANIMAL5	Num	6	342	1.	BEST22.	f13q26a: Other mammals
9	52	ANIMAL6	Num	6	354	1.	BEST22.	f13q27a: Pigeons
10	54	ANIMAL7	Num	6	366	1.	BEST22.	f13q28a: Parakeets
11	56	ANIMAL8	Num	6	378	1.	BEST22.	f13q29a: Other birds
12	58	ANIMAL9	Num	6	390	1.	BEST22.	f13q30a: Fish (tank > 10 gal)
13	60	ANIMAL10	Num	6	402	1.	BEST22.	f13q31a: Fish (tank < 10 gal)
14	62	ANIMAL11	Num	6	414	1.	BEST22.	f13q32a: Turtles
15	64	ANIMAL12	Num	6	426	1.	BEST22.	f13q33a: Lizards/snakes
16	66	ANIMAL13	Num	6	438	1.	BEST22.	f13q34a: Frogs/salamanders
17	68	ANIMAL14	Num	6	450	1.	BEST22.	f13q35a: Chickens
18	70	ANIMAL15	Num	6	462	1.	BEST22.	f13q36a: Turkeys
19	72	ANIMAL16	Num	6	474	1.	BEST22.	f13q37a: Pigeons
20	74	ANIMRAIS	Num	6	486	1.	BEST22.	f13q38: Raised any other animals
21	75	ANIMTYP1	Num	6	492	1.	BEST22.	f13q38a1: Other animal 1
22	78	ANIMTYP2	Num	6	510	1.	BEST22.	f13q38a2: Other animal 2
23	81	ANIMTYP3	Num	6	528	1.	BEST22.	f13q38a3: Other animal 3
24	84	ANIMTYP4	Num	6	546	1.	BEST22.	f13q38a4: Other animal 4
25	99	BATHSHWR	Num	6	636	1.	BEST22.	f13q43: Bath/shower
26	89	BREPRB1	Num	6	576	1.	BEST22.	f13q39c: Feathers/down breathing prob
27	92	BREPRB2	Num	6	594	1.	BEST22.	f13q40c: Straw breathing prob
28	95	BREPRB3	Num	6	612	1.	BEST22.	f13q41c: Corn husks breathing prob
29	98	BREPRB4	Num	6	630	1.	BEST22.	f13q42c: Foam breathing prob
30	149	CIGHIST1	Num	6	936	1.	BEST22.	f13q60: Ever smoked cigarettes
31	153	CIGHIST2	Num	6	954	1.	BEST22.	f13q61: Ever smoked cigarillos
32	159	CIGHIST3	Num	6	984	1.	BEST22.	f13q62: Ever smoked cigars
33	180	CIGYRS	Num	8	40			Years Smoked Cigarettes

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
34	150	CIG_NBR1	Num	8	0	6.1	6.1	f13q60a: Cigarettes per day
35	154	CIG_NBR2	Num	8	8	6.1	6.1	f13q61a: Cigarillos per day
36	160	CIG_NBR3	Num	8	16	6.1	6.1	f13q62a: Cigars per day
37	156	CIG_YRS2	Num	6	966	3.	3.	f13q61c: Age when started cigarillos
38	162	CIG_YRS3	Num	6	996	3.	3.	f13q62c: Age when started cigars
39	28	CONDHM1	Num	6	210	1.	BEST22.	f13q15a: Visible mold/mildew in bathroom
40	30	CONDHM2	Num	6	222	1.	BEST22.	f13q16a: Visible mold/mildew other rooms
41	32	CONDHM3	Num	6	234	1.	BEST22.	f13q17a: Leaks/water damage in home
42	34	CONDHM4	Num	6	246	1.	BEST22.	f13q18a: Carpets in wet areas
43	36	CONDHM5	Num	6	258	1.	BEST22.	f13q19a: Clothes dryer vent in house
44	38	CONDHM6	Num	6	270	1.	BEST22.	f13q20a: Mice/rats/droppings in house
45	40	CONDHM7	Num	6	282	1.	BEST22.	f13q21a: Many insects in home
46	18	COOLEQP1	Num	6	150	1.	BEST22.	f13q10a: Ever used central ac
47	20	COOLEQP2	Num	6	162	1.	BEST22.	f13q11a: Ever used window ac
48	22	COOLEQP3	Num	6	174	1.	BEST22.	f13q12a: Ever used fans
49	24	COOLEQP4	Num	6	186	1.	BEST22.	f13q13a: Ever used evaporative
50	26	COOLEQP5	Num	6	198	1.	BEST22.	f13q14a: Ever used other types
51	8	DEVICE1	Num	6	90	1.	BEST22.	f13q5a: Ever used humidifier
52	10	DEVICE2	Num	6	102	1.	BEST22.	f13q6a: Ever used air cleaner/purifier
53	12	DEVICE3	Num	6	114	1.	BEST22.	f13q7a: Ever used cool mist vaporizer
54	14	DEVICE4	Num	6	126	1.	BEST22.	f13q8a: Ever used sauna
55	16	DEVICE5	Num	6	138	1.	BEST22.	f13q9a: Ever used hot tub
56	77	DRP1	Num	6	504	1.	BEST22.	f13q38c1: Animal 1 during ref period
57	80	DRP2	Num	6	522	1.	BEST22.	f13q38c2: Animal 2 during ref period
58	83	DRP3	Num	6	540	1.	BEST22.	f13q38c3: Animal 3 during ref period
59	86	DRP4	Num	6	558	1.	BEST22.	f13q38c4: Animal 4 during ref period
60	101	EXPOS1	Num	6	648	1.	BEST22.	f13q44a: Aluminum exposure
61	104	EXPOS2	Num	6	666	1.	BEST22.	f13q45a: Beryllium exposure
62	107	EXPOS3	Num	6	684	1.	BEST22.	f13q46a: Chromium exposure
63	110	EXPOS4	Num	6	702	1.	BEST22.	f13q47a: Cobalt exposure
64	113	EXPOS5	Num	6	720	1.	BEST22.	f13q48a: Gold exposure
65	116	EXPOS6	Num	6	738	1.	BEST22.	f13q49a: Nickel exposure
66	119	EXPOS7	Num	6	756	1.	BEST22.	f13q50a: Platinum exposure
67	122	EXPOS8	Num	6	774	1.	BEST22.	f13q51a: Titanium exposure
68	125	EXPOS9	Num	6	792	1.	BEST22.	f13q52a: Zirconium exposure
69	128	EXPOS10	Num	6	810	1.	BEST22.	f13q53a: Other metal exposure

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
70	131	EXPOS11	Num	6	828	1.	BEST22.	f13q54a: Talc exposure
71	134	EXPOS12	Num	6	846	1.	BEST22.	f13q55a: Silica exposure
72	137	EXPOS13	Num	6	864	1.	BEST22.	f13q56a: Insecticide exposure
73	140	EXPOS14	Num	6	882	1.	BEST22.	f13q57a: Vegetable dust exposure
74	143	EXPOS15	Num	6	900	1.	BEST22.	f13q58a: Animal dust exposure
75	146	EXPOS16	Num	6	918	1.	BEST22.	f13q59a: Hairspray exposure
76	7	FPUSE	Num	6	84	1.	BEST22.	f13q4c: Wood/coal fireplace frequency
77	2	HEAT1	Num	6	54	1.	BEST22.	f13q3a: Ever used wood/coal stove
78	5	HEAT8	Num	6	72	1.	BEST22.	f13q4a: Ever used wood/coal fireplace
79	100	HOWOFT	Num	6	642	1.	BEST22.	f13q43a: How often bath/shower
80	151	INHALE1	Num	6	942	1.	BEST22.	f13q60b: Inhaled cigarettes
81	155	INHALE2	Num	6	960	1.	BEST22.	f13q61b: Inhaled cigarillos
82	161	INHALE3	Num	6	990	1.	BEST22.	f13q62b: Inhaled cigars
83	167	INHALE4	Num	6	1020	1.	BEST22.	f13q63b: Inhaled pipes
84	103	MOE1	Num	6	660	1.	BEST22.	f13q44c: Manner of aluminum exposure
85	106	MOE2	Num	6	678	1.	BEST22.	f13q45c: Manner of beryllium exposure
86	109	MOE3	Num	6	696	1.	BEST22.	f13q46c: Manner of chromium exposure
87	112	MOE4	Num	6	714	1.	BEST22.	f13q47c: Manner of Cobalt exposure
88	115	MOE5	Num	6	732	1.	BEST22.	f13q48c: Manner of gold exposure
89	118	MOE6	Num	6	750	1.	BEST22.	f13q49c: Manner of Nickel exposure
90	121	MOE7	Num	6	768	1.	BEST22.	f13q50c: Manner of platinum exposure
91	124	MOE8	Num	6	786	1.	BEST22.	f13q51c: Manner of titanium exposure
92	127	MOE9	Num	6	804	1.	BEST22.	f13q52c: Manner of zirconium exposure
93	130	MOE10	Num	6	822	1.	BEST22.	f13q53c: Manner of other metal exp
94	133	MOE11	Num	6	840	1.	BEST22.	f13q54c: Manner of talc exposure
95	136	MOE12	Num	6	858	1.	BEST22.	f13q55c: Manner of silica exp
96	139	MOE13	Num	6	876	1.	BEST22.	f13q56c: Manner of insecticide exp
97	142	MOE14	Num	6	894	1.	BEST22.	f13q57c: Manner of vegetable dust exp
98	145	MOE15	Num	6	912	1.	BEST22.	f13q58c: Manner of animal dust exp
99	148	MOE16	Num	6	930	1.	BEST22.	f13q59c: Manner of hairspray exp
100	102	MT1Y1	Num	6	654	1.	BEST22.	f13q44b: Aluminum exp > 1 yr
101	105	MT1Y2	Num	6	672	1.	BEST22.	f13q45b: Beryllium exp > 1 yr
102	108	MT1Y3	Num	6	690	1.	BEST22.	f13q46b: Chromium exp > 1 yr
103	111	MT1Y4	Num	6	708	1.	BEST22.	f13q47b: Cobalt exp > 1 yr
104	114	MT1Y5	Num	6	726	1.	BEST22.	f13q48b: Gold exp > 1 yr
105	117	MT1Y6	Num	6	744	1.	BEST22.	f13q49b: Nickel exp > 1 yr

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
106	120	MT1Y7	Num	6	762	1.	BEST22.	f13q50b: Platinum exp > 1 yr
107	123	MT1Y8	Num	6	780	1.	BEST22.	f13q51b: Titanium exp > 1 yr
108	126	MT1Y9	Num	6	798	1.	BEST22.	f13q52b: Zirconium exp > 1 yr
109	129	MT1Y10	Num	6	816	1.	BEST22.	f13q53b: Other metal exp > 1 yr
110	132	MT1Y11	Num	6	834	1.	BEST22.	f13q54b: Talc exp > 1 yr
111	135	MT1Y12	Num	6	852	1.	BEST22.	f13q55b: Silica exp > 1 yr
112	138	MT1Y13	Num	6	870	1.	BEST22.	f13q56b: Insecticide exp > 1 yr
113	141	MT1Y14	Num	6	888	1.	BEST22.	f13q57b: Vegetable dust > 1 yr
114	144	MT1Y15	Num	6	906	1.	BEST22.	f13q58b: Animal dust > 1 yr
115	147	MT1Y16	Num	6	924	1.	BEST22.	f13q59b: Hairspray > 1 yr
116	3	MTOY1	Num	6	60	1.	BEST22.	f13q3b: Wood/coal stove >1 yr
117	6	MTOY8	Num	6	78	1.	BEST22.	f13q4b: Wood/coal fireplace >1 yr
118	9	MTOY14	Num	6	96	1.	BEST22.	f13q5b: Humidifier > 1 yr
119	11	MTOY15	Num	6	108	1.	BEST22.	f13q6b: Air cleaner/purifier > 1 yr
120	13	MTOY16	Num	6	120	1.	BEST22.	f13q7b: Cool mist vaporizer > 1 yr
121	15	MTOY17	Num	6	132	1.	BEST22.	f13q8b: Sauna > 1 yr
122	17	MTOY18	Num	6	144	1.	BEST22.	f13q9b: Hot tub > 1 yr
123	19	MTOY19	Num	6	156	1.	BEST22.	f13q10b: Central ac > 1 yr
124	21	MTOY20	Num	6	168	1.	BEST22.	f13q11b: Window ac > 1 yr
125	23	MTOY21	Num	6	180	1.	BEST22.	f13q12b: Fans > 1 yr
126	25	MTOY22	Num	6	192	1.	BEST22.	f13q13b: Evaporative > 1 yr
127	27	MTOY23	Num	6	204	1.	BEST22.	f13q14b: Other types > 1 yr
128	29	MTOY24	Num	6	216	1.	BEST22.	f13q15b: Mold/mildew in bathroom > 1 yr
129	31	MTOY25	Num	6	228	1.	BEST22.	f13q16b: Mold/mildew other rooms > 1 yr
130	33	MTOY26	Num	6	240	1.	BEST22.	f13q17b: Leaks/water damage > 1 yr
131	35	MTOY27	Num	6	252	1.	BEST22.	f13q18b: Carpets in wet areas > 1 yr
132	37	MTOY28	Num	6	264	1.	BEST22.	f13q19b: Dryer vent in house > 1 yr
133	39	MTOY29	Num	6	276	1.	BEST22.	f13q20b: Mice/rats/droppings > 1 yr
134	41	MTOY30	Num	6	288	1.	BEST22.	f13q21b: Many insects in home > 1 yr
135	43	MTOY31	Num	6	300	1.	BEST22.	f13q22b: Dogs > 1 yr
136	45	MTOY32	Num	6	312	1.	BEST22.	f13q23b: Cats > 1 yr
137	47	MTOY33	Num	6	324	1.	BEST22.	f13q24b: Rabbits > 1 yr
138	49	MTOY34	Num	6	336	1.	BEST22.	f13q25b: Gerbils/hamsters/gp > 1 yr
139	51	MTOY35	Num	6	348	1.	BEST22.	f13q26b: Other mammals > 1 yr
140	53	MTOY36	Num	6	360	1.	BEST22.	f13q27b: Pigeons > 1 yr
141	55	MTOY37	Num	6	372	1.	BEST22.	f13q28b: Parakeets > 1 yr

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
142	57	MTOY38	Num	6	384	1.	BEST22.	f13q29b: Other birds > 1 yr
143	59	MTOY39	Num	6	396	1.	BEST22.	f13q30b: Fish (tank > 10 gal) > 1 yr
144	61	MTOY40	Num	6	408	1.	BEST22.	f13q31b: Fish (tank < 10 gal) > 1 yr
145	63	MTOY41	Num	6	420	1.	BEST22.	f13q32b: Turtles > 1 yr
146	65	MTOY42	Num	6	432	1.	BEST22.	f13q33b: Lizards/snakes > 1 yr
147	67	MTOY43	Num	6	444	1.	BEST22.	f13q34b: Frogs/salamanders > 1 yr
148	69	MTOY44	Num	6	456	1.	BEST22.	f13q35b: Chickens > 1 yr
149	71	MTOY45	Num	6	468	1.	BEST22.	f13q36b: Turkeys > 1 yr
150	73	MTOY46	Num	6	480	1.	BEST22.	f13q37b: Pigeons > 1 yr
151	76	MTOY48	Num	6	498	1.	BEST22.	f13q38b1: Other animal 1 > 1 yr
152	79	MTOY49	Num	6	516	1.	BEST22.	f13q38b2: Other animal 2 > 1 yr
153	82	MTOY50	Num	6	534	1.	BEST22.	f13q38b3: Other animal 3 > 1 yr
154	85	MTOY51	Num	6	552	1.	BEST22.	f13q38b4: Other animal 4 > 1 yr
155	88	MTOY52	Num	6	570	1.	BEST22.	f13q39b: Feathers/down > 1 yr
156	91	MTOY53	Num	6	588	1.	BEST22.	f13q40b: Straw > 1 yr
157	94	MTOY54	Num	6	606	1.	BEST22.	f13q41b: Corn husks > 1 yr
158	97	MTOY55	Num	6	624	1.	BEST22.	f13q42b: Foam > 1 yr
159	179	NEWID	Num	8	32	Z5.1		Patient ID
160	87	PILLOW1	Num	6	564	1.	BEST22.	f13q39a: Feathers/down
161	90	PILLOW2	Num	6	582	1.	BEST22.	f13q40a: Straw
162	93	PILLOW3	Num	6	600	1.	BEST22.	f13q41a: Corn husks
163	96	PILLOW4	Num	6	618	1.	BEST22.	f13q42a: Foam
164	169	PIPE_NOW	Num	6	1032	1.	BEST22.	f13q63d: Smoke pipes now
165	168	PIPE_YRS	Num	6	1026	3.	3.	f13q63c: Age when started pipes
166	165	PIPHIST	Num	6	1014	1.	BEST22.	f13q63: Ever smoke a pipe
167	166	PIP_NBR	Num	8	24	6.1	6.1	f13q63a: Pipes per day
168	1	REV	Num	6	48	1.	BEST22.	REV
169	171	SMOKER1	Num	6	1044	1.	BEST22.	f13q64: Other smokers in house
170	172	SMOKER2	Num	6	1050	1.	BEST22.	f13q64a1: Spouse is a smoker
171	173	SMOKER3	Num	6	1056	1.	BEST22.	f13q64a2: Child(ren) is/are smokers
172	174	SMOKER4	Num	6	1062	1.	BEST22.	f13q64a3: Other smoker
173	177	SMOKER5	Num	6	1080	1.	BEST22.	f13q65a: Inhale workers smoke
174	178	SMOKER6	Num	6	1086	1.	BEST22.	f13q66: > 3 hrs/week in smoky rooms
175	152	SMOKNOW1	Num	6	948	1.	BEST22.	f13q60d: Smoke cigarettes now
176	157	SMOKNOW2	Num	6	972	1.	BEST22.	f13q61d: Smoke cigarillos now
177	163	SMOKNOW3	Num	6	1002	1.	BEST22.	f13q62d: Smoke cigars now

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
178	176	SMOK_NR	Num	6	1074	1.	BEST22.	f13q65: Smokers near at work
179	4	STOVEUSE	Num	6	66	1.	BEST22.	f13q3c: Wood/coal stove frequency
180	175	TOT_NBN	Num	6	1068	3.	3.	f13q64b: Total number of other smokers

Data Set Name: cases.form14

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
1	90	AINRX	Num	6	566	1.	BEST22.	f14q48: Ever take anti-inflamm med
2	89	BCMY1	Num	6	560	1.	BEST22.	f14q47b: > 1 yr, birth control meds
3	88	BCRX1	Num	6	554	1.	BEST22.	f14q47a: Use birth control meds
4	93	CANMY1	Num	6	584	1.	BEST22.	f14q50b: > 1 yr, allopurinol
5	95	CANMY2	Num	6	596	1.	BEST22.	f14q51b: > 1 yr, alpha-interferon
6	97	CANMY3	Num	6	608	1.	BEST22.	f14q52b: > 1 yr, azathioprine
7	99	CANMY4	Num	6	620	1.	BEST22.	f14q53b: > 1 yr, bleomycin
8	101	CANMY5	Num	6	632	1.	BEST22.	f14q54b: > 1 yr, d-penicillamine
9	103	CANMY6	Num	6	644	1.	BEST22.	f14q55b: > 1 yr, gold salts
10	105	CANMY7	Num	6	656	1.	BEST22.	f14q56b: > 1 yr, methotrexate
11	107	CANMY8	Num	6	668	1.	BEST22.	f14q57b: > 1 yr, minocycline
12	109	CANMY9	Num	6	680	1.	BEST22.	f14q58b: > 1 yr, vincristine
13	91	CANRX	Num	6	572	1.	BEST22.	f14q49: Ever take cancer treatment
14	92	CANRX1	Num	6	578	1.	BEST22.	f14q50a: Use allopurinol
15	94	CANRX2	Num	6	590	1.	BEST22.	f14q51a: Use alpha-interferon
16	96	CANRX3	Num	6	602	1.	BEST22.	f14q52a: Use azathioprine
17	98	CANRX4	Num	6	614	1.	BEST22.	f14q53a: Use bleomycin
18	100	CANRX5	Num	6	626	1.	BEST22.	f14q54a: Use d-penicillamine
19	102	CANRX6	Num	6	638	1.	BEST22.	f14q55a: Use gold salts
20	104	CANRX7	Num	6	650	1.	BEST22.	f14q56a: Use methotrexate
21	106	CANRX8	Num	6	662	1.	BEST22.	f14q57a: Use minocycline
22	108	CANRX9	Num	6	674	1.	BEST22.	f14q58a: Use vincristine
23	66	HRTMY1	Num	6	422	1.	BEST22.	f14q35b: > 1 yr, amiodarone
24	68	HRTMY2	Num	6	434	1.	BEST22.	f14q36b: > 1 yr, atenolol
25	70	HRTMY3	Num	6	446	1.	BEST22.	f14q37b: > 1 yr, diltiazem
26	72	HRTMY4	Num	6	458	1.	BEST22.	f14q38b: > 1 yr, hydralazine
27	74	HRTMY5	Num	6	470	1.	BEST22.	f14q39b: > 1 yr, methyl dopa
28	76	HRTMY6	Num	6	482	1.	BEST22.	f14q40b: > 1 yr, procainamide
29	78	HRTMY7	Num	6	494	1.	BEST22.	f14q41b: > 1 yr, propranolol
30	80	HRTMY8	Num	6	506	1.	BEST22.	f14q42b: > 1 yr, quinidine
31	82	HRTMY9	Num	6	518	1.	BEST22.	f14q43b: > 1 yr, thiazide diuretics
32	64	HRTRX	Num	6	410	1.	BEST22.	f14q34: Ever take heart/BP medicine
33	65	HRTRX1	Num	6	416	1.	BEST22.	f14q35a: Use amiodarone

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
34	67	HRTRX2	Num	6	428	1.	BEST22.	f14q36a: Use atenolol
35	69	HRTRX3	Num	6	440	1.	BEST22.	f14q37a: Use diltiazem
36	71	HRTRX4	Num	6	452	1.	BEST22.	f14q38a: Use hydralazine
37	73	HRTRX5	Num	6	464	1.	BEST22.	f14q39a: Use methyldopa
38	75	HRTRX6	Num	6	476	1.	BEST22.	f14q40a: Use procainamide
39	77	HRTRX7	Num	6	488	1.	BEST22.	f14q41a: Use propranolol
40	79	HRTRX8	Num	6	500	1.	BEST22.	f14q42a: Use quinidine
41	81	HRTRX9	Num	6	512	1.	BEST22.	f14q43a: Use thiazide diuretics
42	122	IMPL_YR	Num	8	16			f14q64a: Yrs enrol to silicone implt/inj
43	85	INFMY1	Num	6	536	1.	BEST22.	f14q45b: > 1 yr, nitrofurantoin
44	87	INFMY2	Num	6	548	1.	BEST22.	f14q46b: > 1 yr, penicillin
45	83	INFRX	Num	6	524	1.	BEST22.	f14q44: Ever take med for infection
46	84	INFRX1	Num	6	530	1.	BEST22.	f14q45a: Use nitrofurantoin
47	86	INFRX2	Num	6	542	1.	BEST22.	f14q46a: Use penicillin
48	117	JNTREPLC	Num	6	728	1.	BEST22.	f14q63: Had a joint replacement
49	120	NEWID	Num	8	0	Z5.1		Patient ID
50	3	NONMY1	Num	6	44	1.	BEST22.	f14q3b: > 1 yr, non-rx stool softeners
51	5	NONMY2	Num	6	56	1.	BEST22.	f14q4b: > 1 yr, non-rx for indigestion
52	7	NONMY3	Num	6	68	1.	BEST22.	f14q5b: > 1 yr, non-rx for allergies
53	9	NONMY4	Num	6	80	1.	BEST22.	f14q6b: > 1 yr, non-rx for cough/cold
54	11	NONMY5	Num	6	92	1.	BEST22.	f14q7b: > 1 yr, non-rx for diarrhea
55	13	NONMY6	Num	6	104	1.	BEST22.	f14q8b: > 1 yr, non-rx for sleep
56	15	NONMY7	Num	6	116	1.	BEST22.	f14q9b: > 1 yr, non-rx vitamins/minerals
57	17	NONMY8	Num	6	128	1.	BEST22.	f14q10b: > 1 yr, Aspirin
58	19	NONMY9	Num	6	140	1.	BEST22.	f14q11b: > 1 yr, Acetaminophen
59	21	NONMY10	Num	6	152	1.	BEST22.	f14q12b: > 1 yr, non-rx NSAID
60	23	NONMY11	Num	6	164	1.	BEST22.	f14q13b: > 1 yr, goldenseal (yellowroot)
61	25	NONMY12	Num	6	176	1.	BEST22.	f14q14b: > 1 yr, sassafras
62	27	NONMY13	Num	6	188	1.	BEST22.	f14q15b: > 1 yr, comfrey
63	29	NONMY14	Num	6	200	1.	BEST22.	f14q16b: > 1 yr, bloodroot
64	31	NONMY15	Num	6	212	1.	BEST22.	f14q17b: > 1 yr, tansy
65	33	NONMY16	Num	6	224	1.	BEST22.	f14q18b: > 1 yr, senna
66	35	NONMY17	Num	6	236	1.	BEST22.	f14q19b: > 1 yr, beth root (birthroot)
67	37	NONMY18	Num	6	248	1.	BEST22.	f14q20b: > 1 yr, ginseng (gensang)
68	39	NONMY19	Num	6	260	1.	BEST22.	f14q21b: > 1 yr, ginkgo
69	41	NONMY20	Num	6	272	1.	BEST22.	f14q22b: > 1 yr, echinacea

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
70	43	NONMY21	Num	6	284	1.	BEST22.	f14q23b: > 1 yr, astragalus
71	45	NONMY22	Num	6	296	1.	BEST22.	f14q24b: > 1 yr, other herbs
72	47	NONMY23	Num	6	308	1.	BEST22.	f14q25b: > 1 yr, Dr. John's medicine
73	49	NONMY24	Num	6	320	1.	BEST22.	f14q26b: > 1 yr, Black Draught
74	51	NONMY25	Num	6	332	1.	BEST22.	f14q27b: > 1 yr, other trad remedies
75	53	NONMY26	Num	6	344	1.	BEST22.	f14q28b: > 1 yr, lecithin
76	55	NONMY27	Num	6	356	1.	BEST22.	f14q29b: > 1 yr, clay (eating)
77	57	NONMY28	Num	6	368	1.	BEST22.	f14q30b: > 1 yr, starch (raw from box)
78	59	NONMY29	Num	6	380	1.	BEST22.	f14q31b: > 1 yr, dietary supplements
79	61	NONMY30	Num	6	392	1.	BEST22.	f14q32b: > 1 yr, melatonin
80	63	NONMY31	Num	6	404	1.	BEST22.	f14q33b: > 1 yr, coffee/tea (> 2 cups)
81	2	NONRX1	Num	6	38	1.	BEST22.	f14q3a: Use non-rx stool softeners
82	4	NONRX2	Num	6	50	1.	BEST22.	f14q4a: Use non-rx for indigestion
83	6	NONRX3	Num	6	62	1.	BEST22.	f14q5a: Use non-rx for allergies
84	8	NONRX4	Num	6	74	1.	BEST22.	f14q6a: Use non-rx for cough/cold
85	10	NONRX5	Num	6	86	1.	BEST22.	f14q7a: Use non-rx for diarrhea
86	12	NONRX6	Num	6	98	1.	BEST22.	f14q8a: Use non-rx for sleep
87	14	NONRX7	Num	6	110	1.	BEST22.	f14q9a: Use non-rx vitamins/minerals
88	16	NONRX8	Num	6	122	1.	BEST22.	f14q10a: Use Aspirin
89	18	NONRX9	Num	6	134	1.	BEST22.	f14q11a: Use Acetaminophen
90	20	NONRX10	Num	6	146	1.	BEST22.	f14q12a: Use non-rx NSAID
91	22	NONRX11	Num	6	158	1.	BEST22.	f14q13a: Use goldenseal (yellowroot)
92	24	NONRX12	Num	6	170	1.	BEST22.	f14q14a: Use sassafras
93	26	NONRX13	Num	6	182	1.	BEST22.	f14q15a: Use comfrey
94	28	NONRX14	Num	6	194	1.	BEST22.	f14q16a: Use bloodroot
95	30	NONRX15	Num	6	206	1.	BEST22.	f14q17a: Use tansy
96	32	NONRX16	Num	6	218	1.	BEST22.	f14q18a: Use senna
97	34	NONRX17	Num	6	230	1.	BEST22.	f14q19a: Use beth root (birthroot)
98	36	NONRX18	Num	6	242	1.	BEST22.	f14q20a: Use ginseng (gensang)
99	38	NONRX19	Num	6	254	1.	BEST22.	f14q21a: Use ginkgo
100	40	NONRX20	Num	6	266	1.	BEST22.	f14q22a: Use echinacea
101	42	NONRX21	Num	6	278	1.	BEST22.	f14q23a: Use astragalus
102	44	NONRX22	Num	6	290	1.	BEST22.	f14q24a: Use other herbs
103	46	NONRX23	Num	6	302	1.	BEST22.	f14q25a: Use Dr. John's medicine
104	48	NONRX24	Num	6	314	1.	BEST22.	f14q26a: Use Black Draught
105	50	NONRX25	Num	6	326	1.	BEST22.	f14q27a: Use other traditional remedies

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
106	52	NONRX26	Num	6	338	1.	BEST22.	f14q28a: Use lecithin
107	54	NONRX27	Num	6	350	1.	BEST22.	f14q29a: Use clay (eating)
108	56	NONRX28	Num	6	362	1.	BEST22.	f14q30a: Use starch (raw from box)
109	58	NONRX29	Num	6	374	1.	BEST22.	f14q31a: Use dietary supplements
110	60	NONRX30	Num	6	386	1.	BEST22.	f14q32a: Use melatonin
111	62	NONRX31	Num	6	398	1.	BEST22.	f14q33a: Use coffee/tea (> 2 cups)
112	123	REMV_YR	Num	8	24			f14q64b1: Yrs enrol to implt/inj removed
113	121	REPL_YR	Num	8	8			f14q63a: Yrs enrol to joint replacement
114	1	REV	Num	6	32	1.	BEST22.	REV
115	112	SEZMY1	Num	6	698	1.	BEST22.	f14q60b: > 1 yr, carbamazepine
116	114	SEZMY2	Num	6	710	1.	BEST22.	f14q61b: > 1 yr, diazepam
117	116	SEZMY3	Num	6	722	1.	BEST22.	f14q62b: > 1 yr, phenytoin
118	110	SEZRX	Num	6	686	1.	BEST22.	f14q59: Ever take seizure/tranq med
119	111	SEZRX1	Num	6	692	1.	BEST22.	f14q60a: Use carbamazepine
120	113	SEZRX2	Num	6	704	1.	BEST22.	f14q61a: Use diazepam
121	115	SEZRX3	Num	6	716	1.	BEST22.	f14q62a: Use phenytoin
122	118	SILIMPNT	Num	6	734	1.	BEST22.	f14q64: Had silicone implants/injections
123	119	STIL_HAV	Num	6	740	1.	BEST22.	f14q64b: Still have implt/inject

Data Set Name: cases.form15

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
1	2	DEPRES1	Num	6	14	1.	BEST22.	f15q3: Bothered by things
2	3	DEPRES2	Num	6	20	1.	BEST22.	f15q4: Poor appetite
3	4	DEPRES3	Num	6	26	1.	BEST22.	f15q5: Poor attention
4	5	DEPRES4	Num	6	32	1.	BEST22.	f15q6: Everything was an effort
5	6	DEPRES5	Num	6	38	1.	BEST22.	f15q7: Sad
6	7	DEPRES6	Num	6	44	1.	BEST22.	f15q8: Hopeful about the future
7	8	DEPRES7	Num	6	50	1.	BEST22.	f15q9: Fearful
8	9	DEPRES8	Num	6	56	1.	BEST22.	f15q10: Sleep was restless
9	10	DEPRES9	Num	6	62	1.	BEST22.	f15q11: Happy
10	11	DEPRES10	Num	6	68	1.	BEST22.	f15q12: Lonely
11	12	DEPRES11	Num	6	74	1.	BEST22.	f15q13: Could not get going
12	13	NEWID	Num	8	0	Z5.1		Patient ID
13	1	REV	Num	6	8	1.	BEST22.	REV

Data Set Name: cases.form16

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
1	3	FRIEND1	Num	6	20	1.	BEST22.	f16q4a: Help if confined to bed
2	4	FRIEND2	Num	6	26	1.	BEST22.	f16q4b: Listen when needed
3	5	FRIEND3	Num	6	32	1.	BEST22.	f16q4c: Give good advice about a crisis
4	6	FRIEND4	Num	6	38	1.	BEST22.	f16q4d: Take to the doctor if needed
5	7	FRIEND5	Num	6	44	1.	BEST22.	f16q4e: Shows love and affection
6	8	FRIEND6	Num	6	50	1.	BEST22.	f16q4f: Have a good time with
7	9	FRIEND7	Num	6	56	1.	BEST22.	f16q4g: To give information
8	10	FRIEND8	Num	6	62	1.	BEST22.	f16q4h: To confide in or talk to
9	11	FRIEND9	Num	6	68	1.	BEST22.	f16q4i: To hug
10	12	FRIEND10	Num	6	74	1.	BEST22.	f16q4j: To relax with
11	13	FRIEND11	Num	6	80	1.	BEST22.	f16q4k: Cook meals if needed
12	14	FRIEND12	Num	6	86	1.	BEST22.	f16q4l: Whose advice you want
13	15	FRIEND13	Num	6	92	1.	BEST22.	f16q4m: To help get mind off things
14	16	FRIEND14	Num	6	98	1.	BEST22.	f16q4n: Help with chores if needed
15	17	FRIEND15	Num	6	104	1.	BEST22.	f16q4o: Someone to share worries with
16	18	FRIEND16	Num	6	110	1.	BEST22.	f16q4p: Help deal with personal problems
17	19	FRIEND17	Num	6	116	1.	BEST22.	f16q4q: Do something enjoyable with
18	20	FRIEND18	Num	6	122	1.	BEST22.	f16q4r: Understands problems
19	21	FRIEND19	Num	6	128	1.	BEST22.	f16q4s: To love and feel wanted
20	2	FRND_NBR	Num	6	14	3.	BEST22.	f16q3: No. of close friends/relatives
21	22	HELPAVL	Num	6	134	1.	BEST22.	f16q5: Somebody available when needed
22	23	NEWID	Num	8	0	Z5.1		Patient ID
23	1	REV	Num	6	8	1.	BEST22.	REV

Data Set Name: cases.form17

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
1	2	MOOD1	Num	6	14	1.	BEST22.	f17q3: Usually expect the best
2	3	MOOD2	Num	6	20	1.	BEST22.	f17q4: Easy to relax
3	4	MOOD3	Num	6	26	1.	BEST22.	f17q5: If it can go wrong, it will
4	5	MOOD4	Num	6	32	1.	BEST22.	f17q6: Always look on bright side
5	6	MOOD5	Num	6	38	1.	BEST22.	f17q7: Optimistic about future
6	7	MOOD6	Num	6	44	1.	BEST22.	f17q8: Enjoy friends a lot
7	8	MOOD7	Num	6	50	1.	BEST22.	f17q9: Important to keep busy
8	9	MOOD8	Num	6	56	1.	BEST22.	f17q10: Don't expect things to go my way
9	10	MOOD9	Num	6	62	1.	BEST22.	f17q11: Things never work out
10	11	MOOD10	Num	6	68	1.	BEST22.	f17q12: Don't get upset easily
11	12	MOOD11	Num	6	74	1.	BEST22.	f17q13: Every cloud has a silver lining
12	13	MOOD12	Num	6	80	1.	BEST22.	f17q14: Don't count on good things
13	14	NEWID	Num	8	0	Z5.1		Patient ID
14	1	REV	Num	6	8	1.	BEST22.	REV

Data Set Name: cases.form18

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
1	24	ANXITY1	Num	6	146	1.	BEST22.	f18q11a: Feel full of pep
2	25	ANXITY2	Num	6	152	1.	BEST22.	f18q11b: Very nervous person
3	26	ANXITY3	Num	6	158	1.	BEST22.	f18q11c: Down in the dumps
4	27	ANXITY4	Num	6	164	1.	BEST22.	f18q11d: Calm and peaceful
5	28	ANXITY5	Num	6	170	1.	BEST22.	f18q11e: Have a lot of energy
6	29	ANXITY6	Num	6	176	1.	BEST22.	f18q11f: Down hearted and blue
7	30	ANXITY7	Num	6	182	1.	BEST22.	f18q11g: Feel worn out
8	31	ANXITY8	Num	6	188	1.	BEST22.	f18q11h: Have been a happy person
9	32	ANXITY9	Num	6	194	1.	BEST22.	f18q11i: Feel tired
10	18	EMOTPB1	Num	6	110	1.	BEST22.	f18q7a: Cut down time for work
11	19	EMOTPB2	Num	6	116	1.	BEST22.	f18q7b: Accomplished less
12	20	EMOTPB3	Num	6	122	1.	BEST22.	f18q7c: Didn't work as carefully
13	2	HEALTHGN	Num	6	14	1.	BEST22.	f18q3: General health
14	3	HEALTHNW	Num	6	20	1.	BEST22.	f18q4: Health compared to 1 yr ago
15	37	HLTEXCEL	Num	6	224	1.	BEST22.	f18q13d: Health is excellent
16	35	HLTGOOD	Num	6	212	1.	BEST22.	f18q13b: Healthy as anybody else
17	33	HLTSACT	Num	6	200	1.	BEST22.	f18q12: Interfered w/ social activities
18	36	HLTWORST	Num	6	218	1.	BEST22.	f18q13c: Expect health to get worse
19	38	NEWID	Num	8	0	Z5.1		Patient ID
20	22	PAINBODY	Num	6	134	1.	BEST22.	f18q9: Bodily pain in past 4 weeks
21	21	PAINNSA	Num	6	128	1.	BEST22.	f18q8: Interfered w/ social activities
22	23	PAINWRK	Num	6	140	1.	BEST22.	f18q10: Pain interfered with work
23	4	PHYFTN1	Num	6	26	1.	BEST22.	f18q5a: Vigorous activities
24	5	PHYFTN2	Num	6	32	1.	BEST22.	f18q5b: Moderate activities
25	6	PHYFTN3	Num	6	38	1.	BEST22.	f18q5c: Lifting or carrying groceries
26	7	PHYFTN4	Num	6	44	1.	BEST22.	f18q5d: Climbing several flights
27	8	PHYFTN5	Num	6	50	1.	BEST22.	f18q5e: Climbing one flight
28	9	PHYFTN6	Num	6	56	1.	BEST22.	f18q5f: Bending, kneeling, stooping
29	10	PHYFTN7	Num	6	62	1.	BEST22.	f18q5g: Walking > 1 mile
30	11	PHYFTN8	Num	6	68	1.	BEST22.	f18q5h: Walking several blocks
31	12	PHYFTN9	Num	6	74	1.	BEST22.	f18q5i: Walking one block
32	13	PHYFTN10	Num	6	80	1.	BEST22.	f18q5j: Bathing or dressing
33	14	PHYHLT1	Num	6	86	1.	BEST22.	f18q6a: Cut down time for work

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
34	15	PHYHLT2	Num	6	92	1.	BEST22.	f18q6b: Accomplished less
35	16	PHYHLT3	Num	6	98	1.	BEST22.	f18q6c: Limited in kind of work
36	17	PHYHLT4	Num	6	104	1.	BEST22.	f18q6d: Difficulting in doing work
37	1	REV	Num	6	8	1.	BEST22.	REV
38	34	SICKEASY	Num	6	206	1.	BEST22.	f18q13a: Get sick easier than others

Data Set Name: cases.form19

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
1	14	ACMCITY	Num	6	86	1.	BEST22.	f19q6a: 3 yrs - lived in city limits
2	16	ACMRURL	Num	6	98	1.	BEST22.	f19q6c: 3 yrs - lived in rural area
3	15	ACMSUB	Num	6	92	1.	BEST22.	f19q6b: 3 yrs - lived in suburbia
4	17	ACMUNK	Num	6	104	1.	BEST22.	f19q6d: 3 yrs - don't know community
5	12	APLLCITY	Num	6	74	1.	BEST22.	f19q5c: 3 yrs - lived in large city
6	11	APLSCITY	Num	6	68	1.	BEST22.	f19q5b: 3 yrs - lived in small city
7	10	APLTOWN	Num	6	62	1.	BEST22.	f19q5a: 3 yrs - lived in town
8	13	APLUNK	Num	6	80	1.	BEST22.	f19q5d: 3 yrs - don't know place
9	6	CCMCITY	Num	6	38	1.	BEST22.	f19q4a: Child - lived in city limits
10	8	CCMRURL	Num	6	50	1.	BEST22.	f19q4c: Child - lived in rural area
11	7	CCMSUB	Num	6	44	1.	BEST22.	f19q4b: Child - lived in suburbia
12	9	CCMUNK	Num	6	56	1.	BEST22.	f19q4d: Child - don't know community
13	4	CPLLCITY	Num	6	26	1.	BEST22.	f19q3c: Child - lived in large city
14	3	CPLSCITY	Num	6	20	1.	BEST22.	f19q3b: Child - lived in small city
15	2	CPLTOWN	Num	6	14	1.	BEST22.	f19q3a: Child - lived in town
16	5	CPLUNK	Num	6	32	1.	BEST22.	f19q3d: Child - don't know place
17	21	DISB_AWR	Num	6	128	1.	BEST22.	f19q10: Ever awarded disability
18	19	DISB_EMT	Num	6	116	1.	BEST22.	f19q8: Mental/emotional disability
19	20	DISB_EVR	Num	6	122	1.	BEST22.	f19q9: Ever applied for disability
20	18	DISB_PHY	Num	6	110	1.	BEST22.	f19q7: Physical disability
21	22	INCOME	Num	6	134	1.	BEST22.	f19q11: Total family income > \$20K
22	24	NEWID	Num	8	0	Z5.1		Patient ID
23	1	REV	Num	6	8	1.	BEST22.	REV
24	23	TOT_INC	Num	6	140	2.	3.	f19q12: Total family income group

Data Set Name: cases.form20

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
1	3	BTHCHDNO	Num	6	20	2.	3.	f20q4: No. of birth children
2	4	NEWID	Num	8	0	Z5.1		Patient ID
3	1	REV	Num	6	8	1.	BEST22.	REV
4	2	SMATNO	Num	6	14	2.	3.	f20q3: No. of spouses/mates

Data Set Name: cases.form24

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
1	24	ADEN_ANY	Num	6	152	1.	BEST22.	f24q12a: Any adenopathy
2	107	ALB_LT3	Num	6	650	1.	BEST22.	f24q46e: Albumin < 3.0 mg/dl
3	110	ALPH_ELV	Num	6	668	1.	BEST22.	f24q47b: Elevated alk phos
4	104	ALPH_GT3	Num	6	632	1.	BEST22.	f24q46b: Alk Phos > 3x ULN
5	79	ANLESION	Num	6	482	1.	BEST22.	f24q36d: Annular lesion
6	106	AST_ALT	Num	6	644	1.	BEST22.	f24q46d: AST/ALT > 3x ULN
7	33	BELPALSY	Num	6	206	1.	BEST22.	f24q16d: Bell's palsy
8	105	BILIRUB	Num	6	638	1.	BEST22.	f24q46c: Tot bili > 3x ULN
9	127	BNJNTEXT	Num	6	770	1.	BEST22.	f24q57: Extent of bone/jnt involvement
10	126	BNJNTINV	Num	6	764	1.	BEST22.	f24q56: Bone/joint involvement
11	113	BNMA_DEF	Num	6	686	1.	BEST22.	f24q50: Definite bone marrow involvement
12	112	BNMA_EXT	Num	6	680	1.	BEST22.	f24q49: Extent of bone marrow inv.
13	111	BNMA_INV	Num	6	674	1.	BEST22.	f24q48: Bone marrow involvement
14	118	BNMA_POS	Num	6	716	1.	BEST22.	f24q51: Possible bone marrow involvement
15	129	BONEBIO	Num	6	782	1.	BEST22.	f24q58a: Granulomas in bone biopsy
16	132	BONEPROB	Num	6	800	1.	BEST22.	f24q59: Probable bone/joint involvement
17	128	BONE_DEF	Num	6	776	1.	BEST22.	f24q58: Definite bone/joint involvement
18	133	BONE_POS	Num	6	806	1.	BEST22.	f24q60: Possible bone/joint involvement
19	35	BRAINBIO	Num	6	218	1.	BEST22.	f24q16f: Positive brain biopsy
20	157	CALCEXT	Num	6	950	1.	BEST22.	f24q76: Extent of CA metabolism inv.
21	156	CALCINV	Num	6	944	1.	BEST22.	f24q75: Calcium metabolism involvement
22	159	CALCPROB	Num	6	962	1.	BEST22.	f24q78: Probable CA metabolism inv.
23	158	CALC_DEF	Num	6	956	1.	BEST22.	f24q77: Definite CA metabolism inv.
24	162	CALC_POS	Num	6	980	1.	BEST22.	f24q79: Possible CA metabolism inv.
25	71	CARDBHYP	Num	6	434	1.	BEST22.	f24q33a: Cardiomyopathy
26	64	CARDIOMY	Num	6	392	1.	BEST22.	f24q31c: Trt. resp. cardiomyopathy
27	67	CARDPROB	Num	6	410	1.	BEST22.	f24q32: Probable cardiac involvement
28	61	CARD_DEF	Num	6	374	1.	BEST22.	f24q31: Definite cardiac involvement
29	60	CARD_EXT	Num	6	368	1.	BEST22.	f24q30: Extent of cardiac involvement
30	59	CARD_INV	Num	6	362	1.	BEST22.	f24q29: Cardiac involvement
31	70	CARD_POS	Num	6	428	1.	BEST22.	f24q33: Possible cardiac involvement
32	98	CATR	Num	6	596	1.	BEST22.	f24q43b: Cataract
33	90	CONJBIO	Num	6	548	1.	BEST22.	f24q41a: Positive conjunctiva biopsy

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
34	153	CPK_ALDO	Num	6	926	1.	BEST22.	f24q72b: Increased CPK/aldolase
35	34	CRNERDYS	Num	6	212	1.	BEST22.	f24q16e: Cranial nerve dysfunction
36	15	CR_BHA	Num	6	98	1.	BEST22.	f24q10d: Roentgenogram w/ adenopathy
37	16	CR_DI	Num	6	104	1.	BEST22.	f24q10e: Roentgenogram w/ infiltrates
38	17	CR_ULF	Num	6	110	1.	BEST22.	f24q10f: Roentagenogram w/ fibrosis
39	31	CSF	Num	6	194	1.	BEST22.	f24q16b: CSF w/inc lymphocytes/protein
40	124	CTSCENLG	Num	6	752	1.	BEST22.	f24q55b: Enlargement by CT scan
41	109	CT_SCAN	Num	6	662	1.	BEST22.	f24q47a: Compatible CT scan
42	182	CUR_BNJT	Num	6	1100	1.	BEST22.	f24q82j: Bone/joints - ever
43	180	CUR_BNMA	Num	6	1088	1.	BEST22.	f24q82h: Bone marrow - ever
44	176	CUR_CARD	Num	6	1064	1.	BEST22.	f24q82d: Cardiac - ever
45	186	CUR_ENDO	Num	6	1124	1.	BEST22.	f24q82n: Endocrine - ever
46	183	CUR_ENT	Num	6	1106	1.	BEST22.	f24q82k: Ear/nose/throat - ever
47	178	CUR_EYES	Num	6	1076	1.	BEST22.	f24q82f: Eyes - ever
48	175	CUR_KIDN	Num	6	1058	1.	BEST22.	f24q82c: Kidney - ever
49	179	CUR_LIVR	Num	6	1082	1.	BEST22.	f24q82g: Liver - ever
50	185	CUR_MUSC	Num	6	1118	1.	BEST22.	f24q82m: Muscles - ever
51	173	CUR_NEUR	Num	6	1046	1.	BEST22.	f24q82a: Neurologic - ever
52	174	CUR_NTLN	Num	6	1052	1.	BEST22.	f24q82b: Non-thoracic lymph - ever
53	184	CUR_PSG	Num	6	1112	1.	BEST22.	f24q82l: Parotid/Salivary - ever
54	177	CUR_SKIN	Num	6	1070	1.	BEST22.	f24q82e: Skin - ever
55	181	CUR_SPLN	Num	6	1094	1.	BEST22.	f24q82i: Spleen - ever
56	131	CYSTCHG	Num	6	794	1.	BEST22.	f24q58c: Cystic changes on phalanges
57	8	DBP	Num	6	56	3.	4.	f24q7b: Diastolic blood pressure (mm Hg)
58	32	DIABINSI	Num	6	200	1.	BEST22.	f24q16c: Diabetes insipidus
59	140	DIZZINES	Num	6	848	1.	BEST22.	f24q65b: New onset dizziness
60	36	DURABIO	Num	6	224	1.	BEST22.	f24q16g: Positive dura biopsy
61	165	DYSP_LEV	Num	6	998	1.	BEST22.	f24q80: Level of dyspsnea
62	41	EMG_POS	Num	6	254	1.	BEST22.	f24q17c: Positive EMG
63	136	ENT_DEF	Num	6	824	1.	BEST22.	f24q63: Definite ENT involvement
64	135	ENT_EXT	Num	6	818	1.	BEST22.	f24q62: Extent of ENT involvement
65	134	ENT_INV	Num	6	812	1.	BEST22.	f24q61: Ear/Nose/Throat involvement
66	138	ENT_POS	Num	6	836	1.	BEST22.	f24q65: Possible ENT involvement
67	137	ENT_PROB	Num	6	830	1.	BEST22.	f24q64: Probable ENT involvement
68	78	ERYTHNOD	Num	6	476	1.	BEST22.	f24q36c: Erythema nodosum
69	123	EXAMENLG	Num	6	746	1.	BEST22.	f24q55a: Enlargement by examination

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
70	89	EYE_DEF	Num	6	542	1.	BEST22.	f24q41: Definite eye involvement
71	88	EYE_EXT	Num	6	536	1.	BEST22.	f24q40: Extent of eye involvement
72	87	EYE_INV	Num	6	530	1.	BEST22.	f24q39: Eye involvement
73	96	EYE_POS	Num	6	584	1.	BEST22.	f24q43: Possible eye involvement
74	95	EYE_PROB	Num	6	578	1.	BEST22.	f24q42: Probable eye involvement
75	204	F24_DY	Num	8	24	4.		f24q2: Days to examination
76	2	FMTYP	Char	4	1226	\$4.	\$4.	FMTYP
77	147	GALSCAN	Num	6	890	1.	BEST22.	f24q68d: Positive gallium scan
78	66	GALSCNHT	Num	6	404	1.	BEST22.	f24q31e: Positive gallium heart scan
79	97	GLAU	Num	6	590	1.	BEST22.	f24q43a: Glaucoma
80	114	GRANBONE	Num	6	692	1.	BEST22.	f24q50a: Granulomas in bone marrow
81	152	GRANMUSC	Num	6	920	1.	BEST22.	f24q72a: Granulomas in muscle
82	43	HEADACHE	Num	6	266	1.	BEST22.	f24q18a: Unexplained headaches
83	62	HRTBIO	Num	6	380	1.	BEST22.	f24q31a: Positive heart biopsy
84	5	HRTRATE	Num	6	38	3.	4.	f24q5: Heart rate (beats/min)
85	3	HT	Num	8	0	5.1	7.1	f24q3: Height (cm)
86	86	HYPERPIG	Num	6	524	1.	BEST22.	f24q38c: Hyperpigmentation
87	85	HYPOPIG	Num	6	518	1.	BEST22.	f24q38b: Hypopigmentation
88	160	INCURCAL	Num	6	968	1.	BEST22.	f24q78a: Increased urine calcium
89	65	IVCDNOBK	Num	6	398	1.	BEST22.	f24q31d: EKG showed IVCD/nodal block
90	84	KELOIDS	Num	6	512	1.	BEST22.	f24q38a: Keloids
91	55	KIDNBIO	Num	6	338	1.	BEST22.	f24q26a: Positive kidney biopsy
92	92	LACGLSW	Num	6	560	1.	BEST22.	f24q41c: Lacrimal gland swelling
93	116	LEUKOP	Num	6	704	1.	BEST22.	f24q50c: Leukopenia
94	103	LIVRBIO	Num	6	626	1.	BEST22.	f24q46a: Positive liver biopsy
95	108	LIVRPROB	Num	6	656	1.	BEST22.	f24q47: Probable liver involvement
96	102	LIVR_DEF	Num	6	620	1.	BEST22.	f24q46: Definite liver involvement
97	101	LIVR_EXT	Num	6	614	1.	BEST22.	f24q45: Extent of liver involvement
98	100	LIVR_INV	Num	6	608	1.	BEST22.	f24q44: Liver involvement
99	50	LN_GT2CM	Num	6	308	1.	BEST22.	f24q22b: Lymph node > 2cm
100	12	LUNGBIO	Num	6	80	1.	BEST22.	f24q10a: Positive lung biopsy
101	19	LUNGPROB	Num	6	122	1.	BEST22.	f24q11: Probable lung involvement
102	11	LUNG_DEF	Num	6	74	1.	BEST22.	f24q10: Definite lung involvement
103	10	LUNG_EXT	Num	6	68	1.	BEST22.	f24q9: Extent of lung involvement
104	9	LUNG_INV	Num	6	62	1.	BEST22.	f24q8: Lung involvement
105	23	LUNG_POS	Num	6	146	1.	BEST22.	f24q12: Possible lung involvement

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
106	77	LUP_PERN	Num	6	470	1.	BEST22.	f24q36b: Lupus pernio
107	13	LYMNOBIO	Num	6	86	1.	BEST22.	f24q10b: Positive mediastinal biopsy
108	46	LYMNOEXT	Num	6	284	1.	BEST22.	f24q20: Extent of lymph node inv.
109	45	LYMNOINV	Num	6	278	1.	BEST22.	f24q19: Non-thoracic lymph node inv.
110	20	LYMP_ALV	Num	6	128	1.	BEST22.	f24q11a: Lymphocytic alveolitis
111	47	LYM_DEF	Num	6	290	1.	BEST22.	f24q21: Definite lymph node involvement
112	51	LYM_POS	Num	6	314	1.	BEST22.	f24q23: Possible lymph node involvement
113	48	LYM_PROB	Num	6	296	1.	BEST22.	f24q22: Probable lymph node involvement
114	81	MAPAPLES	Num	6	494	1.	BEST22.	f24q37a: Macular papular lesions
115	39	MRI_ABN	Num	6	242	1.	BEST22.	f24q17a: Other abnormalities on MRI
116	30	MRI_POS	Num	6	188	1.	BEST22.	f24q16a: Positive MRI
117	154	MUSCPROB	Num	6	932	1.	BEST22.	f24q73: Probable muscle involvement
118	151	MUSC_DEF	Num	6	914	1.	BEST22.	f24q72: Definite muscle involvement
119	150	MUSC_EXT	Num	6	908	1.	BEST22.	f24q71: Extent of muscle involvement
120	149	MUSC_INV	Num	6	902	1.	BEST22.	f24q70: Muscle involvement
121	155	MUSC_POS	Num	6	938	1.	BEST22.	f24q74: Possible muscle involvement
122	161	NEPHANAL	Num	6	974	1.	BEST22.	f24q78b: Nephrolithiasis analysis
123	163	NEPH_NSA	Num	6	986	1.	BEST22.	f24q79a: Nephrolithiasis - no stone
124	164	NEPNEGHS	Num	6	992	1.	BEST22.	f24q79b: Nephrolithiasis - neg history
125	38	NEURPROB	Num	6	236	1.	BEST22.	f24q17: Probable neurological inv.
126	40	NEURUNXP	Num	6	248	1.	BEST22.	f24q17b: Unexplained neuropathy
127	29	NEUR_DEF	Num	6	182	1.	BEST22.	f24q16: Definite neurological inv.
128	28	NEUR_EXT	Num	6	176	1.	BEST22.	f24q15: Extent of neurological inv.
129	27	NEUR_INV	Num	6	170	1.	BEST22.	f24q14: Neurological involvement
130	42	NEUR_POS	Num	6	260	1.	BEST22.	f24q18: Possible neurological inv.
131	203	NEWID	Num	8	16	Z5.1		Patient ID
132	82	NEWNOD	Num	6	500	1.	BEST22.	f24q37b: New nodules
133	68	NOCARVTR	Num	6	416	1.	BEST22.	f24q32a: Ventricular arrhythmias
134	26	NTHORINV	Num	6	164	1.	BEST22.	f24q13: Non-thoracic involvement
135	69	NUCLSCAN	Num	6	422	1.	BEST22.	f24q32b: Positive nuclear medicine scan
136	94	OPTINEUR	Num	6	572	1.	BEST22.	f24q41e: Optic neuritis
137	49	PALPNOD	Num	6	302	1.	BEST22.	f24q22a: New palpable node above waist
138	144	PAROTBIO	Num	6	872	1.	BEST22.	f24q68a: Positive parotid biopsy
139	143	PAROTDEF	Num	6	866	1.	BEST22.	f24q68: Definite parotid/salivary inv.
140	148	PAROTPOS	Num	6	896	1.	BEST22.	f24q69: Possible parotid/salivary inv.
141	142	PASALEXT	Num	6	860	1.	BEST22.	f24q67: Extent of parotid/salivary inv.

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
142	141	PASALINV	Num	6	854	1.	BEST22.	f24q66: Parotid/salivary involvement
143	63	PERICBIO	Num	6	386	1.	BEST22.	f24q31b: Positive pericardium biopsy
144	25	PFTS_OBS	Num	6	158	1.	BEST22.	f24q12b: Obstructive PFTs
145	14	PLEURBIO	Num	6	92	1.	BEST22.	f24q10c: Positive pleura biopsy
146	37	PNERVBIO	Num	6	230	1.	BEST22.	f24q16h: Pos peripheral nerve biopsy
147	44	PNERVRAD	Num	6	272	1.	BEST22.	f24q18b: Peripheral nerve radiculopathy
148	21	PULM_INF	Num	6	134	1.	BEST22.	f24q11b: Any pulmonary infiltrates
149	125	RADSCELG	Num	6	758	1.	BEST22.	f24q55c: Enlrgmnt by radioisotope scan
150	22	RDU_DLCO	Num	6	140	1.	BEST22.	f24q11c: Isolated reduced DLCO
151	53	RENALEXT	Num	6	326	1.	BEST22.	f24q25: Extent of renal involvement
152	52	RENALINV	Num	6	320	1.	BEST22.	f24q24: Renal involvement
153	57	RENLPROB	Num	6	350	1.	BEST22.	f24q27: Probable renal involvement
154	54	RENL_DEF	Num	6	332	1.	BEST22.	f24q26: Definite renal involvement
155	58	RENL_POS	Num	6	356	1.	BEST22.	f24q28: Possible renal involvement
156	56	REN_FAIL	Num	6	344	1.	BEST22.	f24q26b: Trt responsive renal failure
157	6	RESPRATE	Num	6	44	3.	3.	f24q6: Resp rate (breaths/min)
158	1	REV	Num	6	32	1.	BEST22.	REV
159	167	RF_ALINF	Num	6	1010	1.	BEST22.	f24q81b: Radiographic - alveolar inf.
160	166	RF_HIADA	Num	6	1004	1.	BEST22.	f24q81a: Radiographic - hilar adenopathy
161	168	RF_INTIN	Num	6	1016	1.	BEST22.	f24q81c: Radiographic - interstitial inf
162	171	RF_MYCET	Num	6	1034	1.	BEST22.	f24q81f: Radiographic - mycetoma
163	172	RF_OTH	Num	6	1040	1.	BEST22.	f24q81g: Radiographic - other
164	169	RF_PUHYP	Num	6	1022	1.	BEST22.	f24q81d: Radiographic - pulmonary hyp
165	170	RF_ST4DI	Num	6	1028	1.	BEST22.	f24q81e: Radiographic - stage 4
166	18	RST_PFTS	Num	6	116	1.	BEST22.	f24q10g: Restriction on PFTs
167	145	SALGLBIO	Num	6	878	1.	BEST22.	f24q68b: Pos. salivary gland biopsy
168	7	SBP	Num	6	50	3.	4.	f24q7a: Systolic blood pressure (mm Hg)
169	91	SCLERBIO	Num	6	554	1.	BEST22.	f24q41b: positive sclera biopsy
170	196	SEV_BNJT	Num	6	1184	1.	BEST22.	f24q83j: Bone/joints - severity
171	194	SEV_BNMA	Num	6	1172	1.	BEST22.	f24q83h: Bone marrow - severity
172	190	SEV_CARD	Num	6	1148	1.	BEST22.	f24q83d: Cardiac - severity
173	200	SEV_ENDO	Num	6	1208	1.	BEST22.	f24q83n: Endocrine - severity
174	197	SEV_ENT	Num	6	1190	1.	BEST22.	f24q83k: Ear/nose/throat - severity
175	192	SEV_EYES	Num	6	1160	1.	BEST22.	f24q83f: Eyes - severity
176	189	SEV_KIDN	Num	6	1142	1.	BEST22.	f24q83c: Kidney - severity
177	193	SEV_LIVR	Num	6	1166	1.	BEST22.	f24q83g: Liver - severity

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
178	199	SEV_MUSC	Num	6	1202	1.	BEST22.	f24q83m: Muscles - severity
179	187	SEV_NEUR	Num	6	1130	1.	BEST22.	f24q83a: Neurologic - severity
180	188	SEV_NTLN	Num	6	1136	1.	BEST22.	f24q83b: Non-thoracic lymph - severity
181	198	SEV_PSG	Num	6	1196	1.	BEST22.	f24q83l: Parotid/Salivary - severity
182	191	SEV_SKIN	Num	6	1154	1.	BEST22.	f24q83e: Skin - severity
183	195	SEV_SPLN	Num	6	1178	1.	BEST22.	f24q83i: Spleen - severity
184	99	SICCA	Num	6	602	1.	BEST22.	f24q43c: Sicca (dry eyes)
185	139	SINUSIT	Num	6	842	1.	BEST22.	f24q65a: New onset sinusitis
186	76	SKINBIO	Num	6	464	1.	BEST22.	f24q36a: Positive skin biopsy
187	80	SKINPROB	Num	6	488	1.	BEST22.	f24q37: Probable skin involvement
188	75	SKIN_DEF	Num	6	458	1.	BEST22.	f24q36: Definite skin involvement
189	74	SKIN_EXT	Num	6	452	1.	BEST22.	f24q35: Extent of skin involvement
190	73	SKIN_INV	Num	6	446	1.	BEST22.	f24q34: Skin involvement
191	83	SKIN_POS	Num	6	506	1.	BEST22.	f24q38: Possible skin involvement
192	122	SPLNPROB	Num	6	740	1.	BEST22.	f24q55: Probable spleen involvement
193	121	SPLN_DEF	Num	6	734	1.	BEST22.	f24q54: Definite spleen involvement
194	120	SPLN_EXT	Num	6	728	1.	BEST22.	f24q53: Extent of spleen involvement
195	119	SPLN_INV	Num	6	722	1.	BEST22.	f24q52: Spleen involvement
196	146	SYMPAROT	Num	6	884	1.	BEST22.	f24q68c: Symmetrical parotitis
197	130	SYNOVBIO	Num	6	788	1.	BEST22.	f24q58b: Granulomas in synovium biopsy
198	117	THROMBOC	Num	6	710	1.	BEST22.	f24q50d: Thrombocytopenia
199	201	TRT_SARC	Num	6	1214	1.	BEST22.	f24q84: Currently on trt for sarc
200	115	UNEXANEM	Num	6	698	1.	BEST22.	f24q50b: Unexplained anemia
201	93	UVEIT	Num	6	566	1.	BEST22.	f24q41d: Uveitis
202	72	VENTARRH	Num	6	440	1.	BEST22.	f24q33b: Ventricular arrhythmias
203	202	WHEN_PHY	Num	6	1220	1.	BEST22.	f24q88: When physical exam performed
204	4	WT	Num	8	8	5.1	7.1	f24q4: Weight (kg)

Data Set Name: cases.form25

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
1	27	ALBUMIN	Num	8	72	4.1	5.1	f25q27: Albumin (g/dL)
2	28	ALKPHOSP	Num	6	232	3.	4.	f25q28: Alkaline phosphatase (IU/L)
3	31	ALT	Num	6	244	3.	4.	f25q31: ALT (IU/L)
4	30	AST	Num	6	238	3.	4.	f25q30: AST (IU/L)
5	23	BICARBON	Num	6	214	3.	3.	f25q23: Bicarbonate (mEq/L)
6	25	BUN	Num	6	220	3.	3.	f25q25: BUN (mg/dL)
7	32	CALCIUM	Num	8	88	4.1	6.1	f25q32: Calcium (mg/dL)
8	36	CBC_DY	Num	8	120	4.		f25q9: Days to CBC
9	22	CHLORIDE	Num	6	208	3.	4.	f25q22: Chloride (mEq/L)
10	24	CREATIN	Num	8	64	4.1	5.1	f25q24: Creatinine (mg/dL)
11	17	EOSINOPH	Num	6	184	3.	3.	f25q17: Eosinophil (%)
12	4	FEVA_1	Num	8	0	4.2	6.2	f25q4: Pre-bronchodilators - FEV-1 (L)
13	7	FEVB_1	Num	8	16	4.2	6.2	f25q7: Post-bronchodilators - FEV-1 (L)
14	2	FMTYP	Char	4	250	\$4.	\$4.	FMTYP
15	5	FVCA	Num	8	8	4.2	6.2	f25q5: Pre-bronchodilators - FVC (L)
16	8	FVCB	Num	8	24	4.2	6.2	f25q8: Post-bronchodilators - FVC (L)
17	26	GLUCOSE	Num	6	226	3.	4.	f25q26: Glucose (mg/dL)
18	12	HEMA	Num	8	48	4.1	6.1	f25q12: Hematocrit (%)
19	11	HGB	Num	8	40	4.1	6.1	f25q11: HGB (g/dL)
20	37	LAB_DY	Num	8	128	4.		f25q19: Days to lab chemistries
21	15	LYMPHO	Num	6	172	3.	3.	f25q15: Lymphocytes (%)
22	16	MONOCYTE	Num	6	178	3.	3.	f25q16: Monocytes (%)
23	9	NDCBC	Num	6	154	1.	BEST22.	f25q9: CBC not done
24	19	NDCHEM	Num	6	196	1.	BEST22.	f25q19: Lab chemistries not done
25	6	NDPB	Num	6	148	1.	BEST22.	f25q6: Post-bronc. spirometry not done
26	3	NDTST	Num	6	142	1.	BEST22.	f25q3: Spirometry test not done
27	14	NEUTRO	Num	6	166	3.	3.	f25q14: Neutrophils, include bands (%)
28	34	NEWID	Num	8	104	Z5.1		Patient ID
29	18	OTHLAB	Num	6	190	3.	3.	f25q18: Other differential (%)
30	13	PLAT	Num	6	160	3.	4.	f25q13: Platelets (10**3/mm**3)
31	21	POTAS	Num	8	56	4.1	5.1	f25q21: Potassium (mEq/L)
32	1	REV	Num	6	136	1.	BEST22.	REV
33	20	SODIUM	Num	6	202	3.	4.	f25q20: Sodium (mEq/L)

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
34	29	TOT_BIL	Num	8	80	4.1	5.1	f25q29: Total bilirubin (mg/dL)
35	33	TOT_PROT	Num	8	96	4.1	6.1	f25q33: Total protein (g/dL)
36	35	TST_DY	Num	8	112	4.		f25q3: Days to spirometry test
37	10	WBC	Num	8	32	4.1	6.1	f25q10: WBC (10**3/mm**3)

Data Set Name: cases.form26

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
1	2	AFCTABIL	Num	6	14	1.	BEST22.	f26q3: Ability to obtain insurance
2	3	AFCTCOST	Num	6	20	1.	BEST22.	f26q4: Affected cost of insurance
3	11	APPT_NO	Num	6	68	3.	3.	f26q8: Appointments for sarc. in past 6
4	58	CURINTAK	Num	6	350	1.	BEST22.	f26q11: Take medication as directed
5	64	DONTKNOW	Num	6	386	1.	BEST22.	f26q17a: Don't know what will happen
6	55	FRGTDAYS	Num	6	332	1.	BEST22.	f26q10a: No. days med forgotten
7	60	INTAKLES	Num	6	362	2.	BEST22.	f26q13: Reason for taking less
8	61	INTAKMED	Num	6	368	1.	BEST22.	f26q14: Doctor asks about adherence
9	4	LMTCARE	Num	6	26	1.	BEST22.	f26q5: Insurance limits care for sarc.
10	7	LMTMED	Num	6	44	1.	BEST22.	f26q5c: Limited medication for sarc.
11	5	LMTSPEC	Num	6	32	1.	BEST22.	f26q5a: Limited access to specialist
12	6	LMTTEST	Num	6	38	1.	BEST22.	f26q5b: Limited tests for sarc.
13	15	MEDDURA	Num	6	92	1.	BEST22.	f26q9a3: Corticosteriod duration
14	19	MEDDURB	Num	6	116	1.	BEST22.	f26q9b3: Methotrexate duration
15	23	MEDDURC	Num	6	140	1.	BEST22.	f26q9c3: Azathioprine duration
16	27	MEDDURD	Num	6	164	1.	BEST22.	f26q9d3: Cyclosporine duration
17	31	MEDDURE	Num	6	188	1.	BEST22.	f26q9e3: Immunosupp. duration
18	35	MEDDURF	Num	6	212	1.	BEST22.	f26q9f3: Anti-malarial duration
19	40	MEDDURH	Num	6	242	1.	BEST22.	f26q9h3: Medication H duration
20	44	MEDDURI	Num	6	266	1.	BEST22.	f26q9i3: Medication I duration
21	48	MEDDURJ	Num	6	290	1.	BEST22.	f26q9j3: Medication J duration
22	52	MEDDURK	Num	6	314	1.	BEST22.	f26q9k3: Medication K duration
23	36	MEDFREDF	Num	6	218	1.	BEST22.	f26q9f4: Anti-malarial frequency
24	16	MEDFREQA	Num	6	98	1.	BEST22.	f26q9a4: Corticosteriod frequency
25	20	MEDFREQB	Num	6	122	1.	BEST22.	f26q9b4: Methotrexate frequency
26	24	MEDFREQC	Num	6	146	1.	BEST22.	f26q9c4: Azathioprine frequency
27	28	MEDFREQD	Num	6	170	1.	BEST22.	f26q9d4: Cyclosporine frequency
28	32	MEDFREQE	Num	6	194	1.	BEST22.	f26q9e4: Immunosupp. frequency
29	41	MEDFREQH	Num	6	248	1.	BEST22.	f26q9h4: Medication H frequency
30	45	MEDFREQI	Num	6	272	1.	BEST22.	f26q9i4: Medication I frequency
31	49	MEDFREQJ	Num	6	296	1.	BEST22.	f26q9j4: Medication J frequency
32	53	MEDFREQK	Num	6	320	1.	BEST22.	f26q9k4: Medication K frequency
33	17	MEDRESPA	Num	6	104	1.	BEST22.	f26q9a6: Corticosteriod response

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
34	21	MEDRESPB	Num	6	128	1.	BEST22.	f26q9b6: Methotrexate response
35	25	MEDRESPC	Num	6	152	1.	BEST22.	f26q9c6: Azathioprine response
36	29	MEDRESPD	Num	6	176	1.	BEST22.	f26q9d6: Cyclosporine response
37	33	MEDRESPE	Num	6	200	1.	BEST22.	f26q9e6: Immunosupp. response
38	37	MEDRESPF	Num	6	224	1.	BEST22.	f26q9f6: Anti-malarial response
39	42	MEDRESPH	Num	6	254	1.	BEST22.	f26q9h6: Medication H response
40	46	MEDRESPI	Num	6	278	1.	BEST22.	f26q9i6: Medication I response
41	50	MEDRESPJ	Num	6	302	1.	BEST22.	f26q9j6: Medication J response
42	54	MEDRESPK	Num	6	326	1.	BEST22.	f26q9k6: Medication K response
43	14	MEDUSEA	Num	6	86	1.	BEST22.	f26q9a2: Corticosteriod usage
44	18	MEDUSEB	Num	6	110	1.	BEST22.	f26q9b2: Methotrexate usage
45	22	MEDUSEC	Num	6	134	1.	BEST22.	f26q9c2: Azathioprine usage
46	26	MEDUSED	Num	6	158	1.	BEST22.	f26q9d2: Cyclosporine usage
47	30	MEDUSEE	Num	6	182	1.	BEST22.	f26q9e2: Immunosupp. usage
48	34	MEDUSEF	Num	6	206	1.	BEST22.	f26q9f2: Anti-malarial usage
49	39	MEDUSEH	Num	6	236	1.	BEST22.	f26q9h2: Medication H usage
50	43	MEDUSEI	Num	6	260	1.	BEST22.	f26q9i2: Medication I usage
51	47	MEDUSEJ	Num	6	284	1.	BEST22.	f26q9j2: Medication J usage
52	51	MEDUSEK	Num	6	308	1.	BEST22.	f26q9k2: Medication K usage
53	62	MED_CNTR	Num	6	374	1.	BEST22.	f26q15: Confidence in medication
54	66	MED_FRGT	Num	6	398	1.	BEST22.	f26q19: How often forget to take med
55	63	MED_NONE	Num	6	380	1.	BEST22.	f26q16: Chance of bad health without med
56	38	MED_OTH	Num	6	230	1.	BEST22.	f26q9g: Any other meds in 6 mos
57	12	MISAPTNO	Num	6	74	3.	3.	f26q8a: No. of appointments missed
58	13	MIS_REAS	Num	6	80	1.	BEST22.	f26q8b: Reason for missed appt.
59	8	NEED_MC	Num	6	50	1.	BEST22.	f26q6: Could not get care in past 6 mos
60	9	NEED_NO	Num	6	56	1.	3.	f26q6a: Number of times
61	68	NEWID	Num	8	0	Z5.1		Patient ID
62	59	NOMED	Num	6	356	1.	BEST22.	f26q12: Medication not affordable
63	56	NTAKDAYS	Num	6	338	1.	BEST22.	f26q10b: No. days med not taken
64	65	REMINDER	Num	6	392	1.	BEST22.	f26q18: People remind to take med
65	1	REV	Num	6	8	1.	BEST22.	REV
66	10	SPECPROV	Num	6	62	1.	BEST22.	f26q7: Usual doctor/specialist provides
67	67	SRC_CAUS	Num	6	404	1.	BEST22.	f26q20: Think something caused sarc.
68	57	TMORDAYS	Num	6	344	1.	BEST22.	f26q10c: No. days more med taken

Data Set Name: cases.form30

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
1	4	CMPCXR	Num	6	44	1.	BEST22.	f30q4: Previous film for comparison
2	19	CMPCXRDY	Num	8	16	4.		f30q4: Days to comparison film
3	8	CXRADEN	Num	6	68	1.	BEST22.	f30q8 Adenopathy
4	7	CXRALVIN	Num	6	62	1.	BEST22.	f30q7 Alveolar infiltrates
5	10	CXRBLEBS	Num	6	80	1.	BEST22.	f30q10: Bullae or blebs
6	11	CXRCARDM	Num	6	86	1.	BEST22.	f30q11: Cardiomegaly
7	9	CXRHILAR	Num	6	74	1.	BEST22.	f30q9: Hilar retraction
8	6	CXRINTIN	Num	6	56	1.	BEST22.	f30q6: Interstitial infiltrates
9	5	CXRNORM	Num	6	50	1.	BEST22.	f30q5: Current film is normal
10	15	CXROTHAB	Num	6	110	1.	BEST22.	f30q15: Other abnormalities
11	14	CXRPLRAB	Num	6	104	1.	BEST22.	f30q14: Pleural abnormalities
12	12	CXRPULEN	Num	6	92	1.	BEST22.	f30q12: Pulmonary artery enlargement
13	13	CXRPULFB	Num	6	98	1.	BEST22.	f30q13: Pulmonary fibrosis
14	18	F30_DY	Num	8	8	4.		f30q2: Days to x-ray
15	3	FILMQUAL	Num	6	38	1.	BEST22.	f30q3: Film Quality
16	2	FMTYP	Char	4	122	\$4.	\$4.	FMTYP
17	17	NEWID	Num	8	0	Z5.1		Patient ID
18	20	READ_DY	Num	8	24	4.		f30q17: Days to reading
19	1	REV	Num	6	32	1.	BEST22.	REV
20	16	SCADDING	Num	6	116	1.	BEST22.	f30q16: Scadding group

Data Set Name: cases.form31

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
1	10	BRFRNG	Num	6	216	1.	BEST22.	f31q10: Birefringent material present
2	5	BRONCBIO	Num	6	186	1.	BEST22.	f31q6: Transbronchial biopsy
3	12	F31_DY	Num	8	8	4.		f31q2: Days to specimen examination
4	2	FMTYP	Char	4	222	\$4.	\$4.	FMTYP
5	6	LUNGSAMP	Num	6	192	2.	3.	f31q6a: No. of lung tissue samples
6	11	NEWID	Num	8	0	Z5.1		Patient ID
7	1	REV	Num	6	168	1.	BEST22.	REV
8	3	RSLT_EXM	Num	6	174	1.	BEST22.	f31q3: Noncaseating granuloma
9	4	RSLT_POS	Num	6	180	1.	BEST22.	f31q4: Single site for def pos
10	13	SITE1	Num	8	16			Skin
11	14	SITE2	Num	8	24			Mediastinal lymph node
12	15	SITE3	Num	8	32			Parotid/salivary gland
13	16	SITE4	Num	8	40			Conjunctivae
14	17	SITE5	Num	8	48			Lacrimal gland
15	18	SITE6	Num	8	56			Sinus
16	19	SITE7	Num	8	64			Nasopharynx
17	20	SITE8	Num	8	72			Trachea/main bronchi
18	21	SITE9	Num	8	80			Lung
19	22	SITE10	Num	8	88			Heart
20	23	SITE11	Num	8	96			Liver
21	24	SITE12	Num	8	104			Spleen
22	25	SITE13	Num	8	112			Gastrointestinal Tract
23	26	SITE14	Num	8	120			Muscle
24	27	SITE15	Num	8	128			Peripheral nervous system
25	28	SITE16	Num	8	136			Central nervous system
26	29	SITE17	Num	8	144			Kveim site
27	30	SITE18	Num	8	152			Other
28	31	SITE19	Num	8	160			Extrathoracic lymph node
29	7	STAINEGA	Num	6	198	1.	BEST22.	f31q7: Neg stains for histoplasmosis
30	8	STAINGB	Num	6	204	1.	BEST22.	f31q8: Neg stains for other fungal
31	9	STAINEGC	Num	6	210	1.	BEST22.	f31q9: Neg stains for tuberculosis

Data Set Name: cases.form32

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
1	2	AREALAV	Num	6	22	1.	BEST22.	f32q3: Area lavaged
2	6	ASP20ML	Num	6	46	1.	BEST22.	f32q7: First 20ml included
3	7	ASPGAUZE	Num	6	52	1.	BEST22.	f32q8: Asp fluid passed through gauze
4	5	ASPTECH	Num	6	40	1.	BEST22.	f32q6: Aspiration technique
5	10	BACTSPEC	Num	6	70	1.	BEST22.	f32q9c: Bacterial culture
6	32	BALCNSNT	Num	6	202	1.	BEST22.	f32q19: BAL specimen consent
7	24	CD4CELL	Num	6	154	3.	3.	f32q15b: CD4+ %
8	25	CD4ND	Num	6	160	1.	BEST22.	f32q15b: CD4+ not done
9	26	CD8CELL	Num	6	166	3.	3.	f32q15c: CD8+ %
10	27	CD8ND	Num	6	172	1.	BEST22.	f32q15c: CD8+ not done
11	16	CELCNTA1	Num	6	106	3.	4.	f32q14a: Macrophages %
12	17	CELCNTB1	Num	6	112	3.	4.	f32q14b: Neutrophils %
13	18	CELLCNTC	Num	6	118	3.	3.	f32q14c: Bronchial (epithelial) %
14	19	CELLCNTD	Num	6	124	3.	3.	f32q14d: Lymphocytes %
15	20	CELLCNTE	Num	6	130	3.	3.	f32q14e: Eosinophils %
16	21	CELLOTHR	Num	6	136	3.	3.	f32q14f: Other %
17	15	CELL_CNT	Num	6	100	3.	4.	f32q13: Cell cnt of neat fluid 10**4/ml
18	13	CLCNMETH	Num	6	88	1.	BEST22.	f32q11: Method for cell count
19	11	CYTOSPEC	Num	6	76	1.	BEST22.	f32q9d: Cytology
20	12	CYTOSTAN	Num	6	82	1.	BEST22.	f32q10: Cytocentrifuge slide stain
21	34	F32_DY	Num	8	8	4.		f32q2: Days to BAL
22	3	FLUDINST	Num	6	28	3.	4.	f32q4: Vol of fluid instilled (ml)
23	4	FLUDWTDW	Num	6	34	3.	4.	f32q5: Vol of fluid withdrawn (ml)
24	9	FUNGSPEC	Num	6	64	1.	BEST22.	f32q9b: Fungal culture
25	14	LYMPMETH	Num	6	94	1.	BEST22.	f32q12: Method for lymphocyte pop
26	8	MYCOSPEC	Num	6	58	1.	BEST22.	f32q9a: Mycobacterial culture
27	33	NEWID	Num	8	0	Z5.1		Patient ID
28	22	NUCLCELL	Num	6	142	3.	3.	f32q15a: Mononuclear cells %
29	23	NUCLND	Num	6	148	1.	BEST22.	f32q15a: Mononuclear cells not done
30	30	PELLNUM	Num	6	190	3.	3.	f32q17: No. of cell pellets
31	31	PELLTEMP	Num	6	196	3.	3.	f32q17a: Storage temp for pellets (C)
32	1	REV	Num	6	16	1.	BEST22.	REV

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
33	28	SUPRNUM	Num	6	178	3.	3.	f32q16: No. of supernatant aliquots
34	29	SUPRTEMP	Num	6	184	3.	3.	f32q16a: Storage temp for aliquots (C)

Data Set Name: cases.spirom

Obs	Num	Variable	Type	Len	Pos	Format	Label
1	1	BLFEVA_1	Num	8	0		f25q4: Pre-bronchodilators - FEV-1
2	3	BLFEVPRD	Num	8	16		FEV-1 predicted
3	2	BLFVCA	Num	8	8		f25q5: Pre-bronchodilators - FVC
4	5	BLFVCPRD	Num	8	32		FVC predicted
5	4	BLPERFEV	Num	8	24		FEV-1 % predicted
6	6	BLPERFVC	Num	8	40		FVC % predicted
7	7	BLRATIO1	Num	8	48		FEV-1/FVC (%)
8	8	NEWID	Num	8	56	Z5.1	Patient ID

Data Set Name: pairs.combvars

Obs	Num	Variable	Type	Len	Pos	Format	Label
1	1	B11	Num	8	0		Number of home contacts
2	2	B12	Num	8	8		Exposure large number people at work
3	3	B21	Num	8	16		Community size last 3 yrs
4	4	B31	Num	8	24		Antibiotic exposure
5	5	B41	Num	8	32		Immunosuppressing agents exposure
6	6	B51	Num	8	40		Place of residence and shower
7	7	D11	Num	8	48		Family history of sarcoidosis
8	8	D12	Num	8	56		Number of relatives with sarcoid
9	43	E13	Num	8	336		Social Support - overall score
10	9	E111	Num	8	64		Depression score
11	10	E112	Num	8	72		Depression - missing items
12	13	E121	Num	8	96		Physical Function - score
13	16	E122	Num	8	120		Role - Physical - score
14	19	E123	Num	8	144		Bodily Pain - score
15	22	E124	Num	8	168		Vitality - score
16	25	E125	Num	8	192		Mental Health - score
17	28	E126	Num	8	216		Role - Emotional - score
18	31	E127	Num	8	240		General Health - score
19	34	E128	Num	8	264		Social Function - score
20	74	E131	Num	8	584		Tangible Support - score
21	75	E132	Num	8	592		Affectionate - score
22	76	E133	Num	8	600		Social Interaction - score
23	77	E134	Num	8	608		Emotional Support - score
24	44	E141	Num	8	344		Optimism - score
25	45	E142	Num	8	352		Optimism - missing items
26	11	E1211	Num	8	80		Physical Function - raw score
27	12	E1212	Num	8	88		Physical Function - missing items
28	14	E1221	Num	8	104		Role - Physical - raw score
29	15	E1222	Num	8	112		Role - Physical - missing items
30	17	E1231	Num	8	128		Bodily Pain - raw score
31	18	E1232	Num	8	136		Bodily Pain - missing items
32	20	E1241	Num	8	152		Vitality - raw score
33	21	E1242	Num	8	160		Vitality - missing items

Obs	Num	Variable	Type	Len	Pos	Format	Label
34	23	E1251	Num	8	176		Mental Health - raw score
35	24	E1252	Num	8	184		Mental Health - missing items
36	26	E1261	Num	8	200		Role - Emotional - raw score
37	27	E1262	Num	8	208		Role - Emotional - missing items
38	29	E1271	Num	8	224		General Health - raw score
39	30	E1272	Num	8	232		General Health - missing items
40	32	E1281	Num	8	248		Social Function - raw score
41	33	E1282	Num	8	256		Social Function - missing items
42	35	E1311	Num	8	272		Tangible Support - raw score
43	36	E1312	Num	8	280		Tangible Support - missing items
44	38	E1321	Num	8	296		Affectionate - raw score
45	37	E1322	Num	8	288		Affectionate - missing items
46	39	E1331	Num	8	304		Social Interaction - raw score
47	40	E1332	Num	8	312		Social Interaction - missing items
48	41	E1341	Num	8	320		Emotional Support - raw score
49	42	E1342	Num	8	328		Emotional Support - missing items
50	46	G10	Num	8	360		Income
51	47	G20	Num	8	368		Education
52	48	G311	Num	8	376		Insurance status (A1)
53	49	G312	Num	8	384		Insurance status (A2)
54	58	G325	Num	8	456		Geographic barriers - community
55	61	G327	Num	8	480		Lack of social support
56	50	G3211	Num	8	392		Insurance restrictions (A1)
57	51	G3212	Num	8	400		Insurance restrictions (A2)
58	52	G3221	Num	8	408		Usual source of care
59	53	G3222	Num	8	416		No usual source of care
60	54	G3231	Num	8	424		Regular doctor (A1)
61	55	G3232	Num	8	432		Regular doctor (A2)
62	56	G3241	Num	8	440		Limited med. care - financial
63	57	G3242	Num	8	448		Limited med. care - other
64	59	G3261	Num	8	464		Barriers to medication use (A1)
65	60	G3262	Num	8	472		Barriers to medication use (A2)
66	62	G3281	Num	8	488		Effect of sarcoidosis on care (A1)
67	63	G3282	Num	8	496		Effect of sarcoidosis on care (A2)
68	64	G3291	Num	8	504		Missed appointments for sarcoid care
69	65	G3292	Num	8	512		Missed sarcoidosis medication

Obs	Num	Variable	Type	Len	Pos	Format	Label
70	66	H11	Num	8	520		Cardiovascular system
71	67	H12	Num	8	528		Pulmonary system
72	68	H13	Num	8	536		Cancer
73	69	H14	Num	8	544		Endocrine
74	70	H15	Num	8	552		Kidney
75	71	H16	Num	8	560		Liver
76	72	H17	Num	8	568		Rheumatologic
77	73	H18	Num	8	576		Neurologic
78	155	IA11	Num	8	1232		SIC: Metal dust / fume assoc industry
79	157	IA12	Num	8	1248		SIC: Healthcare workers
80	160	IA14	Num	8	1272		SIC: Fire fighters
81	161	IA15	Num	8	1280		SIC: Military
82	162	IA16	Num	8	1288		SIC: Agriculture - crop related
83	163	IA17	Num	8	1296		SIC: Organic dusts
84	167	IA18	Num	8	1328		SIC: Microbials / bioaerosols
85	156	IA111	Num	8	1240		SIC: Contact dermatitis-causing metals
86	178	IA113	Num	8	1416		SIC: Silica dust
87	179	IA115	Num	8	1424		SIC: Wood dust
88	158	IA131	Num	8	1256		SIC: Childcare providers
89	159	IA132	Num	8	1264		SIC: Educators
90	164	IA171	Num	8	1304		SIC: Agricultural organic dusts
91	165	IA172	Num	8	1312		SIC: Industrial organic dusts
92	166	IA173	Num	8	1320		SIC: Rubber dusts
93	168	IA181	Num	8	1336		SIC: Metal working fluid
94	169	IA191	Num	8	1344		SIC: Chemical agents that produce HP
95	172	IA192	Num	8	1368		SIC: Organic agents that produce HP
96	182	IA353	Num	8	1448		SIC: Exposure to insects
97	173	IA1111	Num	8	1376		SIC: Construction trades
98	174	IA1112	Num	8	1384		SIC: Dusty trades with fiber/fabric
99	175	IA1113	Num	8	1392		SIC: Dusty trades with wood
100	176	IA1114	Num	8	1400		SIC: Dusty trades with crustal dust
101	177	IA1121	Num	8	1408		SIC: Isolated employment
102	170	IA1911	Num	8	1352		SIC: Pesticides that produce HP
103	171	IA1912	Num	8	1360		SIC: Isocyanates that produce HP
104	180	IRA351	Num	8	1432		SIC: Exposure to mammals
105	181	IRA352	Num	8	1440		SIC: Exposure to birds

Obs	Num	Variable	Type	Len	Pos	Format	Label
106	213	NEWID	Num	8	1696	Z5.1	Patient ID
107	125	OA11	Num	8	992		SOC: Metal dust / fume assoc industry
108	127	OA12	Num	8	1008		SOC: Healthcare workers
109	130	OA14	Num	8	1032		SOC: Fire fighters
110	131	OA15	Num	8	1040		SOC: Military
111	132	OA16	Num	8	1048		SOC: Agriculture - crop related
112	133	OA17	Num	8	1056		SOC: Organic dusts
113	137	OA18	Num	8	1088		SOC: Microbials / bioaerosols
114	151	OA35	Num	8	1200		SOC: Exposure to animals
115	126	OA111	Num	8	1000		SOC: Contact dermatitis-causing metals
116	149	OA113	Num	8	1184		SOC: Silica dust
117	150	OA115	Num	8	1192		SOC: Wood dust
118	128	OA131	Num	8	1016		SOC: Childcare providers
119	129	OA132	Num	8	1024		SOC: Educators
120	134	OA171	Num	8	1064		SOC: Agricultural organic dusts
121	135	OA172	Num	8	1072		SOC: Industrial organic dusts
122	136	OA173	Num	8	1080		SOC: Rubber dusts
123	138	OA181	Num	8	1096		SOC: Metal working fluid
124	139	OA191	Num	8	1104		SOC: Chemical agents that produce HP
125	142	OA192	Num	8	1128		SOC: Organic agents that produce HP
126	152	OA351	Num	8	1208		SOC: Exposure to mammals
127	153	OA352	Num	8	1216		SOC: Exposure to birds
128	154	OA353	Num	8	1224		SOC: Exposure to insects
129	143	OA1110	Num	8	1136		SOC: Dusty trades
130	144	OA1111	Num	8	1144		SOC: Construction trades
131	145	OA1112	Num	8	1152		SOC: Dusty trades with fiber/fabric
132	146	OA1113	Num	8	1160		SOC: Dusty trades with wood
133	147	OA1114	Num	8	1168		SOC: Dusty trades with crustal dust
134	148	OA1121	Num	8	1176		SOC: Isolated employment
135	140	OA1911	Num	8	1112		SOC: Pesticides that produce HP
136	141	OA1912	Num	8	1120		SOC: Isocyanates that produce HP
137	103	RA10	Num	8	816		Any occupational exposures
138	78	RA11	Num	8	616		Metal dust / fume assoc industry
139	80	RA12	Num	8	632		Healthcare workers
140	83	RA14	Num	8	656		Fire fighters
141	84	RA15	Num	8	664		Military

Obs	Num	Variable	Type	Len	Pos	Format	Label
142	85	RA16	Num	8	672		Agriculture - crop related
143	89	RA18	Num	8	704		Microbials / bioaerosols
144	114	RA20	Num	8	904		Any avocational exposures
145	104	RA21	Num	8	824		Metal dust/fumes avocational
146	106	RA22	Num	8	840		Avocational exposure to children
147	107	RA23	Num	8	848		Microbial bioaerosol contam. non-occ.
148	108	RA24	Num	8	856		Organic dusts non-occ.
149	124	RA30	Num	8	984		Environmental + occupational exp
150	115	RA31	Num	8	912		Any metal dust/fumes exposure
151	116	RA32	Num	8	920		Any exposure to children
152	117	RA33	Num	8	928		Any microbial bioaerosol exp
153	118	RA34	Num	8	936		Any organic dust exposure
154	119	RA35	Num	8	944		Any exposure to animals
155	123	RA36	Num	8	976		Any non-cigarette smoke exp
156	79	RA111	Num	8	624		Contact dermatitis-causing metals
157	100	RA113	Num	8	792		Silica dust
158	101	RA114	Num	8	800		Employment status
159	102	RA115	Num	8	808		Wood dust
160	81	RA131	Num	8	640		Childcare providers
161	82	RA132	Num	8	648		Educators
162	86	RA171	Num	8	680		Agricultural organic dusts
163	87	RA172	Num	8	688		Industrial organic dusts
164	88	RA173	Num	8	696		Rubber dusts
165	90	RA181	Num	8	712		Metal working fluid
166	91	RA191	Num	8	720		Chemical agents that produce HP
167	94	RA192	Num	8	744		Organic agents that produce HP
168	105	RA211	Num	8	832		Metals contact dermatitis non-occ.
169	109	RA251	Num	8	864		Tobacco exposure (active smoking)
170	110	RA252	Num	8	872		Tobacco exposure (passive smoking)
171	111	RA253	Num	8	880		Tobacco exposure (active or passive)
172	112	RA261	Num	8	888		Rural residence as child
173	113	RA262	Num	8	896		Rural residence last 3 yrs
174	120	RA351	Num	8	952		Any exposure to mammals
175	121	RA352	Num	8	960		Any exposure to birds
176	122	RA353	Num	8	968		Any exposure to insects
177	95	RA1111	Num	8	752		Construction trades

Obs	Num	Variable	Type	Len	Pos	Format	Label
178	96	RA1112	Num	8	760		Dusty trades with fiber/fabric
179	97	RA1113	Num	8	768		Dusty trades with wood
180	98	RA1114	Num	8	776		Dusty trades with crustal dust
181	99	RA1121	Num	8	784		Isolated employment
182	92	RA1911	Num	8	728		Pesticides that produce HP
183	93	RA1912	Num	8	736		Isocyanates that produce HP
184	183	SA11	Num	8	1456		S_S: Metal dust / fume assoc industry
185	185	SA12	Num	8	1472		S_S: Healthcare workers
186	188	SA14	Num	8	1496		S_S: Fire fighters
187	189	SA15	Num	8	1504		S_S: Military
188	190	SA16	Num	8	1512		S_S: Agriculture - crop related
189	191	SA17	Num	8	1520		S_S: Organic dusts
190	195	SA18	Num	8	1552		S_S: Microbials / bioaerosols
191	209	SA35	Num	8	1664		S_S: Exposure to animals
192	184	SA111	Num	8	1464		S_S: Contact dermatitis-causing metals
193	207	SA113	Num	8	1648		S_S: Silica dust
194	208	SA115	Num	8	1656		S_S: Wood dust
195	186	SA131	Num	8	1480		S_S: Childcare providers
196	187	SA132	Num	8	1488		S_S: Educators
197	192	SA171	Num	8	1528		S_S: Agricultural organic dusts
198	193	SA172	Num	8	1536		S_S: Industrial organic dusts
199	194	SA173	Num	8	1544		S_S: Rubber dusts
200	196	SA181	Num	8	1560		S_S: Metal working fluid
201	197	SA191	Num	8	1568		S_S: Chemical agents that produce HP
202	200	SA192	Num	8	1592		S_S: Organic agents that produce HP
203	210	SA351	Num	8	1672		S_S: Exposure to mammals
204	211	SA352	Num	8	1680		S_S: Exposure to birds
205	212	SA353	Num	8	1688		S_S: Exposure to insects
206	201	SA1110	Num	8	1600		S_S: Dusty trades
207	202	SA1111	Num	8	1608		S_S: Construction trades
208	203	SA1112	Num	8	1616		S_S: Dusty trades with fiber/fabric
209	204	SA1113	Num	8	1624		S_S: Dusty trades with wood
210	205	SA1114	Num	8	1632		S_S: Dusty trades with crustal dust
211	206	SA1121	Num	8	1640		S_S: Isolated employment
212	198	SA1911	Num	8	1576		S_S: Pesticides that produce HP
213	199	SA1912	Num	8	1584		S_S: Isocyanates that produce HP

Data Set Name: pairs.form02

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
1	4	AGE	Num	6	50	2.	3.	f02q5: Age (Years)
2	2	AGR_STDY	Num	6	38	1.	BEST22.	f02q3: Case agreed to be in study
3	13	BERYLDI	Num	6	104	1.	BEST22.	f02q8f: Had chronic beryllium disease
4	38	BIOP_DY	Num	8	16	4.		f02q9a: Days to biopsy
5	28	BRONACID	Num	6	194	1.	BEST22.	f02q12c1: Br Lavage--acid fast bacilii
6	29	BRONFUNG	Num	6	200	1.	BEST22.	f02q12c2: Br Lavage--fungus
7	30	BRONOTH	Num	6	206	1.	BEST22.	f02q12c3: Br Lavage--other
8	15	BRONPERF	Num	6	116	1.	BEST22.	f02q10a: Bronchoscopy performed where?
9	11	CROHNDI	Num	6	92	1.	BEST22.	f02q8d: Had Crohn's disease
10	34	CULTPOS	Num	6	230	1.	BEST22.	f02q13: Culture was positive
11	20	DIA_SARC	Num	6	146	1.	BEST22.	f02q11b: Pathology report consistent
12	37	F02_DY	Num	8	8	4.		f02q2: Days to conf eligibility
13	3	GENDER	Num	6	44	1.	BEST22.	f02q4: Gender
14	7	HISPANIC	Num	6	68	1.	BEST22.	f02q7: Hispanic
15	12	HISTOPLM	Num	6	98	1.	BEST22.	f02q8e: Meds for histoplasmosis
16	5	LT_18YRS	Num	6	56	1.	BEST22.	f02q5a: Case is less than 18
17	22	LUNGACID	Num	6	158	1.	BEST22.	f02q12a1: Lung biopsy--acid fast bacilii
18	23	LUNGFUNG	Num	6	164	1.	BEST22.	f02q12a2: Lung biopsy--fungus
19	24	LUNGOTH	Num	6	170	1.	BEST22.	f02q12a3: Lung biopsy--other
20	25	LYMPACID	Num	6	176	1.	BEST22.	f02q12b1: Lymph Node--acid fast bacilii
21	26	LYMPFUNG	Num	6	182	1.	BEST22.	f02q12b2: Lymph Node--fungus
22	27	LYMPOTH	Num	6	188	1.	BEST22.	f02q12b3: Lymph Node--other
23	16	LYMPPERF	Num	6	122	1.	BEST22.	f02q10b: Lymph Node biopsy perf where?
24	36	NEWID	Num	8	0	Z5.1		Patient ID
25	31	OTHACID	Num	6	212	1.	BEST22.	f02q12d1: Other--acid fast bacilii
26	32	OTHFUNG	Num	6	218	1.	BEST22.	f02q12d2: Other--fungus
27	33	OTHOTH	Num	6	224	1.	BEST22.	f02q12d3: Other--other
28	18	OTHPERF	Num	6	134	1.	BEST22.	f02q10d: KVEIM/other biosy perf where?
29	19	PATHCOMP	Num	6	140	1.	BEST22.	f02q11: Pathology report completed
30	39	PATH_DY	Num	8	24	4.		f02q11a: Days to path report
31	21	PATH_EXC	Num	6	152	1.	BEST22.	f02q11c: Any pathology exclusion
32	10	PR_BICIR	Num	6	86	1.	BEST22.	f02q8c: Had cirrhosis
33	6	RACE	Num	6	62	1.	BEST22.	f02q6: Race

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
34	1	REV	Num	6	32	1.	BEST22.	REV
35	9	SARC_GT6	Num	6	80	1.	BEST22.	f02q8b: Sarcoidosis > 6 mos
36	17	SKINPERF	Num	6	128	1.	BEST22.	f02q10c: Skin biopsy performed where?
37	14	SPEC_OBT	Num	6	110	1.	BEST22.	f02q9: Tissue specimen obtained
38	35	STOPRESP	Num	6	236	1.	BEST22.	f02q14: Any stop responses
39	8	TBRCM	Num	6	74	1.	BEST22.	f02q8a: Active TB

Data Set Name: pairs.form05

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
1	5	AGE	Num	6	40	2.	3.	f05q6: Age (Years)
2	2	AGR_INTV	Num	6	22	1.	BEST22.	f05q3: Control agreed to interview
3	3	AGR_STDY	Num	6	28	1.	BEST22.	f05q4: Control agreed to be in study
4	13	BELPALS	Num	6	88	1.	BEST22.	f05q9e: Have Bell's palsy
5	18	BERYLDI	Num	6	118	1.	BEST22.	f05q9j: Had chronic beryllium disease
6	15	CROHNDI	Num	6	100	1.	BEST22.	f05q9g: Have Crohn's disease
7	16	ERYTNODO	Num	6	106	1.	BEST22.	f05q9h: Have erythema nodosum
8	21	F05_DY	Num	8	8	4.		f05q2: Days to contact
9	4	GENDER	Num	6	34	1.	BEST22.	f05q4: Gender
10	11	HEPAT	Num	6	76	1.	BEST22.	f05q9c: Have granulomatous hepatitis
11	8	HISPANIC	Num	6	58	1.	BEST22.	f05q8: Hispanic
12	17	HISTOPLM	Num	6	112	1.	BEST22.	f05q9i: Meds for histoplasmosis
13	6	LT_18YRS	Num	6	46	1.	BEST22.	f05q6a: Control is less than 18
14	20	NEWID	Num	8	0	Z5.1		Patient ID
15	12	PR_BICIR	Num	6	82	1.	BEST22.	f05q9d: Have cirrhosis
16	7	RACE	Num	6	52	1.	BEST22.	f05q7: Race
17	1	REV	Num	6	16	1.	BEST22.	REV
18	10	SARCOID	Num	6	70	1.	BEST22.	f05q9b: Have sarcoidosis
19	19	STOPRESP	Num	6	124	1.	BEST22.	f05q10: Any stop responses
20	9	TBRCM	Num	6	64	1.	BEST22.	f05q9a: Active TB
21	14	UVEITIS	Num	6	94	1.	BEST22.	f05q9f: Have uveitis

Data Set Name: pairs.form10

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
1	76	BLDCNSNT	Num	6	502	1.	BEST22.	f10q34: Consent for blood use
2	72	BLDRWVOL	Num	8	8	5.	5.	f10q31: Volume of blood drawn (cc)
3	84	BLDRW_DY	Num	8	56	4.		f10q30: Days to blood drawn
4	71	BLDRW_ND	Num	6	478	1.	BEST22.	f10q30: Blood not drawn
5	20	COST_WRY	Num	6	172	1.	BEST22.	f10q12: Worry about cost
6	5	EDUCATN	Num	6	82	1.	BEST22.	f10q7: Schooling completed
7	80	F10_DY	Num	8	24	4.		f10q2: Days to interview
8	16	HLTCARE1	Num	6	148	1.	BEST22.	f10q11a1/11a2: Lack of money/too far
9	17	HLTCARE2	Num	6	154	1.	BEST22.	see 11a1
10	18	HLTCARE3	Num	6	160	1.	BEST22.	f10q11a3: Couldn't get appointment
11	19	HLTCARE4	Num	6	166	1.	BEST22.	f10q11a4: Some other reason
12	7	HLTPLAN1	Num	6	94	1.	BEST22.	f10q8a: Pay less for certain MDs
13	8	HLTPLAN2	Num	6	100	1.	BEST22.	f10q8b: Pay less for certain clinics
14	9	HLTPLAN3	Num	6	106	1.	BEST22.	f10q8c: Limits choice of specialist
15	10	HLTPLCE1	Num	6	112	1.	BEST22.	f10q9: Go to one particular place
16	12	HLTPLCE2	Num	6	124	1.	BEST22.	f10q9b: Place patient would go to
17	27	HLTPRB1	Num	6	214	1.	BEST22.	f10q14a: Hx of asthma
18	30	HLTPRB2	Num	6	232	1.	BEST22.	f10q15a: Hx of chronic bronchitis
19	33	HLTPRB3	Num	6	250	1.	BEST22.	f10q16a: Hx of emphysema
20	36	HLTPRB4	Num	6	268	1.	BEST22.	f10q17a: Hx of sinus trouble
21	39	HLTPRB5	Num	6	286	1.	BEST22.	f10q18a: Hx of allergies
22	42	HLTPRB6	Num	6	304	1.	BEST22.	f10q19a: Hx of heart disease
23	45	HLTPRB7	Num	6	322	1.	BEST22.	f10q20a: Hx of high blood pressure
24	48	HLTPRB8	Num	6	340	1.	BEST22.	f10q21a: Hx of kidney disease
25	51	HLTPRB9	Num	6	358	1.	BEST22.	f10q22a: Hx of liver disease
26	54	HLTPRB10	Num	6	376	1.	BEST22.	f10q23a: Hx of arthritis
27	57	HLTPRB11	Num	6	394	1.	BEST22.	f10q24a: Hx of skin disease
28	60	HLTPRB12	Num	6	412	1.	BEST22.	f10q25a: Hx of cancer
29	63	HLTPRB13	Num	6	430	1.	BEST22.	f10q26a: Hx of lupus
30	66	HLTPRB14	Num	6	448	1.	BEST22.	f10q27a: Hx of diabetes
31	11	HLTTYPE1	Num	6	118	1.	BEST22.	f10q9a: Type of place
32	13	HLTTYPE2	Num	6	130	1.	BEST22.	f10q9c: Type of place
33	6	HLT_INSR	Num	6	88	1.	BEST22.	f10q8: Health insurance plan

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
34	14	HLT_PHYS	Num	6	136	1.	BEST22.	f10q10: Regular doctor
35	4	HOMELESS	Num	6	76	1.	BEST22.	f10q6a: Homeless
36	3	HOME_NBP	Num	8	0	3.	3.	f10q6: Number living at home
37	21	HOW_MANY	Num	6	178	3.	3.	f10q12a: How many times?
38	29	HPSH1	Num	6	226	1.	BEST22.	f10q14c: Still have asthma
39	32	HPSH2	Num	6	244	1.	BEST22.	f10q15c: Still have chronic bronchitis
40	35	HPSH3	Num	6	262	1.	BEST22.	f10q16c: Still have emphysema
41	38	HPSH4	Num	6	280	1.	BEST22.	f10q17c: Still have sinus trouble
42	41	HPSH5	Num	6	298	1.	BEST22.	f10q18c: Still have allergies
43	44	HPSH6	Num	6	316	1.	BEST22.	f10q19c: Still have heart disease
44	47	HPSH7	Num	6	334	1.	BEST22.	f10q20c: Still have high blood pressure
45	50	HPSH8	Num	6	352	1.	BEST22.	f10q21c: Still have kidney disease
46	53	HPSH9	Num	6	370	1.	BEST22.	f10q22c: Still have liver disease
47	56	HPSH10	Num	6	388	1.	BEST22.	f10q23c: Still have arthritis
48	59	HPSH11	Num	6	406	1.	BEST22.	f10q24c: Still have skin disease
49	62	HPSH12	Num	6	424	1.	BEST22.	f10q25c: Still have cancer
50	65	HPSH13	Num	6	442	1.	BEST22.	f10q26c: Still have lupus
51	68	HPSH14	Num	6	460	1.	BEST22.	f10q27c: Still have diabetes
52	28	HP_AGE1	Num	6	220	3.	3.	f10q14b: Age at asthma
53	31	HP_AGE2	Num	6	238	3.	3.	f10q15b: Age at chronic bronchitis
54	34	HP_AGE3	Num	6	256	3.	3.	f10q16b: Age at emphysema
55	37	HP_AGE4	Num	6	274	3.	3.	f10q17b: Age at sinus trouble
56	40	HP_AGE5	Num	6	292	3.	3.	f10q18b: Age at allergies
57	43	HP_AGE6	Num	6	310	3.	3.	f10q19b: Age at heart disease
58	46	HP_AGE7	Num	6	328	3.	3.	f10q20b: Age at high blood pressure
59	49	HP_AGE8	Num	6	346	3.	3.	f10q21b: Age at kidney disease
60	52	HP_AGE9	Num	6	364	3.	3.	f10q22b: Age at liver disease
61	55	HP_AGE10	Num	6	382	3.	3.	f10q23b: Age at arthritis
62	58	HP_AGE11	Num	6	400	3.	3.	f10q24b: Age at skin disease
63	61	HP_AGE12	Num	6	418	3.	3.	f10q25b: Age at cancer
64	64	HP_AGE13	Num	6	436	3.	3.	f10q26b: Age at lupus
65	67	HP_AGE14	Num	6	454	3.	3.	f10q27b: Age at diabetes
66	77	INT_LOC	Num	6	508	1.	BEST22.	f10q35: Interview conducted where
67	2	MARISTAT	Num	6	70	1.	BEST22.	f10q5: Marital status
68	22	MED_DIFF	Num	6	184	1.	BEST22.	f10q13: Difficulty with prescription
69	79	NEWID	Num	8	16	Z5.1		Patient ID

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
70	69	OTHLTPRB	Num	6	466	1.	BEST22.	f10q28: Other health problems
71	70	PREGNANT	Num	6	472	1.	BEST22.	f10q29: Pregnant during ref period
72	23	REAS_MD1	Num	6	190	1.	BEST22.	f10q13a1: Cost
73	24	REAS_MD2	Num	6	196	1.	BEST22.	f10q13a2: Not needed or helpful
74	25	REAS_MD3	Num	6	202	1.	BEST22.	f10q13a3: Couldn't get to store
75	26	REAS_MD4	Num	6	208	1.	BEST22.	f10q13a4: Other
76	82	REF1_DY	Num	8	40	4.		f10q2b1: Days to reference start
77	83	REF2_DY	Num	8	48	4.		f10q2b2: Days to reference end
78	81	REF_DY	Num	8	32	4.		f10q2a: Days to reference date
79	1	REV	Num	6	64	1.	BEST22.	REV
80	78	WHEN_BLD	Num	6	514	1.	BEST22.	f10q39: When blood specimen obtained
81	73	WHER_BSA	Num	6	484	1.	BEST22.	f10q33a: Blood to DNA core lab
82	74	WHER_BSB	Num	6	490	1.	BEST22.	f10q33b: Blood to RNA study
83	75	WHER_BSC	Num	6	496	1.	BEST22.	f10q33c: Blood to L-forms lab
84	15	WNTSEDOC	Num	6	142	1.	BEST22.	f10q11: Wanted, but could not see MD

Data Set Name: pairs.form11

Obs	Num	Variable	Type	Len	Pos	Format	Label
1	2	FMTYP	Char	8	38	\$4.	Form Type
2	3	INTWTIME	Num	6	14	2.	f11q3: Time of interview
3	4	JOBHIST	Num	6	20	2.	f11q3a: Complete job history
4	6	JOBSTARD	Num	6	32	2.	f11q5: Current job status
5	5	JOBSTAT	Num	6	26	2.	f11q4: Job status at ref. date
6	7	NEWID	Num	8	0	Z5.1	Patient ID
7	1	REV	Num	6	8	1.	Form Revision

Data Set Name: pairs.form12

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
1	161	ACTAOTR	Num	6	968	1.	BEST22.	f12q80a: Exposure to auto/truck repair
2	167	ACTCCOBS	Num	6	1004	1.	BEST22.	f12q83a: Exposure to childcare
3	165	ACTCOWW	Num	6	992	1.	BEST22.	f12q82a: Exposure to carpentry
4	171	ACTEIAHC	Num	6	1028	1.	BEST22.	f12q85a: Exposure to health clubs
5	173	ACTFARM	Num	6	1040	1.	BEST22.	f12q86a: Exposure to farming
6	177	ACTFF	Num	6	1064	1.	BEST22.	f12q88a: Exposure to firefighting
7	179	ACTGARDN	Num	6	1076	1.	BEST22.	f12q89a: Exposure to gardening
8	181	ACTHOC	Num	6	1088	1.	BEST22.	f12q90a: Exposure to hairdressing
9	183	ACTHOHCV	Num	6	1100	1.	BEST22.	f12q91a: Exposure as hosp volunteer
10	185	ACTJM	Num	6	1112	1.	BEST22.	f12q92a: Exposure to jewelry making
11	187	ACTLW	Num	6	1124	1.	BEST22.	f12q93a: Exposure to leather working
12	197	ACTOBAFR	Num	6	1184	1.	BEST22.	f12q98a: Exposure to other reserves
13	219	ACTOE1	Num	6	1316	1.	BEST22.	f12q109a: Exposure to other 1
14	221	ACTOE2	Num	6	1328	1.	BEST22.	f12q110a: Exposure to other 2
15	199	ACTPM	Num	6	1196	1.	BEST22.	f12q99a: Exposure to pottery making
16	201	ACTPP	Num	6	1208	1.	BEST22.	f12q100a: Exposure to painting pictures
17	203	ACTPRINT	Num	6	1220	1.	BEST22.	f12q101a: Exposure to printing
18	175	ACTRANCH	Num	6	1052	1.	BEST22.	f12q87a: Exposure to ranching
19	169	ACTRHC	Num	6	1016	1.	BEST22.	f12q84a: Exposure to home cleaning
20	163	ACTROTB	Num	6	980	1.	BEST22.	f12q81a: Exposure to birds
21	209	ACTSCOP	Num	6	1256	1.	BEST22.	f12q104a: Exposure to stone cutting
22	211	ACTSIAIP	Num	6	1268	1.	BEST22.	f12q105a: Exposure to indoor pools
23	207	ACTSOW	Num	6	1244	1.	BEST22.	f12q103a: Exposure to spinning/weaving
24	205	ACTSPAOV	Num	6	1232	1.	BEST22.	f12q102a: Exposure to spray painting aut
25	215	ACTUAS	Num	6	1292	1.	BEST22.	f12q107a: Exposure to sauna
26	213	ACTUHTOW	Num	6	1280	1.	BEST22.	f12q106a: Exposure to hot tubs
27	193	ACTUSAFR	Num	6	1160	1.	BEST22.	f12q96a: Exposure to AF reserves
28	189	ACTUSAR	Num	6	1136	1.	BEST22.	f12q94a: Exposure to Army reserves/NG
29	195	ACTUSMR	Num	6	1172	1.	BEST22.	f12q97a: Exposure to Marine reserves
30	191	ACTUSNR	Num	6	1148	1.	BEST22.	f12q95a: Exposure to Navy reserves
31	217	ACTWEID	Num	6	1304	1.	BEST22.	f12q108a: Exposure to welding
32	159	ENVIRAAA	Num	6	956	1.	BEST22.	f12q79a1: Exposure to animals at work
33	151	ENVIRHH	Num	6	908	1.	BEST22.	f12q78a1: Exposure to high humidity

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
34	157	ENVIRMMO	Num	6	944	1.	BEST22.	f12q78a4: Exposure to musty odors
35	155	ENVIROMM	Num	6	932	1.	BEST22.	f12q78a3: Exposure to mold/mildew
36	153	ENVIRWD	Num	6	920	1.	BEST22.	f12q78a2: Exposure to water damage
37	3	JOBACM	Num	6	20	1.	BEST22.	f12q4a: Job in aircraft manufacturing
38	17	JOBALW	Num	6	104	1.	BEST22.	f12q11a: Job in animal lab
39	23	JOBAM	Num	6	140	1.	BEST22.	f12q14a: Job in auto manufacturing
40	103	JOBAMVO	Num	6	620	1.	BEST22.	f12q54a: Job as motor vehicle operator
41	19	JOBAOF	Num	6	116	1.	BEST22.	f12q12a: Job in assembling
42	21	JOBAOTR	Num	6	128	1.	BEST22.	f12q13a: Job in auto/truck repair
43	83	JOBATOM	Num	6	500	1.	BEST22.	f12q44a: Job in any type of mining
44	25	JOB BT	Num	6	152	1.	BEST22.	f12q15a: Job in bank telling
45	31	JOBCASH	Num	6	188	1.	BEST22.	f12q18a: Job as cashier
46	33	JOBCCW	Num	6	200	1.	BEST22.	f12q19a: Job in child care work
47	45	JOBCG	Num	6	272	1.	BEST22.	f12q25a: Job in cotton ginning
48	39	JOBCONST	Num	6	236	1.	BEST22.	f12q22a: Job in construction
49	37	JOBCOOW	Num	6	224	1.	BEST22.	f12q21a: Job in clerical/office work
50	29	JOBCOWW	Num	6	176	1.	BEST22.	f12q17a: Job in carpentry
51	71	JOBCP	Num	6	428	1.	BEST22.	f12q38a: Job in commercial printing
52	35	JOBCPH	Num	6	212	1.	BEST22.	f12q20a: Job as domestic worker
53	99	JOBDDPM	Num	6	596	1.	BEST22.	f12q52a: Job in dental work
54	43	JOBDOB	Num	6	260	1.	BEST22.	f12q24a: Job in bldg demolition
55	49	JOBDPTCP	Num	6	296	1.	BEST22.	f12q27a: Job as DP, typist, programmer
56	51	JOBEOEWE	Num	6	308	1.	BEST22.	f12q28a: Job in electric/electronics
57	57	JOBFA	Num	6	344	1.	BEST22.	f12q31a: Job as flight attendant
58	55	JOBFF	Num	6	332	1.	BEST22.	f12q30a: Job in fire fighting
59	141	JOBFP	Num	6	848	1.	BEST22.	f12q73a: Job in food preparation
60	53	JOBFRFL	Num	6	320	1.	BEST22.	f12q29a: Job in farming/ranching
61	59	JOBFW	Num	6	356	1.	BEST22.	f12q32a: Job in forestry work
62	65	JOBGM	Num	6	392	1.	BEST22.	f12q35a: Job in glass making
63	67	JOBHOC	Num	6	404	1.	BEST22.	f12q36a: Job in hairdressing
64	69	JOBHP	Num	6	416	1.	BEST22.	f12q37a: Job in house painting
65	91	JOBHW	Num	6	548	1.	BEST22.	f12q48a: Job as hospital worker
66	41	JOBIACF	Num	6	248	1.	BEST22.	f12q23a: Job in cork factory
67	85	JOBIANH	Num	6	512	1.	BEST22.	f12q45a: Job in nursing home/LTC
68	63	JOBIAP	Num	6	380	1.	BEST22.	f12q34a: Job in a pulpmill
69	147	JOBIAPS	Num	6	884	1.	BEST22.	f12q76a: Job in pet store

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
70	61	JOBIAS	Num	6	368	1.	BEST22.	f12q33a: Job in a sawmill
71	119	JOBIASO	Num	6	716	1.	BEST22.	f12q62a: Job in sales
72	149	JOBIOWRE	Num	6	896	1.	BEST22.	f12q77a: Job with radiation exposure
73	105	JOBIPNOF	Num	6	632	1.	BEST22.	f12q55a: Job as florist or in nursery
74	73	JOBJM	Num	6	440	1.	BEST22.	f12q39a: Job in jewelry making
75	75	JOBLADC	Num	6	452	1.	BEST22.	f12q40a: Job in laundry/dry cleaning
76	77	JOBMOAOI	Num	6	464	1.	BEST22.	f12q41a: Job as machine operator
77	79	JOBMP	Num	6	476	1.	BEST22.	f12q42a: Job in meat packing
78	93	JOBMTOMT	Num	6	560	1.	BEST22.	f12q49a: Job as medical technologist
79	81	JOBMW	Num	6	488	1.	BEST22.	f12q43a: Job in meat wrapping
80	87	JOBNA	Num	6	524	1.	BEST22.	f12q46a: Job as nurses aide
81	15	JOBNW	Num	6	92	1.	BEST22.	f12q10a: Job in nuclear work
82	13	JOBOBAF	Num	6	80	1.	BEST22.	f12q9a: Job in other armed forces
83	111	JOBPFM	Num	6	668	1.	BEST22.	f12q58a: Job in polyurethane foam manufa
84	97	JOBPHYS	Num	6	584	1.	BEST22.	f12q51a: Job as physician
85	107	JOBPM	Num	6	644	1.	BEST22.	f12q56a: Job in plastics manufacturing
86	115	JOBPMOC	Num	6	692	1.	BEST22.	f12q60a: Job in pottery making/ceramics
87	113	JOBPW	Num	6	680	1.	BEST22.	f12q59a: Job as postal worker
88	27	JOBRB	Num	6	164	1.	BEST22.	f12q16a: Job in raising birds
89	145	JOBRFW	Num	6	872	1.	BEST22.	f12q75a: Job in rubber factory
90	89	JOBRNLPN	Num	6	536	1.	BEST22.	f12q47a: Job as RN or LPN
91	101	JOBRT	Num	6	608	1.	BEST22.	f12q53a: Job in respiratory therapies
92	121	JOBSB	Num	6	728	1.	BEST22.	f12q63a: Job in sandblasting
93	125	JOBS COP	Num	6	752	1.	BEST22.	f12q65a: Job stone cutting/polishing
94	123	JOBSIAF	Num	6	740	1.	BEST22.	f12q64a: Job smelting in a foundry
95	95	JOBSWMHW	Num	6	572	1.	BEST22.	f12q50a: Job as social/MH worker
96	135	JOBTC	Num	6	812	1.	BEST22.	f12q70a: Job in tunnel construction
97	129	JOBT CHE	Num	6	776	1.	BEST22.	f12q67a: Job as teacher, Gr 1 - 6
98	131	JOBT CHMS	Num	6	788	1.	BEST22.	f12q68a: Job as teacher, middle & high
99	133	JOBT CHPH	Num	6	800	1.	BEST22.	f12q69a: Job as teacher, post high
100	127	JOBT CHPK	Num	6	764	1.	BEST22.	f12q66a: Job as teacher, pre-K & K
101	47	JOBTMOGI	Num	6	284	1.	BEST22.	f12q26a: Job in textiles/garments
102	5	JOBUSA	Num	6	32	1.	BEST22.	f12q5a: Job in US Army
103	9	JOBUSAF	Num	6	56	1.	BEST22.	f12q7a: Job in US Air Force
104	11	JOBUSM	Num	6	68	1.	BEST22.	f12q8a: Job in US Marines
105	7	JOBUSN	Num	6	44	1.	BEST22.	f12q6a: Job in US Navy

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
106	137	JOBVVW	Num	6	824	1.	BEST22.	f12q71a: Job in veterinary work
107	143	JOBWELD	Num	6	860	1.	BEST22.	f12q74a: Job in welding
108	117	JOBWIAQ	Num	6	704	1.	BEST22.	f12q61a: Job working in a quarry
109	139	JOBWOW	Num	6	836	1.	BEST22.	f12q72a: Job as waiter/waitress
110	109	JOBWWR	Num	6	656	1.	BEST22.	f12q57a: Job working with resins
111	4	MT1ACM	Num	6	26	1.	BEST22.	f12q4b: > 1 yr in aircraft man.
112	18	MT1ALW	Num	6	110	1.	BEST22.	f12q11b: > 1 yr animal lab
113	24	MT1AM	Num	6	146	1.	BEST22.	f12q14b: > 1 yr auto manufacturing
114	104	MT1AMVO	Num	6	626	1.	BEST22.	f12q54b: > 1 yr motor vehicle operator
115	20	MT1AOF	Num	6	122	1.	BEST22.	f12q12b: > 1 yr assembling
116	22	MT1AOTR	Num	6	134	1.	BEST22.	f12q13b: > 1 yr auto/truck repair
117	84	MT1ATOM	Num	6	506	1.	BEST22.	f12q44b: > 1 yr any type of mining
118	26	MT1BT	Num	6	158	1.	BEST22.	f12q15b: > 1 yr bank telling
119	32	MT1CASH	Num	6	194	1.	BEST22.	f12q18b: > 1 yr cashier
120	34	MT1CCW	Num	6	206	1.	BEST22.	f12q19b: > 1 yr child care work
121	46	MT1CG	Num	6	278	1.	BEST22.	f12q25b: > 1 yr cotton ginning
122	40	MT1CONST	Num	6	242	1.	BEST22.	f12q22b: > 1 yr construction
123	38	MT1COOW	Num	6	230	1.	BEST22.	f12q21b: > 1 yr clerical/office work
124	30	MT1COWW	Num	6	182	1.	BEST22.	f12q17b: > 1 yr carpentry
125	72	MT1CP	Num	6	434	1.	BEST22.	f12q38b: > 1 yr commercial printing
126	36	MT1CPH	Num	6	218	1.	BEST22.	f12q20b: > 1 yr domestic worker
127	100	MT1DDPM	Num	6	602	1.	BEST22.	f12q52b: > 1 yr dental work
128	44	MT1DOB	Num	6	266	1.	BEST22.	f12q24b: > 1 yr bldg demolition
129	50	MT1DPTCP	Num	6	302	1.	BEST22.	f12q27b: > 1 yr DP, typist, programmer
130	52	MT1EOEW	Num	6	314	1.	BEST22.	f12q28b: > 1 yr electric/electronics
131	58	MT1FA	Num	6	350	1.	BEST22.	f12q31b: > 1 yr flight attendant
132	56	MT1FF	Num	6	338	1.	BEST22.	f12q30b: > 1 yr fire fighting
133	142	MT1FP	Num	6	854	1.	BEST22.	f12q73b: > 1 yr food preparation
134	54	MT1FRFL	Num	6	326	1.	BEST22.	f12q29b: > 1 yr farming/ranching
135	60	MT1FW	Num	6	362	1.	BEST22.	f12q32b: > 1 yr forestry work
136	66	MT1GM	Num	6	398	1.	BEST22.	f12q35b: > 1 yr glass making
137	68	MT1HOC	Num	6	410	1.	BEST22.	f12q36b: > 1 yr hairdressing
138	70	MT1HP	Num	6	422	1.	BEST22.	f12q37b: > 1 yr house painting
139	92	MT1HW	Num	6	554	1.	BEST22.	f12q48b: > 1 yr hospital worker
140	42	MT1IACF	Num	6	254	1.	BEST22.	f12q23b: > 1 yr cork factory
141	86	MT1IANH	Num	6	518	1.	BEST22.	f12q45b: > 1 yr nursing home/LTC

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
142	64	MT1IAP	Num	6	386	1.	BEST22.	f12q34b: > 1 yr in a pulpmill
143	148	MT1IAPS	Num	6	890	1.	BEST22.	f12q76b: > 1 yr pet store
144	62	MT1IAS	Num	6	374	1.	BEST22.	f12q33b: > 1 yr in a sawmill
145	120	MT1IASO	Num	6	722	1.	BEST22.	f12q62b: > 1 yr sales
146	150	MT1IOWRE	Num	6	902	1.	BEST22.	f12q77b: > 1 yr radiation exposure
147	106	MT1IPNOF	Num	6	638	1.	BEST22.	f12q55b: > 1 yr florist or in nursery
148	74	MT1IJM	Num	6	446	1.	BEST22.	f12q39b: > 1 yr jewelry making
149	76	MT1ILADC	Num	6	458	1.	BEST22.	f12q40b: > 1 yr laundry/dry cleaning
150	78	MT1MOAOI	Num	6	470	1.	BEST22.	f12q41b: > 1 yr machine operator
151	80	MT1IMP	Num	6	482	1.	BEST22.	f12q42b: > 1 yr meat packing
152	94	MT1MTOMT	Num	6	566	1.	BEST22.	f12q49b: > 1 yr medical technologist
153	82	MT1MW	Num	6	494	1.	BEST22.	f12q43b: > 1 yr meat wrapping
154	88	MT1NA	Num	6	530	1.	BEST22.	f12q46b: > 1 yr nurses aide
155	90	MT1NLPN	Num	6	542	1.	BEST22.	f12q47b: > 1 yr RN or LPN
156	16	MT1NW	Num	6	98	1.	BEST22.	f12q10b: > 1 yr nuclear work
157	14	MT1OBAF	Num	6	86	1.	BEST22.	f12q9b: > 1 yr other armed forces
158	112	MT1PFM	Num	6	674	1.	BEST22.	f12q58b: > 1 yr polyurethane foam manufa
159	98	MT1PHYS	Num	6	590	1.	BEST22.	f12q51b: > 1 yr physician
160	108	MT1PM	Num	6	650	1.	BEST22.	f12q56b: > 1 yr plastics manufacturing
161	116	MT1PMOC	Num	6	698	1.	BEST22.	f12q60b: > 1 yr pottery making/ceramics
162	114	MT1PW	Num	6	686	1.	BEST22.	f12q59b: > 1 yr postal worker
163	28	MT1RB	Num	6	170	1.	BEST22.	f12q16b: > 1 yr raising birds
164	146	MT1RFW	Num	6	878	1.	BEST22.	f12q75b: > 1 yr rubber factory
165	102	MT1RT	Num	6	614	1.	BEST22.	f12q53b: > 1 yr respiratory therapies
166	122	MT1SB	Num	6	734	1.	BEST22.	f12q63b: > 1 yr sandblasting
167	126	MT1SCOP	Num	6	758	1.	BEST22.	f12q65b: > 1 yr stone cutting/polishing
168	124	MT1SIAF	Num	6	746	1.	BEST22.	f12q64b: > 1 yr smelting in a foundry
169	96	MT1SWMHW	Num	6	578	1.	BEST22.	f12q50b: > 1 yr social/MH worker
170	136	MT1TC	Num	6	818	1.	BEST22.	f12q70b: > 1 yr tunnel construction
171	130	MT1TCHE	Num	6	782	1.	BEST22.	f12q67b: > 1 yr teacher, Gr 1 - 6
172	132	MT1TCHMS	Num	6	794	1.	BEST22.	f12q68b: > 1 yr teacher, middle & high
173	134	MT1TCHPH	Num	6	806	1.	BEST22.	f12q69b: > 1 yr teacher, post high
174	128	MT1TCHPK	Num	6	770	1.	BEST22.	f12q66b: > 1 yr teacher, pre-K & K
175	48	MT1TMOGI	Num	6	290	1.	BEST22.	f12q26b: > 1 yr textiles/garments
176	6	MT1USA	Num	6	38	1.	BEST22.	f12q5b: > 1 yr US Army
177	10	MT1USAF	Num	6	62	1.	BEST22.	f12q7b: > 1 yr US Air Force

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
178	12	MTIUSM	Num	6	74	1.	BEST22.	f12q8b: > 1 yr US Marines
179	8	MTIUSN	Num	6	50	1.	BEST22.	f12q6b: > 1 yr US Navy
180	138	MT1VVW	Num	6	830	1.	BEST22.	f12q71b: > 1 yr veterinary work
181	144	MT1WELD	Num	6	866	1.	BEST22.	f12q74b: > 1 yr welding
182	118	MT1WIAQ	Num	6	710	1.	BEST22.	f12q61b: > 1 yr working in a quarry
183	140	MT1WOW	Num	6	842	1.	BEST22.	f12q72b: > 1 yr waiter/waitress
184	110	MT1WWR	Num	6	662	1.	BEST22.	f12q57b: > 1 yr working with resins
185	160	MTOAAA	Num	6	962	1.	BEST22.	f12q79b1: > 1 yr animals at work
186	162	MTOAOTR	Num	6	974	1.	BEST22.	f12q80b: > 1 yr auto/truck repair
187	168	MTOCCOBS	Num	6	1010	1.	BEST22.	f12q83b: > 1 yr childcare
188	166	MTOCOWW	Num	6	998	1.	BEST22.	f12q82b: > 1 yr carpentry
189	172	MTOEIAHC	Num	6	1034	1.	BEST22.	f12q85b: > 1 yr health clubs
190	174	MTOFARM	Num	6	1046	1.	BEST22.	f12q86b: > 1 yr farming
191	178	MTOFF	Num	6	1070	1.	BEST22.	f12q88b: > 1 yr firefighting
192	180	MTOGARDN	Num	6	1082	1.	BEST22.	f12q89b: > 1 yr gardening
193	152	MTOHH	Num	6	914	1.	BEST22.	f12q78b1: > 1 yr high humidity
194	182	MTOHOC	Num	6	1094	1.	BEST22.	f12q90b: > 1 yr hairdressing
195	184	MTOHOHCV	Num	6	1106	1.	BEST22.	f12q91b: > 1 yr hospital volunteer
196	186	MTOJM	Num	6	1118	1.	BEST22.	f12q92b: > 1 yr jewelry making
197	188	MTOLW	Num	6	1130	1.	BEST22.	f12q93b: > 1 yr leather working
198	158	MTOMMO	Num	6	950	1.	BEST22.	f12q78b4: > 1 yr musty odors
199	198	MTOOBAFR	Num	6	1190	1.	BEST22.	f12q98b: > 1 yr other reserves
200	220	MTOOE1	Num	6	1322	1.	BEST22.	f12q109b: > 1 yr other 1
201	222	MTOOE2	Num	6	1334	1.	BEST22.	f12q110b: > 1 yr other 2
202	156	MTOOMM	Num	6	938	1.	BEST22.	f12q78b3: > 1 yr mold/mildew
203	200	MTOPM	Num	6	1202	1.	BEST22.	f12q99b: > 1 yr pottery making
204	202	MTOPP	Num	6	1214	1.	BEST22.	f12q100b: > 1 yr painting pictures
205	204	MTOPRINT	Num	6	1226	1.	BEST22.	f12q101b: > 1 yr printing
206	176	MTORANCH	Num	6	1058	1.	BEST22.	f12q87b: > 1 yr ranching
207	170	MTORHC	Num	6	1022	1.	BEST22.	f12q84b: > 1 yr home cleaning
208	164	MTOROTB	Num	6	986	1.	BEST22.	f12q81b: > 1 yr birds
209	210	MTOSCOP	Num	6	1262	1.	BEST22.	f12q104b: > 1 yr stone cutting
210	212	MTOZIAIP	Num	6	1274	1.	BEST22.	f12q105b: > 1 yr indoor pools
211	208	MTOOSOW	Num	6	1250	1.	BEST22.	f12q103b: > 1 yr spinning/weaving
212	206	MTOSPAOV	Num	6	1238	1.	BEST22.	f12q102b: > 1 yr spray painting autos
213	216	MTOUAS	Num	6	1298	1.	BEST22.	f12q107b: > 1 yr sauna

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
214	214	MTOUHTOW	Num	6	1286	1.	BEST22.	f12q106b: > 1 yr hot tubs
215	194	MTOUSAFR	Num	6	1166	1.	BEST22.	f12q96b: > 1 yr Air Force reserves
216	190	MTOUSAR	Num	6	1142	1.	BEST22.	f12q94b: > 1 yr Army reserves/NG
217	196	MTOUSMR	Num	6	1178	1.	BEST22.	f12q97b: > 1 yr Marine reserves
218	192	MTOUSNR	Num	6	1154	1.	BEST22.	f12q95b: > 1 yr Navy reserves
219	154	MTOWD	Num	6	926	1.	BEST22.	f12q78b2: > 1 yr water damage
220	218	MTOWEID	Num	6	1310	1.	BEST22.	f12q108b: > 1 yr welding
221	223	NEWID	Num	8	0	Z5.1		Patient ID
222	1	REV	Num	6	8	1.	BEST22.	REV
223	2	UNEMPLOY	Num	6	14	1.	BEST22.	f12q3: Unemp/disabled with no exp.

Data Set Name: pairs.form13

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
1	158	AGESTOP2	Num	6	978	3.	3.	f13q61d1: Age when stopped cigarillos
2	164	AGESTOP3	Num	6	1008	3.	3.	f13q62d1: Age when stopped cigars
3	170	AGESTOP4	Num	6	1038	3.	3.	f13q63d1: Age when stopped pipes
4	42	ANIMAL1	Num	6	294	1.	BEST22.	f13q22a: Dogs
5	44	ANIMAL2	Num	6	306	1.	BEST22.	f13q23a: Cats
6	46	ANIMAL3	Num	6	318	1.	BEST22.	f13q24a: Rabbits
7	48	ANIMAL4	Num	6	330	1.	BEST22.	f13q25a: Gerbils/hamsters/guinea pigs
8	50	ANIMAL5	Num	6	342	1.	BEST22.	f13q26a: Other mammals
9	52	ANIMAL6	Num	6	354	1.	BEST22.	f13q27a: Pigeons
10	54	ANIMAL7	Num	6	366	1.	BEST22.	f13q28a: Parakeets
11	56	ANIMAL8	Num	6	378	1.	BEST22.	f13q29a: Other birds
12	58	ANIMAL9	Num	6	390	1.	BEST22.	f13q30a: Fish (tank > 10 gal)
13	60	ANIMAL10	Num	6	402	1.	BEST22.	f13q31a: Fish (tank < 10 gal)
14	62	ANIMAL11	Num	6	414	1.	BEST22.	f13q32a: Turtles
15	64	ANIMAL12	Num	6	426	1.	BEST22.	f13q33a: Lizards/snakes
16	66	ANIMAL13	Num	6	438	1.	BEST22.	f13q34a: Frogs/salamanders
17	68	ANIMAL14	Num	6	450	1.	BEST22.	f13q35a: Chickens
18	70	ANIMAL15	Num	6	462	1.	BEST22.	f13q36a: Turkeys
19	72	ANIMAL16	Num	6	474	1.	BEST22.	f13q37a: Pigeons
20	74	ANIMRAIS	Num	6	486	1.	BEST22.	f13q38: Raised any other animals
21	75	ANIMTYP1	Num	6	492	1.	BEST22.	f13q38a1: Other animal 1
22	78	ANIMTYP2	Num	6	510	1.	BEST22.	f13q38a2: Other animal 2
23	81	ANIMTYP3	Num	6	528	1.	BEST22.	f13q38a3: Other animal 3
24	84	ANIMTYP4	Num	6	546	1.	BEST22.	f13q38a4: Other animal 4
25	99	BATHSHWR	Num	6	636	1.	BEST22.	f13q43: Bath/shower
26	89	BREPRB1	Num	6	576	1.	BEST22.	f13q39c: Feathers/down breathing prob
27	92	BREPRB2	Num	6	594	1.	BEST22.	f13q40c: Straw breathing prob
28	95	BREPRB3	Num	6	612	1.	BEST22.	f13q41c: Corn husks breathing prob
29	98	BREPRB4	Num	6	630	1.	BEST22.	f13q42c: Foam breathing prob
30	149	CIGHIST1	Num	6	936	1.	BEST22.	f13q60: Ever smoked cigarettes
31	153	CIGHIST2	Num	6	954	1.	BEST22.	f13q61: Ever smoked cigarillos
32	159	CIGHIST3	Num	6	984	1.	BEST22.	f13q62: Ever smoked cigars
33	180	CIGYRS	Num	8	40			Years Smoked Cigarettes

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
34	150	CIG_NBR1	Num	8	0	6.1	6.1	f13q60a: Cigarettes per day
35	154	CIG_NBR2	Num	8	8	6.1	6.1	f13q61a: Cigarillos per day
36	160	CIG_NBR3	Num	8	16	6.1	6.1	f13q62a: Cigars per day
37	156	CIG_YRS2	Num	6	966	3.	3.	f13q61c: Age when started cigarillos
38	162	CIG_YRS3	Num	6	996	3.	3.	f13q62c: Age when started cigars
39	28	CONDHM1	Num	6	210	1.	BEST22.	f13q15a: Visible mold/mildew in bathroom
40	30	CONDHM2	Num	6	222	1.	BEST22.	f13q16a: Visible mold/mildew other rooms
41	32	CONDHM3	Num	6	234	1.	BEST22.	f13q17a: Leaks/water damage in home
42	34	CONDHM4	Num	6	246	1.	BEST22.	f13q18a: Carpets in wet areas
43	36	CONDHM5	Num	6	258	1.	BEST22.	f13q19a: Clothes dryer vent in house
44	38	CONDHM6	Num	6	270	1.	BEST22.	f13q20a: Mice/rats/droppings in house
45	40	CONDHM7	Num	6	282	1.	BEST22.	f13q21a: Many insects in home
46	18	COOLEQP1	Num	6	150	1.	BEST22.	f13q10a: Ever used central ac
47	20	COOLEQP2	Num	6	162	1.	BEST22.	f13q11a: Ever used window ac
48	22	COOLEQP3	Num	6	174	1.	BEST22.	f13q12a: Ever used fans
49	24	COOLEQP4	Num	6	186	1.	BEST22.	f13q13a: Ever used evaporative
50	26	COOLEQP5	Num	6	198	1.	BEST22.	f13q14a: Ever used other types
51	8	DEVICE1	Num	6	90	1.	BEST22.	f13q5a: Ever used humidifier
52	10	DEVICE2	Num	6	102	1.	BEST22.	f13q6a: Ever used air cleaner/purifier
53	12	DEVICE3	Num	6	114	1.	BEST22.	f13q7a: Ever used cool mist vaporizer
54	14	DEVICE4	Num	6	126	1.	BEST22.	f13q8a: Ever used sauna
55	16	DEVICE5	Num	6	138	1.	BEST22.	f13q9a: Ever used hot tub
56	77	DRP1	Num	6	504	1.	BEST22.	f13q38c1: Animal 1 during ref period
57	80	DRP2	Num	6	522	1.	BEST22.	f13q38c2: Animal 2 during ref period
58	83	DRP3	Num	6	540	1.	BEST22.	f13q38c3: Animal 3 during ref period
59	86	DRP4	Num	6	558	1.	BEST22.	f13q38c4: Animal 4 during ref period
60	101	EXPOS1	Num	6	648	1.	BEST22.	f13q44a: Aluminum exposure
61	104	EXPOS2	Num	6	666	1.	BEST22.	f13q45a: Beryllium exposure
62	107	EXPOS3	Num	6	684	1.	BEST22.	f13q46a: Chromium exposure
63	110	EXPOS4	Num	6	702	1.	BEST22.	f13q47a: Cobalt exposure
64	113	EXPOS5	Num	6	720	1.	BEST22.	f13q48a: Gold exposure
65	116	EXPOS6	Num	6	738	1.	BEST22.	f13q49a: Nickel exposure
66	119	EXPOS7	Num	6	756	1.	BEST22.	f13q50a: Platinum exposure
67	122	EXPOS8	Num	6	774	1.	BEST22.	f13q51a: Titanium exposure
68	125	EXPOS9	Num	6	792	1.	BEST22.	f13q52a: Zirconium exposure
69	128	EXPOS10	Num	6	810	1.	BEST22.	f13q53a: Other metal exposure

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
70	131	EXPOS11	Num	6	828	1.	BEST22.	f13q54a: Talc exposure
71	134	EXPOS12	Num	6	846	1.	BEST22.	f13q55a: Silica exposure
72	137	EXPOS13	Num	6	864	1.	BEST22.	f13q56a: Insecticide exposure
73	140	EXPOS14	Num	6	882	1.	BEST22.	f13q57a: Vegetable dust exposure
74	143	EXPOS15	Num	6	900	1.	BEST22.	f13q58a: Animal dust exposure
75	146	EXPOS16	Num	6	918	1.	BEST22.	f13q59a: Hairspray exposure
76	7	FPUSE	Num	6	84	1.	BEST22.	f13q4c: Wood/coal fireplace frequency
77	2	HEAT1	Num	6	54	1.	BEST22.	f13q3a: Ever used wood/coal stove
78	5	HEAT8	Num	6	72	1.	BEST22.	f13q4a: Ever used wood/coal fireplace
79	100	HOWOFT	Num	6	642	1.	BEST22.	f13q43a: How often bath/shower
80	151	INHALE1	Num	6	942	1.	BEST22.	f13q60b: Inhaled cigarettes
81	155	INHALE2	Num	6	960	1.	BEST22.	f13q61b: Inhaled cigarillos
82	161	INHALE3	Num	6	990	1.	BEST22.	f13q62b: Inhaled cigars
83	167	INHALE4	Num	6	1020	1.	BEST22.	f13q63b: Inhaled pipes
84	103	MOE1	Num	6	660	1.	BEST22.	f13q44c: Manner of aluminum exposure
85	106	MOE2	Num	6	678	1.	BEST22.	f13q45c: Manner of beryllium exposure
86	109	MOE3	Num	6	696	1.	BEST22.	f13q46c: Manner of chromium exposure
87	112	MOE4	Num	6	714	1.	BEST22.	f13q47c: Manner of Cobalt exposure
88	115	MOE5	Num	6	732	1.	BEST22.	f13q48c: Manner of gold exposure
89	118	MOE6	Num	6	750	1.	BEST22.	f13q49c: Manner of Nickel exposure
90	121	MOE7	Num	6	768	1.	BEST22.	f13q50c: Manner of platinum exposure
91	124	MOE8	Num	6	786	1.	BEST22.	f13q51c: Manner of titanium exposure
92	127	MOE9	Num	6	804	1.	BEST22.	f13q52c: Manner of zirconium exposure
93	130	MOE10	Num	6	822	1.	BEST22.	f13q53c: Manner of other metal exp
94	133	MOE11	Num	6	840	1.	BEST22.	f13q54c: Manner of talc exposure
95	136	MOE12	Num	6	858	1.	BEST22.	f13q55c: Manner of silica exp
96	139	MOE13	Num	6	876	1.	BEST22.	f13q56c: Manner of insecticide exp
97	142	MOE14	Num	6	894	1.	BEST22.	f13q57c: Manner of vegetable dust exp
98	145	MOE15	Num	6	912	1.	BEST22.	f13q58c: Manner of animal dust exp
99	148	MOE16	Num	6	930	1.	BEST22.	f13q59c: Manner of hairspray exp
100	102	MT1Y1	Num	6	654	1.	BEST22.	f13q44b: Aluminum exp > 1 yr
101	105	MT1Y2	Num	6	672	1.	BEST22.	f13q45b: Beryllium exp > 1 yr
102	108	MT1Y3	Num	6	690	1.	BEST22.	f13q46b: Chromium exp > 1 yr
103	111	MT1Y4	Num	6	708	1.	BEST22.	f13q47b: Cobalt exp > 1 yr
104	114	MT1Y5	Num	6	726	1.	BEST22.	f13q48b: Gold exp > 1 yr
105	117	MT1Y6	Num	6	744	1.	BEST22.	f13q49b: Nickel exp > 1 yr

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
106	120	MT1Y7	Num	6	762	1.	BEST22.	f13q50b: Platinum exp > 1 yr
107	123	MT1Y8	Num	6	780	1.	BEST22.	f13q51b: Titanium exp > 1 yr
108	126	MT1Y9	Num	6	798	1.	BEST22.	f13q52b: Zirconium exp > 1 yr
109	129	MT1Y10	Num	6	816	1.	BEST22.	f13q53b: Other metal exp > 1 yr
110	132	MT1Y11	Num	6	834	1.	BEST22.	f13q54b: Talc exp > 1 yr
111	135	MT1Y12	Num	6	852	1.	BEST22.	f13q55b: Silica exp > 1 yr
112	138	MT1Y13	Num	6	870	1.	BEST22.	f13q56b: Insecticide exp > 1 yr
113	141	MT1Y14	Num	6	888	1.	BEST22.	f13q57b: Vegetable dust > 1 yr
114	144	MT1Y15	Num	6	906	1.	BEST22.	f13q58b: Animal dust > 1 yr
115	147	MT1Y16	Num	6	924	1.	BEST22.	f13q59b: Hairspray > 1 yr
116	3	MTOY1	Num	6	60	1.	BEST22.	f13q3b: Wood/coal stove >1 yr
117	6	MTOY8	Num	6	78	1.	BEST22.	f13q4b: Wood/coal fireplace >1 yr
118	9	MTOY14	Num	6	96	1.	BEST22.	f13q5b: Humidifier > 1 yr
119	11	MTOY15	Num	6	108	1.	BEST22.	f13q6b: Air cleaner/purifier > 1 yr
120	13	MTOY16	Num	6	120	1.	BEST22.	f13q7b: Cool mist vaporizer > 1 yr
121	15	MTOY17	Num	6	132	1.	BEST22.	f13q8b: Sauna > 1 yr
122	17	MTOY18	Num	6	144	1.	BEST22.	f13q9b: Hot tub > 1 yr
123	19	MTOY19	Num	6	156	1.	BEST22.	f13q10b: Central ac > 1 yr
124	21	MTOY20	Num	6	168	1.	BEST22.	f13q11b: Window ac > 1 yr
125	23	MTOY21	Num	6	180	1.	BEST22.	f13q12b: Fans > 1 yr
126	25	MTOY22	Num	6	192	1.	BEST22.	f13q13b: Evaporative > 1 yr
127	27	MTOY23	Num	6	204	1.	BEST22.	f13q14b: Other types > 1 yr
128	29	MTOY24	Num	6	216	1.	BEST22.	f13q15b: Mold/mildew in bathroom > 1 yr
129	31	MTOY25	Num	6	228	1.	BEST22.	f13q16b: Mold/mildew other rooms > 1 yr
130	33	MTOY26	Num	6	240	1.	BEST22.	f13q17b: Leaks/water damage > 1 yr
131	35	MTOY27	Num	6	252	1.	BEST22.	f13q18b: Carpets in wet areas > 1 yr
132	37	MTOY28	Num	6	264	1.	BEST22.	f13q19b: Dryer vent in house > 1 yr
133	39	MTOY29	Num	6	276	1.	BEST22.	f13q20b: Mice/rats/droppings > 1 yr
134	41	MTOY30	Num	6	288	1.	BEST22.	f13q21b: Many insects in home > 1 yr
135	43	MTOY31	Num	6	300	1.	BEST22.	f13q22b: Dogs > 1 yr
136	45	MTOY32	Num	6	312	1.	BEST22.	f13q23b: Cats > 1 yr
137	47	MTOY33	Num	6	324	1.	BEST22.	f13q24b: Rabbits > 1 yr
138	49	MTOY34	Num	6	336	1.	BEST22.	f13q25b: Gerbils/hamsters/gp > 1 yr
139	51	MTOY35	Num	6	348	1.	BEST22.	f13q26b: Other mammals > 1 yr
140	53	MTOY36	Num	6	360	1.	BEST22.	f13q27b: Pigeons > 1 yr
141	55	MTOY37	Num	6	372	1.	BEST22.	f13q28b: Parakeets > 1 yr

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
142	57	MTOY38	Num	6	384	1.	BEST22.	f13q29b: Other birds > 1 yr
143	59	MTOY39	Num	6	396	1.	BEST22.	f13q30b: Fish (tank > 10 gal) > 1 yr
144	61	MTOY40	Num	6	408	1.	BEST22.	f13q31b: Fish (tank < 10 gal) > 1 yr
145	63	MTOY41	Num	6	420	1.	BEST22.	f13q32b: Turtles > 1 yr
146	65	MTOY42	Num	6	432	1.	BEST22.	f13q33b: Lizards/snakes > 1 yr
147	67	MTOY43	Num	6	444	1.	BEST22.	f13q34b: Frogs/salamanders > 1 yr
148	69	MTOY44	Num	6	456	1.	BEST22.	f13q35b: Chickens > 1 yr
149	71	MTOY45	Num	6	468	1.	BEST22.	f13q36b: Turkeys > 1 yr
150	73	MTOY46	Num	6	480	1.	BEST22.	f13q37b: Pigeons > 1 yr
151	76	MTOY48	Num	6	498	1.	BEST22.	f13q38b1: Other animal 1 > 1 yr
152	79	MTOY49	Num	6	516	1.	BEST22.	f13q38b2: Other animal 2 > 1 yr
153	82	MTOY50	Num	6	534	1.	BEST22.	f13q38b3: Other animal 3 > 1 yr
154	85	MTOY51	Num	6	552	1.	BEST22.	f13q38b4: Other animal 4 > 1 yr
155	88	MTOY52	Num	6	570	1.	BEST22.	f13q39b: Feathers/down > 1 yr
156	91	MTOY53	Num	6	588	1.	BEST22.	f13q40b: Straw > 1 yr
157	94	MTOY54	Num	6	606	1.	BEST22.	f13q41b: Corn husks > 1 yr
158	97	MTOY55	Num	6	624	1.	BEST22.	f13q42b: Foam > 1 yr
159	179	NEWID	Num	8	32	Z5.1		Patient ID
160	87	PILLOW1	Num	6	564	1.	BEST22.	f13q39a: Feathers/down
161	90	PILLOW2	Num	6	582	1.	BEST22.	f13q40a: Straw
162	93	PILLOW3	Num	6	600	1.	BEST22.	f13q41a: Corn husks
163	96	PILLOW4	Num	6	618	1.	BEST22.	f13q42a: Foam
164	169	PIPE_NOW	Num	6	1032	1.	BEST22.	f13q63d: Smoke pipes now
165	168	PIPE_YRS	Num	6	1026	3.	3.	f13q63c: Age when started pipes
166	165	PIPHIST	Num	6	1014	1.	BEST22.	f13q63: Ever smoke a pipe
167	166	PIP_NBR	Num	8	24	6.1	6.1	f13q63a: Pipes per day
168	1	REV	Num	6	48	1.	BEST22.	REV
169	171	SMOKER1	Num	6	1044	1.	BEST22.	f13q64: Other smokers in house
170	172	SMOKER2	Num	6	1050	1.	BEST22.	f13q64a1: Spouse is a smoker
171	173	SMOKER3	Num	6	1056	1.	BEST22.	f13q64a2: Child(ren) is/are smokers
172	174	SMOKER4	Num	6	1062	1.	BEST22.	f13q64a3: Other smoker
173	177	SMOKER5	Num	6	1080	1.	BEST22.	f13q65a: Inhale workers smoke
174	178	SMOKER6	Num	6	1086	1.	BEST22.	f13q66: > 3 hrs/week in smoky rooms
175	152	SMOKNOW1	Num	6	948	1.	BEST22.	f13q60d: Smoke cigarettes now
176	157	SMOKNOW2	Num	6	972	1.	BEST22.	f13q61d: Smoke cigarillos now
177	163	SMOKNOW3	Num	6	1002	1.	BEST22.	f13q62d: Smoke cigars now

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
178	176	SMOK_NR	Num	6	1074	1.	BEST22.	f13q65: Smokers near at work
179	4	STOVEUSE	Num	6	66	1.	BEST22.	f13q3c: Wood/coal stove frequency
180	175	TOT_NBN	Num	6	1068	3.	3.	f13q64b: Total number of other smokers

Data Set Name: pairs.form14

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
1	90	AINRX	Num	6	566	1.	BEST22.	f14q48: Ever take anti-inflamm med
2	89	BCMY1	Num	6	560	1.	BEST22.	f14q47b: > 1 yr, birth control meds
3	88	BCRX1	Num	6	554	1.	BEST22.	f14q47a: Use birth control meds
4	93	CANMY1	Num	6	584	1.	BEST22.	f14q50b: > 1 yr, allopurinol
5	95	CANMY2	Num	6	596	1.	BEST22.	f14q51b: > 1 yr, alpha-interferon
6	97	CANMY3	Num	6	608	1.	BEST22.	f14q52b: > 1 yr, azathioprine
7	99	CANMY4	Num	6	620	1.	BEST22.	f14q53b: > 1 yr, bleomycin
8	101	CANMY5	Num	6	632	1.	BEST22.	f14q54b: > 1 yr, d-penicillamine
9	103	CANMY6	Num	6	644	1.	BEST22.	f14q55b: > 1 yr, gold salts
10	105	CANMY7	Num	6	656	1.	BEST22.	f14q56b: > 1 yr, methotrexate
11	107	CANMY8	Num	6	668	1.	BEST22.	f14q57b: > 1 yr, minocycline
12	109	CANMY9	Num	6	680	1.	BEST22.	f14q58b: > 1 yr, vincristine
13	91	CANRX	Num	6	572	1.	BEST22.	f14q49: Ever take cancer treatment
14	92	CANRX1	Num	6	578	1.	BEST22.	f14q50a: Use allopurinol
15	94	CANRX2	Num	6	590	1.	BEST22.	f14q51a: Use alpha-interferon
16	96	CANRX3	Num	6	602	1.	BEST22.	f14q52a: Use azathioprine
17	98	CANRX4	Num	6	614	1.	BEST22.	f14q53a: Use bleomycin
18	100	CANRX5	Num	6	626	1.	BEST22.	f14q54a: Use d-penicillamine
19	102	CANRX6	Num	6	638	1.	BEST22.	f14q55a: Use gold salts
20	104	CANRX7	Num	6	650	1.	BEST22.	f14q56a: Use methotrexate
21	106	CANRX8	Num	6	662	1.	BEST22.	f14q57a: Use minocycline
22	108	CANRX9	Num	6	674	1.	BEST22.	f14q58a: Use vincristine
23	66	HRTMY1	Num	6	422	1.	BEST22.	f14q35b: > 1 yr, amiodarone
24	68	HRTMY2	Num	6	434	1.	BEST22.	f14q36b: > 1 yr, atenolol
25	70	HRTMY3	Num	6	446	1.	BEST22.	f14q37b: > 1 yr, diltiazem
26	72	HRTMY4	Num	6	458	1.	BEST22.	f14q38b: > 1 yr, hydralazine
27	74	HRTMY5	Num	6	470	1.	BEST22.	f14q39b: > 1 yr, methyl dopa
28	76	HRTMY6	Num	6	482	1.	BEST22.	f14q40b: > 1 yr, procainamide
29	78	HRTMY7	Num	6	494	1.	BEST22.	f14q41b: > 1 yr, propranolol
30	80	HRTMY8	Num	6	506	1.	BEST22.	f14q42b: > 1 yr, quinidine
31	82	HRTMY9	Num	6	518	1.	BEST22.	f14q43b: > 1 yr, thiazide diuretics
32	64	HRTRX	Num	6	410	1.	BEST22.	f14q34: Ever take heart/BP medicine
33	65	HRTRX1	Num	6	416	1.	BEST22.	f14q35a: Use amiodarone

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
34	67	HRTRX2	Num	6	428	1.	BEST22.	f14q36a: Use atenolol
35	69	HRTRX3	Num	6	440	1.	BEST22.	f14q37a: Use diltiazem
36	71	HRTRX4	Num	6	452	1.	BEST22.	f14q38a: Use hydralazine
37	73	HRTRX5	Num	6	464	1.	BEST22.	f14q39a: Use methyldopa
38	75	HRTRX6	Num	6	476	1.	BEST22.	f14q40a: Use procainamide
39	77	HRTRX7	Num	6	488	1.	BEST22.	f14q41a: Use propranolol
40	79	HRTRX8	Num	6	500	1.	BEST22.	f14q42a: Use quinidine
41	81	HRTRX9	Num	6	512	1.	BEST22.	f14q43a: Use thiazide diuretics
42	122	IMPL_YR	Num	8	16			f14q64a: Yrs enrol to silicone implt/inj
43	85	INFMY1	Num	6	536	1.	BEST22.	f14q45b: > 1 yr, nitrofurantoin
44	87	INFMY2	Num	6	548	1.	BEST22.	f14q46b: > 1 yr, penicillin
45	83	INFRX	Num	6	524	1.	BEST22.	f14q44: Ever take med for infection
46	84	INFRX1	Num	6	530	1.	BEST22.	f14q45a: Use nitrofurantoin
47	86	INFRX2	Num	6	542	1.	BEST22.	f14q46a: Use penicillin
48	117	JNTREPLC	Num	6	728	1.	BEST22.	f14q63: Had a joint replacement
49	120	NEWID	Num	8	0	Z5.1		Patient ID
50	3	NONMY1	Num	6	44	1.	BEST22.	f14q3b: > 1 yr, non-rx stool softeners
51	5	NONMY2	Num	6	56	1.	BEST22.	f14q4b: > 1 yr, non-rx for indigestion
52	7	NONMY3	Num	6	68	1.	BEST22.	f14q5b: > 1 yr, non-rx for allergies
53	9	NONMY4	Num	6	80	1.	BEST22.	f14q6b: > 1 yr, non-rx for cough/cold
54	11	NONMY5	Num	6	92	1.	BEST22.	f14q7b: > 1 yr, non-rx for diarrhea
55	13	NONMY6	Num	6	104	1.	BEST22.	f14q8b: > 1 yr, non-rx for sleep
56	15	NONMY7	Num	6	116	1.	BEST22.	f14q9b: > 1 yr, non-rx vitamins/minerals
57	17	NONMY8	Num	6	128	1.	BEST22.	f14q10b: > 1 yr, Aspirin
58	19	NONMY9	Num	6	140	1.	BEST22.	f14q11b: > 1 yr, Acetaminophen
59	21	NONMY10	Num	6	152	1.	BEST22.	f14q12b: > 1 yr, non-rx NSAID
60	23	NONMY11	Num	6	164	1.	BEST22.	f14q13b: > 1 yr, goldenseal (yellowroot)
61	25	NONMY12	Num	6	176	1.	BEST22.	f14q14b: > 1 yr, sassafras
62	27	NONMY13	Num	6	188	1.	BEST22.	f14q15b: > 1 yr, comfrey
63	29	NONMY14	Num	6	200	1.	BEST22.	f14q16b: > 1 yr, bloodroot
64	31	NONMY15	Num	6	212	1.	BEST22.	f14q17b: > 1 yr, tansy
65	33	NONMY16	Num	6	224	1.	BEST22.	f14q18b: > 1 yr, senna
66	35	NONMY17	Num	6	236	1.	BEST22.	f14q19b: > 1 yr, beth root (birthroot)
67	37	NONMY18	Num	6	248	1.	BEST22.	f14q20b: > 1 yr, ginseng (gensang)
68	39	NONMY19	Num	6	260	1.	BEST22.	f14q21b: > 1 yr, ginkgo
69	41	NONMY20	Num	6	272	1.	BEST22.	f14q22b: > 1 yr, echinacea

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
70	43	NONMY21	Num	6	284	1.	BEST22.	f14q23b: > 1 yr, astragalus
71	45	NONMY22	Num	6	296	1.	BEST22.	f14q24b: > 1 yr, other herbs
72	47	NONMY23	Num	6	308	1.	BEST22.	f14q25b: > 1 yr, Dr. John's medicine
73	49	NONMY24	Num	6	320	1.	BEST22.	f14q26b: > 1 yr, Black Draught
74	51	NONMY25	Num	6	332	1.	BEST22.	f14q27b: > 1 yr, other trad remedies
75	53	NONMY26	Num	6	344	1.	BEST22.	f14q28b: > 1 yr, lecithin
76	55	NONMY27	Num	6	356	1.	BEST22.	f14q29b: > 1 yr, clay (eating)
77	57	NONMY28	Num	6	368	1.	BEST22.	f14q30b: > 1 yr, starch (raw from box)
78	59	NONMY29	Num	6	380	1.	BEST22.	f14q31b: > 1 yr, dietary supplements
79	61	NONMY30	Num	6	392	1.	BEST22.	f14q32b: > 1 yr, melatonin
80	63	NONMY31	Num	6	404	1.	BEST22.	f14q33b: > 1 yr, coffee/tea (> 2 cups)
81	2	NONRX1	Num	6	38	1.	BEST22.	f14q3a: Use non-rx stool softeners
82	4	NONRX2	Num	6	50	1.	BEST22.	f14q4a: Use non-rx for indigestion
83	6	NONRX3	Num	6	62	1.	BEST22.	f14q5a: Use non-rx for allergies
84	8	NONRX4	Num	6	74	1.	BEST22.	f14q6a: Use non-rx for cough/cold
85	10	NONRX5	Num	6	86	1.	BEST22.	f14q7a: Use non-rx for diarrhea
86	12	NONRX6	Num	6	98	1.	BEST22.	f14q8a: Use non-rx for sleep
87	14	NONRX7	Num	6	110	1.	BEST22.	f14q9a: Use non-rx vitamins/minerals
88	16	NONRX8	Num	6	122	1.	BEST22.	f14q10a: Use Aspirin
89	18	NONRX9	Num	6	134	1.	BEST22.	f14q11a: Use Acetaminophen
90	20	NONRX10	Num	6	146	1.	BEST22.	f14q12a: Use non-rx NSAID
91	22	NONRX11	Num	6	158	1.	BEST22.	f14q13a: Use goldenseal (yellowroot)
92	24	NONRX12	Num	6	170	1.	BEST22.	f14q14a: Use sassafras
93	26	NONRX13	Num	6	182	1.	BEST22.	f14q15a: Use comfrey
94	28	NONRX14	Num	6	194	1.	BEST22.	f14q16a: Use bloodroot
95	30	NONRX15	Num	6	206	1.	BEST22.	f14q17a: Use tansy
96	32	NONRX16	Num	6	218	1.	BEST22.	f14q18a: Use senna
97	34	NONRX17	Num	6	230	1.	BEST22.	f14q19a: Use beth root (birthroot)
98	36	NONRX18	Num	6	242	1.	BEST22.	f14q20a: Use ginseng (gensang)
99	38	NONRX19	Num	6	254	1.	BEST22.	f14q21a: Use ginkgo
100	40	NONRX20	Num	6	266	1.	BEST22.	f14q22a: Use echinacea
101	42	NONRX21	Num	6	278	1.	BEST22.	f14q23a: Use astragalus
102	44	NONRX22	Num	6	290	1.	BEST22.	f14q24a: Use other herbs
103	46	NONRX23	Num	6	302	1.	BEST22.	f14q25a: Use Dr. John's medicine
104	48	NONRX24	Num	6	314	1.	BEST22.	f14q26a: Use Black Draught
105	50	NONRX25	Num	6	326	1.	BEST22.	f14q27a: Use other traditional remedies

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
106	52	NONRX26	Num	6	338	1.	BEST22.	f14q28a: Use lecithin
107	54	NONRX27	Num	6	350	1.	BEST22.	f14q29a: Use clay (eating)
108	56	NONRX28	Num	6	362	1.	BEST22.	f14q30a: Use starch (raw from box)
109	58	NONRX29	Num	6	374	1.	BEST22.	f14q31a: Use dietary supplements
110	60	NONRX30	Num	6	386	1.	BEST22.	f14q32a: Use melatonin
111	62	NONRX31	Num	6	398	1.	BEST22.	f14q33a: Use coffee/tea (> 2 cups)
112	123	REMV_YR	Num	8	24			f14q64b1: Yrs enrol to implt/inj removed
113	121	REPL_YR	Num	8	8			f14q63a: Yrs enrol to joint replacement
114	1	REV	Num	6	32	1.	BEST22.	REV
115	112	SEZMY1	Num	6	698	1.	BEST22.	f14q60b: > 1 yr, carbamazepine
116	114	SEZMY2	Num	6	710	1.	BEST22.	f14q61b: > 1 yr, diazepam
117	116	SEZMY3	Num	6	722	1.	BEST22.	f14q62b: > 1 yr, phenytoin
118	110	SEZRX	Num	6	686	1.	BEST22.	f14q59: Ever take seizure/tranq med
119	111	SEZRX1	Num	6	692	1.	BEST22.	f14q60a: Use carbamazepine
120	113	SEZRX2	Num	6	704	1.	BEST22.	f14q61a: Use diazepam
121	115	SEZRX3	Num	6	716	1.	BEST22.	f14q62a: Use phenytoin
122	118	SILIMPNT	Num	6	734	1.	BEST22.	f14q64: Had silicone implants/injections
123	119	STIL_HAV	Num	6	740	1.	BEST22.	f14q64b: Still have implt/inject

Data Set Name: pairs.form15

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
1	2	DEPRES1	Num	6	14	1.	BEST22.	f15q3: Bothered by things
2	3	DEPRES2	Num	6	20	1.	BEST22.	f15q4: Poor appetite
3	4	DEPRES3	Num	6	26	1.	BEST22.	f15q5: Poor attention
4	5	DEPRES4	Num	6	32	1.	BEST22.	f15q6: Everything was an effort
5	6	DEPRES5	Num	6	38	1.	BEST22.	f15q7: Sad
6	7	DEPRES6	Num	6	44	1.	BEST22.	f15q8: Hopeful about the future
7	8	DEPRES7	Num	6	50	1.	BEST22.	f15q9: Fearful
8	9	DEPRES8	Num	6	56	1.	BEST22.	f15q10: Sleep was restless
9	10	DEPRES9	Num	6	62	1.	BEST22.	f15q11: Happy
10	11	DEPRES10	Num	6	68	1.	BEST22.	f15q12: Lonely
11	12	DEPRES11	Num	6	74	1.	BEST22.	f15q13: Could not get going
12	13	NEWID	Num	8	0	Z5.1		Patient ID
13	1	REV	Num	6	8	1.	BEST22.	REV

Data Set Name: pairs.form16

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
1	3	FRIEND1	Num	6	20	1.	BEST22.	f16q4a: Help if confined to bed
2	4	FRIEND2	Num	6	26	1.	BEST22.	f16q4b: Listen when needed
3	5	FRIEND3	Num	6	32	1.	BEST22.	f16q4c: Give good advice about a crisis
4	6	FRIEND4	Num	6	38	1.	BEST22.	f16q4d: Take to the doctor if needed
5	7	FRIEND5	Num	6	44	1.	BEST22.	f16q4e: Shows love and affection
6	8	FRIEND6	Num	6	50	1.	BEST22.	f16q4f: Have a good time with
7	9	FRIEND7	Num	6	56	1.	BEST22.	f16q4g: To give information
8	10	FRIEND8	Num	6	62	1.	BEST22.	f16q4h: To confide in or talk to
9	11	FRIEND9	Num	6	68	1.	BEST22.	f16q4i: To hug
10	12	FRIEND10	Num	6	74	1.	BEST22.	f16q4j: To relax with
11	13	FRIEND11	Num	6	80	1.	BEST22.	f16q4k: Cook meals if needed
12	14	FRIEND12	Num	6	86	1.	BEST22.	f16q4l: Whose advice you want
13	15	FRIEND13	Num	6	92	1.	BEST22.	f16q4m: To help get mind off things
14	16	FRIEND14	Num	6	98	1.	BEST22.	f16q4n: Help with chores if needed
15	17	FRIEND15	Num	6	104	1.	BEST22.	f16q4o: Someone to share worries with
16	18	FRIEND16	Num	6	110	1.	BEST22.	f16q4p: Help deal with personal problems
17	19	FRIEND17	Num	6	116	1.	BEST22.	f16q4q: Do something enjoyable with
18	20	FRIEND18	Num	6	122	1.	BEST22.	f16q4r: Understands problems
19	21	FRIEND19	Num	6	128	1.	BEST22.	f16q4s: To love and feel wanted
20	2	FRND_NBR	Num	6	14	3.	BEST22.	f16q3: No. of close friends/relatives
21	22	HELPAVL	Num	6	134	1.	BEST22.	f16q5: Somebody available when needed
22	23	NEWID	Num	8	0	Z5.1		Patient ID
23	1	REV	Num	6	8	1.	BEST22.	REV

Data Set Name: pairs.form17

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
1	2	MOOD1	Num	6	14	1.	BEST22.	f17q3: Usually expect the best
2	3	MOOD2	Num	6	20	1.	BEST22.	f17q4: Easy to relax
3	4	MOOD3	Num	6	26	1.	BEST22.	f17q5: If it can go wrong, it will
4	5	MOOD4	Num	6	32	1.	BEST22.	f17q6: Always look on bright side
5	6	MOOD5	Num	6	38	1.	BEST22.	f17q7: Optimistic about future
6	7	MOOD6	Num	6	44	1.	BEST22.	f17q8: Enjoy friends a lot
7	8	MOOD7	Num	6	50	1.	BEST22.	f17q9: Important to keep busy
8	9	MOOD8	Num	6	56	1.	BEST22.	f17q10: Don't expect things to go my way
9	10	MOOD9	Num	6	62	1.	BEST22.	f17q11: Things never work out
10	11	MOOD10	Num	6	68	1.	BEST22.	f17q12: Don't get upset easily
11	12	MOOD11	Num	6	74	1.	BEST22.	f17q13: Every cloud has a silver lining
12	13	MOOD12	Num	6	80	1.	BEST22.	f17q14: Don't count on good things
13	14	NEWID	Num	8	0	Z5.1		Patient ID
14	1	REV	Num	6	8	1.	BEST22.	REV

Data Set Name: pairs.form18

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
1	24	ANXITY1	Num	6	146	1.	BEST22.	f18q11a: Feel full of pep
2	25	ANXITY2	Num	6	152	1.	BEST22.	f18q11b: Very nervous person
3	26	ANXITY3	Num	6	158	1.	BEST22.	f18q11c: Down in the dumps
4	27	ANXITY4	Num	6	164	1.	BEST22.	f18q11d: Calm and peaceful
5	28	ANXITY5	Num	6	170	1.	BEST22.	f18q11e: Have a lot of energy
6	29	ANXITY6	Num	6	176	1.	BEST22.	f18q11f: Down hearted and blue
7	30	ANXITY7	Num	6	182	1.	BEST22.	f18q11g: Feel worn out
8	31	ANXITY8	Num	6	188	1.	BEST22.	f18q11h: Have been a happy person
9	32	ANXITY9	Num	6	194	1.	BEST22.	f18q11i: Feel tired
10	18	EMOTPB1	Num	6	110	1.	BEST22.	f18q7a: Cut down time for work
11	19	EMOTPB2	Num	6	116	1.	BEST22.	f18q7b: Accomplished less
12	20	EMOTPB3	Num	6	122	1.	BEST22.	f18q7c: Didn't work as carefully
13	2	HEALTHGN	Num	6	14	1.	BEST22.	f18q3: General health
14	3	HEALTHNW	Num	6	20	1.	BEST22.	f18q4: Health compared to 1 yr ago
15	37	HLTEXCEL	Num	6	224	1.	BEST22.	f18q13d: Health is excellent
16	35	HLTGOOD	Num	6	212	1.	BEST22.	f18q13b: Healthy as anybody else
17	33	HLTSACT	Num	6	200	1.	BEST22.	f18q12: Interfered w/ social activities
18	36	HLTWORST	Num	6	218	1.	BEST22.	f18q13c: Expect health to get worse
19	38	NEWID	Num	8	0	Z5.1		Patient ID
20	22	PAINBODY	Num	6	134	1.	BEST22.	f18q9: Bodily pain in past 4 weeks
21	21	PAINNSA	Num	6	128	1.	BEST22.	f18q8: Interfered w/ social activities
22	23	PAINWRK	Num	6	140	1.	BEST22.	f18q10: Pain interfered with work
23	4	PHYFTN1	Num	6	26	1.	BEST22.	f18q5a: Vigorous activities
24	5	PHYFTN2	Num	6	32	1.	BEST22.	f18q5b: Moderate activities
25	6	PHYFTN3	Num	6	38	1.	BEST22.	f18q5c: Lifting or carrying groceries
26	7	PHYFTN4	Num	6	44	1.	BEST22.	f18q5d: Climbing several flights
27	8	PHYFTN5	Num	6	50	1.	BEST22.	f18q5e: Climbing one flight
28	9	PHYFTN6	Num	6	56	1.	BEST22.	f18q5f: Bending, kneeling, stooping
29	10	PHYFTN7	Num	6	62	1.	BEST22.	f18q5g: Walking > 1 mile
30	11	PHYFTN8	Num	6	68	1.	BEST22.	f18q5h: Walking several blocks
31	12	PHYFTN9	Num	6	74	1.	BEST22.	f18q5i: Walking one block
32	13	PHYFTN10	Num	6	80	1.	BEST22.	f18q5j: Bathing or dressing
33	14	PHYHLT1	Num	6	86	1.	BEST22.	f18q6a: Cut down time for work

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
34	15	PHYHLT2	Num	6	92	1.	BEST22.	f18q6b: Accomplished less
35	16	PHYHLT3	Num	6	98	1.	BEST22.	f18q6c: Limited in kind of work
36	17	PHYHLT4	Num	6	104	1.	BEST22.	f18q6d: Difficulting in doing work
37	1	REV	Num	6	8	1.	BEST22.	REV
38	34	SICKEASY	Num	6	206	1.	BEST22.	f18q13a: Get sick easier than others

Data Set Name: pairs.form19

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
1	14	ACMCITY	Num	6	86	1.	BEST22.	f19q6a: 3 yrs - lived in city limits
2	16	ACMRURL	Num	6	98	1.	BEST22.	f19q6c: 3 yrs - lived in rural area
3	15	ACMSUB	Num	6	92	1.	BEST22.	f19q6b: 3 yrs - lived in suburbia
4	17	ACMUNK	Num	6	104	1.	BEST22.	f19q6d: 3 yrs - don't know community
5	12	APLLCITY	Num	6	74	1.	BEST22.	f19q5c: 3 yrs - lived in large city
6	11	APLSCITY	Num	6	68	1.	BEST22.	f19q5b: 3 yrs - lived in small city
7	10	APLTOWN	Num	6	62	1.	BEST22.	f19q5a: 3 yrs - lived in town
8	13	APLUNK	Num	6	80	1.	BEST22.	f19q5d: 3 yrs - don't know place
9	6	CCMCITY	Num	6	38	1.	BEST22.	f19q4a: Child - lived in city limits
10	8	CCMRURL	Num	6	50	1.	BEST22.	f19q4c: Child - lived in rural area
11	7	CCMSUB	Num	6	44	1.	BEST22.	f19q4b: Child - lived in suburbia
12	9	CCMUNK	Num	6	56	1.	BEST22.	f19q4d: Child - don't know community
13	4	CPLLCITY	Num	6	26	1.	BEST22.	f19q3c: Child - lived in large city
14	3	CPLSCITY	Num	6	20	1.	BEST22.	f19q3b: Child - lived in small city
15	2	CPLTOWN	Num	6	14	1.	BEST22.	f19q3a: Child - lived in town
16	5	CPLUNK	Num	6	32	1.	BEST22.	f19q3d: Child - don't know place
17	21	DISB_AWR	Num	6	128	1.	BEST22.	f19q10: Ever awarded disability
18	19	DISB_EMT	Num	6	116	1.	BEST22.	f19q8: Mental/emotional disability
19	20	DISB_EVR	Num	6	122	1.	BEST22.	f19q9: Ever applied for disability
20	18	DISB_PHY	Num	6	110	1.	BEST22.	f19q7: Physical disability
21	22	INCOME	Num	6	134	1.	BEST22.	f19q11: Total family income > \$20K
22	24	NEWID	Num	8	0	Z5.1		Patient ID
23	1	REV	Num	6	8	1.	BEST22.	REV
24	23	TOT_INC	Num	6	140	2.	3.	f19q12: Total family income group

Data Set Name: pairs.form20

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
1	3	BTHCHDNO	Num	6	20	2.	3.	f20q4: No. of birth children
2	4	NEWID	Num	8	0	Z5.1		Patient ID
3	1	REV	Num	6	8	1.	BEST22.	REV
4	2	SMATNO	Num	6	14	2.	3.	f20q3: No. of spouses/mates

Data Set Name: pairs.form24

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
1	24	ADEN_ANY	Num	6	152	1.	BEST22.	f24q12a: Any adenopathy
2	107	ALB_LT3	Num	6	650	1.	BEST22.	f24q46e: Albumin < 3.0 mg/dl
3	110	ALPH_ELV	Num	6	668	1.	BEST22.	f24q47b: Elevated alk phos
4	104	ALPH_GT3	Num	6	632	1.	BEST22.	f24q46b: Alk Phos > 3x ULN
5	79	ANLESION	Num	6	482	1.	BEST22.	f24q36d: Annular lesion
6	106	AST_ALT	Num	6	644	1.	BEST22.	f24q46d: AST/ALT > 3x ULN
7	33	BELPALSY	Num	6	206	1.	BEST22.	f24q16d: Bell's palsy
8	105	BILIRUB	Num	6	638	1.	BEST22.	f24q46c: Tot bili > 3x ULN
9	127	BNJNTEXT	Num	6	770	1.	BEST22.	f24q57: Extent of bone/jnt involvement
10	126	BNJNTINV	Num	6	764	1.	BEST22.	f24q56: Bone/joint involvement
11	113	BNMA_DEF	Num	6	686	1.	BEST22.	f24q50: Definite bone marrow involvement
12	112	BNMA_EXT	Num	6	680	1.	BEST22.	f24q49: Extent of bone marrow inv.
13	111	BNMA_INV	Num	6	674	1.	BEST22.	f24q48: Bone marrow involvement
14	118	BNMA_POS	Num	6	716	1.	BEST22.	f24q51: Possible bone marrow involvement
15	129	BONEBIO	Num	6	782	1.	BEST22.	f24q58a: Granulomas in bone biopsy
16	132	BONEPROB	Num	6	800	1.	BEST22.	f24q59: Probable bone/joint involvement
17	128	BONE_DEF	Num	6	776	1.	BEST22.	f24q58: Definite bone/joint involvement
18	133	BONE_POS	Num	6	806	1.	BEST22.	f24q60: Possible bone/joint involvement
19	35	BRAINBIO	Num	6	218	1.	BEST22.	f24q16f: Positive brain biopsy
20	157	CALCEXT	Num	6	950	1.	BEST22.	f24q76: Extent of CA metabolism inv.
21	156	CALCINV	Num	6	944	1.	BEST22.	f24q75: Calcium metabolism involvement
22	159	CALCPROB	Num	6	962	1.	BEST22.	f24q78: Probable CA metabolism inv.
23	158	CALC_DEF	Num	6	956	1.	BEST22.	f24q77: Definite CA metabolism inv.
24	162	CALC_POS	Num	6	980	1.	BEST22.	f24q79: Possible CA metabolism inv.
25	71	CARDBHYP	Num	6	434	1.	BEST22.	f24q33a: Cardiomyopathy
26	64	CARDIOMY	Num	6	392	1.	BEST22.	f24q31c: Trt. resp. cardiomyopathy
27	67	CARDPROB	Num	6	410	1.	BEST22.	f24q32: Probable cardiac involvement
28	61	CARD_DEF	Num	6	374	1.	BEST22.	f24q31: Definite cardiac involvement
29	60	CARD_EXT	Num	6	368	1.	BEST22.	f24q30: Extent of cardiac involvement
30	59	CARD_INV	Num	6	362	1.	BEST22.	f24q29: Cardiac involvement
31	70	CARD_POS	Num	6	428	1.	BEST22.	f24q33: Possible cardiac involvement
32	98	CATR	Num	6	596	1.	BEST22.	f24q43b: Cataract
33	90	CONJBIO	Num	6	548	1.	BEST22.	f24q41a: Positive conjunctiva biopsy

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
34	153	CPK_ALDO	Num	6	926	1.	BEST22.	f24q72b: Increased CPK/aldolase
35	34	CRNERDYS	Num	6	212	1.	BEST22.	f24q16e: Cranial nerve dysfunction
36	15	CR_BHA	Num	6	98	1.	BEST22.	f24q10d: Roentgenogram w/ adenopathy
37	16	CR_DI	Num	6	104	1.	BEST22.	f24q10e: Roentgenogram w/ infiltrates
38	17	CR_ULF	Num	6	110	1.	BEST22.	f24q10f: Roentagenogram w/ fibrosis
39	31	CSF	Num	6	194	1.	BEST22.	f24q16b: CSF w/inc lymphocytes/protein
40	124	CTSCENLG	Num	6	752	1.	BEST22.	f24q55b: Enlargement by CT scan
41	109	CT_SCAN	Num	6	662	1.	BEST22.	f24q47a: Compatible CT scan
42	182	CUR_BNJT	Num	6	1100	1.	BEST22.	f24q82j: Bone/joints - ever
43	180	CUR_BNMA	Num	6	1088	1.	BEST22.	f24q82h: Bone marrow - ever
44	176	CUR_CARD	Num	6	1064	1.	BEST22.	f24q82d: Cardiac - ever
45	186	CUR_ENDO	Num	6	1124	1.	BEST22.	f24q82n: Endocrine - ever
46	183	CUR_ENT	Num	6	1106	1.	BEST22.	f24q82k: Ear/nose/throat - ever
47	178	CUR_EYES	Num	6	1076	1.	BEST22.	f24q82f: Eyes - ever
48	175	CUR_KIDN	Num	6	1058	1.	BEST22.	f24q82c: Kidney - ever
49	179	CUR_LIVR	Num	6	1082	1.	BEST22.	f24q82g: Liver - ever
50	185	CUR_MUSC	Num	6	1118	1.	BEST22.	f24q82m: Muscles - ever
51	173	CUR_NEUR	Num	6	1046	1.	BEST22.	f24q82a: Neurologic - ever
52	174	CUR_NTLN	Num	6	1052	1.	BEST22.	f24q82b: Non-thoracic lymph - ever
53	184	CUR_PSG	Num	6	1112	1.	BEST22.	f24q82l: Parotid/Salivary - ever
54	177	CUR_SKIN	Num	6	1070	1.	BEST22.	f24q82e: Skin - ever
55	181	CUR_SPLN	Num	6	1094	1.	BEST22.	f24q82i: Spleen - ever
56	131	CYSTCHG	Num	6	794	1.	BEST22.	f24q58c: Cystic changes on phalanges
57	8	DBP	Num	6	56	3.	4.	f24q7b: Diastolic blood pressure (mm Hg)
58	32	DIABINSI	Num	6	200	1.	BEST22.	f24q16c: Diabetes insipidus
59	140	DIZZINES	Num	6	848	1.	BEST22.	f24q65b: New onset dizziness
60	36	DURABIO	Num	6	224	1.	BEST22.	f24q16g: Positive dura biopsy
61	165	DYSP_LEV	Num	6	998	1.	BEST22.	f24q80: Level of dyspsnea
62	41	EMG_POS	Num	6	254	1.	BEST22.	f24q17c: Positive EMG
63	136	ENT_DEF	Num	6	824	1.	BEST22.	f24q63: Definite ENT involvement
64	135	ENT_EXT	Num	6	818	1.	BEST22.	f24q62: Extent of ENT involvement
65	134	ENT_INV	Num	6	812	1.	BEST22.	f24q61: Ear/Nose/Throat involvement
66	138	ENT_POS	Num	6	836	1.	BEST22.	f24q65: Possible ENT involvement
67	137	ENT_PROB	Num	6	830	1.	BEST22.	f24q64: Probable ENT involvement
68	78	ERYTHNOD	Num	6	476	1.	BEST22.	f24q36c: Erythema nodosum
69	123	EXAMENLG	Num	6	746	1.	BEST22.	f24q55a: Enlargement by examination

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
70	89	EYE_DEF	Num	6	542	1.	BEST22.	f24q41: Definite eye involvement
71	88	EYE_EXT	Num	6	536	1.	BEST22.	f24q40: Extent of eye involvement
72	87	EYE_INV	Num	6	530	1.	BEST22.	f24q39: Eye involvement
73	96	EYE_POS	Num	6	584	1.	BEST22.	f24q43: Possible eye involvement
74	95	EYE_PROB	Num	6	578	1.	BEST22.	f24q42: Probable eye involvement
75	204	F24_DY	Num	8	24	4.		f24q2: Days to examination
76	2	FMTYP	Char	4	1226	\$4.	\$4.	FMTYP
77	147	GALSCAN	Num	6	890	1.	BEST22.	f24q68d: Positive gallium scan
78	66	GALSCNHT	Num	6	404	1.	BEST22.	f24q31e: Positive gallium heart scan
79	97	GLAU	Num	6	590	1.	BEST22.	f24q43a: Glaucoma
80	114	GRANBONE	Num	6	692	1.	BEST22.	f24q50a: Granulomas in bone marrow
81	152	GRANMUSC	Num	6	920	1.	BEST22.	f24q72a: Granulomas in muscle
82	43	HEADACHE	Num	6	266	1.	BEST22.	f24q18a: Unexplained headaches
83	62	HRTBIO	Num	6	380	1.	BEST22.	f24q31a: Positive heart biopsy
84	5	HRTRATE	Num	6	38	3.	4.	f24q5: Heart rate (beats/min)
85	3	HT	Num	8	0	5.1	7.1	f24q3: Height (cm)
86	86	HYPERPIG	Num	6	524	1.	BEST22.	f24q38c: Hyperpigmentation
87	85	HYPOPIG	Num	6	518	1.	BEST22.	f24q38b: Hypopigmentation
88	160	INCURCAL	Num	6	968	1.	BEST22.	f24q78a: Increased urine calcium
89	65	IVCDNOBK	Num	6	398	1.	BEST22.	f24q31d: EKG showed IVCD/nodal block
90	84	KELOIDS	Num	6	512	1.	BEST22.	f24q38a: Keloids
91	55	KIDNBIO	Num	6	338	1.	BEST22.	f24q26a: Positive kidney biopsy
92	92	LACGLSW	Num	6	560	1.	BEST22.	f24q41c: Lacrimal gland swelling
93	116	LEUKOP	Num	6	704	1.	BEST22.	f24q50c: Leukopenia
94	103	LIVRBIO	Num	6	626	1.	BEST22.	f24q46a: Positive liver biopsy
95	108	LIVRPROB	Num	6	656	1.	BEST22.	f24q47: Probable liver involvement
96	102	LIVR_DEF	Num	6	620	1.	BEST22.	f24q46: Definite liver involvement
97	101	LIVR_EXT	Num	6	614	1.	BEST22.	f24q45: Extent of liver involvement
98	100	LIVR_INV	Num	6	608	1.	BEST22.	f24q44: Liver involvement
99	50	LN_GT2CM	Num	6	308	1.	BEST22.	f24q22b: Lymph node > 2cm
100	12	LUNGBIO	Num	6	80	1.	BEST22.	f24q10a: Positive lung biopsy
101	19	LUNGPROB	Num	6	122	1.	BEST22.	f24q11: Probable lung involvement
102	11	LUNG_DEF	Num	6	74	1.	BEST22.	f24q10: Definite lung involvement
103	10	LUNG_EXT	Num	6	68	1.	BEST22.	f24q9: Extent of lung involvement
104	9	LUNG_INV	Num	6	62	1.	BEST22.	f24q8: Lung involvement
105	23	LUNG_POS	Num	6	146	1.	BEST22.	f24q12: Possible lung involvement

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
106	77	LUP_PERN	Num	6	470	1.	BEST22.	f24q36b: Lupus pernio
107	13	LYMNOBIO	Num	6	86	1.	BEST22.	f24q10b: Positive mediastinal biopsy
108	46	LYMNOEXT	Num	6	284	1.	BEST22.	f24q20: Extent of lymph node inv.
109	45	LYMNOINV	Num	6	278	1.	BEST22.	f24q19: Non-thoracic lymph node inv.
110	20	LYMP_ALV	Num	6	128	1.	BEST22.	f24q11a: Lymphocytic alveolitis
111	47	LYM_DEF	Num	6	290	1.	BEST22.	f24q21: Definite lymph node involvement
112	51	LYM_POS	Num	6	314	1.	BEST22.	f24q23: Possible lymph node involvement
113	48	LYM_PROB	Num	6	296	1.	BEST22.	f24q22: Probable lymph node involvement
114	81	MAPAPLES	Num	6	494	1.	BEST22.	f24q37a: Macular papular lesions
115	39	MRI_ABN	Num	6	242	1.	BEST22.	f24q17a: Other abnormalities on MRI
116	30	MRI_POS	Num	6	188	1.	BEST22.	f24q16a: Positive MRI
117	154	MUSCPROB	Num	6	932	1.	BEST22.	f24q73: Probable muscle involvement
118	151	MUSC_DEF	Num	6	914	1.	BEST22.	f24q72: Definite muscle involvement
119	150	MUSC_EXT	Num	6	908	1.	BEST22.	f24q71: Extent of muscle involvement
120	149	MUSC_INV	Num	6	902	1.	BEST22.	f24q70: Muscle involvement
121	155	MUSC_POS	Num	6	938	1.	BEST22.	f24q74: Possible muscle involvement
122	161	NEPHANAL	Num	6	974	1.	BEST22.	f24q78b: Nephrolithiasis analysis
123	163	NEPH_NSA	Num	6	986	1.	BEST22.	f24q79a: Nephrolithiasis - no stone
124	164	NEPNEGHS	Num	6	992	1.	BEST22.	f24q79b: Nephrolithiasis - neg history
125	38	NEURPROB	Num	6	236	1.	BEST22.	f24q17: Probable neurological inv.
126	40	NEURUNXP	Num	6	248	1.	BEST22.	f24q17b: Unexplained neuropathy
127	29	NEUR_DEF	Num	6	182	1.	BEST22.	f24q16: Definite neurological inv.
128	28	NEUR_EXT	Num	6	176	1.	BEST22.	f24q15: Extent of neurological inv.
129	27	NEUR_INV	Num	6	170	1.	BEST22.	f24q14: Neurological involvement
130	42	NEUR_POS	Num	6	260	1.	BEST22.	f24q18: Possible neurological inv.
131	203	NEWID	Num	8	16	Z5.1		Patient ID
132	82	NEWNOD	Num	6	500	1.	BEST22.	f24q37b: New nodules
133	68	NOCARVTR	Num	6	416	1.	BEST22.	f24q32a: Ventricular arrhythmias
134	26	NTHORINV	Num	6	164	1.	BEST22.	f24q13: Non-thoracic involvement
135	69	NUCLSCAN	Num	6	422	1.	BEST22.	f24q32b: Positive nuclear medicine scan
136	94	OPTINEUR	Num	6	572	1.	BEST22.	f24q41e: Optic neuritis
137	49	PALPNOD	Num	6	302	1.	BEST22.	f24q22a: New palpable node above waist
138	144	PAROTBIO	Num	6	872	1.	BEST22.	f24q68a: Positive parotid biopsy
139	143	PAROTDEF	Num	6	866	1.	BEST22.	f24q68: Definite parotid/salivary inv.
140	148	PAROTPOS	Num	6	896	1.	BEST22.	f24q69: Possible parotid/salivary inv.
141	142	PASALEXT	Num	6	860	1.	BEST22.	f24q67: Extent of parotid/salivary inv.

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
142	141	PASALINV	Num	6	854	1.	BEST22.	f24q66: Parotid/salivary involvement
143	63	PERICBIO	Num	6	386	1.	BEST22.	f24q31b: Positive pericardium biopsy
144	25	PFTS_OBS	Num	6	158	1.	BEST22.	f24q12b: Obstructive PFTs
145	14	PLEURBIO	Num	6	92	1.	BEST22.	f24q10c: Positive pleura biopsy
146	37	PNERVBIO	Num	6	230	1.	BEST22.	f24q16h: Pos peripheral nerve biopsy
147	44	PNERVRAD	Num	6	272	1.	BEST22.	f24q18b: Peripheral nerve radiculopathy
148	21	PULM_INF	Num	6	134	1.	BEST22.	f24q11b: Any pulmonary infiltrates
149	125	RADSCELG	Num	6	758	1.	BEST22.	f24q55c: Enlrgmnt by radioisotope scan
150	22	RDU_DLCO	Num	6	140	1.	BEST22.	f24q11c: Isolated reduced DLCO
151	53	RENALEXT	Num	6	326	1.	BEST22.	f24q25: Extent of renal involvement
152	52	RENALINV	Num	6	320	1.	BEST22.	f24q24: Renal involvement
153	57	RENLPROB	Num	6	350	1.	BEST22.	f24q27: Probable renal involvement
154	54	RENL_DEF	Num	6	332	1.	BEST22.	f24q26: Definite renal involvement
155	58	RENL_POS	Num	6	356	1.	BEST22.	f24q28: Possible renal involvement
156	56	REN_FAIL	Num	6	344	1.	BEST22.	f24q26b: Trt responsive renal failure
157	6	RESPRATE	Num	6	44	3.	3.	f24q6: Resp rate (breaths/min)
158	1	REV	Num	6	32	1.	BEST22.	REV
159	167	RF_ALINF	Num	6	1010	1.	BEST22.	f24q81b: Radiographic - alveolar inf.
160	166	RF_HIADA	Num	6	1004	1.	BEST22.	f24q81a: Radiographic - hilar adenopathy
161	168	RF_INTIN	Num	6	1016	1.	BEST22.	f24q81c: Radiographic - interstitial inf
162	171	RF_MYCET	Num	6	1034	1.	BEST22.	f24q81f: Radiographic - mycetoma
163	172	RF_OTH	Num	6	1040	1.	BEST22.	f24q81g: Radiographic - other
164	169	RF_PUHYP	Num	6	1022	1.	BEST22.	f24q81d: Radiographic - pulmonary hyp
165	170	RF_ST4DI	Num	6	1028	1.	BEST22.	f24q81e: Radiographic - stage 4
166	18	RST_PFTS	Num	6	116	1.	BEST22.	f24q10g: Restriction on PFTs
167	145	SALGLBIO	Num	6	878	1.	BEST22.	f24q68b: Pos. salivary gland biopsy
168	7	SBP	Num	6	50	3.	4.	f24q7a: Systolic blood pressure (mm Hg)
169	91	SCLERBIO	Num	6	554	1.	BEST22.	f24q41b: positive sclera biopsy
170	196	SEV_BNJT	Num	6	1184	1.	BEST22.	f24q83j: Bone/joints - severity
171	194	SEV_BNMA	Num	6	1172	1.	BEST22.	f24q83h: Bone marrow - severity
172	190	SEV_CARD	Num	6	1148	1.	BEST22.	f24q83d: Cardiac - severity
173	200	SEV_ENDO	Num	6	1208	1.	BEST22.	f24q83n: Endocrine - severity
174	197	SEV_ENT	Num	6	1190	1.	BEST22.	f24q83k: Ear/nose/throat - severity
175	192	SEV_EYES	Num	6	1160	1.	BEST22.	f24q83f: Eyes - severity
176	189	SEV_KIDN	Num	6	1142	1.	BEST22.	f24q83c: Kidney - severity
177	193	SEV_LIVR	Num	6	1166	1.	BEST22.	f24q83g: Liver - severity

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
178	199	SEV_MUSC	Num	6	1202	1.	BEST22.	f24q83m: Muscles - severity
179	187	SEV_NEUR	Num	6	1130	1.	BEST22.	f24q83a: Neurologic - severity
180	188	SEV_NTLN	Num	6	1136	1.	BEST22.	f24q83b: Non-thoracic lymph - severity
181	198	SEV_PSG	Num	6	1196	1.	BEST22.	f24q83l: Parotid/Salivary - severity
182	191	SEV_SKIN	Num	6	1154	1.	BEST22.	f24q83e: Skin - severity
183	195	SEV_SPLN	Num	6	1178	1.	BEST22.	f24q83i: Spleen - severity
184	99	SICCA	Num	6	602	1.	BEST22.	f24q43c: Sicca (dry eyes)
185	139	SINUSIT	Num	6	842	1.	BEST22.	f24q65a: New onset sinusitis
186	76	SKINBIO	Num	6	464	1.	BEST22.	f24q36a: Positive skin biopsy
187	80	SKINPROB	Num	6	488	1.	BEST22.	f24q37: Probable skin involvement
188	75	SKIN_DEF	Num	6	458	1.	BEST22.	f24q36: Definite skin involvement
189	74	SKIN_EXT	Num	6	452	1.	BEST22.	f24q35: Extent of skin involvement
190	73	SKIN_INV	Num	6	446	1.	BEST22.	f24q34: Skin involvement
191	83	SKIN_POS	Num	6	506	1.	BEST22.	f24q38: Possible skin involvement
192	122	SPLNPROB	Num	6	740	1.	BEST22.	f24q55: Probable spleen involvement
193	121	SPLN_DEF	Num	6	734	1.	BEST22.	f24q54: Definite spleen involvement
194	120	SPLN_EXT	Num	6	728	1.	BEST22.	f24q53: Extent of spleen involvement
195	119	SPLN_INV	Num	6	722	1.	BEST22.	f24q52: Spleen involvement
196	146	SYMPAROT	Num	6	884	1.	BEST22.	f24q68c: Symmetrical parotitis
197	130	SYNOVBIO	Num	6	788	1.	BEST22.	f24q58b: Granulomas in synovium biopsy
198	117	THROMBOC	Num	6	710	1.	BEST22.	f24q50d: Thrombocytopenia
199	201	TRT_SARC	Num	6	1214	1.	BEST22.	f24q84: Currently on trt for sarc
200	115	UNEXANEM	Num	6	698	1.	BEST22.	f24q50b: Unexplained anemia
201	93	UVEIT	Num	6	566	1.	BEST22.	f24q41d: Uveitis
202	72	VENTARRH	Num	6	440	1.	BEST22.	f24q33b: Ventricular arrhythmias
203	202	WHEN_PHY	Num	6	1220	1.	BEST22.	f24q88: When physical exam performed
204	4	WT	Num	8	8	5.1	7.1	f24q4: Weight (kg)

Data Set Name: pairs.form25

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
1	27	ALBUMIN	Num	8	72	4.1	5.1	f25q27: Albumin (g/dL)
2	28	ALKPHOSP	Num	6	232	3.	4.	f25q28: Alkaline phosphatase (IU/L)
3	31	ALT	Num	6	244	3.	4.	f25q31: ALT (IU/L)
4	30	AST	Num	6	238	3.	4.	f25q30: AST (IU/L)
5	23	BICARBON	Num	6	214	3.	3.	f25q23: Bicarbonate (mEq/L)
6	25	BUN	Num	6	220	3.	3.	f25q25: BUN (mg/dL)
7	32	CALCIUM	Num	8	88	4.1	6.1	f25q32: Calcium (mg/dL)
8	36	CBC_DY	Num	8	120	4.		f25q9: Days to CBC
9	22	CHLORIDE	Num	6	208	3.	4.	f25q22: Chloride (mEq/L)
10	24	CREATIN	Num	8	64	4.1	5.1	f25q24: Creatinine (mg/dL)
11	17	EOSINOPH	Num	6	184	3.	3.	f25q17: Eosinophil (%)
12	4	FEVA_1	Num	8	0	4.2	6.2	f25q4: Pre-bronchodilators - FEV-1 (L)
13	7	FEVB_1	Num	8	16	4.2	6.2	f25q7: Post-bronchodilators - FEV-1 (L)
14	2	FMTYP	Char	4	250	\$4.	\$4.	FMTYP
15	5	FVCA	Num	8	8	4.2	6.2	f25q5: Pre-bronchodilators - FVC (L)
16	8	FVCB	Num	8	24	4.2	6.2	f25q8: Post-bronchodilators - FVC (L)
17	26	GLUCOSE	Num	6	226	3.	4.	f25q26: Glucose (mg/dL)
18	12	HEMA	Num	8	48	4.1	6.1	f25q12: Hematocrit (%)
19	11	HGB	Num	8	40	4.1	6.1	f25q11: HGB (g/dL)
20	37	LAB_DY	Num	8	128	4.		f25q19: Days to lab chemistries
21	15	LYMPHO	Num	6	172	3.	3.	f25q15: Lymphocytes (%)
22	16	MONOCYTE	Num	6	178	3.	3.	f25q16: Monocytes (%)
23	9	NDCBC	Num	6	154	1.	BEST22.	f25q9: CBC not done
24	19	NDCHEM	Num	6	196	1.	BEST22.	f25q19: Lab chemistries not done
25	6	NDPB	Num	6	148	1.	BEST22.	f25q6: Post-bronc. spirometry not done
26	3	NDTST	Num	6	142	1.	BEST22.	f25q3: Spirometry test not done
27	14	NEUTRO	Num	6	166	3.	3.	f25q14: Neutrophils, include bands (%)
28	34	NEWID	Num	8	104	Z5.1		Patient ID
29	18	OTHLAB	Num	6	190	3.	3.	f25q18: Other differential (%)
30	13	PLAT	Num	6	160	3.	4.	f25q13: Platelets (10**3/mm**3)
31	21	POTAS	Num	8	56	4.1	5.1	f25q21: Potassium (mEq/L)
32	1	REV	Num	6	136	1.	BEST22.	REV
33	20	SODIUM	Num	6	202	3.	4.	f25q20: Sodium (mEq/L)

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
34	29	TOT_BIL	Num	8	80	4.1	5.1	f25q29: Total bilirubin (mg/dL)
35	33	TOT_PROT	Num	8	96	4.1	6.1	f25q33: Total protein (g/dL)
36	35	TST_DY	Num	8	112	4.		f25q3: Days to spirometry test
37	10	WBC	Num	8	32	4.1	6.1	f25q10: WBC (10**3/mm**3)

Data Set Name: pairs.form26

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
1	2	AFCTABIL	Num	6	14	1.	BEST22.	f26q3: Ability to obtain insurance
2	3	AFCTCOST	Num	6	20	1.	BEST22.	f26q4: Affected cost of insurance
3	11	APPT_NO	Num	6	68	3.	3.	f26q8: Appointments for sarc. in past 6
4	58	CURINTAK	Num	6	350	1.	BEST22.	f26q11: Take medication as directed
5	64	DONTKNOW	Num	6	386	1.	BEST22.	f26q17a: Don't know what will happen
6	55	FRGTDAYS	Num	6	332	1.	BEST22.	f26q10a: No. days med forgotten
7	60	INTAKLES	Num	6	362	2.	BEST22.	f26q13: Reason for taking less
8	61	INTAKMED	Num	6	368	1.	BEST22.	f26q14: Doctor asks about adherence
9	4	LMTCARE	Num	6	26	1.	BEST22.	f26q5: Insurance limits care for sarc.
10	7	LMTMED	Num	6	44	1.	BEST22.	f26q5c: Limited medication for sarc.
11	5	LMTSPEC	Num	6	32	1.	BEST22.	f26q5a: Limited access to specialist
12	6	LMTTEST	Num	6	38	1.	BEST22.	f26q5b: Limited tests for sarc.
13	15	MEDDURA	Num	6	92	1.	BEST22.	f26q9a3: Corticosteriod duration
14	19	MEDDURB	Num	6	116	1.	BEST22.	f26q9b3: Methotrexate duration
15	23	MEDDURC	Num	6	140	1.	BEST22.	f26q9c3: Azathioprine duration
16	27	MEDDURD	Num	6	164	1.	BEST22.	f26q9d3: Cyclosporine duration
17	31	MEDDURE	Num	6	188	1.	BEST22.	f26q9e3: Immunosupp. duration
18	35	MEDDURF	Num	6	212	1.	BEST22.	f26q9f3: Anti-malarial duration
19	40	MEDDURH	Num	6	242	1.	BEST22.	f26q9h3: Medication H duration
20	44	MEDDURI	Num	6	266	1.	BEST22.	f26q9i3: Medication I duration
21	48	MEDDURJ	Num	6	290	1.	BEST22.	f26q9j3: Medication J duration
22	52	MEDDURK	Num	6	314	1.	BEST22.	f26q9k3: Medication K duration
23	36	MEDFREDF	Num	6	218	1.	BEST22.	f26q9f4: Anti-malarial frequency
24	16	MEDFREQA	Num	6	98	1.	BEST22.	f26q9a4: Corticosteriod frequency
25	20	MEDFREQB	Num	6	122	1.	BEST22.	f26q9b4: Methotrexate frequency
26	24	MEDFREQC	Num	6	146	1.	BEST22.	f26q9c4: Azathioprine frequency
27	28	MEDFREQD	Num	6	170	1.	BEST22.	f26q9d4: Cyclosporine frequency
28	32	MEDFREQE	Num	6	194	1.	BEST22.	f26q9e4: Immunosupp. frequency
29	41	MEDFREQH	Num	6	248	1.	BEST22.	f26q9h4: Medication H frequency
30	45	MEDFREQI	Num	6	272	1.	BEST22.	f26q9i4: Medication I frequency
31	49	MEDFREQJ	Num	6	296	1.	BEST22.	f26q9j4: Medication J frequency
32	53	MEDFREQK	Num	6	320	1.	BEST22.	f26q9k4: Medication K frequency
33	17	MEDRESPA	Num	6	104	1.	BEST22.	f26q9a6: Corticosteriod response

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
34	21	MEDRESPB	Num	6	128	1.	BEST22.	f26q9b6: Methotrexate response
35	25	MEDRESPC	Num	6	152	1.	BEST22.	f26q9c6: Azathioprine response
36	29	MEDRESPD	Num	6	176	1.	BEST22.	f26q9d6: Cyclosporine response
37	33	MEDRESPE	Num	6	200	1.	BEST22.	f26q9e6: Immunosupp. response
38	37	MEDRESPF	Num	6	224	1.	BEST22.	f26q9f6: Anti-malarial response
39	42	MEDRESPH	Num	6	254	1.	BEST22.	f26q9h6: Medication H response
40	46	MEDRESPI	Num	6	278	1.	BEST22.	f26q9i6: Medication I response
41	50	MEDRESPJ	Num	6	302	1.	BEST22.	f26q9j6: Medication J response
42	54	MEDRESPK	Num	6	326	1.	BEST22.	f26q9k6: Medication K response
43	14	MEDUSEA	Num	6	86	1.	BEST22.	f26q9a2: Corticosteriod usage
44	18	MEDUSEB	Num	6	110	1.	BEST22.	f26q9b2: Methotrexate usage
45	22	MEDUSEC	Num	6	134	1.	BEST22.	f26q9c2: Azathioprine usage
46	26	MEDUSED	Num	6	158	1.	BEST22.	f26q9d2: Cyclosporine usage
47	30	MEDUSEE	Num	6	182	1.	BEST22.	f26q9e2: Immunosupp. usage
48	34	MEDUSEF	Num	6	206	1.	BEST22.	f26q9f2: Anti-malarial usage
49	39	MEDUSEH	Num	6	236	1.	BEST22.	f26q9h2: Medication H usage
50	43	MEDUSEI	Num	6	260	1.	BEST22.	f26q9i2: Medication I usage
51	47	MEDUSEJ	Num	6	284	1.	BEST22.	f26q9j2: Medication J usage
52	51	MEDUSEK	Num	6	308	1.	BEST22.	f26q9k2: Medication K usage
53	62	MED_CNTR	Num	6	374	1.	BEST22.	f26q15: Confidence in medication
54	66	MED_FRGT	Num	6	398	1.	BEST22.	f26q19: How often forget to take med
55	63	MED_NONE	Num	6	380	1.	BEST22.	f26q16: Chance of bad health without med
56	38	MED_OTH	Num	6	230	1.	BEST22.	f26q9g: Any other meds in 6 mos
57	12	MISAPTNO	Num	6	74	3.	3.	f26q8a: No. of appointments missed
58	13	MIS_REAS	Num	6	80	1.	BEST22.	f26q8b: Reason for missed appt.
59	8	NEED_MC	Num	6	50	1.	BEST22.	f26q6: Could not get care in past 6 mos
60	9	NEED_NO	Num	6	56	1.	3.	f26q6a: Number of times
61	68	NEWID	Num	8	0	Z5.1		Patient ID
62	59	NOMED	Num	6	356	1.	BEST22.	f26q12: Medication not affordable
63	56	NTAKDAYS	Num	6	338	1.	BEST22.	f26q10b: No. days med not taken
64	65	REMINDER	Num	6	392	1.	BEST22.	f26q18: People remind to take med
65	1	REV	Num	6	8	1.	BEST22.	REV
66	10	SPECPROV	Num	6	62	1.	BEST22.	f26q7: Usual doctor/specialist provides
67	67	SRC_CAUS	Num	6	404	1.	BEST22.	f26q20: Think something caused sarc.
68	57	TMORDAYS	Num	6	344	1.	BEST22.	f26q10c: No. days more med taken

Data Set Name: pairs.form30

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
1	4	CMPCXR	Num	6	44	1.	BEST22.	f30q4: Previous film for comparison
2	19	CMPCXRDY	Num	8	16	4.		f30q4: Days to comparison film
3	8	CXRADEN	Num	6	68	1.	BEST22.	f30q8 Adenopathy
4	7	CXRALVIN	Num	6	62	1.	BEST22.	f30q7 Alveolar infiltrates
5	10	CXRBLEBS	Num	6	80	1.	BEST22.	f30q10: Bullae or blebs
6	11	CXRCARDM	Num	6	86	1.	BEST22.	f30q11: Cardiomegaly
7	9	CXRHILAR	Num	6	74	1.	BEST22.	f30q9: Hilar retraction
8	6	CXRINTIN	Num	6	56	1.	BEST22.	f30q6: Interstitial infiltrates
9	5	CXRNORM	Num	6	50	1.	BEST22.	f30q5: Current film is normal
10	15	CXROTHAB	Num	6	110	1.	BEST22.	f30q15: Other abnormalities
11	14	CXRPLRAB	Num	6	104	1.	BEST22.	f30q14: Pleural abnormalities
12	12	CXRPULEN	Num	6	92	1.	BEST22.	f30q12: Pulmonary artery enlargement
13	13	CXRPULFB	Num	6	98	1.	BEST22.	f30q13: Pulmonary fibrosis
14	18	F30_DY	Num	8	8	4.		f30q2: Days to x-ray
15	3	FILMQUAL	Num	6	38	1.	BEST22.	f30q3: Film Quality
16	2	FMTYP	Char	4	122	\$4.	\$4.	FMTYP
17	17	NEWID	Num	8	0	Z5.1		Patient ID
18	20	READ_DY	Num	8	24	4.		f30q17: Days to reading
19	1	REV	Num	6	32	1.	BEST22.	REV
20	16	SCADDING	Num	6	116	1.	BEST22.	f30q16: Scadding group

Data Set Name: pairs.form31

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
1	10	BRFRNG	Num	6	216	1.	BEST22.	f31q10: Birefringent material present
2	5	BRONCBIO	Num	6	186	1.	BEST22.	f31q6: Transbronchial biospy
3	12	F31_DY	Num	8	8	4.		f31q2: Days to specimen examination
4	2	FMTYP	Char	4	222	\$4.	\$4.	FMTYP
5	6	LUNGSAMP	Num	6	192	2.	3.	f31q6a: No. of lung tissue samples
6	11	NEWID	Num	8	0	Z5.1		Patient ID
7	1	REV	Num	6	168	1.	BEST22.	REV
8	3	RSLT_EXM	Num	6	174	1.	BEST22.	f31q3: Noncaseating granuloma
9	4	RSLT_POS	Num	6	180	1.	BEST22.	f31q4: Single site for def pos
10	13	SITE1	Num	8	16			Skin
11	14	SITE2	Num	8	24			Mediastinal lymph node
12	15	SITE3	Num	8	32			Parotid/salivary gland
13	16	SITE4	Num	8	40			Conjunctivae
14	17	SITE5	Num	8	48			Lacrimal gland
15	18	SITE6	Num	8	56			Sinus
16	19	SITE7	Num	8	64			Nasopharynx
17	20	SITE8	Num	8	72			Trachea/main bronchi
18	21	SITE9	Num	8	80			Lung
19	22	SITE10	Num	8	88			Heart
20	23	SITE11	Num	8	96			Liver
21	24	SITE12	Num	8	104			Spleen
22	25	SITE13	Num	8	112			Gastrointestinal Tract
23	26	SITE14	Num	8	120			Muscle
24	27	SITE15	Num	8	128			Peripheral nervous system
25	28	SITE16	Num	8	136			Central nervous system
26	29	SITE17	Num	8	144			Kveim site
27	30	SITE18	Num	8	152			Other
28	31	SITE19	Num	8	160			Extrathoracic lymph node
29	7	STAINEGA	Num	6	198	1.	BEST22.	f31q7: Neg stains for histoplasmosis
30	8	STAINGB	Num	6	204	1.	BEST22.	f31q8: Neg stains for other fungal
31	9	STAINEGC	Num	6	210	1.	BEST22.	f31q9: Neg stains for tuberculosis

Data Set Name: pairs.form32

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
1	2	AREALAV	Num	6	22	1.	BEST22.	f32q3: Area lavaged
2	6	ASP20ML	Num	6	46	1.	BEST22.	f32q7: First 20ml included
3	7	ASPGAUZE	Num	6	52	1.	BEST22.	f32q8: Asp fluid passed through gauze
4	5	ASPTECH	Num	6	40	1.	BEST22.	f32q6: Aspiration technique
5	10	BACTSPEC	Num	6	70	1.	BEST22.	f32q9c: Bacterial culture
6	32	BALCNSNT	Num	6	202	1.	BEST22.	f32q19: BAL specimen consent
7	24	CD4CELL	Num	6	154	3.	3.	f32q15b: CD4+ %
8	25	CD4ND	Num	6	160	1.	BEST22.	f32q15b: CD4+ not done
9	26	CD8CELL	Num	6	166	3.	3.	f32q15c: CD8+ %
10	27	CD8ND	Num	6	172	1.	BEST22.	f32q15c: CD8+ not done
11	16	CELCNTA1	Num	6	106	3.	4.	f32q14a: Macrophages %
12	17	CELCNTB1	Num	6	112	3.	4.	f32q14b: Neutrophils %
13	18	CELLCNTC	Num	6	118	3.	3.	f32q14c: Bronchial (epithelial) %
14	19	CELLCNTD	Num	6	124	3.	3.	f32q14d: Lymphocytes %
15	20	CELLCNTE	Num	6	130	3.	3.	f32q14e: Eosinophils %
16	21	CELLOTHR	Num	6	136	3.	3.	f32q14f: Other %
17	15	CELL_CNT	Num	6	100	3.	4.	f32q13: Cell cnt of neat fluid 10**4/ml
18	13	CLCNMETH	Num	6	88	1.	BEST22.	f32q11: Method for cell count
19	11	CYTOSPEC	Num	6	76	1.	BEST22.	f32q9d: Cytology
20	12	CYTOSTAN	Num	6	82	1.	BEST22.	f32q10: Cytoentrifuge slide stain
21	34	F32_DY	Num	8	8	4.		f32q2: Days to BAL
22	3	FLUDINST	Num	6	28	3.	4.	f32q4: Vol of fluid instilled (ml)
23	4	FLUDWTDW	Num	6	34	3.	4.	f32q5: Vol of fluid withdrawn (ml)
24	9	FUNGSPEC	Num	6	64	1.	BEST22.	f32q9b: Fungal culture
25	14	LYMPMETH	Num	6	94	1.	BEST22.	f32q12: Method for lymphocyte pop
26	8	MYCOSPEC	Num	6	58	1.	BEST22.	f32q9a: Mycobacterial culture
27	33	NEWID	Num	8	0	Z5.1		Patient ID
28	22	NUCLCELL	Num	6	142	3.	3.	f32q15a: Mononuclear cells %
29	23	NUCLND	Num	6	148	1.	BEST22.	f32q15a: Mononuclear cells not done
30	30	PELLNUM	Num	6	190	3.	3.	f32q17: No. of cell pellets
31	31	PELLTEMP	Num	6	196	3.	3.	f32q17a: Storage temp for pellets (C)
32	1	REV	Num	6	16	1.	BEST22.	REV

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
33	28	SUPRNUM	Num	6	178	3.	3.	f32q16: No. of supernatant aliquots
34	29	SUPRTEMP	Num	6	184	3.	3.	f32q16a: Storage temp for aliquots (C)

Data Set Name: pairs.spirom

Obs	Num	Variable	Type	Len	Pos	Format	Label
1	1	BLFEVA_1	Num	8	0		f25q4: Pre-bronchodilators - FEV-1
2	3	BLFEVPRD	Num	8	16		FEV-1 predicted
3	2	BLFVCA	Num	8	8		f25q5: Pre-bronchodilators - FVC
4	5	BLFVCPRD	Num	8	32		FVC predicted
5	4	BLPERFEV	Num	8	24		FEV-1 % predicted
6	6	BLPERFVC	Num	8	40		FVC % predicted
7	7	BLRATIO1	Num	8	48		FEV-1/FVC (%)
8	8	NEWID	Num	8	56	Z5.1	Patient ID

Data Set Name: twoyr.form11

Obs	Num	Variable	Type	Len	Pos	Format	Label
1	2	FMTYP	Char	8	38	\$4.	Form Type
2	3	INTWTIME	Num	6	14	2.	f11q3: Time of interview
3	4	JOBHIST	Num	6	20	2.	f11q3a: Complete job history
4	6	JOBSTARD	Num	6	32	2.	f11q5: Current job status
5	5	JOBSTAT	Num	6	26	2.	f11q4: Job status at ref. date
6	7	NEWID	Num	8	0	Z5.1	Patient ID
7	1	REV	Num	6	8	1.	Form Revision

Data Set Name: twoyr.form24

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
1	24	ADEN_ANY	Num	6	152	1.	BEST22.	f24q12a: Any adenopathy
2	107	ALB_LT3	Num	6	650	1.	BEST22.	f24q46e: Albumin < 3.0 mg/dl
3	110	ALPH_ELV	Num	6	668	1.	BEST22.	f24q47b: Elevated alk phos
4	104	ALPH_GT3	Num	6	632	1.	BEST22.	f24q46b: Alk Phos > 3x ULN
5	79	ANLESION	Num	6	482	1.	BEST22.	f24q36d: Annular lesion
6	106	AST_ALT	Num	6	644	1.	BEST22.	f24q46d: AST/ALT > 3x ULN
7	33	BELPALSY	Num	6	206	1.	BEST22.	f24q16d: Bell's palsy
8	105	BILIRUB	Num	6	638	1.	BEST22.	f24q46c: Tot bili > 3x ULN
9	127	BNJNTEXT	Num	6	770	1.	BEST22.	f24q57: Extent of bone/jnt involvement
10	126	BNJNTINV	Num	6	764	1.	BEST22.	f24q56: Bone/joint involvement
11	113	BNMA_DEF	Num	6	686	1.	BEST22.	f24q50: Definite bone marrow involvement
12	112	BNMA_EXT	Num	6	680	1.	BEST22.	f24q49: Extent of bone marrow inv.
13	111	BNMA_INV	Num	6	674	1.	BEST22.	f24q48: Bone marrow involvement
14	118	BNMA_POS	Num	6	716	1.	BEST22.	f24q51: Possible bone marrow involvement
15	129	BONEBIO	Num	6	782	1.	BEST22.	f24q58a: Granulomas in bone biopsy
16	132	BONEPROB	Num	6	800	1.	BEST22.	f24q59: Probable bone/joint involvement
17	128	BONE_DEF	Num	6	776	1.	BEST22.	f24q58: Definite bone/joint involvement
18	133	BONE_POS	Num	6	806	1.	BEST22.	f24q60: Possible bone/joint involvement
19	35	BRAINBIO	Num	6	218	1.	BEST22.	f24q16f: Positive brain biopsy
20	157	CALCEXT	Num	6	950	1.	BEST22.	f24q76: Extent of CA metabolism inv.
21	156	CALCINV	Num	6	944	1.	BEST22.	f24q75: Calcium metabolism involvement
22	159	CALCPROB	Num	6	962	1.	BEST22.	f24q78: Probable CA metabolism inv.
23	158	CALC_DEF	Num	6	956	1.	BEST22.	f24q77: Definite CA metabolism inv.
24	162	CALC_POS	Num	6	980	1.	BEST22.	f24q79: Possible CA metabolism inv.
25	71	CARDBHYP	Num	6	434	1.	BEST22.	f24q33a: Cardiomyopathy
26	64	CARDIOMY	Num	6	392	1.	BEST22.	f24q31c: Trt. resp. cardiomyopathy
27	67	CARDPROB	Num	6	410	1.	BEST22.	f24q32: Probable cardiac involvement
28	61	CARD_DEF	Num	6	374	1.	BEST22.	f24q31: Definite cardiac involvement
29	60	CARD_EXT	Num	6	368	1.	BEST22.	f24q30: Extent of cardiac involvement
30	59	CARD_INV	Num	6	362	1.	BEST22.	f24q29: Cardiac involvement
31	70	CARD_POS	Num	6	428	1.	BEST22.	f24q33: Possible cardiac involvement
32	98	CATR	Num	6	596	1.	BEST22.	f24q43b: Cataract
33	90	CONJBIO	Num	6	548	1.	BEST22.	f24q41a: Positive conjunctiva biopsy

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
34	153	CPK_ALDO	Num	6	926	1.	BEST22.	f24q72b: Increased CPK/aldolase
35	34	CRNERDYS	Num	6	212	1.	BEST22.	f24q16e: Cranial nerve dysfunction
36	15	CR_BHA	Num	6	98	1.	BEST22.	f24q10d: Roentgenogram w/ adenopathy
37	16	CR_DI	Num	6	104	1.	BEST22.	f24q10e: Roentgenogram w/ infiltrates
38	17	CR_ULF	Num	6	110	1.	BEST22.	f24q10f: Roentagenogram w/ fibrosis
39	31	CSF	Num	6	194	1.	BEST22.	f24q16b: CSF w/inc lymphocytes/protein
40	124	CTSCENLG	Num	6	752	1.	BEST22.	f24q55b: Enlargement by CT scan
41	109	CT_SCAN	Num	6	662	1.	BEST22.	f24q47a: Compatible CT scan
42	182	CUR_BNJT	Num	6	1100	1.	BEST22.	f24q82j: Bone/joints - ever
43	180	CUR_BNMA	Num	6	1088	1.	BEST22.	f24q82h: Bone marrow - ever
44	176	CUR_CARD	Num	6	1064	1.	BEST22.	f24q82d: Cardiac - ever
45	186	CUR_ENDO	Num	6	1124	1.	BEST22.	f24q82n: Endocrine - ever
46	183	CUR_ENT	Num	6	1106	1.	BEST22.	f24q82k: Ear/nose/throat - ever
47	178	CUR_EYES	Num	6	1076	1.	BEST22.	f24q82f: Eyes - ever
48	175	CUR_KIDN	Num	6	1058	1.	BEST22.	f24q82c: Kidney - ever
49	179	CUR_LIVR	Num	6	1082	1.	BEST22.	f24q82g: Liver - ever
50	185	CUR_MUSC	Num	6	1118	1.	BEST22.	f24q82m: Muscles - ever
51	173	CUR_NEUR	Num	6	1046	1.	BEST22.	f24q82a: Neurologic - ever
52	174	CUR_NTLN	Num	6	1052	1.	BEST22.	f24q82b: Non-thoracic lymph - ever
53	184	CUR_PSG	Num	6	1112	1.	BEST22.	f24q82l: Parotid/Salivary - ever
54	177	CUR_SKIN	Num	6	1070	1.	BEST22.	f24q82e: Skin - ever
55	181	CUR_SPLN	Num	6	1094	1.	BEST22.	f24q82i: Spleen - ever
56	131	CYSTCHG	Num	6	794	1.	BEST22.	f24q58c: Cystic changes on phalanges
57	8	DBP	Num	6	56	3.	4.	f24q7b: Diastolic blood pressure (mm Hg)
58	32	DIABINSI	Num	6	200	1.	BEST22.	f24q16c: Diabetes insipidus
59	140	DIZZINES	Num	6	848	1.	BEST22.	f24q65b: New onset dizziness
60	36	DURABIO	Num	6	224	1.	BEST22.	f24q16g: Positive dura biopsy
61	165	DYSP_LEV	Num	6	998	1.	BEST22.	f24q80: Level of dyspnea
62	41	EMG_POS	Num	6	254	1.	BEST22.	f24q17c: Positive EMG
63	136	ENT_DEF	Num	6	824	1.	BEST22.	f24q63: Definite ENT involvement
64	135	ENT_EXT	Num	6	818	1.	BEST22.	f24q62: Extent of ENT involvement
65	134	ENT_INV	Num	6	812	1.	BEST22.	f24q61: Ear/Nose/Throat involvement
66	138	ENT_POS	Num	6	836	1.	BEST22.	f24q65: Possible ENT involvement
67	137	ENT_PROB	Num	6	830	1.	BEST22.	f24q64: Probable ENT involvement
68	78	ERYTHNOD	Num	6	476	1.	BEST22.	f24q36c: Erythema nodosum
69	123	EXAMENLG	Num	6	746	1.	BEST22.	f24q55a: Enlargement by examination

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
70	89	EYE_DEF	Num	6	542	1.	BEST22.	f24q41: Definite eye involvement
71	88	EYE_EXT	Num	6	536	1.	BEST22.	f24q40: Extent of eye involvement
72	87	EYE_INV	Num	6	530	1.	BEST22.	f24q39: Eye involvement
73	96	EYE_POS	Num	6	584	1.	BEST22.	f24q43: Possible eye involvement
74	95	EYE_PROB	Num	6	578	1.	BEST22.	f24q42: Probable eye involvement
75	204	F24_DY	Num	8	24	4.		f24q2: Days to examination
76	2	FMTYP	Char	4	1226	\$4.	\$4.	FMTYP
77	147	GALSCAN	Num	6	890	1.	BEST22.	f24q68d: Positive gallium scan
78	66	GALSCNHT	Num	6	404	1.	BEST22.	f24q31e: Positive gallium heart scan
79	97	GLAU	Num	6	590	1.	BEST22.	f24q43a: Glaucoma
80	114	GRANBONE	Num	6	692	1.	BEST22.	f24q50a: Granulomas in bone marrow
81	152	GRANMUSC	Num	6	920	1.	BEST22.	f24q72a: Granulomas in muscle
82	43	HEADACHE	Num	6	266	1.	BEST22.	f24q18a: Unexplained headaches
83	62	HRTBIO	Num	6	380	1.	BEST22.	f24q31a: Positive heart biopsy
84	5	HRTRATE	Num	6	38	3.	4.	f24q5: Heart rate (beats/min)
85	3	HT	Num	8	0	5.1	7.1	f24q3: Height (cm)
86	86	HYPERPIG	Num	6	524	1.	BEST22.	f24q38c: Hyperpigmentation
87	85	HYPOPIG	Num	6	518	1.	BEST22.	f24q38b: Hypopigmentation
88	160	INCURCAL	Num	6	968	1.	BEST22.	f24q78a: Increased urine calcium
89	65	IVCDNOBK	Num	6	398	1.	BEST22.	f24q31d: EKG showed IVCD/nodal block
90	84	KELOIDS	Num	6	512	1.	BEST22.	f24q38a: Keloids
91	55	KIDNBIO	Num	6	338	1.	BEST22.	f24q26a: Positive kidney biopsy
92	92	LACGLSW	Num	6	560	1.	BEST22.	f24q41c: Lacrimal gland swelling
93	116	LEUKOP	Num	6	704	1.	BEST22.	f24q50c: Leukopenia
94	103	LIVRBIO	Num	6	626	1.	BEST22.	f24q46a: Positive liver biopsy
95	108	LIVRPROB	Num	6	656	1.	BEST22.	f24q47: Probable liver involvement
96	102	LIVR_DEF	Num	6	620	1.	BEST22.	f24q46: Definite liver involvement
97	101	LIVR_EXT	Num	6	614	1.	BEST22.	f24q45: Extent of liver involvement
98	100	LIVR_INV	Num	6	608	1.	BEST22.	f24q44: Liver involvement
99	50	LN_GT2CM	Num	6	308	1.	BEST22.	f24q22b: Lymph node > 2cm
100	12	LUNGBIO	Num	6	80	1.	BEST22.	f24q10a: Positive lung biopsy
101	19	LUNGPROB	Num	6	122	1.	BEST22.	f24q11: Probable lung involvement
102	11	LUNG_DEF	Num	6	74	1.	BEST22.	f24q10: Definite lung involvement
103	10	LUNG_EXT	Num	6	68	1.	BEST22.	f24q9: Extent of lung involvement
104	9	LUNG_INV	Num	6	62	1.	BEST22.	f24q8: Lung involvement
105	23	LUNG_POS	Num	6	146	1.	BEST22.	f24q12: Possible lung involvement

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
106	77	LUP_PERN	Num	6	470	1.	BEST22.	f24q36b: Lupus pernio
107	13	LYMNOBIO	Num	6	86	1.	BEST22.	f24q10b: Positive mediastinal biopsy
108	46	LYMNOEXT	Num	6	284	1.	BEST22.	f24q20: Extent of lymph node inv.
109	45	LYMNOINV	Num	6	278	1.	BEST22.	f24q19: Non-thoracic lymph node inv.
110	20	LYMP_ALV	Num	6	128	1.	BEST22.	f24q11a: Lymphocytic alveolitis
111	47	LYM_DEF	Num	6	290	1.	BEST22.	f24q21: Definite lymph node involvement
112	51	LYM_POS	Num	6	314	1.	BEST22.	f24q23: Possible lymph node involvement
113	48	LYM_PROB	Num	6	296	1.	BEST22.	f24q22: Probable lymph node involvement
114	81	MAPAPLES	Num	6	494	1.	BEST22.	f24q37a: Macular papular lesions
115	39	MRI_ABN	Num	6	242	1.	BEST22.	f24q17a: Other abnormalities on MRI
116	30	MRI_POS	Num	6	188	1.	BEST22.	f24q16a: Positive MRI
117	154	MUSCPROB	Num	6	932	1.	BEST22.	f24q73: Probable muscle involvement
118	151	MUSC_DEF	Num	6	914	1.	BEST22.	f24q72: Definite muscle involvement
119	150	MUSC_EXT	Num	6	908	1.	BEST22.	f24q71: Extent of muscle involvement
120	149	MUSC_INV	Num	6	902	1.	BEST22.	f24q70: Muscle involvement
121	155	MUSC_POS	Num	6	938	1.	BEST22.	f24q74: Possible muscle involvement
122	161	NEPHANAL	Num	6	974	1.	BEST22.	f24q78b: Nephrolithiasis analysis
123	163	NEPH_NSA	Num	6	986	1.	BEST22.	f24q79a: Nephrolithiasis - no stone
124	164	NEPNEGHS	Num	6	992	1.	BEST22.	f24q79b: Nephrolithiasis - neg history
125	38	NEURPROB	Num	6	236	1.	BEST22.	f24q17: Probable neurological inv.
126	40	NEURUNXP	Num	6	248	1.	BEST22.	f24q17b: Unexplained neuropathy
127	29	NEUR_DEF	Num	6	182	1.	BEST22.	f24q16: Definite neurological inv.
128	28	NEUR_EXT	Num	6	176	1.	BEST22.	f24q15: Extent of neurological inv.
129	27	NEUR_INV	Num	6	170	1.	BEST22.	f24q14: Neurological involvement
130	42	NEUR_POS	Num	6	260	1.	BEST22.	f24q18: Possible neurological inv.
131	203	NEWID	Num	8	16	Z5.1		Patient ID
132	82	NEWNOD	Num	6	500	1.	BEST22.	f24q37b: New nodules
133	68	NOCARVTR	Num	6	416	1.	BEST22.	f24q32a: Ventricular arrhythmias
134	26	NTHORINV	Num	6	164	1.	BEST22.	f24q13: Non-thoracic involvement
135	69	NUCLSCAN	Num	6	422	1.	BEST22.	f24q32b: Positive nuclear medicine scan
136	94	OPTINEUR	Num	6	572	1.	BEST22.	f24q41e: Optic neuritis
137	49	PALPNOD	Num	6	302	1.	BEST22.	f24q22a: New palpable node above waist
138	144	PAROTBIO	Num	6	872	1.	BEST22.	f24q68a: Positive parotid biopsy
139	143	PAROTDEF	Num	6	866	1.	BEST22.	f24q68: Definite parotid/salivary inv.
140	148	PAROTPOS	Num	6	896	1.	BEST22.	f24q69: Possible parotid/salivary inv.
141	142	PASALEXT	Num	6	860	1.	BEST22.	f24q67: Extent of parotid/salivary inv.

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
142	141	PASALINV	Num	6	854	1.	BEST22.	f24q66: Parotid/salivary involvement
143	63	PERICBIO	Num	6	386	1.	BEST22.	f24q31b: Positive pericardium biopsy
144	25	PFTS_OBS	Num	6	158	1.	BEST22.	f24q12b: Obstructive PFTs
145	14	PLEURBIO	Num	6	92	1.	BEST22.	f24q10c: Positive pleura biopsy
146	37	PNERVBIO	Num	6	230	1.	BEST22.	f24q16h: Pos peripheral nerve biopsy
147	44	PNERVRAD	Num	6	272	1.	BEST22.	f24q18b: Peripheral nerve radiculopathy
148	21	PULM_INF	Num	6	134	1.	BEST22.	f24q11b: Any pulmonary infiltrates
149	125	RADSCELG	Num	6	758	1.	BEST22.	f24q55c: Enlrgmnt by radioisotope scan
150	22	RDU_DLCO	Num	6	140	1.	BEST22.	f24q11c: Isolated reduced DLCO
151	53	RENALEXT	Num	6	326	1.	BEST22.	f24q25: Extent of renal involvement
152	52	RENALINV	Num	6	320	1.	BEST22.	f24q24: Renal involvement
153	57	RENLPROB	Num	6	350	1.	BEST22.	f24q27: Probable renal involvement
154	54	RENL_DEF	Num	6	332	1.	BEST22.	f24q26: Definite renal involvement
155	58	RENL_POS	Num	6	356	1.	BEST22.	f24q28: Possible renal involvement
156	56	REN_FAIL	Num	6	344	1.	BEST22.	f24q26b: Trt responsive renal failure
157	6	RESPRATE	Num	6	44	3.	3.	f24q6: Resp rate (breaths/min)
158	1	REV	Num	6	32	1.	BEST22.	REV
159	167	RF_ALINF	Num	6	1010	1.	BEST22.	f24q81b: Radiographic - alveolar inf.
160	166	RF_HIADA	Num	6	1004	1.	BEST22.	f24q81a: Radiographic - hilar adenopathy
161	168	RF_INTIN	Num	6	1016	1.	BEST22.	f24q81c: Radiographic - interstitial inf
162	171	RF_MYCET	Num	6	1034	1.	BEST22.	f24q81f: Radiographic - mycetoma
163	172	RF_OTH	Num	6	1040	1.	BEST22.	f24q81g: Radiographic - other
164	169	RF_PUHYP	Num	6	1022	1.	BEST22.	f24q81d: Radiographic - pulmonary hyp
165	170	RF_ST4DI	Num	6	1028	1.	BEST22.	f24q81e: Radiographic - stage 4
166	18	RST_PFTS	Num	6	116	1.	BEST22.	f24q10g: Restriction on PFTs
167	145	SALGLBIO	Num	6	878	1.	BEST22.	f24q68b: Pos. salivary gland biopsy
168	7	SBP	Num	6	50	3.	4.	f24q7a: Systolic blood pressure (mm Hg)
169	91	SCLERBIO	Num	6	554	1.	BEST22.	f24q41b: positive sclera biopsy
170	196	SEV_BNJT	Num	6	1184	1.	BEST22.	f24q83j: Bone/joints - severity
171	194	SEV_BNMA	Num	6	1172	1.	BEST22.	f24q83h: Bone marrow - severity
172	190	SEV_CARD	Num	6	1148	1.	BEST22.	f24q83d: Cardiac - severity
173	200	SEV_ENDO	Num	6	1208	1.	BEST22.	f24q83n: Endocrine - severity
174	197	SEV_ENT	Num	6	1190	1.	BEST22.	f24q83k: Ear/nose/throat - severity
175	192	SEV_EYES	Num	6	1160	1.	BEST22.	f24q83f: Eyes - severity
176	189	SEV_KIDN	Num	6	1142	1.	BEST22.	f24q83c: Kidney - severity
177	193	SEV_LIVR	Num	6	1166	1.	BEST22.	f24q83g: Liver - severity

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
178	199	SEV_MUSC	Num	6	1202	1.	BEST22.	f24q83m: Muscles - severity
179	187	SEV_NEUR	Num	6	1130	1.	BEST22.	f24q83a: Neurologic - severity
180	188	SEV_NTLN	Num	6	1136	1.	BEST22.	f24q83b: Non-thoracic lymph - severity
181	198	SEV_PSG	Num	6	1196	1.	BEST22.	f24q83l: Parotid/Salivary - severity
182	191	SEV_SKIN	Num	6	1154	1.	BEST22.	f24q83e: Skin - severity
183	195	SEV_SPLN	Num	6	1178	1.	BEST22.	f24q83i: Spleen - severity
184	99	SICCA	Num	6	602	1.	BEST22.	f24q43c: Sicca (dry eyes)
185	139	SINUSIT	Num	6	842	1.	BEST22.	f24q65a: New onset sinusitis
186	76	SKINBIO	Num	6	464	1.	BEST22.	f24q36a: Positive skin biopsy
187	80	SKINPROB	Num	6	488	1.	BEST22.	f24q37: Probable skin involvement
188	75	SKIN_DEF	Num	6	458	1.	BEST22.	f24q36: Definite skin involvement
189	74	SKIN_EXT	Num	6	452	1.	BEST22.	f24q35: Extent of skin involvement
190	73	SKIN_INV	Num	6	446	1.	BEST22.	f24q34: Skin involvement
191	83	SKIN_POS	Num	6	506	1.	BEST22.	f24q38: Possible skin involvement
192	122	SPLNPROB	Num	6	740	1.	BEST22.	f24q55: Probable spleen involvement
193	121	SPLN_DEF	Num	6	734	1.	BEST22.	f24q54: Definite spleen involvement
194	120	SPLN_EXT	Num	6	728	1.	BEST22.	f24q53: Extent of spleen involvement
195	119	SPLN_INV	Num	6	722	1.	BEST22.	f24q52: Spleen involvement
196	146	SYMPAROT	Num	6	884	1.	BEST22.	f24q68c: Symmetrical parotitis
197	130	SYNOVBIO	Num	6	788	1.	BEST22.	f24q58b: Granulomas in synovium biopsy
198	117	THROMBOC	Num	6	710	1.	BEST22.	f24q50d: Thrombocytopenia
199	201	TRT_SARC	Num	6	1214	1.	BEST22.	f24q84: Currently on trt for sarc
200	115	UNEXANEM	Num	6	698	1.	BEST22.	f24q50b: Unexplained anemia
201	93	UVEIT	Num	6	566	1.	BEST22.	f24q41d: Uveitis
202	72	VENTARRH	Num	6	440	1.	BEST22.	f24q33b: Ventricular arrhythmias
203	202	WHEN_PHY	Num	6	1220	1.	BEST22.	f24q88: When physical exam performed
204	4	WT	Num	8	8	5.1	7.1	f24q4: Weight (kg)

Data Set Name: twoyr.form25

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
1	27	ALBUMIN	Num	8	72	4.1	5.1	f25q27: Albumin (g/dL)
2	28	ALKPHOSP	Num	6	232	3.	4.	f25q28: Alkaline phosphatase (IU/L)
3	31	ALT	Num	6	244	3.	4.	f25q31: ALT (IU/L)
4	30	AST	Num	6	238	3.	4.	f25q30: AST (IU/L)
5	23	BICARBON	Num	6	214	3.	3.	f25q23: Bicarbonate (mEq/L)
6	25	BUN	Num	6	220	3.	3.	f25q25: BUN (mg/dL)
7	32	CALCIUM	Num	8	88	4.1	6.1	f25q32: Calcium (mg/dL)
8	36	CBC_DY	Num	8	120	4.		f25q9: Days to CBC
9	22	CHLORIDE	Num	6	208	3.	4.	f25q22: Chloride (mEq/L)
10	24	CREATIN	Num	8	64	4.1	5.1	f25q24: Creatinine (mg/dL)
11	17	EOSINOPH	Num	6	184	3.	3.	f25q17: Eosinophil (%)
12	4	FEVA_1	Num	8	0	4.2	6.2	f25q4: Pre-bronchodilators - FEV-1 (L)
13	7	FEVB_1	Num	8	16	4.2	6.2	f25q7: Post-bronchodilators - FEV-1 (L)
14	2	FMTYP	Char	4	250	\$4.	\$4.	FMTYP
15	5	FVCA	Num	8	8	4.2	6.2	f25q5: Pre-bronchodilators - FVC (L)
16	8	FVCB	Num	8	24	4.2	6.2	f25q8: Post-bronchodilators - FVC (L)
17	26	GLUCOSE	Num	6	226	3.	4.	f25q26: Glucose (mg/dL)
18	12	HEMA	Num	8	48	4.1	6.1	f25q12: Hematocrit (%)
19	11	HGB	Num	8	40	4.1	6.1	f25q11: HGB (g/dL)
20	37	LAB_DY	Num	8	128	4.		f25q19: Days to lab chemistries
21	15	LYMPHO	Num	6	172	3.	3.	f25q15: Lymphocytes (%)
22	16	MONOCYTE	Num	6	178	3.	3.	f25q16: Monocytes (%)
23	9	NDCBC	Num	6	154	1.	BEST22.	f25q9: CBC not done
24	19	NDCHEM	Num	6	196	1.	BEST22.	f25q19: Lab chemistries not done
25	6	NDPB	Num	6	148	1.	BEST22.	f25q6: Post-bronc. spirometry not done
26	3	NDTST	Num	6	142	1.	BEST22.	f25q3: Spirometry test not done
27	14	NEUTRO	Num	6	166	3.	3.	f25q14: Neutrophils, include bands (%)
28	34	NEWID	Num	8	104	Z5.1		Patient ID
29	18	OTHLAB	Num	6	190	3.	3.	f25q18: Other differential (%)
30	13	PLAT	Num	6	160	3.	4.	f25q13: Platelets (10**3/mm**3)
31	21	POTAS	Num	8	56	4.1	5.1	f25q21: Potassium (mEq/L)
32	1	REV	Num	6	136	1.	BEST22.	REV
33	20	SODIUM	Num	6	202	3.	4.	f25q20: Sodium (mEq/L)

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
34	29	TOT_BIL	Num	8	80	4.1	5.1	f25q29: Total bilirubin (mg/dL)
35	33	TOT_PROT	Num	8	96	4.1	6.1	f25q33: Total protein (g/dL)
36	35	TST_DY	Num	8	112	4.		f25q3: Days to spirometry test
37	10	WBC	Num	8	32	4.1	6.1	f25q10: WBC (10**3/mm**3)

Data Set Name: twoyr.form30

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
1	4	CMPCXR	Num	6	44	1.	BEST22.	f30q4: Previous film for comparison
2	19	CMPCXRDY	Num	8	16	4.		f30q4: Days to comparison film
3	8	CXRADEN	Num	6	68	1.	BEST22.	f30q8 Adenopathy
4	7	CXRALVIN	Num	6	62	1.	BEST22.	f30q7 Alveolar infiltrates
5	10	CXRBLEBS	Num	6	80	1.	BEST22.	f30q10: Bullae or blebs
6	11	CXRCARDM	Num	6	86	1.	BEST22.	f30q11: Cardiomegaly
7	9	CXRHILAR	Num	6	74	1.	BEST22.	f30q9: Hilar retraction
8	6	CXRINTIN	Num	6	56	1.	BEST22.	f30q6: Interstitial infiltrates
9	5	CXRNORM	Num	6	50	1.	BEST22.	f30q5: Current film is normal
10	15	CXROTHAB	Num	6	110	1.	BEST22.	f30q15: Other abnormalities
11	14	CXRPLRAB	Num	6	104	1.	BEST22.	f30q14: Pleural abnormalities
12	12	CXRPULEN	Num	6	92	1.	BEST22.	f30q12: Pulmonary artery enlargement
13	13	CXRPULFB	Num	6	98	1.	BEST22.	f30q13: Pulmonary fibrosis
14	18	F30_DY	Num	8	8	4.		f30q2: Days to x-ray
15	3	FILMQUAL	Num	6	38	1.	BEST22.	f30q3: Film Quality
16	2	FMTYP	Char	4	122	\$4.	\$4.	FMTYP
17	17	NEWID	Num	8	0	Z5.1		Patient ID
18	20	READ_DY	Num	8	24	4.		f30q17: Days to reading
19	1	REV	Num	6	32	1.	BEST22.	REV
20	16	SCADDING	Num	6	116	1.	BEST22.	f30q16: Scadding group

Data Set Name: twoyr.form35

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
1	11	AFCTABIL	Num	5	67	1.	BEST22.	f35q6: Sarc affects ability to get ins
2	10	AFCTCOS1	Num	5	62	1.	BEST22.	f35q5: Sarc affects cost of insurance
3	32	APPT_NO	Num	5	172	2.	3.	f35q14: Appts for sarcoidosis
4	22	COST_WRY	Num	5	122	1.	BEST22.	f35q10: Worry about cost
5	139	DONTKNOW	Num	5	707	1.	BEST22.	f35q27a: Don't know what will happen
6	130	FRGTDAYS	Num	5	662	1.	BEST22.	f35q20a: Days forgot to take meds
7	141	FRGTOFT	Num	5	717	1.	BEST22.	f35q29: How often forget meds
8	18	HLTCARE1	Num	5	102	1.	BEST22.	f35q9a1/9a2: Lack of money/too far
9	19	HLTCARE2	Num	5	107	1.	BEST22.	see 9a1
10	20	HLTCARE3	Num	5	112	1.	BEST22.	f35q9a3: Couldn't get appointment
11	21	HLTCARE4	Num	5	117	1.	BEST22.	f35q9a4: Some other reason
12	2	HLTINSR	Num	5	22	1.	BEST22.	f35q3: Current health insurance
13	3	HLTPLAN1	Num	5	27	1.	BEST22.	f35q3a: Pay less for certain MDs
14	4	HLTPLAN2	Num	5	32	1.	BEST22.	f35q3b: Pay less for certain clinics
15	5	HLTPLAN3	Num	5	37	1.	BEST22.	f35q3c: Limits choice of specialist
16	12	HLTPLCE1	Num	5	72	1.	BEST22.	f35q7: Go to one particular place
17	14	HLTPLCE2	Num	5	82	1.	BEST22.	f35q7b: Place patient would go to
18	13	HLTTYPE1	Num	5	77	1.	BEST22.	f35q7a: Type of place
19	15	HLTTYPE2	Num	5	87	1.	BEST22.	f35q7c: Type of place
20	16	HLT_PHYS	Num	5	92	1.	BEST22.	f35q8: Regular doctor
21	30	HOW_NEED	Num	5	162	2.	3.	f35q12a: How many times?
22	23	HOW_WRY	Num	5	127	2.	3.	f35q10a: How many times?
23	135	INTAKLES	Num	5	687	1.	BEST22.	f35q23: Reason for taking less
24	136	INTAKMED	Num	5	692	1.	BEST22.	f35q24: Doctor asked about adherence
25	6	LMTCAR1	Num	5	42	1.	BEST22.	f35q4: Ins limits care for sarc
26	9	LMTMED1	Num	5	57	1.	BEST22.	f35q4c: Ins limits medication for sarc
27	7	LMTSPEC1	Num	5	47	1.	BEST22.	f35q4a: Ins limits access to spec
28	8	LMTTEST1	Num	5	52	1.	BEST22.	f35q4b: Ins limits tests for sarc
29	72	MEDDURA	Num	5	372	1.	BEST22.	f35q17a3: Oral corticosteroid duration
30	76	MEDDURB	Num	5	392	1.	BEST22.	f35q17b3: Methotrexate duration
31	80	MEDDURC	Num	5	412	1.	BEST22.	f35q17c3: Azathioprine duration
32	84	MEDDURD	Num	5	432	1.	BEST22.	f35q17d3: Cyclosporine duration
33	88	MEDDURE	Num	5	452	1.	BEST22.	f35q17e3: Immunosuppressives duration

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
34	92	MEDDURF	Num	5	472	1.	BEST22.	f35q17f3: Anti-malarial duration
35	97	MEDDURH	Num	5	497	1.	BEST22.	f35q17h3: Medication H duration
36	101	MEDDURI	Num	5	517	1.	BEST22.	f35q17i3: Medication I duration
37	105	MEDDURJ	Num	5	537	1.	BEST22.	f35q17j3: Medication J duration
38	109	MEDDURK	Num	5	557	1.	BEST22.	f35q17k3: Medication K duration
39	73	MEDFREQA	Num	5	377	1.	BEST22.	f35q17a4: Oral corticosteriod frequency
40	77	MEDFREQB	Num	5	397	1.	BEST22.	f35q17b4: Methotrexate frequency
41	81	MEDFREQC	Num	5	417	1.	BEST22.	f35q17c4: Azathioprine frequency
42	85	MEDFREQD	Num	5	437	1.	BEST22.	f35q17d4: Cyclosporine frequency
43	89	MEDFREQE	Num	5	457	1.	BEST22.	f35q17e4: Immunosuppressives frequency
44	93	MEDFREQF	Num	5	477	1.	BEST22.	f35q17f4: Anti-malarial frequency
45	98	MEDFREQH	Num	5	502	1.	BEST22.	f35q17h4: Medication H frequency
46	102	MEDFREQI	Num	5	522	1.	BEST22.	f35q17i4: Medication I frequency
47	106	MEDFREQJ	Num	5	542	1.	BEST22.	f35q17j4: Medication J frequency
48	110	MEDFREQK	Num	5	562	1.	BEST22.	f35q17k4: Medication K frequency
49	112	MEDRESL	Num	5	572	1.	BEST22.	f35q17l: Prednisone in last 12 months
50	74	MEDRESPA	Num	5	382	1.	BEST22.	f35q17a6: Oral corticosteriod response
51	78	MEDRESPB	Num	5	402	1.	BEST22.	f35q17b6: Methotrexate response
52	82	MEDRESPC	Num	5	422	1.	BEST22.	f35q17c6: Azathioprine response
53	86	MEDRESPD	Num	5	442	1.	BEST22.	f35q17d6: Cyclosporine response
54	90	MEDRESPE	Num	5	462	1.	BEST22.	f35q17e6: Immunosuppressives response
55	94	MEDRESPF	Num	5	482	1.	BEST22.	f35q17f6: Anti-malarial response
56	99	MEDRESPH	Num	5	507	1.	BEST22.	f35q17h6: Medication H response
57	103	MEDRESPI	Num	5	527	1.	BEST22.	f35q17i6: Medication I response
58	107	MEDRESPJ	Num	5	547	1.	BEST22.	f35q17j6: Medication J response
59	111	MEDRESPK	Num	5	567	1.	BEST22.	f35q17k6: Medication K response
60	71	MEDUSEA	Num	5	367	1.	BEST22.	f35q17a2: Oral corticosteriod usage
61	75	MEDUSEB	Num	5	387	1.	BEST22.	f35q17b2: Methotrexate usage
62	79	MEDUSEC	Num	5	407	1.	BEST22.	f35q17c2: Azathioprine usage
63	83	MEDUSED	Num	5	427	1.	BEST22.	f35q17d2: Cyclosporine usage
64	87	MEDUSEE	Num	5	447	1.	BEST22.	f35q17e2: Immunosuppressives usage
65	91	MEDUSEF	Num	5	467	1.	BEST22.	f35q17f2: Anti-malarial usage
66	96	MEDUSEH	Num	5	492	1.	BEST22.	f35q17h2: Medication H usage
67	100	MEDUSEI	Num	5	512	1.	BEST22.	f35q17i2: Medication I usage
68	104	MEDUSEJ	Num	5	532	1.	BEST22.	f35q17j2: Medication J usage
69	108	MEDUSEK	Num	5	552	1.	BEST22.	f35q17k2: Medication K usage

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
70	137	MED_CNTR	Num	5	697	1.	BEST22.	f35q25: Med can control sarc
71	24	MED_DIFF	Num	5	132	1.	BEST22.	f35q11: Difficulty with prescription
72	133	MED_FRGT	Num	5	677	1.	BEST22.	f35q21: Take medicine as directed
73	29	MED_NEED	Num	5	157	1.	BEST22.	f35q12: Could not get care for sarc
74	138	MED_NONE	Num	5	702	1.	BEST22.	f35q26: Something bad will happen
75	95	MED_OTH	Num	5	487	1.	BEST22.	f35q17g: Other medication since baseline
76	113	MINTAKA	Num	5	577	1.	BEST22.	f35q18a: Lungs
77	114	MINTAKB	Num	5	582	1.	BEST22.	f35q18b: Nervous System
78	115	MINTAKC	Num	5	587	1.	BEST22.	f35q18c: Lymph Nodes outside chest
79	116	MINTAKD	Num	5	592	1.	BEST22.	f35q18d: Eyes
80	117	MINTAKE	Num	5	597	1.	BEST22.	f35q18e: Skin
81	118	MINTAKF	Num	5	602	1.	BEST22.	f35q18f: Heart
82	119	MINTAKG	Num	5	607	1.	BEST22.	f35q18g: Liver
83	120	MINTAKH	Num	5	612	1.	BEST22.	f35q18h: Spleen
84	121	MINTAKI	Num	5	617	1.	BEST22.	f35q18i: Bone marrow/abnormal blood cnt
85	122	MINTAKJ	Num	5	622	1.	BEST22.	f35q18j: Kidneys
86	123	MINTAKK	Num	5	627	1.	BEST22.	f35q18k: Bones/joints
87	124	MINTAKL	Num	5	632	1.	BEST22.	f35q18l: Muscles
88	125	MINTAKM	Num	5	637	1.	BEST22.	f35q18m: Ears/nose/throat/sinuses
89	126	MINTAKN	Num	5	642	1.	BEST22.	f35q18n: Paratoid salivary glands
90	127	MINTAKO	Num	5	647	1.	BEST22.	f35q18o: Incr calcium/Kidney stones
91	128	MINTAKP	Num	5	652	1.	BEST22.	f35q18p: Fever/fatigue/weight loss
92	129	MINTAKQ	Num	5	657	1.	BEST22.	f35q18q: Other
93	143	MINT_DY	Num	8	8			f35q19: Days to first took meds
94	33	MISAPTNO	Num	5	177	2.	3.	f35q14a: Missed appts
95	34	MIS_REAS	Num	5	182	1.	BEST22.	f35q14b: Reason missed appt
96	36	MPROB1	Num	5	192	1.	BEST22.	f35q15a1: Lungs
97	37	MPROB2	Num	5	197	1.	BEST22.	f35q15a2: Nervous System
98	38	MPROB3	Num	5	202	1.	BEST22.	f35q15a3: Lymph Nodes outside chest
99	39	MPROB4	Num	5	207	1.	BEST22.	f35q15a4: Eyes
100	40	MPROB5	Num	5	212	1.	BEST22.	f35q15a5: Skin
101	41	MPROB6	Num	5	217	1.	BEST22.	f35q15a6: Heart
102	42	MPROB7	Num	5	222	1.	BEST22.	f35q15a7: Liver
103	43	MPROB8	Num	5	227	1.	BEST22.	f35q15a8: Spleen
104	44	MPROB9	Num	5	232	1.	BEST22.	f35q15a9: Bone marrow/abnormal blood cnt
105	45	MPROB10	Num	5	237	1.	BEST22.	f35q15a10: Kidneys

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
106	46	MPROB11	Num	5	242	1.	BEST22.	f35q15a11: Bones/joints
107	47	MPROB12	Num	5	247	1.	BEST22.	f35q15a12: Muscles
108	48	MPROB13	Num	5	252	1.	BEST22.	f35q15a13: Ears/nose/throat/sinuses
109	49	MPROB14	Num	5	257	1.	BEST22.	f35q15a14: Paratoid salivary glands
110	50	MPROB15	Num	5	262	1.	BEST22.	f35q15a15: Incr calcium/Kidney stones
111	51	MPROB16	Num	5	267	1.	BEST22.	f35q15a16: Fever/fatigue/weight loss
112	52	MPROB17	Num	5	272	1.	BEST22.	f35q15a17: Other
113	142	NEWID	Num	8	0	Z5.1		Patient ID
114	134	NOMED	Num	5	682	1.	BEST22.	f35q22: Could not afford medication
115	131	NTAKDAYS	Num	5	667	1.	BEST22.	f35q20b: Days did not take meds
116	35	ORGAFECT	Num	5	187	1.	BEST22.	f35q15: Sarc has affected organs
117	54	ORGPRB1	Num	5	282	1.	BEST22.	f35q16a1: Lungs
118	55	ORGPRB2	Num	5	287	1.	BEST22.	f35q16a2: Nervous System
119	56	ORGPRB3	Num	5	292	1.	BEST22.	f35q16a3: Lymph Nodes outside chest
120	57	ORGPRB4	Num	5	297	1.	BEST22.	f35q16a4: Eyes
121	58	ORGPRB5	Num	5	302	1.	BEST22.	f35q16a5: Skin
122	59	ORGPRB6	Num	5	307	1.	BEST22.	f35q16a6: Heart
123	60	ORGPRB7	Num	5	312	1.	BEST22.	f35q16a7: Liver
124	61	ORGPRB8	Num	5	317	1.	BEST22.	f35q16a8: Spleen
125	62	ORGPRB9	Num	5	322	1.	BEST22.	f35q16a9: Bone marrow/abnormal blood cnt
126	63	ORGPRB10	Num	5	327	1.	BEST22.	f35q16a10: Kidneys
127	64	ORGPRB11	Num	5	332	1.	BEST22.	f35q16a11: Bones/joints
128	65	ORGPRB12	Num	5	337	1.	BEST22.	f35q16a12: Muscles
129	66	ORGPRB13	Num	5	342	1.	BEST22.	f35q16a13: Ears/nose/throat/sinuses
130	67	ORGPRB14	Num	5	347	1.	BEST22.	f35q16a14: Paratoid salivary glands
131	68	ORGPRB15	Num	5	352	1.	BEST22.	f35q16a15: Incr calcium/Kidney stones
132	69	ORGPRB16	Num	5	357	1.	BEST22.	f35q16a16: Fever/fatigue/weight loss
133	70	ORGPRB17	Num	5	362	1.	BEST22.	f35q16a17: Other
134	25	REAS_MD1	Num	5	137	1.	BEST22.	f35q11a1: Cost
135	26	REAS_MD2	Num	5	142	1.	BEST22.	f35q11a2: Not needed or helpful
136	27	REAS_MD3	Num	5	147	1.	BEST22.	f35q11a3: Couldn't get to store
137	28	REAS_MD4	Num	5	152	1.	BEST22.	f35q11a4: Other
138	140	REMINDER	Num	5	712	1.	BEST22.	f35q28: Others give reminders
139	1	REV	Num	6	16	1.	BEST22.	REV
140	31	SARCCARE	Num	5	167	1.	BEST22.	f35q13: Specialist provides sarc care
141	132	TMORDAYS	Num	5	672	1.	BEST22.	f35q20c: Days took more meds

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
142	53	TRT_NEED	Num	5	277	1.	BEST22.	f35q16: Needed trt for sarc
143	17	WNTSEDOC	Num	5	97	1.	BEST22.	f35q9: Wanted, but could not see MD

Data Set Name: twoyr.form36

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
1	47	ADMIT_NO	Num	6	332	3.	3.	f36q19a: How many hospitalizations
2	74	ADMTA_DY	Num	8	8			f36q19b1: Days to admission A
3	75	ADMTB_DY	Num	8	16			f36q19b1: Days to admission B
4	76	ADMTC_DY	Num	8	24			f36q19b1: Days to admission C
5	77	ADMTD_DY	Num	8	32			f36q19b1: Days to admission D
6	78	ADMTE_DY	Num	8	40			f36q19b1: Days to admission E
7	79	ADMTF_DY	Num	8	48			f36q19b1: Days to admission F
8	60	CHD_SRC	Num	6	410	1.	BEST22.	f36q24a: Children affected since BL
9	48	EXPAPP	Num	6	338	1.	BEST22.	f36q20a: Increased appetite
10	50	EXPFRURN	Num	6	350	1.	BEST22.	f36q20c: Go to bathroom more frequently
11	53	EXPHB	Num	6	368	1.	BEST22.	f36q20f: Hearburn or stomach pain
12	49	EXPSLP	Num	6	344	1.	BEST22.	f36q20b: Difficulty sleeping
13	52	EXPSWELL	Num	6	362	1.	BEST22.	f36q20e: Swelling
14	51	EXPWGHT	Num	6	356	1.	BEST22.	f36q20d: Weight gain
15	54	EXPWIIRD	Num	6	374	1.	BEST22.	f36q20g: Feeling wired/tense/hyperactive
16	58	FAMSRC	Num	6	398	1.	BEST22.	f36q23: Family affected since baseline
17	59	HAVECHLD	Num	6	404	1.	BEST22.	f36q24: Have children
18	2	HLTPRB1	Num	6	62	1.	BEST22.	f36q3a: Hx of asthma
19	5	HLTPRB2	Num	6	80	1.	BEST22.	f36q4a: Hx of chronic bronchitis
20	8	HLTPRB3	Num	6	98	1.	BEST22.	f36q5a: Hx of emphysema
21	11	HLTPRB4	Num	6	116	1.	BEST22.	f36q6a: Hx of sinus trouble
22	14	HLTPRB5	Num	6	134	1.	BEST22.	f36q7a: Hx of allergies
23	17	HLTPRB6	Num	6	152	1.	BEST22.	f36q8a: Hx of heart disease
24	20	HLTPRB7	Num	6	170	1.	BEST22.	f36q9a: Hx of high blood pressure
25	23	HLTPRB8	Num	6	188	1.	BEST22.	f36q10a: Hx of kidney disease
26	26	HLTPRB9	Num	6	206	1.	BEST22.	f36q11a: Hx of liver disease
27	29	HLTPRB10	Num	6	224	1.	BEST22.	f36q12a: Hx of arthritis
28	32	HLTPRB11	Num	6	242	1.	BEST22.	f36q13a: Hx of skin disease
29	35	HLTPRB12	Num	6	260	1.	BEST22.	f36q14a: Hx of cancer
30	38	HLTPRB13	Num	6	278	1.	BEST22.	f36q15a: Hx of lupus
31	41	HLTPRB14	Num	6	296	1.	BEST22.	f36q16a: Hx of diabetes
32	4	HPSH1	Num	6	74	1.	BEST22.	f36q3c: Still have asthma
33	7	HPSH2	Num	6	92	1.	BEST22.	f36q4c: Still have chronic bronchitis

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
34	10	HPSH3	Num	6	110	1.	BEST22.	f36q5c: Still have emphysema
35	13	HPSH4	Num	6	128	1.	BEST22.	f36q6c: Still have sinus trouble
36	16	HPSH5	Num	6	146	1.	BEST22.	f36q7c: Still have allergies
37	19	HPSH6	Num	6	164	1.	BEST22.	f36q8c: Still have heart disease
38	22	HPSH7	Num	6	182	1.	BEST22.	f36q9c: Still have high blood pressure
39	25	HPSH8	Num	6	200	1.	BEST22.	f36q10c: Still have kidney disease
40	28	HPSH9	Num	6	218	1.	BEST22.	f36q11c: Still have liver disease
41	31	HPSH10	Num	6	236	1.	BEST22.	f36q12c: Still have arthritis
42	34	HPSH11	Num	6	254	1.	BEST22.	f36q13c: Still have skin disease
43	37	HPSH12	Num	6	272	1.	BEST22.	f36q14c: Still have cancer
44	40	HPSH13	Num	6	290	1.	BEST22.	f36q15c: Still have lupus
45	43	HPSH14	Num	6	308	1.	BEST22.	f36q16c: Still have diabetes
46	3	HP_AGE1	Num	6	68	3.	3.	f36q3b: Age at asthma
47	6	HP_AGE2	Num	6	86	3.	3.	f36q4b: Age at chronic bronchitis
48	9	HP_AGE3	Num	6	104	3.	3.	f36q5b: Age at emphysema
49	12	HP_AGE4	Num	6	122	3.	3.	f36q6b: Age at sinus trouble
50	15	HP_AGE5	Num	6	140	3.	3.	f36q7b: Age at allergies
51	18	HP_AGE6	Num	6	158	3.	3.	f36q8b: Age at heart disease
52	21	HP_AGE7	Num	6	176	3.	3.	f36q9b: Age at high blood pressure
53	24	HP_AGE8	Num	6	194	3.	3.	f36q10b: Age at kidney disease
54	27	HP_AGE9	Num	6	212	3.	3.	f36q11b: Age at liver disease
55	30	HP_AGE10	Num	6	230	3.	3.	f36q12b: Age at arthritis
56	33	HP_AGE11	Num	6	248	3.	3.	f36q13b: Age at skin disease
57	36	HP_AGE12	Num	6	266	3.	3.	f36q14b: Age at cancer
58	39	HP_AGE13	Num	6	284	3.	3.	f36q15b: Age at lupus
59	42	HP_AGE14	Num	6	302	3.	3.	f36q16b: Age at diabetes
60	71	INCOME	Num	6	476	1.	BEST22.	f36q35: Income
61	72	INCOMTOT	Num	6	482	3.	3.	f36q36: Income category
62	56	JOBCHG	Num	6	386	1.	BEST22.	f36q22: Change job since baseline
63	73	NEWID	Num	8	0	Z5.1		Patient ID
64	44	OTHLTPRB	Num	6	314	1.	BEST22.	f36q17: Other health problems
65	70	OTHSMOK	Num	6	470	1.	BEST22.	f36q34: >3 hrs week in smoky rooms
66	45	PREGNANT	Num	6	320	1.	BEST22.	f36q18: Pregnant since ACCESS baseline
67	46	PT_HOSP	Num	6	326	1.	BEST22.	f36q19: Hospitalized since baseline
68	57	REAS_CHG	Num	6	392	1.	BEST22.	f36q22a: Why changed job
69	1	REV	Num	6	56	1.	BEST22.	REV

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
70	61	SMOKEVER	Num	6	416	1.	BEST22.	f36q25: Ever smoked tobacco
71	69	STA_SM04	Num	6	464	1.	BEST22.	f36q33: Started pipes since baseline
72	63	STA_SMO1	Num	6	428	1.	BEST22.	f36q27: Started cigarettes since BL
73	65	STA_SMO2	Num	6	440	1.	BEST22.	f36q29: Started cigarillos since BL
74	67	STA_SMO3	Num	6	452	1.	BEST22.	f36q31: Started cigars since baseline
75	62	STP_SMO1	Num	6	422	1.	BEST22.	f36q26: Stopped cigarettes since BL
76	64	STP_SMO2	Num	6	434	1.	BEST22.	f36q28: Stopped cigarillos since BL
77	66	STP_SMO3	Num	6	446	1.	BEST22.	f36q30: Stopped cigars since baseline
78	68	STP_SMO4	Num	6	458	1.	BEST22.	f36q32: Stopped pipes since baseline
79	55	TAKEPRED	Num	6	380	1.	BEST22.	f36q21: Prednisone in past 6 wks

Data Set Name: twoyr.form37

Obs	Num	Variable	Type	Len	Pos	Format	Informat	Label
1	17	NEWID	Num	8	0	Z5.1		Patient ID
2	2	ORGAN1	Num	6	14	1.	BEST22.	f37q3: Lungs
3	3	ORGAN2	Num	6	20	1.	BEST22.	f37q4: Neurologic
4	4	ORGAN3	Num	6	26	1.	BEST22.	f37q5: Non-thoracic lymph node
5	5	ORGAN4	Num	6	32	1.	BEST22.	f37q6: Renal
6	6	ORGAN5	Num	6	38	1.	BEST22.	f37q7: Cardiac
7	7	ORGAN6	Num	6	44	1.	BEST22.	f37q8: Skin
8	8	ORGAN7	Num	6	50	1.	BEST22.	f37q9: Eyes
9	9	ORGAN8	Num	6	56	1.	BEST22.	f37q10: Liver
10	10	ORGAN9	Num	6	62	1.	BEST22.	f37q11: Bone Marrow
11	11	ORGAN10	Num	6	68	1.	BEST22.	f37q12: Spleen
12	12	ORGAN11	Num	6	74	1.	BEST22.	f37q13: Bone/Joints
13	13	ORGAN12	Num	6	80	1.	BEST22.	f37q14: Ear/Nose/Throat
14	14	ORGAN13	Num	6	86	1.	BEST22.	f37q15: Partoid/Salivary Glands
15	15	ORGAN14	Num	6	92	1.	BEST22.	f37q16: Muscles
16	16	ORGAN15	Num	6	98	1.	BEST22.	f37q17: Hypercalcemia/hypercaluria
17	1	REV	Num	6	8	BEST22.	BEST22.	REV

Data Set Name: twoyr.spirom

Obs	Num	Variable	Type	Len	Pos	Format	Label
1	1	BLFEVA_1	Num	8	0		f25q4: Pre-bronchodilators - FEV-1
2	5	BLFEVPRD	Num	8	32		FEV-1 predicted
3	2	BLFVCA	Num	8	8		f25q5: Pre-bronchodilators - FVC
4	7	BLFVCPRD	Num	8	48		FVC predicted
5	6	BLPERFEV	Num	8	40		FEV-1 % predicted
6	8	BLPERFVC	Num	8	56		FVC % predicted
7	9	BLRATIO1	Num	8	64		FEV-1/FVC (%)
8	3	FVFEVA_1	Num	8	16		f25q4: Pre-bronchodilators - FEV-1
9	10	FVFEVPRD	Num	8	72		FEV-1 predicted
10	4	FVFVCA	Num	8	24		f25q5: Pre-bronchodilators - FVC
11	12	FVFVCPRD	Num	8	88		FVC predicted
12	11	FVPERFEV	Num	8	80		FEV-1 % predicted
13	13	FVPERFVC	Num	8	96		FVC % predicted
14	14	FVRATIO1	Num	8	104		FEV-1/FVC (%)
15	15	NEWID	Num	8	112	Z5.1	Patient ID