ACCORDION HEALTH RELATED QUALITY OF LIFE FORM

Participant ID:		DUMMY BARCODE:
Acrostic: Visit Date:		B0000000
Form Completed By:		
Date Entered:	// 20	
Data Entered by:		

Over the last 2 WEEKS, how often have you been bothered by any of the following problems?				
	Not at all	Several days	More than half the days	Nearly Every day
1 Little interest or pleasure in doing things	0 🗌	1 🔲	2 🗌	3 🔲
2 Feeling down, depressed or hopeless	0 🗌	1 🔲	2 🗌	3 🗌
3 Trouble falling or staying asleep, or sleeping too much	0 🗌	1 🔲	2 🗌	3 🗌
4 Feeling tired or having little energy	0 🗌	1 🔲	2 🗌	3 🗌
5 Poor appetite or overeating	0 🗌	1 🔲	2 🗌	3 🔲
6 Feeling bad about yourself - or that you are a failure or have let yourself or your family down	0 🗌	1 🔲	2 🗌	3 🔲
7 Trouble concentrating on things, such as reading the newspaper or watching television	0 🗌	1 🔲	2 🗌	3 🔲
8 Moving or speaking so slowly that other people could have noticed or the opposite - being so fidgety or restless that you have been moving around a lot more	0 🗌	1 🗌	2 🗌	3 🗌
9 Thoughts that you would be better off dead or of hurting yourself in some way	0 🗌	1 🔲	2 🗌	3 🔲
10 In the past 30 days, how many times did you visit your physician or receive treatment as outpatient			per of times for no visits)

ACCORDION HEALTH UTILITIES INDEX FORM

Ρ	Participant ID:	DUMMY BARCODE:
	Acrostic:	B0000000
	/isit Date: / / 20 form Completed By:	
	Date Entered: / / 20	
	Data Entered by:	
-	·	
V b a	nstructions: This questionnaire contains a set of questions whice When answering these questions, please think about your healt pasis, during the past 4 weeks. To define the 4-week period, pland recall the major events that you have experienced during the poverall abilities, disabilities and how you felt during the past 4 weeks.	h and your ability to do things on a day-to-day ease think about what the date was 4 weeks ago is period. Please focus your answers on your
q	ou may feel that some of these questions do not apply to you, puestions of everyone. Also, a few questions are similar; please puestion independently.	
tŀ	Please read each question and consider your answers carefully hat best describes your level of ability or disability during the party checking the box beside the answer.	
	All information you provide is confidential. There are no right or about your abilities and feelings.	wrong answers; what we want is your opinion
1.	Which <u>one</u> of the following best describes your ability, during t ordinary newsprint?	he past 4 weeks, to see well enough to read
	1 a. Able to see well enough without glasses or contact le	enses.
	2 D. Able to see well enough with glasses or contact lense	es.
	3 . c. Unable to see well enough even with glasses or cont	act lenses.
	4 d. Unable to see at all.	
2.	Which <u>one</u> of the following best describes your ability, during t a friend on the other side of the street?	he past 4 weeks, to see well enough to recognize
	1 a. Able to see well enough without glasses or contact le	enses.
	2 D. Able to see well enough with glasses or contact lense	es.
	3 c. Unable to see well enough even with glasses or cont	act lenses.
	4 d. Unable to see at all.	

Par	ticipant ID:	Visit:
3.	. Which <u>one</u> of the following best describes your ability, during the past 4 weeks, to hear w	hat was said in a group
	conversation with at least three other people?	
	1 a. Able to hear what was said without a hearing aid.	
	2 b. Able to hear what was said with a hearing aid.	
	3 . C. Unable to hear what was said even with a hearing aid.	
	4 d. Unable to hear what was said, but did not wear a hearing aid.	
	5 e. Unable to hear at all.	
4.	. Which <u>one</u> of the following best describes your ability, during the past 4 weeks, to hear w conversaton with one other person in a quiet room?	hat was said in a group
	1 a. Able to hear what was said without a hearing aid.	
	2 D. Able to hear what was said with a hearing aid.	
	3 C. Unable to hear what was said even with a hearing aid.	
	4 d. Unable to hear what was said, but did not wear a hearing aid.	
	5 e. Unable to hear at all.	
5.	. Which <u>one</u> of the following best describes your ability, during the past 4 weeks, to be und your own language with people who do not know you?	erstood when speaking
	1 a. Able to be understood completely.	
	2 b. Able to be understood partially.	
	3 . C. Unable to be understood.	
	4 d. Unable to speak at all.	
6.	. Which <u>one</u> of the following best describes your ability, during the past 4 weeks, to be und with people who know you well?	erstood when speaking
	1 a. Able to be understood completely.	
	2 b. Able to be understood partially.	
	3 c. Unable to be understood.	
	4 d. Unable to speak at all.	

7.	Which one of the following best describes how you have been feeling during the past 4 weeks?
	1 a. Happy and interested in life.
	2 D. Somewhat happy.
	3 c. Somewhat unhappy.
	4 d. Very unhappy.
	5 e. So unhappy that life was not worthwhile.
8.	Which <u>one</u> of the following best describes the pain and discomfort you have experienced during the past 4 weeks?
	1 a. Free of pain and discomfort.
	2 b. Mild to moderate pain or discomfort that prevented no activities.
	3 c. Moderate pain or discomfort that prevented a few activities.
	4 d. Moderate to severe pain or discomfort that prevented some activities.
	5 e. Severe pain or discomfort that prevented most activities.
9.	Which <u>one</u> of the following best describes your ability, during the past 4 weeks, to walk? (Note: Walking equipment refers to mechanical supports such as braces, a cane, crutches or a walker.)
	1 a. Able to walk around the neighborhood without difficulty, and without walking equipment.
	b. Able to walk around the neighborhood with difficulty; but did not require walking equipment or the help of another person .
	c. Able to walk around the neighborhood with walking equipment, but without the help of another person.
	d. Able to walk only short distances with walking equipment, and required a wheelchair to get around the neighborhood.
	e. Unable to walk alone, even with walking equipment. Able to walk short distances with the help of another person, and required a wheelchair to get around the neighborhood.
	6 f. Unable to walk at all.
10.	Which <u>one</u> of the following best describes your ability, during the past 4 weeks, to use your hands and fingers? (Note: Special tools refers to hooks for bottoning clothes, gripping devices for opening jar or lifting small items, and other devices to compensate for limitations of hand or fingers.)
	1 a. Full use of hands and ten fingers.
	2 D. Limitations in the use of hand or fingers, but did not require special tools or the help of another person
	c. Limitations in the use of hands or fingers, independent with use of special tools (did not require the help of another person).
	d. Limitations in the use of hands or fingers, required the help of another person for some tasks (not independent even with use of special tools).
	e. Limitations in the use of hands or fingers, required the help of another person for most tasks(not independent even with use of special tools).
	f. Limitations in the use of hands or fingers, required the help of another person for all tasks (not independent even with use of special tools).

Participant ID:

Visit:

11. Which one of the following best describes your ability, during the past 4 weeks, to remember things? 1			
2 b. Somewhat forgetful. 3 c. Very forgetful. 4 d. Unable to remember anything at all. 12. Which one of the following best describes your ability, during the past 4 weeks, to think and solve day problems? 1 a. Able to think clearly and solve day to day problems. 2 b. Had a little difficulty when trying to think and solve day to day problems. 3 c. Had some difficulty when trying to think and solve day to day problems. 4 d. Had great difficulty when trying to think and solve day to day problems. 5 e. Unable to think or solve day to day problems. 13. Which one of the following best describes your ability, during the past 4 weeks, to perform basic activity a. Eat, bathe, dress and use the toilet independently, with difficulty. 3 c. Required mechanical equipment to eat, bathe, dress and use the toilet independently. 4 d. Required the help of another person to eat, bathe, dress or use the toilet. 14. Which one of the following best describes how you have been feeling during the past 4 weeks? 1 a. Generally happy, free from worry. 2 b. Occasionally fretful, angry, irritable, anxious or depressed. 3 c. Often fretful, angry, irritable, anxious or depressed; to the point of needing professional 15. Which one of the following best describes the pain or discomfort you have experienced during the paweeks? 1 a. Free of pain and discomfort. 2 b. Occasional pain or discomfort. Discomfort relieved by non-prescription drugs or self-control without disruption of normal activities. 3 c. Frequent pain or discomfort. Discomfort relieved by oral medicines with occasional disruptic normal activities. 4 d. Frequent pain or discomfort; frequent disruption of normal activities. Discomfort required prenarcotis for relief.	ich <u>one</u> of	f the following best describes your ability, during the past 4 we	eeks, to remember things?
3	a. Able	e to remember most things.	
4 d. Unable to remember anything at all. 12. Which one of the following best describes your ability, during the past 4 weeks, to think and solve day problems? 1 a. Able to think clearly and solve day to day problems. 2 b. Had a little difficulty when trying to think and solve day to day problems. 3 c. Had some difficulty when trying to think and solve day to day problems. 4 d. Had great difficulty when trying to think and solve day to day problems. 5 e. Unable to think or solve day to day problems. 13. Which one of the following best describes your ability, during the past 4 weeks, to perform basic activation and the second of the following best describes your ability, during the past 4 weeks, to perform basic activation and the second of the following best describes your ability, during the past 4 weeks, to perform basic activation and the second of the following best describes your ability, during the past 4 weeks, to perform basic activation and the second of the following best describes your ability, and the past 4 weeks, to perform basic activation and the second of the following best describes how you have been feeling during the past 4 weeks? 1 d. Required the help of another person to eat, bathe, dress or use the toilet. 14. Which one of the following best describes how you have been feeling during the past 4 weeks? 1 d. Generally happy, free from worry. 2 b. Occasionally fretful, angry, irritable, anxious or depressed. 3 d. C. Often fretful, angry, irritable, anxious or depressed; to the point of needing professional second or the following best describes the pain or discomfort you have experienced during the past weeks? 1 d. Extremely fretful, angry, irritable, anxious or depressed; to the point of needing professional and the following best describes the pain or discomfort you have experienced during the past weeks? 1 d. Free of pain and discomfort. 2 b. Occasional pain or discomfort. Discomfort relieved by onn-prescription drugs or self-control without disruption of norma	b. Some	newhat forgetful.	
 12. Which one of the following best describes your ability, during the past 4 weeks, to think and solve day problems? 1 a. Able to think clearly and solve day to day problems. 2 b. Had a little difficulty when trying to think and solve day to day problems. 3 c. Had some difficulty when trying to think and solve day to day problems. 4 d. Had great difficulty when trying to think and solve day to day problems. 5 e. Unable to think or solve day to day problems. 13. Which one of the following best describes your ability, during the past 4 weeks, to perform basic active and a Eat, bathe, dress and use the toilet independently, with difficulty. 2 b. Eat, bathe, dress and use the toilet independently, with difficulty. 3 c. Required mechanical equipment to eat, bathe, dress and use the toilet independently. 4 d. Required the help of another person to eat, bathe, dress or use the toilet. 14. Which one of the following best describes how you have been feeling during the past 4 weeks? 1 a. Generally happy, free from worry. 2 b. Occasionally fretful, angry, irritable, anxious or depressed. 3 c. Often fretful, angry, irritable, anxious or depressed; to the point of needing professional 15. Which one of the following best describes the pain or discomfort you have experienced during the paweeks? 1 a. Free of pain and discomfort. 2 b. Occasional pain or discomfort. Discomfort relieved by non-prescription drugs or self-control without disruption of normal activities. 3 c. Frequent pain or discomfort. Discomfort relieved by oral medicines with occasional disruption or normal activities. 4 d. Frequent pain or discomfort, frequent disruption of normal activities. Discomfort required prenarcotis for relief. 	c. Very	y forgetful.	
problems? 1	d. Unab	able to remember anything at all.	
2		f the following best describes your ability, during the past 4 we	eeks, to think and solve day to day
3	a. Able	e to think clearly and solve day to day problems.	
4 d. Had great difficulty when trying to think and solve day to day problems. 5 e. Unable to think or solve day to day problems. 13. Which one of the following best describes your ability, during the past 4 weeks, to perform basic activities. 1 a. Eat, bathe, dress and use the toilet normally. 2 b. Eat, bathe, dress and use the toilet independently, with difficulty. 3 c. Required mechanical equipment to eat, bathe, dress and use the toilet independently. 4 d. Required the help of another person to eat, bathe, dress or use the toilet. 14. Which one of the following best describes how you have been feeling during the past 4 weeks? 1 a. Generally happy, free from worry. 2 b. Occasionally fretful, angry, irritable, anxious or depressed. 3 c. Often fretful, angry, irritable, anxious or depressed: 4 d. Extremely fretful, angry, irritable, anxious or depressed; to the point of needing professional 15. Which one of the following best describes the pain or discomfort you have experienced during the paweeks? 1 a. Free of pain and discomfort. 2 b. Occasional pain or discomfort. Discomfort relieved by non-prescription drugs or self-control without disruption of normal activities. 3 c. Frequent pain or discomfort. Discomfort relieved by oral medicines with occasional disruption normal activities. 4 d. Frequent pain or discomfort; frequent disruption of normal activities. Discomfort required prenarcotis for relief.	b. Had a	I a little difficulty when trying to think and solve day to day prol	blems.
 5 e. Unable to think or solve day to day problems. 13. Which one of the following best describes your ability, during the past 4 weeks, to perform basic active. 1 a. Eat, bathe, dress and use the toilet normally. 2 b. Eat, bathe, dress and use the toilet independently, with difficulty. 3 c. Required mechanical equipment to eat, bathe, dress and use the toilet independently. 4 d. Required the help of another person to eat, bathe, dress or use the toilet. 14. Which one of the following best describes how you have been feeling during the past 4 weeks? 1 a. Generally happy, free from worry. 2 b. Occasionally fretful, angry, irritable, anxious or depressed. 3 c. Often fretful, angry, irritable, anxious or depressed. 4 d. Extremely fretful, angry, irritable, anxious or depressed; to the point of needing professional 15. Which one of the following best describes the pain or discomfort you have experienced during the paweeks? 1 a. Free of pain and discomfort. 2 b. Occasional pain or discomfort. Discomfort relieved by non-prescription drugs or self-control without disruption of normal activities. 3 c. Frequent pain or discomfort. Discomfort relieved by oral medicines with occasional disruption normal activities. 4 d. Frequent pain or discomfort; frequent disruption of normal activities. Discomfort required prenarcotis for relief. 	c. Had s	some difficulty when trying to think and solve day to day prob	olems.
 13. Which one of the following best describes your ability, during the past 4 weeks, to perform basic active. 1 a. Eat, bathe, dress and use the toilet normally. 2 b. Eat, bathe, dress and use the toilet independently, with difficulty. 3 c. Required mechanical equipment to eat, bathe, dress and use the toilet independently. 4 d. Required the help of another person to eat, bathe, dress or use the toilet. 14. Which one of the following best describes how you have been feeling during the past 4 weeks? 1 a. Generally happy, free from worry. 2 b. Occasionally fretful, angry, irritable, anxious or depressed. 3 c. Often fretful, angry, irritable, anxious or depressed. 4 d. Extremely fretful, angry, irritable, anxious or depressed; to the point of needing professional 15. Which one of the following best describes the pain or discomfort you have experienced during the paweeks? 1 a. Free of pain and discomfort. 2 b. Occasional pain or discomfort. Discomfort relieved by non-prescription drugs or self-control without disruption of normal activities. 3 c. Frequent pain or discomfort. Discomfort relieved by oral medicines with occasional disruption normal activities. 4 d. Frequent pain or discomfort; frequent disruption of normal activities. Discomfort required prenarcotis for relief.] d. Had ថ្	I great difficulty when trying to think and solve day to day prob	lems.
 a. Eat, bathe, dress and use the toilet normally. b. Eat, bathe, dress and use the toilet independently, with difficulty. c. Required mechanical equipment to eat, bathe, dress and use the toilet independently. d. Required the help of another person to eat, bathe, dress or use the toilet. Which one of the following best describes how you have been feeling during the past 4 weeks? a. Generally happy, free from worry. b. Occasionally fretful, angry, irritable, anxious or depressed. c. Often fretful, angry, irritable, anxious or depressed; d. Extremely fretful, angry, irritable, anxious or depressed; to the point of needing professional Which one of the following best describes the pain or discomfort you have experienced during the paweeks? a. Free of pain and discomfort. b. Occasional pain or discomfort. Discomfort relieved by non-prescription drugs or self-control without disruption of normal activities c. Frequent pain or discomfort. Discomfort relieved by oral medicines with occasional disruption normal activities. d. Frequent pain or discomfort; frequent disruption of normal activities. Discomfort required prenarcotis for relief. 	e. Unab	able to think or solve day to day problems.	
b. Eat, bathe, dress and use the toilet independently, with difficulty. c. Required mechanical equipment to eat, bathe, dress and use the toilet independently. d. Required the help of another person to eat, bathe, dress or use the toilet. 14. Which one of the following best describes how you have been feeling during the past 4 weeks? a. Generally happy, free from worry. b. Occasionally fretful, angry, irritable, anxious or depressed. c. Often fretful, angry, irritable, anxious or depressed; to the point of needing professional d. Extremely fretful, angry, irritable, anxious or depressed; to the point of needing professional bush one of the following best describes the pain or discomfort you have experienced during the paweeks? a. Free of pain and discomfort. b. Occasional pain or discomfort. Discomfort relieved by non-prescription drugs or self-control without disruption of normal activities c. Frequent pain or discomfort. Discomfort relieved by oral medicines with occasional disruption normal activities. d. Frequent pain or discomfort; frequent disruption of normal activities. Discomfort required prenarcotis for relief.	ich <u>one</u> of	of the following best describes your ability, during the past 4 we	eeks, to perform basic activities?
 3	a. Eat, b	, bathe, dress and use the toilet normally.	
4 d. Required the help of another person to eat, bathe, dress or use the toilet. 14. Which one of the following best describes how you have been feeling during the past 4 weeks? 1 a. Generally happy, free from worry. 2 b. Occasionally fretful, angry, irritable, anxious or depressed. 3 c. Often fretful, angry, irritable, anxious or depressed. 4 d. Extremely fretful, angry, irritable, anxious or depressed; to the point of needing professional to the following best describes the pain or discomfort you have experienced during the paweeks? 1 a. Free of pain and discomfort. 2 b. Occasional pain or discomfort. Discomfort relieved by non-prescription drugs or self-control without disruption of normal activities 3 c. Frequent pain or discomfort. Discomfort relieved by oral medicines with occasional disruption normal activities. 4 d. Frequent pain or discomfort; frequent disruption of normal activities. Discomfort required prenarcotis for relief.	b. Eat, b	, bathe, dress and use the toilet independently, with difficulty.	
14. Which one of the following best describes how you have been feeling during the past 4 weeks? 1 a. Generally happy, free from worry. 2 b. Occasionally fretful, angry, irritable, anxious or depressed. 3 c. Often fretful, angry, irritable, anxious or depressed. 4 d. Extremely fretful, angry, irritable, anxious or depressed; to the point of needing professional 15. Which one of the following best describes the pain or discomfort you have experienced during the paweeks? 1 a. Free of pain and discomfort. 2 b. Occasional pain or discomfort. Discomfort relieved by non-prescription drugs or self-control without disruption of normal activities 3 c. Frequent pain or discomfort. Discomfort relieved by oral medicines with occasional disruption normal activities. 4 d. Frequent pain or discomfort; frequent disruption of normal activities. Discomfort required prenarcotis for relief.	c. Requ	uired mechanical equipment to eat, bathe, dress and use the	toilet independently.
 a. Generally happy, free from worry. b. Occasionally fretful, angry, irritable, anxious or depressed. c. Often fretful, angry, irritable, anxious or depressed. d. Extremely fretful, angry, irritable, anxious or depressed; to the point of needing professional Which one of the following best describes the pain or discomfort you have experienced during the paweeks? a. Free of pain and discomfort. b. Occasional pain or discomfort. Discomfort relieved by non-prescription drugs or self-control without disruption of normal activities c. Frequent pain or discomfort. Discomfort relieved by oral medicines with occasional disruption normal activities. d. Frequent pain or discomfort; frequent disruption of normal activities. Discomfort required prenarcotis for relief. 	d. Requ	juired the help of another person to eat, bathe, dress or use th	ne toilet.
 b. Occasionally fretful, angry, irritable, anxious or depressed. c. Often fretful, angry, irritable, anxious or depressed. d. Extremely fretful, angry, irritable, anxious or depressed; to the point of needing professional Which one of the following best describes the pain or discomfort you have experienced during the paweeks? a. Free of pain and discomfort. b. Occasional pain or discomfort. Discomfort relieved by non-prescription drugs or self-control without disruption of normal activities c. Frequent pain or discomfort. Discomfort relieved by oral medicines with occasional disruption normal activities. d. Frequent pain or discomfort; frequent disruption of normal activities. Discomfort required prenarcotis for relief. 	ich <u>one</u> of	f the following best describes how you have been feeling during	ng the past 4 weeks?
 3 c. Often fretful, angry, irritable, anxious or depressed. 4 d. Extremely fretful, angry, irritable, anxious or depressed; to the point of needing professional 15. Which one of the following best describes the pain or discomfort you have experienced during the paweeks? 1 a. Free of pain and discomfort. 2 b. Occasional pain or discomfort. Discomfort relieved by non-prescription drugs or self-control without disruption of normal activities 3 c. Frequent pain or discomfort. Discomfort relieved by oral medicines with occasional disruption normal activities. 4 d. Frequent pain or discomfort; frequent disruption of normal activities. Discomfort required prepared to the point of normal activities. 	a. Gene	nerally happy, free from worry.	
4 d. Extremely fretful, angry, irritable, anxious or depressed; to the point of needing professional 15. Which one of the following best describes the pain or discomfort you have experienced during the paweeks? 1 a. Free of pain and discomfort. 2 b. Occasional pain or discomfort. Discomfort relieved by non-prescription drugs or self-control without disruption of normal activities 3 c. Frequent pain or discomfort. Discomfort relieved by oral medicines with occasional disruption normal activities. 4 d. Frequent pain or discomfort; frequent disruption of normal activities. Discomfort required prenarcotis for relief.	b. Occa	asionally fretful, angry, irritable, anxious or depressed.	
 15. Which one of the following best describes the pain or discomfort you have experienced during the paweeks? 1 a. Free of pain and discomfort. 2 b. Occasional pain or discomfort. Discomfort relieved by non-prescription drugs or self-control without disruption of normal activities 3 c. Frequent pain or discomfort. Discomfort relieved by oral medicines with occasional disruption normal activities. 4 d. Frequent pain or discomfort; frequent disruption of normal activities. Discomfort required preparations for relief. 	c. Often	en fretful, angry, irritable, anxious or depressed.	
weeks? 1 a. Free of pain and discomfort. 2 b. Occasional pain or discomfort. Discomfort relieved by non-prescription drugs or self-control without disruption of normal activities 3 c. Frequent pain or discomfort. Discomfort relieved by oral medicines with occasional disruption normal activities. 4 d. Frequent pain or discomfort; frequent disruption of normal activities. Discomfort required preparations for relief.	d. Extre	emely fretful, angry, irritable, anxious or depressed; to the poi	int of needing professional help.
 b. Occasional pain or discomfort. Discomfort relieved by non-prescription drugs or self-control without disruption of normal activities c. Frequent pain or discomfort. Discomfort relieved by oral medicines with occasional disruption normal activities. d. Frequent pain or discomfort; frequent disruption of normal activities. Discomfort required preparation for relief. 		f the following best describes the pain or discomfort you have	experienced during the past 4
without disruption of normal activities c. Frequent pain or discomfort. Discomfort relieved by oral medicines with occasional disruption normal activities. d. Frequent pain or discomfort; frequent disruption of normal activities. Discomfort required preparation of normal activities.	a. Free	e of pain and discomfort.	
normal activities. d. Frequent pain or discomfort; frequent disruption of normal activities. Discomfort required prenarcotis for relief.			ription drugs or self-control activity
narcotis for relief.			es with occasional disruption of
5 e. Severe pain or discomfort. Pain not relieved by drugs and constantly disrupted normal activ			es. Discomfort required prescription
	e. Seve	vere pain or discomfort. Pain not relieved by drugs and consta	intly disrupted normal activities.

Participant ID:

Visit:

ACCORDION IN-CLINIC FOLLOW-UP FORM

Participant ID: Acrostic: Visit Date: Form Completed By: Date Entered: Data Entered by:				DUMMY BARCODE: B0000000
	Remember t	o update the PARTIO	CIPANT CONTACT INFORMAT	FION FORM at this visit.
Contact Information Status				
* Has the participant's conta			PANT CONTACT INFORMATIO	N FORM
2 No				
Contact Type				
1. Indicate below the setting	g of this participant	contact.		
1 Phone/Fax/Emai	I			
2 In person visit (ir	clinic)			
3 Alternate Contac	t (specify)			
2. Is this participant alive?				
1 Yes				
2	ate of Death:	///	(Complete	e Death Report Form)
3 Unknown	ı			
		Follow	v-Up Events Ascertainment	
Date of last events ascertainment	/		(Refer to this date when in procedures that were perfo	quiring below about events that have occurred or ormed since the last time event data were collected.)
3. Since [date of last	events ascertain	ment], have you had	any of the following events or p	rocedures with or without being admitted to a hospital?
(a) MI (Heart Attac	k) 1	Date of Event: First	Occurence/	Complete an MI REPORT FORM for each event
	2 No	Date of Event: Secondary /		
·		/	/	
(b) Stroke	1 Yes →	Date of Event: First		Complete a STROKE REPORT FORM for each event
	2 No	Date of Event: Seco	na Occurence	
		Date of Event: Third	Occurence	
				I

Participant ID:			Visit:
(a) Unatable Angine	1 Yes →	Date of Event: First Occurence	Complete an UNSTABLE ANGINA
(c) Unstable Angina	1 Yes 🕶		REPORT FORM for each event
	0	Date of Event: Second Occurence	
	2 No		
		Date of Event: Third Occurence	Ī
•		/ /	
			_
(d) Revascularization Procedures including CABG, Coronary (PTCA),	. 🗆 . 🔺	Date of Event: First Occurence	Complete a MISCELLANEOUS
5. 12 5, 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	1 Yes →		CARDIOVASCULAR OUTCOME REPORT FORM for each event
Carotid, or peripheral artery angioplasty(with		Date of Event: Second Occurence	1
or without stent)	2 No	bate of Event. Second Securence	
		/	.]
		Date of Event: Third Occurence	
·		/	-
			_
(e) Congestive Heart Failure (CHF)	4 🖂 Vaa 📥	Date of Event: First Occurence	Complete a MISCELLANEOUS
	1 Yes →		CARDIOVASCULAR OUTCOME REPORT FORM for each event
		Date of Event: Second Occurence	1
	2 No	bate of Event. Second Occurence	
		/	
		Date of Event: Third Occurence	
•		/	
			_
(f) Lower Extremity Amputation for Ischema	4 🔲 Vaa 📥	Date of Event: First Occurence	Complete a MISCELLANEOUS
	1 Yes		CARDIOVASCULAR OUTCOME REPORT FORM for each event
		Date of Event: Second Occurence	1
	2 No	, , ,	
			·]
		Date of Event: Third Occurence	
4. Have you been admitted to the hospital signal.	nce [date of last	events ascertainment] including for any events	mentioned above?
a. 1 Yes → How many times we	re you admitted to	o the hospital? (number of time	es)
2 No (0 - 4 - 0 4 - 5)			
2 No (Go to Question 5)			
b. Were you hospitalized for, or did any of	•	· · · · · · · · · · · · · · · · · · ·	
1 Yes → 1 Aneurysm R			dent in which you were the driver
2 No 1 Other Accide	ent or injury (spec	ify) →	
1 Other (specif	fy) →		
5. Have you had dialysis since [date of last events	ascertainment]	?	
	lialvaia 📥	Ongoing Homodichicia	l No
1	lialysis 🕈	Ongoing Hemodialysis? 1 Yes 2	No
	eal Dialysis		
2 No			

Participant ID:	Visit:				
6. Since [date of last events ascertainment], have you had any hypoglycemic events that were so severe that they required medical or attention and either 1)had a documented plasma glucose <50 mg/dl (2.9 mmol/L) or 2) symptoms that promptly recovered with oral ca intravenous glucose or glucagon? (Does not include events treated by self or non-medical personnel).					
1 Yes → Enter the number of hypoglycemic events →					
Enter the month and year for each event below. Start with the most recent event and end with most distant:					
#1/ #4/ #2/ #5/ #3/					
2 No					
7. Have you smoked cigarettes in the last 30 days? 1 Yes 2	No				
8. In general, would you say your health is:					
Excellent Very Good Good Fair Poor					
0 1 2 3 4					
9. Compared to one year ago, how would you rate your health in general <u>now</u> :					
	se now than				
one year ago than one year ago one year ago than one year ago one y	rear ago				
10. Which of the following best describes your living situation?					
Living Independently 0					
Assisted Living or Receiving Home Care of any kind 1					
Alzheimer's or memory care, including day care 2					
Nursing Home or Care Center 3					
Other 4					
Self-management of diabetes management					
11. How much help from others do you receive in order to follow your Doctor's plan for managing your disease?					
0 A lot 1 Some 2 A little 3 None					
12. How much help from others do you receive to remember to take your diabetes medicine?					
0 A lot 1 Some 2 A little 3 None					
13. How much help from others do you receive to remember to check your blood sugar levels?					
0 A lot 1 Some 2 A little 3 None					
Insurance Status					
14. Which of the following best describes your current type of insurance coverage? (mark all that apply)	_				
1 Medicare 1 Medicaid 1 VA 1 Tricare/CHAMPVA 1 Provincial Health In	surance Plan				
1 Private/Commercial 1 HMO 1 Don't know 1 Uninsured					
15. Do you have full or partial drug benefits under your insurance or Provincial health plan?					
1 Yes 2 No 3 Don't know 4 Uninsured					

Participant ID:		Visit:
Concomitant Medications		
	rticipant is currently taking on a regular basis by marki	ng the appropriate boxes.
Antihypertensive Agents		
1 Loop diuretics	1 Thiazide diuretics	1 ACE inhibitors
1 Potassium supplements	1 Angiotensin type 2 antagonists (ARB)	1 Peripheral alpha-blockers
1 Any dihydropyridine calcium-channel blocker (CCB)	1 Any non-dihydropyridine calcium-channel blocker (CCB)	1 Direct Renin Inhibitors (Aliskiren)
1 Central alpha-adrenergic agonists	1 Beta-Blockers	1 ARB
1 Reserpine	1 K-sparing diuretic agents	1 Vasodialtors
1 Other antihypertensive agents		
Cardiovascular Drugs		
1 Digitalis preparations	1 Anti-arrhythmics	1 Nitrates
1 Other cardiovascular drugs		
Diabetes Treatments		
1 Sulfonylureas	1 Biguanides	1 Thiazolidinediones
1 Alpha-glucosidase inhibitors	1 Long-acting Insulin (e.g. Glargine, Detemir, NPH, Other)	1 Amylin-mimetics
1 Regular Insulins	1 Rapid-acting Insulins (e.g. Lispro, Aspart, Glulisine)	1 Incretin Agonists
1 Premixed Insulins	1 Meglitinides	1 DPP-4 Inhibitors
1 Bromocriptine	1 SGLT-2 inhibitors	1 Other diabetes treatments
Lipid-Lowering Drugs		
1 Bile-acid sequestrants	1 HMG CoA reductace inhibitors (statins)	1 Fibrates
1 Other lipid-lowering drugs	1 Cholesterol absorption inhibitors	1 Niacin and nicotinic acid
Miscellaneous Prescribed Therapies		
1 Oral anticoagulants (warfarin, coumadin, anisindione)	Non-steroidal anti-inflammatory agents (excluding aspirin)	Inhibitors of platelet aggregation (except aspirin)
1 Cox-2 inhibitors	1 Heparins	1 Aspirin
1 Progestins	1 Estrogens (excluding vaginal creams)	1 Thyroid agents
1 Oral asthma drugs (except steroids)	1 Inhaled steroids for asthma	1 Oral steroids
1 Any antidepressant	1 Any antipsychotic	1 Weight loss drugs
1 Erectile dysfunction drugs	1 Drugs for Osteoperosis	1 Diuretic for fluid retention
1 Any medicine for memory loss	1 Any other (prescribed) medication not listed above	
17. Indicate Non-Prescibed medications that the o	articipant is currently taking on a regular basis by mark	king the appropriate boxes
Vitamins and/or nutritional supplements	Over-the-counter medications 1	Herbal/alternative medication therapies

Participant ID:			Visit:	
18. a. Is the participant currently participating in another intervention	on trial?	1 Yes	2 No (Go to Question 19)	
b. Is the participant taking any drug(s) associated with this inte	rvention trial?	1 Yes	2 No	
19. Participant Weight:	Measurement recorded in:	1 pounds	2 kilograms	
20. Participant Height:	Measurement recorded in:	1 inches	2 centimeters	
21. Waist Circumference:	Measurement recorded in:	1 inches	2 centimeters	
Sitting Blood Pressure and Heart Rate				
22. Systolic BP (average of 3) 2	3. Diastolic BP (average of 3	9)	24. Heart Rate (average of 3) bpm	
Eye Disease During Past Year				
25. Has the participant had eye surgery, including laser photocoa	gulation, since the last study	visit?		
1 Yes → Please indicate type below				
2 No				
Right Eye			Left Eye	
1 Cataract removal	1 Catara	act removal		
1 Retinal laser photocoagulation for diabetic retinopathy	1 Retina	l laser photocoagula	ation for diabetic retinopathy	
1 Yag laser for cataract capsule	1 Yag la	ser for cataract cap	sule	
1 Vitrectomy for diabetic retinopathy	1 Vitrect	omy for diabetic reti	nopathy	
1 Other	1 Other			
26. Has the participant experienced any of the following vision pro	oblems since the last study cli	nic visit?		
(a) Retinopathy 1 ☐ Yes → Indicate Eye →	1 Left 1	Right		
2 No				
(b) Vision Loss 1 Yes → Indicate Eye →	1 Left 1	Right		
2 No				
(c) Blindness 1 Yes → Indicate Eye →	1 Left 1	Right		
2 No				

Participant ID:	Visit:
27. Eye Injections a. Has the participant had injections in or around the eye since the start of A	
Right Eye	Left Eye
1 Yes → If "Yes", answer question b and c.	1 Yes → If "Yes", answer question b and c.
2 No	2 No
b. Has the participant had injections in the eye (Intraocular) since the start of Right Eye	of ACCORD: Left Eye
1 Yes → If "Yes", please indicate all that apply below	1 Yes → please indicate all that apply below
2 No	2 No
i. Lucentis (ranibizumab)	i. Lucentis (ranibizumab)
ii. Avastin (bevacizumab)	ii. Avastin (bevacizumab)
iii. VEGF-Trap Eye (Aflibercept)	iii. VEGF-Trap Eye (Aflibercept)
iv. Steroids (triamcinolone acetonide)	iv. Steroids (triamcinolone acetonide)
v. Other	v. Other
vi. Not known	vi. Not known
c. Has the participant had injections around the eye (subconjunctival/period Right Eye	cular) since the start of ACCORD: Left Eye
1 Yes ➡ If "Yes", please indicate all that apply below	1 Yes → please indicate all that apply below
2 No	2 No
i. Steroids (triamcinolone acetonide)	i. Steroids (triamcinolone acetonide)
ii. Other	ii. Other

Participant ID:	Visit:
Foot Exam	
28. Right Foot	28. Left Foot
Amputation/Foot Inspection: Document amputation history and assess foot characteristics as outlines below.	Amputation/Foot Inspection: Document amputation history and assess foot characteristics as outlines below.
Has participant ever had amputation of a lower extremity on the right side?	Has participant ever had amputation of a lower extremity on the left side?
(complete box for amputation 2 No below) (skip to part (a) below)	1 Yes amputation 2 No (skip to part (a) below)
Amputation Description (mark one only)	Amputation Description (mark one only)
1 Toe 2 Ray (metatarsal)	1 Toe 2 Ray (metatarsal)
3 Forefoot 4 Foot	3 Forefoot 4 Foot
5 Below knee 6 Above knee	5 Below knee 6 Above knee
Stop here, do not complete (a) - (e) below.	Stop here, do not complete (a) - (e) below.
(a) Appearance:	(a) Appearance:
0 Normal	0 Normal
1 Abnormal (complete table below, mark all that apply)	1 Abnormal (complete table below, mark all that apply)
1 Deformities 1 Infection	1 Deformities 1 Infection
1 Dry skin, callus 1 Fissure	1 Dry skin, callus 1 Fissure
1 Other(specify below)	1 Other(specify below)
(b) Ulceration:	(b) Ulceration:
0 Absent 1 Present	0 Absent 1 Present
(c) Ankle Reflexes	(c) Ankle Reflexes
0 Present 0.5 Present/Reinforcement	0 Present 0.5 Present/Reinforcement
1 Absent	1 Absent
(d) Vibration (perception at great toe)	(d) Vibration (perception at great toe)
0	0 Present (≤10 sec) 0.5 Reduced (>10 sec)
1 Absent	1 Absent
(e) 10am Filament (number of applications detected)	(e) 10am Filament (number of applications detected)


Present (≥ 8) 0.5 Reduced (1 - 7) 1 Absent

0 Present (≥ 8) 0.5 Reduced (1 - 7) 1 Absent

TO BE COMPLETED BY THE PARTICIPANT

Feeling Thermometer: To help people say how good or bad a health state is, we have drawn a scale (rather like a thermometer) on which the best state you can imagine is marked by 100 and the worst state you can imagine is marked by 0.

We would like for you to indicate on this scale, in your opinion, how good or bad your own health is **TODAY**. Please do this by drawing a line from the center of the box below to whichever point on the scale indicates how good or bad your current health state is.



Score ____ ___

ACCORDION VISUAL ACUITY WORKSHEET

Participant ID:		DUMMY BARCODE:
Acrostic: Visit Date:	/	B0000000
Form Completed By:		
Date Entered: Data Entered by:	// 20	

CIRCLE each letter that the participant identifies correctly, place a slash (/) through any letters identified incorrectly or skipped, write the total correct for each row in the column at the right. Continue the test until the participant cannot identify <u>any</u> letters in a given row. If the total number of letters read correctly is 19 or fewer, move the participant to a distance of 1 meter from the chart and test the acuity at this distance using only the first six rows of test letters.

the first six rows of test letters.								
Row	Snellen Equivalent	Chart R Letters	Number Correct at 4 Meters	Row Equivalent Letters Mumbe Meter	at 1			
1	20/200	HVZDS		1 20/800 H V Z D S				
2	20/160	NCVKD		2 20/640 N C V K D				
3	20/125	CZSHN		3 20/500 CZSHN				
4	20/100	ONVSR		4 20/400 ONVSR				
5	20/80	KDNRO		5 20/320 K D N R O				
6	20/63	ZKCSV		6 20/260 Z K C S V				
7	20/50	DVOHC		Total number correct at 1 meter:	Ĭ			
8	20/40	OHVCK						
9	20/32	HZCKO		Visual Acuity Score - Right Eye				
10	20/25	NCKHD		A. Total Number correct at 4 meters	Ĭ			
11	20/20	ZHCSR		B. If A ≥ 20, add 30 +				
12	20/16	SZRDN		C. Total correct at I meter (if not tested, place a zero				
13	20/13	HCDRO						
14	20/10	RDOSN		This data is to be entered on the Visual Acuity data entry page				
				VISUAL ACUITY SCORE - RIGHT EYE (SUM OF A,B, AND C)	Ī			
Total number correct at 4 meters:				Approximate Snellen Fraction (lowest line with 1 or fewer 20/ mistakes				

Participant ID:	Visit:

CIRCLE each letter that the participant identifies correctly, place a slash (/) through any letters identified incorrectly or skipped, write the total correct for each row in the column at the right. Continue the test until the participant cannot identify <u>any</u> letters in a given row. If the total number of letters read correctly is 19 or fewer, move the participant to a distance of 1 meter from the chart and test the acuity at this distance using only the first six rows of test letters.

Row	Snellen Equivalent	Chart R Letters	Number Correct at 4 Meters	Row	Snellen Equivalent	Chart R Letters	Number Correct at 1 Meter
1	20/200	HVZDS		1	20/800	HVZDS	
2	20/160	NCVKD		2	20/640	NCVKD	
3	20/125	CZSHN		3	20/500	CZSHN	
4	20/100	ONVSR		4	20/400	ONVSR	
5	20/80	KDNRO		5	20/320	KDNRO	
6	20/63	ZKCSV		6	20/260	ZKCSV	
7	20/50	DVOHC		Total	number correct	t at 1 meter:	
8	20/40	OHVCK					
9	20/32	HZCKO		Visual Acuity Score - Left Eye			
10	20/25	NCKHD		A. Total Number correct at 4 meters			
11	20/20	ZHCSR		B. If A	B. If A ≥ 20, add 30 +		
12	20/16	SZRDN			C. Total correct at I meter (if not tested, place a zero +		
13	20/13	HCDRO					
14	20/10	RDOSN		Acuity VISUAI	ata is to be e data entry pa ACUITY SCOI UM OF A,B, AN	age RE - LEFT	e Visual
Total number correct at 4 meters:				Approx (lowest	Approximate Snellen Fraction (lowest line with 1 or fewer 20/ mistakes		