3.0: Demographic Data - Overview

CSSCD Forms (collection) and Records (storage) Relating to Demographic Data

Collected Patient Population Form # Name of Form SAS Dataset

<u> Dataset</u>	
01.SD2	
e limited access databas	S
02.SD2	
03.SD2	
03.SD2	
59.SD2	
05.SD2	
86.SD2	
87.SD2	
59 09	9.SD2 5.SD2 6.SD2

^{*} only 1 set of forms (records) required for household with multiple CSSCD participants

Summary of Scheduling of Demographic Data Collection

Entry

Completion of 4 demographic forms (Forms 01-04) was required at the time of patient entry. The data were obtained during a private interview between the adult patient (or an adult member of a pediatric patient's household) and a clinic staff member. In general, the date of the interview was the same as the date of the entry physical examination.

Form 01 (Household Enumeration Form) was used to obtain information about the household composition (# in household, relationship of each household member to the head of the household, and the sex, birthdate, sickle cell disease and CSSCD study participation status of each household member. Only one set of Form 01 data per

^{**} required at time of first annual visit if visit was before 03/86

household was required. In households with more than one CSSCD participant, the CASEID of one of the participants (usually the one entered earliest) was assigned an ISFAMID status of "1" and a FAMID # equal to the ANONID #. Other participating members in the same household received an ISFAMID status of "0" and a FAMID # equal to the ANONID of the ISFAMID=1 patient [See Section 1]. The Form 01 data are stored in "Record 01(s)" belonging to the ISFAMID=1 participant.

Form 02 (Patient Demographic Data Form) was used to collect demographic and socioeconomic data for the head of the household of CSSCD participants. The number of Form 02 (records in R02.SD2) should correspond to the number of "CASE" records in the patient roster dataset (R09.SD2) [See Section 1].

Form 03 (Head of Household Demographic Data Form) was used to collect demographic and socioeconomic data for the head of the household of CSSCD participants. Again, only one Form 03 per household was required; the data are stored in "Record 03" belonging to the ISFAMID=1 participant. If the head of the household was a study participant, Form 03 was not required since this same data for the patient was collected on Form 02.

Form 04 (Composite Household Demographic Form) was used to obtain summary demographic and socioeconomic data for the entire household. Only one Form 04 per household was required. The data are stored in "Record 03" belonging to the ISFAMID=1 participant.

First Annual Visit

Form 05 (Annual Demographic Form) was to be completed at the time of the first annual visit (one year after the entry date for patients entered at ≥ 2 years of age; at age 3 for patients entered at < 2 years of age). The form collected updated information on demographic and socioeconomic data collected on entry forms 02-04. In addition, a section on non-study, non-head-of-household mothers of study patients less than 20 years of age was added.

1996 Annual Visit

Forms 06 (Patient Continuation Demographic Data Form) and 07 (Head of Household Continuation Demographic Data Form) were to be completed at the 1986 annual visit if the patient was ≥ 2 years of age during that year. For patients < 2 years of age in 1986, the forms were to be completed at the time of the age 2 annual visit. These

3.0: Demographic Data - Overview

forms collected demographic and socioeconomic data similar to those collected on earlier demographic forms. In addition, data on the impact of the disease on performance status, employment, etc., and the occurrence of major life events (such as family deaths, births, divorces, etc.) during the patient's time on study were obtained. Only one Form 07 per household was required.

_dta:

1. Created 05/09/00.

- A. <u>List of variables deleted</u> **F02AID F02DATE F02ESTAT F02FCB F02INIT F02LASTE F02LASTU F02MIL F02NDATE F02OC F02OCP F02REL F02VDATE F02WFB F02WMB F02WPS**
- B. List of variables modified F02ED F02INC F02MS
- C. List of variables modified with a name change
- D. Old name F02MIL F02OC
- E. New name FOMIL_R F02OC_R
- F. List of variables modified date to days since DOE
- G. Old name F02DATE
- H. New name JF02DATE
- I. Collection Information:

Form 02 (Patient Demographic Data Form) was to be filled out at the time a patient entered the study (date entry physical exam was done).

- J. Data Collection Period: 03/79 09/88
- K. Form Version Dates: 03/01/79, 03/29/79, 06/11/79
- L. Files Used to Store Information:

SAS System File: R02.SD2

Format File: R02.FMT

- M. Unique Record Identifiers: ANONID
- N. Number of Observations (Patients) in SAS Dataset: 4082 (4082)
- O. Contents of SAS Dataset:
 - Alphabetical Listing of Variables: See pp. 23-24
 - Listing of Variables by Position: See pp. 25
 Some key demographic items (SEX, BIRTHDAY, RACE, PTYPE (protocol type))
 reported on Form 02 are stored in the "Patient Roster" (CASE) dataset (R09.SD2)

rather than in R02.SD2.

P. Notes About Selected Variables:

- F02REL is the variable name for religious affiliation. It was not uncommon for
 "Other" to be checked rather than "Protestant" for any of the Protestant
 religions—e.g., Baptist, Seventh Day Adventist. It is doubtful that pre-entry
 manual checking of forms at the SCC resulted in appropriate correcting of the
 classification for all forms with this type of problem.
- **F02EMPA** is the variable name for whether patient had an argument or serious disagreement with boss or fellow employees within the past 12 months. The responses to two separate questions are combined in this variable: 1) whether there was an argument, and 2) whether the argument was sickle cell related.
- **F02EMPF** is the variable name for whether the patient was fired or laid off within the past 12 months. The responses to two separate questions are combined in this variable: 1) whether the patient was fired or laid off and 2) whether the reason was sickle cell related.
- **F02EMPQ** is the variable name for whether the patient quit his/her job within the past 12 months. The responses to two separate questions are combined in this variable: 1) whether the patient quit and 2) whether the reason for quitting was sickle cell related.
- **F02ED** is the variable name for highest level of education completed by patient. "Trade school" is one of the response choices. It would have been better to have a separate variable for trade school since only one value can be entered for this variable—either the highest grade level OR trade school. In general, trade school (code 13) was entered if the highest grade completed was ≤ 12; the college level was entered if the highest grade completed was ≥ 1 year of college and trade school was also checked.
- Q. Computed Variables: None
- R. Inter-Relationship With Other Datasets:
 - 1. Demographic data were also collected on

Phase 1 Forms	SAS Dataset	See Section
Form 01	R01.SD2	3.1
Form 03	R03.SD2	3.3
Form 04	R03.SD2	3.3
Form 05	R05.SD2	3.5
Form 06	R86.SD2	3.6
Form 07	R87.SD2	3.7

3.2: Patient Demographic Data Form – Form 02

2. Values for the following variables stored in the **R09.SD2** were obtained from information reported on Forms 01 and 02:

SEX BIRTHDAY RACE PTYPE

[See Section 1]

CSSCD FULL COHORT PATIENTS

CONTENTS OF SAS DATASET: R02.SD2

DATA FROM CSSCD FORM 02 - PATIENT DEMOGRAPHIC DATA FORM VARIABLES ARE LISTED IN ALPHABETICAL ORDER AND IN ORDER OF THEIR POSITION IN THE SAS DATASET AND ON FORM 02

The SAS System 15:20 Friday, September 15, 2006 1

The CONTENTS Procedure

Data Set Name	OUT1.R02	Observations	4082
Member Type	DATA	Variables	19
Engine	V9	Indexes	0
Created	16:04 Monday, September 11, 2006	Observation Length	144
Last Modified	16:04 Monday, September 11, 2006	Deleted Observations	0
Protection		Compressed	NO
Data Set Type		Sorted	NO
Lahal			

Data Representation WINDOWS

Encoding wlatin1 Western (Windows)

Engine/Host Dependent Information

Data Set Page Size 12288 Number of Data Set Pages 49 First Data Page 1 Max Obs per Page 85 Obs in First Data Page 62 Number of Data Set Repairs 0

File Name r02.sas7bdat

> Release Created 9.0000M0 Host Created XP_PRO

Alphabetic List of Variables and Attributes

#	Variable	Type	Len	Label
	ANONED	01	•	ANONYMIZED ID #
1	ANONID	Char	8	
2	F02CYCLE	Num	8	UPDATE NUMBER
5	F02ED	Num	8	HIGHEST LEVEL OF EDUCATION COMPLETED
11	F02EMPA	Num	8	ARGUMENT AT WORK LAST YEAR
12	F02EMPF	Num	8	LOST JOB WITHIN LAST YEAR
13	F02EMPQ	Num	8	QUIT JOB WITHIN LAST YEAR
9	F02HWK	Num	8	HOURS WORKED LAST WEEK
10	F02HWKU	Num	8	HOURS WORKED PER WEEK USUALLY
16	F02INC	Num	8	INCOME FROM OCCUPATION
15	F02LJM	Num	8	LEFT JOB FOR MEDICAL REASONS
8	F02LWK	Num	8	MONTHS WORKED AT JOB
17	F02MIL_R	Char	3	ACTIVE DUTY FOR MILITARY SERVICE
4	F02MS	Num	8	MARITAL STATUS
18	F020C_R	Char	3	JOB CODE
14	F02PGJ	Num	8	PROBLEMS GETTING NEW JOB
3	F02RSP	Num	8	INFORMANT
6	F02SCHL	Num	8	CURRENTLY STUDENT
7	F02WRKS	Num	8	CURRENT WORK STATUS
19	JF02DATE	Num	8	DATE OF VISIT - DAYS SINCE DOE

```
*****************
* R02.FMT contains value labels for numerical codes assigned to
categorical*
* variables in the SAS dataset R02.SD2
*******************
****;
* SIR/DBMS 2.2 SAS PROC STEP FROM DATABASE: CSSCD 06/01/99 14:50:12;
PROC FORMAT;
 VALUE F02RSP
   1
                 = 'PATIENT'
   2
                 = 'PARENT OR GUARDIAN'
   3
                = 'OTHER RELATIVE';
 VALUE F02MS
   1
                 = 'MARRIED OR REMARRIED'
                 = 'DIVORCED'
   4
                 = 'NEVER MARRIED'
   5
                 = 'WIDOWED'
   6
                 = 'SEPARATED';
 INVALUE $ F02OC_R
  `A'
                  = 'PROFESSIONAL'
                  = 'MANAGERS'
  `В′
  `C′
                  = 'CLERICAL'
  'D'
                  = 'CRAFTSMAN'
  `E′
                  = 'OPERATIVES'
  `F′
                  = 'TRANSPORT'
  ۱G′
                  = 'LABORERS'
  `H′
                  = 'FARM'
  `I'
                  = 'SERVICE'
  ۱J′
                  = 'HOUSEHOLD'
  `K′
                  = 'UNCLASSIFIED (NOT OTHERWISE DEFINED)';
```

```
VALUE F02ED
    8
                    = 'GRADE SCHOOL'
                    = 'HIGH SCHOOL'
   11
    13
                    = 'TRADE SCHOOL'
    14
                    = 'COLLEGE-1 YEAR'
   15
                    = 'COLLEGE-2 YEARS'
   16
                    = 'COLLEGE-3 YEARS'
   17
                    = 'COLLEGE-4 YEARS'
                    = 'COLLEGE>4 YEARS'
   18
                    = 'DK'
   19
                    = 'NA';
    20
 VALUE F02SCHL
                    = 'NO'
   1
    2
                    = 'FULL TIME'
                    = 'PART TIME';
    3
 VALUE F02MIL_R
    2
                    = 'YES'
    3
                    = 'YES'
                   = 'YES'
    5
                    = 'DK'
                    = 'NO';
    1
 VALUE F02WRKS
   1
                    = 'HSEWIFE, NEVER WRKD'
                    = 'EMPLOYED FULL TIME'
                    = 'EMPLOYED PART TIME'
    3
                    = 'UNEMPLOYED < 2 YRS'
    5
                    = 'RETIRED'
    6
                    = 'DISABLED, WORKED'
   7
                    = 'DISABLED, NEVER WRKD'
    8
                    = 'UNEMPLOYED > 2 YRS';
* FORMAT EMPLY used for the following variables: F02EMPA F02EMPF
F02EMPQ;
 VALUE EMPLY
   1
                    = 'NOT EMPLOYED'
    2
                    = 'NO'
    3
                    = 'YES-NOT SCD RELATED'
    4
                    = 'YES-DK'
    5
                    = 'YES-SCD RELATED';
 VALUE F02PGJ
   1
                    = 'YES'
    2
                    = 'NO'
    3
                    = 'DIDN''T TRY';
```

```
1
                    = 'YES'
   2
                    = 'NO';
 VALUE F02INC
                    = '$0-4,999'
   1
   2
                    = '$5,000-9,999'
   3
                    = '$10,000-14,999'
                    = '$15,000-19,999'
   5
                    = '$20,000->$25,000'
   7
                    = 'REFUSED'
   8
                    = 'DON''T KNOW'
   9
                    = 'N.A.';
   * FORMAT JF02DATE MMDDYY8.
          F02RSP F02RSP.
          F02MS F02MS.
          F02ED F02ED.
          F02SCHL F02SCHL.
          F02WRKS F02WRKS.
          F02EMPA F02EMPF F02EMPQ EMPLY.
          F02PGJ F02PGJ.
          F02LJM F02LJM.
          F02INC F02INC.;
RUN;
QUIT;
```

CSSCD FULL COHORT PATIENTS

F02VDATE ------ VERSION DATE DELETED type: numeric daily date (float) label: datelab range: [6999,7101] units: 1 or equivalently: [01mar1979,11jun1979] units: days tabulation: Freq. Numeric Label 514 6999 03/01/79 383 7027 03/29/79 3185 7101 06/11/79 F02CYCLE ------ UPDATE NUMBER type: numeric (float) range: [1,1] units: 1 values: 1 coded missing: 0 / 4082 unique values: 1 tabulation: Freq. Value 4082 1 FO2RSP ----- INFORMANT type: numeric (float) label: F02RSP range: [1,3] units: 1 values: 3 coded missing: 89 / 4082 unique values: 3 tabulation: Freq. Numeric Label 1498 1 PATIENT 2428 2 PARENT OR GUARDIAN 67 3 OTHER RELATIVE F02MS ----- MARITAL STATUS MODIFIED type: numeric (float) label: F02MS range: [1,6] units: 1 coded missing: 47 / 4082 unique values: 6 tabulation: Freq. Numeric Label 1 MARRIED 317 2 REMARRIED 8 3 DIVORCED 96 3451 4 NEVER MARRIED 30 5 WIDOWED 133 6 SEPARATED

CSSCD FULL COHORT PATIENTS

FO2REL ------ RELIGIOUS AFFILIATION DELETED type: numeric (float) label: F02REL range: [1,7] units: 1 coded missing: 49 / 4082 unique values: 7 tabulation: Freq. Numeric Label 2710 1 PROTESTANT 563 2 CATHOLIC 85 3 JETHOVAH WITNESS 4 CHRISTIAN SCIENCE 17 5 MOSLEM 44 337 6 NONE 277 7 OTHER F02WPB ----- WHERE PATIENT BORN DELETED type: numeric (float) label: F02WPB range: [2,650] units: 1 unique values: 77 coded missing: 17 / 4082 tab: Freq. Num. Lab. tab: Freq. Num. Lab. tab: Freq. Num. Lab. 1 2 AC 7 163 GH 1 350 NM 1 5 AF 3 165 GJ 834 362 NY 1 10 1 175 GT 6 371 OH 39 11 AL 11 180 GY 3 374 OK 17 AR 35 41 182 HA 197 390 PA 6 27 BB 6 196 HO 13 403 PN 3 31 BF 498 219 IL 4 407 PR 458 RQ 52 CA 221 IK 191 10 4 1 55 CD 1 227 IQ 1 468 SA 234 102 470 SC 1 57 1 2 58 CJ 37 246 JM 479 SL 2 284 KY 497 TD 2 61 6 18 1 63 31 286 LA 199 507 TN 1 64 3 294 LI 514 TU 1 70 CS 1 5 299 23 517 ΤX 71 CT 300 64 530 UK 1 6 72 CU 5 91 312 MA 10 538 226 80 DC 34 315 MD 546 VA 2 82 DE 6 320 MI 548 1 1 88 DK 560 VO 1 325 MN 1 2 92 D0 151 326 MO 60 572 WA 6 95 DR 217 330 MS 4 580 WI 260 141 FL 2 338 NA 4 593 WV 169 276 596 WY 156 GA 340 NC 1 650 ZA 1 157 9 346 NI 3 160 GE 45 347 NJ

F02WPB:

1. See Appendix B - STATE AND COUNTRY CODE LIST

CSSCD FULL COHORT PATIENTS

FO2WMB ----- WHERE PATIENT'S MOTHER BORN DELETED

type: numeric (float)

label: F02WMB

3 2 AC 1 175 GT 1 357 5 5 AF 1 176 1 359 5 10 1 177 304 362 131 11 AL 30 180 GY 16 371 103 17 AR 160 182 HA 11 374 1 25 17 196 H0 145 390 12 27 BB 1 198 1 400 12 31 BF 1 208 26 403 5 33 221 219 IL 3 406 1 42 11 221 IK 7 407 82 52 CA 2 227 IQ 2 450 2 57 9 234 14 458 1 58 CJ 94 246 JM 1 460 1 59 1 264 <			1	units:			[2,650]	nge:	ra		
3 2 AC 1 175 GT 1 357 5 5 AF 1 176 1 359 5 10 1 177 304 362 131 11 AL 30 180 GY 16 371 103 17 AR 160 182 HA 11 374 1 25 17 196 H0 145 390 12 27 BB 1 198 1 400 12 31 BF 1 208 26 403 5 33 221 219 IL 3 406 1 42 11 221 IK 7 407 82 52 CA 2 227 IQ 2 450 2 57 9 234 14 458 1 58 CJ 94 246 JM 1 460 1 59 1 264 <			46 / 4082	missing:	coded		100	ues:	que val	unio	
5 5 AF 1 176 1 359 5 10 1 177 304 362 131 11 AL 30 180 GY 16 371 103 17 AR 160 182 HA 11 374 1 25 17 196 HO 145 390 12 27 BB 1 198 1 400 12 31 BF 1 208 26 403 5 33 221 219 IL 3 406 1 42 11 221 IK 7 407 82 52 CA 2 227 IQ 2 450 2 57 9 234 14 458 1 58 CJ 94 246 JM 1 460 1 59 1 264 JM 1 468	Lab.	Num.	tab: Freq.	Lab.	Num.	Freq.	tab:	Lab.	Num.	Freq.	tab:
5 10 1 177 304 362 131 11 AL 30 180 GY 16 371 103 17 AR 160 182 HA 11 374 1 25 17 196 HO 145 390 12 27 BB 1 198 1 400 12 31 BF 1 208 26 403 5 33 221 219 IL 3 406 1 42 11 221 IK 7 407 82 52 CA 2 227 IQ 2 450 2 57 9 234 14 458 1 58 CJ 94 246 JM 1 460 1 59 1 264 JM 1 468		357	1	GT	175	1		AC	2	3	
131 11 AL 30 180 GY 16 371 103 17 AR 160 182 HA 11 374 1 25 17 196 HO 145 390 12 27 BB 1 198 1 400 12 31 BF 1 208 26 403 5 33 221 219 IL 3 406 1 42 11 221 IK 7 407 82 52 CA 2 227 IQ 2 450 2 57 9 234 14 458 1 58 CJ 94 246 JM 1 460 1 59 1 264 2 468		359	1		176	1		AF	5	5	
103 17 AR 160 182 HA 11 374 1 25 17 196 HO 145 390 12 27 BB 1 198 1 400 12 31 BF 1 208 26 403 5 33 221 219 IL 3 406 1 42 11 221 IK 7 407 82 52 CA 2 227 IQ 2 450 2 57 9 234 14 458 1 58 CJ 94 246 JM 1 460 1 59 1 264 JM 1 468	NY	362	304		177	1			10	5	
1 25 17 196 HO 145 390 12 27 BB 1 198 1 400 12 31 BF 1 208 26 403 5 33 221 219 IL 3 406 1 42 11 221 IK 7 407 82 52 CA 2 227 IQ 2 450 2 57 9 234 14 458 1 58 CJ 94 246 JM 1 460 1 59 1 264 2 468	OH	371	16	GY	180	30		AL	11	131	
12 27 BB 1 198 1 400 12 31 BF 1 208 26 403 5 33 221 219 IL 3 406 1 42 11 221 IK 7 407 82 52 CA 2 227 IQ 2 450 2 57 9 234 14 458 1 58 CJ 94 246 JM 1 460 1 59 1 264 2 468	OK	374	11	HA	182	160		AR	17	103	
12 31 BF 1 208 26 403 5 33 221 219 IL 3 406 1 42 11 221 IK 7 407 82 52 CA 2 227 IQ 2 450 2 57 9 234 14 458 1 58 CJ 94 246 JM 1 460 1 59 1 264 2 468	PA	390	145	НО	196	17			25	1	
5 33 221 219 IL 3 406 1 42 11 221 IK 7 407 82 52 CA 2 227 IQ 2 450 2 57 9 234 14 458 1 58 CJ 94 246 JM 1 460 1 59 1 264 2 468		400	1		198	1		ВВ	27	12	
1 42 11 221 IK 7 407 82 52 CA 2 227 IQ 2 450 2 57 9 234 14 458 1 58 CJ 94 246 JM 1 460 1 59 1 264 2 468	PN	403	26		208	1		BF	31	12	
82 52 CA 2 227 IQ 2 450 2 57 9 234 14 458 1 58 CJ 94 246 JM 1 460 1 59 1 264 2 468		406	3	IL	219	221			33	5	
2 57 9 234 14 458 1 58 CJ 94 246 JM 1 460 1 59 1 264 2 468	PR	407	7	IK	221	11			42	1	
1 58 CJ 94 246 JM 1 460 1 59 1 264 2 468		450	2	IQ	227	2		CA	52	82	
1 59 1 264 2 468	RQ	458	14		234	9			57	2	
		460	1	JM	246	94		CJ	58	1	
4 00 4 070	SA	468	2		264	1			59	1	
1 00 4 278 287 470	SC	470	287		278	4			60	1	
2 61 10 284 KY 2 471		471	2	KY	284	10			61	2	
1 64 89 286 LA 7 479	SL	479	7	LA	286	89			64	1	
3 66 5 294 LI 2 487		487	2	LI	294	5			66	3	
1 69 1 300 31 497	TD	497	31		300	1			69	1	
8 70 CS 16 312 MA 149 507	TN	507	149	MA	312	16		CS	70	8	
28 71 CT 1 314 2 511		511	2		314	1		CT	71	28	
9 72 CU 30 315 MD 1 514	TU	514	1	MD	315	30		CU	72	9	
119 80 DC 1 316 59 517	TX	517	59		316	1		DC	80	119	
3 82 DE 7 320 MI 1 530	UK	530	1	MI	320	7		DE	82	3	
6 88 DK 116 326 MO 31 538		538	31	MO	326	116		DK	88	6	
3 92 DO 440 330 MS 95 546	VA	546	95	MS	330	440		DO	92	3	
44 95 DR 4 338 NA 5 548		548	5	NA	338	4		DR	95	44	
2 106 403 340 NC 2 554		554	2	NC	340	403			106	2	
137 141 FL 2 341 4 560	VO	560	4		341	2		FL	141	137	
275 156 GA 2 342 3 562		562	3		342	2		GA	156	275	
1 157 1 344 32 572	WA	572	32		344	1			157	1	
20 163 GH 28 346 NI 5 580	WI	580	5	NI	346	28		GH	163	20	
9 165 GJ 30 347 NJ 7 593	WV	593	7	NJ	347	30		GJ	165	9	
1 650	ZA	650	1								

F02WMB:

1. See Appendix B - STATE AND COUNTRY CODE LIST

CSSCD FULL COHORT PATIENTS

FO2WFB ----- WHERE PATIENT'S FATHER BORN **DELETED** type: numeric (float)

				numeric	(110	at)						
		Ia	bel:	F02WFB								
		20		[0 650]								
			nge:	[2,650]				units:	1	200		
4		que val		102		F		missing:	182 / 40		Missee	1 - 1-
tab:	Freq.	Num.	Lab.		tab:	Freq.	Num.	Lab.	tab:	Freq.	Num.	Lab.
	5	2	AC			2	175	GT		1	359	NIX
	5	5	AF			1	177	0)/		243	362	NY
	6	10				26	180	GY		16	371	OH
	130	11	AL			169	182	HA		2	374	OK
	1	13				1	190			1	381	
	86	17	AR			1	192			122	390	PA
	1	25				21	196	НО		2	400	
	2	26				1	208			23	403	PN
	26	27	BB			207	219	IL		1	406	
	17	31	BF			7	221	IK		9	407	PR
	1	33				1	226			1	457	
	76	52	CA			2	227	IQ		19	458	RQ
	2	57				7	234			2	468	SA
	1	58	CJ			99	246	JM		298	470	SC
	1	60				1	260			3	471	
	1	64				6	278			10	479	SL
	4	66				6	284	KY		38	497	TD
	11	70	CS			85	286	LA		132	507	TN
	23	71	CT			5	294	LI		1	511	
	6	72	CU			1	300			1	514	TU
	1	78				18	312	MA		60	517	TX
	98	80	DC			33	315	MD		2	526	
	3	82	DE			1	319			3	530	UK
	20	88	DK			7	320	MI		52	538	
	2	92	DO			1	325	MN		132	546	VA
	46	95	DR			105	326	MO		3	548	
	2	106				430	330	MS		4	554	
	1	122				2	338	NA		3	560	VO

345

37

24

1

1

340 NC

344

346 NI

347

356

357

562

573

572 WA

580 WI

593 WV

650 ZA

5

24

9

F02WFB:

137

261

1

25

14

1

141 FL

157

171

156 GA

163 GH

165 GJ

1. See Appendix B - STATE AND COUNTRY CODE LIST

CSSCD FULL COHORT PATIENTS

```
FO2ED ------ HIGHEST LEVEL OF EDUCATION COMPLETED MODIFIED
              type: numeric (float)
              label: F02ED
              range: [0,21] units. .

values: 22 coded missing: 1119 / 4082
       unique values: 22
          tabulation: Freq. Numeric Label
                          O KINDERGARTEN
                      184
                      124
                                1
                      114
                                2
                                3
                      115
                      132
                                4
                      107
                                5
                      129
                                6
                      118
                                7
                      146
                               8
                      164
                               9
                      204
                               10
                      227
                               11
                      508
                               12
                      43
                               13 TRADE SCHOOL
                      122
                              14 COLLEGE-1 YEAR
                      144
                              15 COLLEGE-2 YEARS
                       71
                              16 COLLEGE-3 YEARS
                       52
                              17 COLLEGE-4 YEARS
                       24
                              18 COLLEGE>4 YEARS
                               19 DK
                       6
                      220
                               20 NA
                        9
                               21
F02ED:
 1. Response required only if patient > or = 4 years of age.
F02SCHL ..... CURRENTLY STUDENT
              type: numeric (float)
              label: F02SCHL
              range: [1,3]
                                            units: 1
       unique values: 3
                                   coded missing: 1119 / 4082
          tabulation: Freq. Numeric Label
                            1 NO
                     1243
                               2 FULL TIME
                     1563
                               3 PART TIME
                      157
```

F02SCHL:

1. Response required only if patient > or = 4 years of age.

CSSCD FULL COHORT PATIENTS

FO2MIL ----- ACTIVE DUTY FOR MILITARY SERVICE MODIFIED type: numeric (float) label: F02MIL range: [1,4] units: 1 coded missing: 1187 / 4082 unique values: 4 tabulation: Freq. Numeric Label 2822 1 NO 57 2 <2 YEARS 10 3 2 TO 4 YEARS 6 4 >4 YEARS F02MIL: 1. Response required only if patient >= 4 years of age. F02WRKS ----- CURRENT WORK STATUS type: numeric (float) label: FO2WRKS range: [1,8] units. .
coded missing: 1183 / 4082 unique values: 8 tabulation: Freq. Numeric Label 1926 1 HSEWIFE, NEVER WRKD 376 2 EMPLOYED FULL TIME

> 3 EMPLOYED PART TIME 4 UNEMPLOYED < 2 YRS

6 DISABLED, WORKED 7 DISABLED, NEVER WRKD

8 UNEMPLOYED > 2 YRS

5 RETIRED

F02WRKS:

1. Response required only if patient >= 4 years of age

136

185

12 158

> 60 46

2. On 3/1/79 version of form, only 1 'disabled' response choice was included (worked in past vs. never worked not distinguished).

CSSCD FULL COHORT PATIENTS

CSSCD FULL COHORT PATIENTS

tab:	Freq.	Value									
	4	935		8	950		1	961		6	980
	18	942		2	953		13	962		12	982
	11	944		1	954		5	964		5	984
							4	976		1	989

F020C:

- 1. Response required only if FO2WRKS = 2, 3, 4, 5, 6 or 8.
- 2. See Appendix C OCCUPATIONAL CLASSIFICATION LIST.
- 3. Response required only if patient >= 4 years of age.

F020CP		JOB	PRESTIGE	CODE	DELETED
type: n	umeric (float)				

		range	: [12	,78]			unit	s: 1			
	uni	que values	: 53			coded	missin	g: 3072	/ 4082		
tab:	Freq.	Value	tab:	Freq.	Value	tab:	Freq.	Value	tab:	Freq.	Value
	6	12		60	29		9	42		2	55
	14	14		21	30		29	43		3	56
	9	15		29	31		4	44		11	57
	30	16		31	32		24	45		1	58
	43	17		14	33		35	46		8	60
	21	18		15	34		24	47		10	61
	22	19		7	35		33	48		6	62
	23	20		137	36		5	49		1	67
	42	22		15	37		28	50		1	69
	21	23		6	38		16	51		1	71
	52	25		17	39		10	52		1	72
	34	26		23	40		2	53		1	76
	11	27		28	41		1	54		1	78
	12	28									

F020CP:

- 1. Response required only if FO2WRKS = 2, 3, 4, 5, 6 or 8.
- 2. See Appendix C OCCUPATIONAL CLASSIFICATION LIST.
- 3. Response required only if patient >= 4 years of age.

F02LWK ------ MONTHS WORKED AT JOB

type: numeric (float)

range: [0,456] units: 1

coded missing: 3103 / 4082 unique values: 74

mean: 41.0684 std. dev: 58.1219

25% 10% 50% 75% 90% percentiles: 2 5 15 60 120

F02LWK:

- 1. Response required only if FO2WRKS = 2, 3, 4, 5, 6 or 8.
- 2. Response required only if patient >= 4 years of age.

CSSCD FULL COHORT PATIENTS

F02HWK ------ HOURS WORKED LAST WEEK

type: numeric (float)

range: [0,72] units: 1

unique values: 50 coded missing: 2777 / 4082

mean: 13.1372 std. dev: 18.1714

percentiles: 10% 25% 50% 75% 90% 0 0 35 40

F02HWK:

- 1. Response required only if FO2WRKS = 2 or 3.
- 2. Response required only if patient >= 4 years of age.

CSSCD FULL COHORT PATIENTS

FO2HWKU ----- HOURS WORKED PER WEEK USUALLY

type: numeric (float)

range: [0,72] units: 1

coded missing: 2779 / 4082 unique values: 47

mean: 14.9286 std. dev: 18.9005

percentiles: 10% 25% 50% 75% 90% 0 0 0 40 40

F02HWKU:

1. Response required only if FO2WRKS = 2 or 3.

2. Response required only if patient >= 4 years of age.

F02AID ----- RECEIVE GOVERNMENT AID DELETED

type: numeric (float)

label: F02AID

range: [1,4] units. .
values: 4 coded missing: 1180 / 4082 unique values: 4

tabulation: Freq. Numeric Label

1675 1 NO 14 2 YES 3 REFUSED 1212 4 DK 1

F02AID:

1. Response required only if patient >= 4 years of age.

```
F02EMPA ----- ARGUMENT AT WORK LAST YEAR
               type: numeric (float)
              label: F02EMPA
              range: [1,5] units.

coded missing: 1253 / 4082
       unique values: 5 co
tabulation: Freq. Numeric Label
                      2153 1 NOT EMPLOYED
                       602
                                2 NO
                              3 YES-NOT SCD RELATED
4 YES-DK
                        49
                        11
14
                                5 YES-SCD RELATED
F02EMPA:
 1. Response required only if FO2WRKS = 2 or 3; OR (FO2WRKS = 4, 5, or 6
     and patient was employed within 12 months preceding date of visit.)
 2. Response required only if patient >= 4 years of age.
F02EMPF ----- LOST JOB WITHIN LAST YEAR
               type: numeric (float)
              label: F02EMPF
       range: [1,5] units: 1
unique values: 5 coded missing: 1690 / 4082
          tabulation: Freq. Numeric Label
                     1721 1 NOT EMPLOYED
                              2 NO
3 YES-NOT SCD RELATED
4 YES-DK
                       588
                        43
                        18
22
                                5 YES-SCD RELATED
                        22
F02EMPF:
 1. Response required only if FO2WRKS = 2 or 3; OR (FO2WRKS = 4, 5, or 6
     and patient was employed within 12 months preceding date of visit.)
 2. Response required only if patient >= 4 years of age.
F02EMPQ ----- QUIT JOB WITHIN LAST YEAR
               type: numeric (float)
              label: F02EMPQ
              range: [1,5]
                                              units: 1
       unique values: 5
                                      coded missing: 1696 / 4082
          tabulation: Freq. Numeric Label
                            1 NOT EMPLOYED
                      1721
                        588 2 NO
45 3 YES-NOT SCD RELATED
                       588
                        13
                                4 YES-DK
                        19
                                5 YES-SCD RELATED
F02EMPQ:
 1. Response required only if FO2WRKS = 2 or 3; OR (FO2WRKS = 4, 5, or 6
     and patient was employed within 12 months preceding date of visit.)
 2. Response required only if patient >= 4 years of age.
```

```
F02PGJ ----- PROBLEMS GETTING NEW JOB
              type: numeric (float)
             label: F02PGJ
       range: [1,3] units: 1
unique values: 3 coded missing: 3869 / 4082
         tabulation: Freq. Numeric Label
                     97 1 YES
                      60
                              2 NO
                      56
                              3 DIDN'T TRY
F02PGJ:
 1. Response required only if FO2EMPF > or = 2, or FO2EMPQ > or = 2.
 2. Response required only if patient >= 4 years of age.
FO2LJM ----- LEFT JOB FOR MEDICAL REASONS
              type: numeric (float)
             label: F02LJM
       range: [1,2] units: 1
unique values: 2 coded missing: 3871 / 4082
         tabulation: Freq. Numeric Label
                    128 1 YES
                      83
                              2 NO
F02LJM:
 1. Response required only if FO2EMPF > or = 2, or FO2EMPQ > or = 2.
 2. Response required only if patient >= 4 years of age.
F02INC ----- INCOME FROM OCCUPATION MODIFIED
              type: numeric (float)
             label: F02INC
       range: [1,9] units: 1
unique values: 9 coded missing: 3401 / 4082
         tabulation: Freq. Numeric Label
                     290 1 $0-4,999
                              2 $5,000-9,999
                     186
                       9
                              9 N.A.
F02INC:
 1. Response required only if FO2WRKS = 2 or 3; OR (FO2WRKS = 4, 5, or 6
    and patient was employed within 12 months preceding date of visit.)
 2. Response required only if patient >= 4 years of age.
_dta:
 1. June 20, 2000
```

- A. <u>List of variables deleted</u> **F03AIDH F03DATE F03DBH F03ESTAT F03FCB F03INIT F03LASTE F03LASTU F03NDATE F03OCH F03OCPH F03RAH F03VDATE F04DATE F04FCB F0RZIP**
- B. List of variables modified F03EDH F03MSH F03RACEH F04HSE F04RMS
- C. List of variables modified with a name change
- D. Old name F03OCH
- E. New name F03OCH_R
- F. <u>List of variables modified date to days since DOE</u>
- G. Old name F03DATE F04DATE
- H. New name JF03DATE JF04DATE
- I. <u>Collection Information</u>:

Form 03 (Head of Household Demographic Data Form) was to be filled out at the time the <u>first CSSCD participant in a household</u> entered the study. The form was <u>not required</u> for any CSSCD patient who was the head of the household since the data for such a patient would be the same as the data collected on Form 02 (Patient Demographic Data Form). The form collects information pertaining to marital status, religious affiliation, education, occupation, and income of non-CSSCD household heads.

Form 04 (Composite Household Demographic Data Form) was to be filled out at the time the <u>first CSSCD participant in a household</u> entered the study. Form 04 collects information pertaining to total family income, housing, care of patients under 12 years, source of previous medical care of study participants, insurance, and means of transportation, travel time and cost for clinic visits.

- J. <u>Data Collection Period</u>: 03/79 09/88
- K. <u>Form Version Dates</u>: Form 03: 03/01/79, 03/29/79, 06/11/79, 01/25/80

Form 04: 03/01/79, 03/29/79

The majority (98%)of records with missing values for **F03VDATE** belong to head of household study participants (**R09.SD2** variable **LINENO**=01). Completion of Form 03 was not required for this subset of patients since the same information was obtained on the Patient Demographic Data Form (Form 02, Dataset: **R02.SD2**).

The codebook coincides with the 06/11/79 version of Form 03 and the 03/29/79 version of Form 04.

L. Files Used to Store Information:

SAS System File: **R03.SD2**SAS Format File: **R03.FMT**

M. Unique Record Identifiers: ANONID

N. Number of Observations (Patients) in SAS Dataset: 3700 (3700)

O. Contents of SAS Dataset:

Alphabetical Listing of Variables: See pp. 45-47

• Listing of Variables by Position: See pp. 48-50

Note: Age of household head (Q. 7) is <u>not</u> stored in **R03.SD2**. Responses to questions 17-28 on Form 03 version 01/25/80 are <u>not</u> stored in **R03.SD2** [See Section 3.5].

P. Notes About Selected Variables:

- F03xxxxx are variable names for items on Form 03 (Head of Household
 Demographic Data Form). If the Head of Household was a CSSCD participant,
 values for all F03 variables may be missing since completion of Form 03 was not
 required if household heads were study participants. The same information for
 household head participants was captured on the Form 02 (Patient Demographic
 Data Form) for the household head participant [See Sections 3.1, 3.2, and 3.4].
- F30LHH is the variable name for the line # of household head. The value should be "1" [See Section 3.1]. however, in some cases, the head of household number in R03.SD2 conflicts with that reported on the Household Enumeration Form (Form 01, R01.SD2). In such cases, "27" was entered as the value for F03LHH. A value of "27", therefore, indicates that the head of household data in F03.SD2 belong to someone other than the household head reported on Form 01.
- **F03RAH** is the variable name for religious affiliation of household head. It was not uncommon for "Other" to be checked rather than "Protestant" for any of the Protestant religions—e.g., Baptist, Seventh Day Adventist. It is doubtful that preentry manual checking of forms at the SCC resulted in appropriate correcting of the classification for all forms with this type of problem.

- F03EDH is the variable name for highest level of education completed by head of household. "Trade school" is one of the response choices. It would have been better to have a separate variable for trade school since only one value can be entered for this variable—either the highest grade level OR trade school. In general, trade school (code 13) was entered if the highest grade completed was ≤ 12; the college level was entered if the highest grade completed was ≥ 1 year of college and trade school was also checked.
- F04DAYL1-5, F04MDCL1-5, F04TRNL1-5 are variables which refer to the household members line number on Form 01 (Household Enumeration Form)
 [See Section 3.1].
- F04SINC is the variable name for sources of income (unearned) outside family.
 Sources of unearned income may include alimony, child support, gifts, disability, welfare, social security, pensions, armed forces or veterans allotments, interests and dividends, etc.
- F04NSF is the variable name for number of people who contribute to the support of the family. The number (according to instructions in the Manual of Operations (MOO)) should include members contributing earned and/or unearned income with one exception: children of AFDC were not to be counted—only the adult who received the AFDC payment was to be counted. However, it was not uncommon for respondents to answer "0" if all income was unearned. It is also likely that children on AFDC, rather than or in addition to the adult receiving the payment, were included in the number reported on some forms.
- **F04INCF** is the variable name for total family income which includes both earned and unearned income.
- **F04RMS** is the variable name for number of rooms in home. Bathrooms and hallways are not considered rooms.
- F04LNBD is the variable name for length of time household lived in neighborhood. Neighborhood is defined as the area within 5 city blocks of the patient's current home.
- **F04MDEX** is the variable name for amount spent on medical expenses within the past year. The value was to include insurance premiums.

- **F04HINS** is the variable name for health insurance. The codebook indicates that there was a data entry problem with this variable. The nature of the problem is unknown to the writer of this section of documentation.
- F04COST is the variable name for round trip cost for visit to clinic. Cost of person(s) accompanying patient to clinic and parking costs were to be included if applicable.

Q. Inter-Relationship With Other Datasets:

1. Demographic data were also collected on

Phase 1 Forms	SAS Dataset	See Section
Form 01	R01.SD2	3.1
Form 02	R02.SD2	3.2
Form 05	R05.SD2	3.5
Form 06	R06.SD2	3.6
Form 07	R07.SD2	3.7

2. Households with more than one participating member

If a "Record 03" does *not* exist for a patient and the value of the variable ISFAMID in R09.SD2=0, the value of FAMID for the patient should be used to link with the household participant who has the same FAMID # and has a value of "1" for ISFAMID in order to retrieve "Record 03" data for the ISFAMID=0 patient.

3. Head of household participants

Values for "Record 03" variables which have names beginning with "F03" may be missing if the head of household is a CSSCD study participant. To obtain corollary information on this subset of patients, variables from the "Record 02" in **R02.SD2** for the household head should be retrieved.

&

CSSCD FULL COHORT PATIENTS

CONTENTS OF SAS DATASET: R03.SD2

DATA FROM CSSCD FORMS 03 AND 04 - HEAD OF HOUSEHOLD AND COMPOSITE HOUSEHOLD FO VARIABLES ARE LISTED IN ALPHABETICAL ORDER AND IN ORDER OF THEIR POSITION IN THE SAS DATASET AND ON THE FORMS

> The SAS System 15:20 Friday, September 15, 2006 16

The CONTENTS Procedure

Data Set Name	OUT1.R03	Observations	3700
Member Type	DATA	Variables	62
Engine	V9	Indexes	0
Created	16:06 Monday, September 11, 2006	Observation Length	496
Last Modified	16:06 Monday, September 11, 2006	Deleted Observations	0
Protection		Compressed	NO
Data Set Type		Sorted	NO
Label			

Data Representation WINDOWS

Encoding wlatin1 Western (Windows)

Engine/Host Dependent Information

Data Set Page Size	16384
Number of Data Set Pages	117
First Data Page	1
Max Obs per Page	32
Obs in First Data Page	15
Number of Data Set Repairs	0

r03.sas7bdat File Name Release Created 9.0000M0 Host Created XP_PRO

Alphabetic List of Variables and Attributes

Variable	Туре	Len	Label
ANONID	Char	8	ANONYMIZED ID #
F03CYCLE	Num	8	UPDATE NUMBER
F03EDH	Num	8	HIGHEST LEVEL OF EDUCATION COMPLETED
F03HWKH	Num	8	HRS WORKED LAST WEEK (HOUSEHOLD HEAD)
F03HWKUH	Num	8	HOURS WORKED PER WEEK USUALLY
F03INCH	Num	8	INCOME FROM OCCUPATION (HOUSEHOLD HEAD)
F03LHH	Num	8	LINE NUMBER OF HOUSEHOLD HEAD
F03LWKH	Num	8	MONTHS AT CURRENT JOB (HOUSEHOLD HEAD)
F03MSH	Num	8	MARITAL STATUS (HOUSEHOLD HEAD)
F030CH_R	Char	3	JOB CODE (HOUSEHOLD HEAD)
F03RACEH	Num	8	RACE (HOUSEHOLD HEAD)
F03RSP	Num	8	LINE NUMBER OF RESPONDENT
F03SCHLH	Num	8	CURRENTLY A STUDENT (HOUSEHOLD HEAD)
F03SEXH	Num	8	SEX (HOUSEHOLD HEAD)
F03WRKSH	Num	8	CURRENT WORK STATUS (HOUSEHOLD HEAD)
F04C0ST	Num	8	COST OF TRANSPORTATION TO CLINIC
F04DAY1	Num	8	WHO STAYS WITH PATIENT
F04DAY2	Num	8	WHO STAYS WITH PATIENT
	ANONID F03CYCLE F03EDH F03HWKH F03HWKUH F03INCH F03LHH F03UWKH F03MSH F03OCH_R F03RACEH F03RSP F03SCHLH F03SEXH F03WRKSH F04COST F04DAY1	ANONID Char F03CYCLE Num F03EDH Num F03HWKH Num F03HWKUH Num F03INCH Num F03LHH Num F03UWKH Num F03MSH Num F03MSH Num F03RACEH Num F03RSP Num F03RSP Num F03SCHLH Num F03SEXH Num F03WRKSH Num F03WRKSH Num F04COST Num	ANONID Char 8 F03CYCLE Num 8 F03EDH Num 8 F03HWKH Num 8 F03HWKUH Num 8 F03INCH Num 8 F03LHH Num 8 F03LWKH Num 8 F03SCHLH Num 8 F03RSP Num 8 F03RSP Num 8 F03SCHLH Num 8 F03SEXH Num 8 F03SEXH Num 8 F03SEXH Num 8 F03WRKSH Num 8 F03WRKSH Num 8 F03WRKSH Num 8 F04COST Num 8

-					
-	30	F04DAY3	Num	8	WHO STAYS WITH PATIENT
	31	F04DAY4	Num	8	WHO STAYS WITH PATIENT
	32	F04DAY5	Num	8	WHO STAYS WITH PATIENT
	23	F04DAYL1	Num	8	PATIENT UNDER 12 (LINE)
	24	F04DAYL2	Num	8	PATIENT UNDER 12 (LINE)
	25	F04DAYL3	Num	8	PATIENT UNDER 12 (LINE)
	26	F04DAYL4	Num	8	PATIENT UNDER 12 (LINE)
	27	F04DAYL5	Num	8	PATIENT UNDER 12 (LINE)
	44	F04HINS	Num	8	HEALTH INSURANCE (OR OTHER AID)
	19	F04HSE	Num	8	TYPE OF HOUSING
	17	F04INCF	Num	8	TOTAL FAMILY INCOME
	46	F04INSDR	Num	8	INSURANCE COVER DOCTOR BILLS
	45	F04INSH	Num	8	INSURANCE COVER HOSPITAL BILLS
	47	F04INSM	Num	8	INSURANCE COVER MEDICINE
	22	F04LNBD	Num	8	HOW LONG IN NEIGHBORHOOD (MONTHS)
	38	F04MDC1	Num	8	WHERE WENT FOR CARE BEFORE
	39	F04MDC2	Num	8	WHERE WENT FOR CARE BEFORE
	40	F04MDC3	Num	8	WHERE WENT FOR CARE BEFORE
	41	F04MDC4	Num	8	WHERE WENT FOR CARE BEFORE
	42	F04MDC5	Num	8	WHERE WENT FOR CARE BEFORE
	33	F04MDCL1	Num	8	PATIENT (LINE)
	34	F04MDCL2	Num	8	PATIENT (LINE)
	35	F04MDCL3	Num	8	PATIENT (LINE)
	36	F04MDCL4	Num	8	PATIENT (LINE)
	37	F04MDCL5	Num	8	PATIENT (LINE)
	43	F04MDEX	Num	8	MEDICAL EXPENSES LAST YEAR
	18	F04NSF	Num	8	NUMBER OF PEOPLE WHO HELP SUPPORT FAMILY
	20	F040WN	Num	8	OWN HOME OR RENT
	21	F04RMS	Num	8	NUMBER OF ROOMS IN HOME
	15	F04RSP	Num	8	INFORMANT
	16	F04SINC	Num	8	SOURCES OF INCOME OUTSIDE FAMILY
	53	F04TRN1	Num	8	TRANSPORTATION TO CLINIC
	54	F04TRN2	Num	8	TRANSPORTATION TO CLINIC
	55	F04TRN3	Num	8	TRANSPORTATION TO CLINIC
	56	F04TRN4	Num	8	TRANSPORTATION TO CLINIC
	57	F04TRN5	Num	8	TRANSPORTATION TO CLINIC
	48	F04TRNL1	Num	8	PATIENT (LINE)
	49	F04TRNL2	Num	8	PATIENT (LINE)
	50	F04TRNL3	Num	8	PATIENT (LINE)
	51	F04TRNL4	Num	8	PATIENT (LINE)
	52	F04TRNL5	Num	8	PATIENT (LINE)
	58	F04TRVL	Num	8	MINUTES TO TRAVEL TO CLINIC
	61	JF03DATE	Num	8	DATE OF VISIT - DAYS SINCE DOE
	62	JF04DATE	Num	8	DATE OF INTERVIEW - DAYS SINCE DOE

```
* R03.FMT contains value labels for numerical codes assigned to
* categorical variables in the SAS dataset R03.SD2
*************************
* SIR/DBMS 2.2 SAS PROC STEP FROM DATABASE: CSSCD 06/01/99 14:54:29;
PROC FORMAT;
  VALUE F03LHH
   27
                = 'NONHEAD 3 DATA';
 VALUE F03SEXH
   1
                = 'FEMALE'
   2
                = 'MALE';
 VALUE F03RACEH
               = 'BLACK'
   1
   3
                 = 'OTHER';
 VALUE F03MSH
                 = 'MARRIED OR REMARRIED'
   1
   3
                 = 'DIVORCED'
   4
                = 'NEVER MARRIED'
   5
                = 'WIDOWED'
   6
                = 'SEPARATED';
INVALUE $ F030CH_R
  `A'
                 = 'PROFESSIONAL'
  `B′
                 = 'MANAGERS'
  `C'
                 = 'CLERICAL'
  `D′
                 = 'CRAFTSMAN'
                 = 'OPERATIVES'
  `E'
                  = 'TRANSPORT'
  ۱F′
  `G′
                  = 'LABORERS'
  \Η'
                  = 'FARM'
  `I'
                 = 'SERVICE'
  ۱J′
                 = 'HOUSEHOLD'
  `K′
                  = 'UNCLASSIFIED (NOT OTHERWISE DEFINED)';
  VALUE F03EDH
    0
                 = 'KINDERGARTEN'
```

```
= 'GRADE SCHOOL'
  8
  11
                 = 'HIGH SCHOOL'
  13
                 = 'TRADE SCHOOL'
  14
                 = 'COLLEGE-1 YEAR'
  15
                = 'COLLEGE-2 YEARS'
  16
                = 'COLLEGE-3 YEARS'
  17
                 = 'COLLEGE-4 YEARS'
  18
                 = 'COLLEGE>4 YEARS'
  19
                 = 'DK'
  2.0
                 = 'NA';
VALUE F03SCHLH
                 = 'NO'
 1
  2
                 = 'FULL TIME'
                 = 'PART TIME';
  3
VALUE F03WRKSH
                 = 'HSEWIFE, NEVER WRKD'
  2
                 = 'EMPLOYED FULL TIME'
  3
                 = 'EMPLOYED PART TIME'
                 = 'UNEMPLOYED < 2 YRS'
  5
                 = 'RETIRED'
                 = 'DISABLED, WORKED'
  7
                = 'DISABLED, NEVER WRKD'
  8
                 = 'UNEMPLOYED > 2 YRS';
* FORMAT INCOME used for the following variables: F03INCH F04INCF;
VALUE INCOME
                 = '$0-4,999'
                 = '$5,000-9,999'
  2
                 = '$10,000-14,999'
  3
                 = '$15,000-19,999'
  4
                 = '$20,000-24,999'
  5
  6
                 = '>$25,000'
  7
                = 'REFUSED'
                = 'DON''T KNOW'
                 = 'N.A.';
  9
VALUE F04SINC
  1
                 = 'NO'
  2
                 = 'YES';
VALUE F04HSE
  1
                 = 'PUBLIC-SINGLE'
  2
                 = 'PUBLIC-MULTI. DWELL'
  3
                 = 'PRIVATE-SINGLE'
                  = 'PRIVATE-MULTI. DWELL'
```

```
= 'MOBILE HOME'
   5
                  = 'OTHER';
 VALUE F040WN
                  = 'OWN'
   1
                  = 'RENT'
   2
   3
                   = 'OTHER';
* FORMAT PT_CARE used for the following variables: F04DAY1-F04DAY5;
 VALUE PT_CARE
                   = 'STAY ALONE'
   1
                   = 'PARENT OR GUARDIAN'
                  = 'DAY CARE OR NURSERY'
                  = 'BABYSITTER'
   5
                 = 'RELATIVE'
                 = 'NON-RELATIVE'
   7
                  = 'OTHER';
* FORMAT MED CARE used for the following variables: F04MDC1-F04MDC5;
 VALUE MED_CARE
   1
                  = 'CLINIC(1)'
                 = 'PRIVATE CLINIC(2)'
   2
                  = 'ER(4)'
                  = 'OUTPATIENT CLINIC(8)'
   8
   16
                 = 'FAMILY PHYSICIAN(16)'
   32
                 = 'SICKLE CELL CENTER(32)'
   64
                 = 'DIDN''T GO(64)'
                = 'OTHER(128)';
   128
 VALUE F04MDEX
                  = 'NONE'
   1
   2
                  = '$1-$499'
   3
                  = '$500-$999'
                 = '$1,000+'
                 = 'DK'
   5
                  = 'REFUSED';
   6
 VALUE F04HINS
   1
                  = 'PRIVATE(1)'
   2
                 = 'WORK OR SCHOOL(2)'
   4
                  = 'MEDICARE(4)'
   8
                  = 'MEDICAID(8)'
   16
                  = 'WORKMAN''S COMP(16)'
   32
                  = 'VA(32)'
   64
                   = 'OTHER REDUCED(64)'
   128
                   = 'OTHER(128)';
```

CSSCD FULL COHORT PATIENTS

* FORMAT NODKYES used for the following variables: F04INSH F04INSDR F04INSM; VALUE NODKYES = 'NO' 1 2 = 'DK' 3 = 'YES'; * FORMAT TRANSPRT used for the following variables: F04TRN1-F04TRN5; VALUE TRANSPRT 1 = 'FAMILY CAR(1)' 2 = 'OTHER CAR(2)' 4 = 'TAXI(4)' 8 = 'BUS(8)' 16 = 'WALK(16)' 32 = 'OTHER(32)'; * FORMAT MMDDYY8. F03LHH F03LHH. F03SEXH F03SEXH. F03RACEH F03RACEH. F03MSH F03MSH. F03EDH F03EDH. F03SCHLH F03SCHLH. F03WRKSH F03WRKSH. F03INCH F04INCF INCOME. F04SINC F04SINC. F04HSE F04HSE. F04OWN F04OWN. F04DAY1-F04DAY5 PT_CARE. F04MDC1-F04MDC5 MED_CARE. F04MDEX F04MDEX. F04HINS F04HINS. F04INSH F04INSDR F04INSM NODKYES.

F04TRN1-F04TRN5 TRANSPRT.;

RUN; QUIT;

```
F03VDATE ------ FORM 3 VERSION DATE DELETED
             type: numeric daily date (int)
            label: datelab
            range: [6999,7329]
                                       units: 1
     or equivalently: [01mar1979,25jan1980] units: days
      unique values: 4 coded missing: 597 / 3700
         tabulation: Freq. Numeric Label
                    363 6999 03/01/79
                    287
                         7027 03/29/79
                   2437 7101 06/11/79
                       7329 01/25/80
                   16
FO3LHH ------ LINE NUMBER OF HOUSEHOLD HEAD
             type: numeric (float)
            label: F03LHH
            range: [1,27]
                                       units: 1
                                coded missing: 626 / 3700
      unique values: 3
        tabulation: Freq. Numeric Label
                   3058
                         1
                            2
                    1
                    15 27 NONHEAD 3 DATA
FO3RSP ----- LINE NUMBER OF RESPONDENT
             type: numeric (float)
            range: [1,25]
                                        units: 1
                                coded missing: 625 / 3700
      unique values: 14
         tabulation: Freq. Value
                   1425 1
                   1081 2
                    314 3
                    127 4
                    48 5
                    23 6
                    14 7
                     7 8
                     4 9
                     2 10
                     1 11
                     2 12
                    26 20
                     1 25
 1. Value is informant's line no. on Form 01.
```

CSSCD FULL COHORT PATIENTS

```
F03SEXH ----- SEX (HOUSEHOLD HEAD)
              type: numeric (float)
              label: F03SEXH
             range: [1,2] units. .
values: 2 coded missing: 594 / 3700
       unique values: 2 co
tabulation: Freq. Numeric Label
                    1751 1 FEMALE
1355 2 MALE
FO3RACEH ----- RACE (HOUSEHOLD HEAD) MODIFIED
              type: numeric (float)
             label: FO3RACEH
                           units: 1
coded missing: 609 / 3700
             range: [1,3]
       unique values: 3 co
tabulation: Freq. Numeric Label
                     2999 1 BLACK
                      23
                              2 CAUCASIAN
                              3 OTHER
                       69
FO3MSH ----- MARITAL STATUS (HOUSEHOLD HEAD) MODIFIED
              type: numeric (float)
             label: F03MSH
       range: [1,6] units: 1
unique values: 6 coded missing: 606 / 3700
tabulation: Freq. Numeric Label
                     1307 1 MARRIED
                              2 REMARRIED
                      52
                              3 DIVORCED
                      369
                              4 NEVER MARRIED
                      662
                      200
                              5 WIDOWED
                      504
                              6 SEPARATED
FO3RAH ----- RELIGIOUS AFFILIATION (HOUSEHOLD HEAD) DELETED
              type: numeric (float)
              label: FO3RAH
       range: [1,7]
unique values: 7
                                           units: 1
                                    coded missing: 988 / 3700
         tabulation: Freq. Numeric Label
                     1836 1 PROTESTANT
                             2 CATHOLIC
                      387
                      45
                              3 JETHOVAH WITNESS
                              4 CHRISTIAN SCIENCE
                      11
                              5 MOSLEM
                      34
                               6 NONE
                      205
                            7 OTHER
                      194
F03RAH:
```

1. Not collected on 3/1/79 version.

F03EDH			- HIGHEST LEVEL OF E	DUCATION COMPLETED	MODIFIED
	numeric				
	F03EDH	(.2001)			
range:	[1,20]		units:	1	
unique values:	20		coded missing:	612 / 3700	
·			· ·		
tabulation:	Freq.	Numeric	Label		
	3	1			
	9	2			
	40	3			
	19	4			
	36	5			
	93	6			
	62	7			
	145	8			
	143	9			
	245	10			
	348	11			
	1039	12			
	61	13	TRADE SCHOOL		
	172	14	COLLEGE-1 YEAR		
	243	15	COLLEGE-2 YEARS		
	81	16	COLLEGE-3 YEARS		
	125	17	COLLEGE-4 YEARS		
	93	18	COLLEGE>4 YEARS		
	125	19	DK		
	6	20	NA		

CSSCD FULL COHORT PATIENTS

FO3SCHLH			- CURRE	NTLY A	STUDEN	IT (HOL	JSEHOL	.D HEAD))	
		c (float)				,			,	
label:	F03SCH	ILH								
range:	[1,3]			ı	units:	1				
unique values:	3		CO	ded mi	ssing:	610 /	3700)		
tabulation:	Freq.	Numeric	Label							
	2769	1	NO							
	170	2	FULL T	IME						
	151	3	PART T	IME						
FO3WRKSH			- CURRE	NT WORI	K STATI	JS (HOL	JSEHOL	.D HEAD))	
		c (float)				(,	
label:		, ,								
range:					units:	1				
unique values:	. , .		CO	ded mi	ssing:	625	3700)		
tabulation:	Freq.	Numeric	Label		· ·					
	730	1	HSEWIF	E,NEVEI	R WRKD					
	1608	2	EMPLOY	ED FULI	L TIME					
	189	3	EMPLOY	ED PAR	T TIME					
	278	4	UNEMPL	OYED <	2 YRS					
	87	5	RETIRE	D						
	88	6	DISABL	ED,WORI	KED					
	12	7	DISABL	ED,NEVI	ER WRK)				
	83	8	UNEMPL	OYED >	2 YRS					
FORWBLOW										
FO3WRKSH:	41									
1. A general 'disable								_		
response choice on	-	•	•			•				
past' and 'disable later versions of			were in	cıuaea	as res	sponse	cnoic	es on		
later versions of	the for	·m.								
F030CH				,	JOB CO	DE (HOU	JSEH0L	D HEAD) MODI	FIED
type:	numeri	c (float)								
range:	[1,986	5]		ı	units:	1				
unique values:	293		CO	ded mi	ssing:	1402	/ 370	0		
tab: Freq. Val tab:	Freq.	Val tab:	Freq.	Val	tab:	Freq.	Val	tab:	Freq.	Val
12 1	1	56	3	91			142		1	
2 2	3	65	18	100		3	143		2	190
2 3	1		4	101		1	144		1	191
5 4		73	1	110			145		1	
5 5	8		1	112			151		5	
1 10	25	75	1	123		1	152		2	196

1 124

2 134

2 125

3 126

1 131

2 135

6 140

133

2 155

2 162

3 164

1 171

1 172

18 173

3 174

1 184

202

210

1 211

2 213

1 215

6 216 2 220

1 221

12

13

1 1 22

14 23

1 26

3 32

1 45

2 55

3 76

4 80

1 81

1 82

3 83

2 84

15 85

1 86

CSSCD FULL COHORT PATIENTS

tab:	Freq.	Val	tab:	Freq.	Val	tab:	Freq.	Val	tab:	Freq.	Val	tab:	Freq.	Val
Lab.	Freq.	222	tab.	46	372	tab.	rreq.	485	Lab.	2 rreq.	625	Lab.	13	780
	1	223		25	374		3	486		15	630		47	785
	2	225		1	375		5	491		4	631		6	796
	9	230		3	376		7	492		13	633		13	801
	7	231		19	381		12	495		3	641		1	821
	5	233		17	382		1	502		17	643		13	822
	4	240		11	385		9	510		1	650		1	824
	37	245		1	390		2	511		21	653		1	832
	1	246		31	391		1	512		2	656		2	846
	5	265		1	392		1	515		1	660		29	901
	4	270		16	394		1	516		1	662		15	902
	4	280		38	395		1	520		18	663		65	903
	4	281		12	396		1	521		2	665		2	910
	1	282		1	401		11	522		4	671		7	911
	16	283		3	402		1	523		2	672		32	912
	7	284		2	405		5	530		13	674		6	913
	1	285		5	410		1	531		16	680		4	914
	11	296		2	411		5	533		7	690		18	915
	6	301		5	413		3	534		26	692		19	916
	2 10	303 305		19 5	415		8 1	535 536		5 15	694		2 16	921 922
	31	310		1	416 420		1	540		5	695 696		92	925
	5	311		5	421		1	550		27	703		19	926
	23	312		4	423		4	551		7	705		2	932
	1	313		3	424		1	552		11	706		10	933
	26	314		2	425		1	554		1	708		6	934
	1	315		1	426		2	561		1	710		2	935
	1	320		11	430		1	562		2	711		1	940
	5	321		1	431		4	563		2	712		12	942
	2	323		2	433		1	571		1	713		13	944
	11	325		1	436		8	575		21	714		1	945
	3	326		30	441		5	580		67	715		31	950
	1	330		1	443		3	586		5	726		1	953
	7	331		1	445		24	590		1	740		5	954
	6	332		7	452		28	602		38	751		4	960
	3	333		2	453		4	604		3	753		2	961
	1	341		21	461		4	610		7	754		32	962
	16	343		2	471		9	611		9	755		21	964
	13	345		9	472		8	612		1	758		11	976
	6 2	355		19	473		1	613		7	761		6	980
	22	360 361		1 6	480 481		1	615 621		3 1	762 763		5 28	981
		361 364		2	481 482		2 2	621 622		4	763 764		28 3	982
	10 2	369		1	482 484		2	623		12	770		29	983 984
	8	370		1	404		2	020		12	770		29 7	986
	6	371											,	300
	U	37 1												

F030CH:

1. See Appendix C for Occupational Classification Codes.

CSSCD FULL COHORT PATIENTS

. 5555				numer				1 11201	IGE OU	`	JSEHOLD H	IEAD) DE	
				[9,90]				units:				
			/alues:				CO		U		•		
tab:			tab:			tab:			tab:		Val ta		
	1	9			23		24				47		62
	1	10			24		294				48		63
	16 1	12 13			25 26		49 10				49 50		66 67
	50	14			27		31				51		69
	7	15			28		63				52	1	
	64	16		114			75				54		71
	122	17		28			27				55		72
	82	18		42			51				56		78
	27	19		158	32		8	44		16	57	3	82
	33	20		28	33		68	45		16	60	1	90
	89	22		21	34		62	46		20	61		
	KH			numer	 ic (f.		ssifica	AT CUR			JSEHOLD H	HEAD)	
		que \	type: range: values: mean:	numer [0,48 114	ic (f.		MONTHS /	AT CUR	RRENT J units:	1	JSEHOLD H / 3700	HEAD)	
		que \	type: range: values:	numer [0,48 114	ic (f.		MONTHS /	AT CUR	RRENT J units:	1		HEAD)	
	uni	que \	type: range: values: mean:	numer [0,48 114 81. 89.4	ic (f. 0] 847 944	loat)	MONTHS /	AT CUR	units: .ssing:	1		HEAD)	
F03LW	uni p KH:	que v sto	type: range: values: mean: d. dev:	numer [0,48 114 81. 89.4	ic (f. 0] 847 944 10% 4	loat)	MONTHS /	AT CUR ded mi 50% 48	units: ssing:	1 1341 75% 120	/ 3700 90%	HEAD)	
FO3LW	uni p KH: Respon	que v sto ercer se re	type: range: values: mean: d. dev: ntiles:	numer [0,48 114 81. 89.4	ic (f. 0] 847 944 10% 4	loat)	COC 25% 12 2, 3, 4	AT CUR ded mi 50% 48	units: .ssing:	1 1341 75% 120	/ 3700 90% 192		
F03LW 1.	uni p KH: Respon	que v sto ercer se re	type: range: ralues: mean: d. dev: ntiles:	numer [0,48 114 81. 89.4	ic (f. 0] 847 944 10% 4	loat)	COC 25% 12 2, 3, 4	AT CUR ded mi 50% 48	units: .ssing:	1 1341 75% 120	/ 3700 90%		
F03LW 1.	uni p KH: Respon	que v sto ercer se re	type: range: ralues: mean: d. dev: ntiles:	numer [0,48 114 81. 89.4	ic (f. 0] 847 944 10% 4	loat)	COC 25% 12 2, 3, 4	AT CUR ded mi 50% 48	units: .ssing:	1 1341 75% 120	/ 3700 90% 192		
F03LW 1.	uni P KH: Respon KH	que \ sto	type: range: range: mean: d. dev: ntiles: equired type: range:	numer [0,48 114 81. 89.4 only i	ic (f. 0] 847 944 10% 4	loat)	000 25% 12 2, 3, 4	AT CUR ded mi 50% 48 , 5, 6	units: .ssing: 6, or 8 .AST WE	1 1341 75% 120 EK (HOU	/ 3700 90% 192 JSEHOLD H		
=03LW 1.	uni P KH: Respon KH	que \ sto	type: range: ralues: mean: d. dev: ntiles: equired	numer [0,48 114 81. 89.4 only i	ic (f. 0] 847 944 10% 4	loat)	000 25% 12 2, 3, 4	AT CUR ded mi 50% 48 , 5, 6	units: .ssing: 6, or 8 .AST WE	1 1341 75% 120 EK (HOU	/ 3700 90% 192		
FO3LW	uni P KH: Respon KH	que \ sto	type: range: range: mean: d. dev: ntiles: equired type: range:	numer [0,48 114 81. 89.4 only i numer [0,87 63	ic (f. 0] 847 944 10% 4	loat)	000 25% 12 2, 3, 4	AT CUR ded mi 50% 48 , 5, 6	units: .ssing: 6, or 8 .AST WE	1 1341 75% 120 EK (HOU	/ 3700 90% 192 JSEHOLD H		
F03LW 1.	uni P KH: Respon KH	que \ stc ercer se re	type: range: range: mean: d. dev: ntiles: equired type: range: range:	numer [0,48 114 81. 89.4 only i numer [0,87 63 26.2	ic (f. 0] 847 944 10% 4 f F030 ic (f. 1)	loat)	000 25% 12 2, 3, 4	AT CUR ded mi 50% 48 , 5, 6	units: .ssing: 6, or 8 .AST WE	1 1341 75% 120 EK (HOU	/ 3700 90% 192 JSEHOLD H		
FO3LW	uni P KH: Respon KH	que \ stc ercer se re	type: range: range: mean: d. dev: ntiles: equired type: range: range: range: mean:	numer [0,48 114 81. 89.4 only i numer [0,87 63 26.2 19.6	ic (f. 0] 847 944 10% 4 f F030 ic (f. 1)	WRKSH=	000 25% 12 2, 3, 4	AT CUR ded mi 50% 48 , 5, 6	units: ssing: 3 AST WE units: ssing:	1 1341 75% 120 EK (HOU	/ 3700 90% 192 JSEHOLD H		

F03HWKH:

Response required only if FO3WRKSH=2 or 3.

CSSCD FULL COHORT PATIENTS

F03HWKUH ----- HOURS WORKED PER WEEK USUALLY

type: numeric (float)

range: [0,90] units: 1

unique values: 56 coded missing: 1164 / 3700

mean: 27.6739 std. dev: 19.1415

percentiles: 10% 25% 50% 75% 90% 0 0 40 40 40

F03HWKUH:

1. Response required only if FO3WRKSH=2 or 3.

CSSCD FULL COHORT PATIENTS

FO3AIDH ----- RECEIVE GOVERNMENT AID (HOUSEHOLD HEAD) DELETED type: numeric (float) label: FO3AIDH range: [1,3] units: 1 unique values: 3 coded missing: 661 / 3700 tabulation: Freq. Numeric Label 1672 1 NO 2 YES 3 REFUSED 1254 113 FO3INCH ----- INCOME FROM OCCUPATION (HOUSEHOLD HEAD) type: numeric (float) label: FO3INCH units: 1 range: [1,9] coded missing: 743 / 3700 unique values: 9 tabulation: Freq. Numeric Label 1 \$0-4,999 508 664 2 \$5,000-9,999 509 3 \$10,000-14,999 4 \$15,000-19,999 245 126 5 \$20,000-24,999 78 6 >\$25,000 7 REFUSED 109 8 DON'T KNOW 152 566 9 N.A.

F03INCH:

 Response required only if F03WRKSH=2 or 3 or (F03WRKSH=4, 5, or 6 AND household head was employed within 12 months preceding date of visit).

CSSCD FULL COHORT PATIENTS

```
F04RSP ----- INFORMANT
             type: numeric (float)
            range: [0,20]
                                      units: 1
      unique values: 13
                                coded missing: 122 / 3700
        tabulation: Freq. Value
                    5 0
                   1963 1
                   1094 2
                   305 3
                    118 4
                    48 5
                    19 6
                    11 7
                     6 8
                     4 9
                     1 11
                     1 12
                     3 20
F04RSP:
 1. Value is informant's line no. on Form 01.
F04SINC ----- SOURCES OF INCOME OUTSIDE FAMILY
            type: numeric (float)
            label: FO4SINC
            range: [1,2] units.
values: 2 coded missing: 27 / 3700
      unique values: 2
        tabulation: Freq. Numeric Label
                   1950 1 NO
                   1723
                           2 YES
F04INCF ----- TOTAL FAMILY INCOME
             type: numeric (float)
            label: FO4INCF
            range: [1,9]
                                       units: 1
      unique values: 9
                                coded missing: 36 / 3700
        tabulation: Freq. Numeric Label
                   869 1 $0-4,999
                           2 $5,000-9,999
                   1002
                           3 $10,000-14,999
                   601
                           4 $15,000-19,999
                    343
                           5 $20,000-24,999
                   218
                   259
                           6 >$25,000
                   149
                           7 REFUSED
                    194
                           8 DON'T KNOW
                    29
                           9 N.A.
```

CSSCD FULL COHORT PATIENTS

F04NSF ----- NUMBER OF PEOPLE WHO HELP SUPPORT FAMILY type: numeric (float) range: [0,12] units: 1 unique values: 10 coded missing: 54 / 3700 tabulation: Freq. Value 50 0 1998 1 1156 2 286 3 101 4 31 5 14 6 6 7 3 8 1 12 F04HSE ----- TYPE OF HOUSING MODIFIED type: numeric (float)
label: F04HSE range: [1,6] units: 1 unique values: 6 coded missing: 53 / 3700 tabulation: Freq. Numeric Label 124 1 PUBLIC-SINGLE 2 PUBLIC-MULTI. DWELL 759 3 PRIVATE-SINGLE 1345 1349 4 PRIVATE-MULTI. DWELL 58 5 MOBILE HOME 12 6 INSTITUTION

CSSCD FULL COHORT PATIENTS

F040WN ----- OWN HOME OR RENT type: numeric (float) label: F040WN range: [1,3] units: 1
values: 3 coded missing: 17 / 3700 unique values: 3 tabulation: Freq. Numeric Label 1063 1 OWN 2576 2 RENT 44 3 OTHER F04RMS ----- NUMBER OF ROOMS IN HOME MODIFIED type: numeric (float) range: [1,30] units: 1 coded missing: 34 / 3700 unique values: 19 tabulation: Freq. Value tabulation: Freq. Value 62 1 7 11 72 2 7 12 401 3 4 13 919 4 5 14 904 5 2 15 677 6 323 7 1 20 178 8 1 21 59 9 3 30 40 10 FO4LNBD ------ HOW LONG IN NEIGHBORHOOD (MONTHS) type: numeric (float) range: [0,880] units: 1 values: 146 coded missing: 46 / 3700 unique values: 146 mean: 74.491 std. dev: 86.0389 percentiles: 10% 25% 50% 75% 6 15 48 96 90% 180

CSSCD FULL COHORT PATIENTS

		PATIENT UNDER 12 (LINE
	numeric (float)	
	[2,16]	units: 1
unique values:		coded missing: 1887 / 3700
tabulation: Freq. Valu	1e	tabulation: Freq. Value
391 2		10 10
571 3		6 11
348 4		10 12
210 5		4 13
128 6		1 14
80 7		1 15
38 8 14 9		1 16
14 9		
F04DAYL1:		
		atient under 12 years of age in
		ant in household is under 12,
		d to be the line number of the
participant under	12.	
F04DAYL2		PATIENT UNDER 12 (LINE
type:	numeric (float)	
range:	[3,13]	units: 1
unique values:		coded missing: 3562 / 3700
tabulation: Freq. Valu	ıe	tabulation: Freq. Value
26 3		5 8
52 4		4 9
26 5		1 10
12 6		1 13
11 7		
F04DAYL2:		
	only if > 1 study p	atient under 12 years of age in
household.	only in a country p	actions and of 12 yours of ago in
Householul		
		DATTENT UNDER 40 /LINE
=04DAVL2		PAITENI UNDER 12 (LINE
F04DAYL3	numeric (float)	
type:	numeric (float)	unite: 1
type: range:	[4,10]	units: 1
type: range: unique values:	[4,10] 5	units: 1 coded missing: 3684 / 3700
type: range:	[4,10] 5 Freq. Value	
type: range: unique values:	[4,10] 5 Freq. Value 6 4	
type: range: unique values:	[4,10] 5 Freq. Value 6 4 4 5	
type: range: unique values:	[4,10] 5 Freq. Value 6 4 4 5 3 6	
type: range: unique values:	[4,10] 5 Freq. Value 6 4 4 5	

F04DAYL3:

 Response required only if > 2 study patients under 12 years of age in household.

CSSCD FULL COHORT PATIENTS

F04DAYL4			PATIENT UNDER 12 (LINE)
		c (float)	,
range: unique values:	[5,13] 2		units: 1 coded missing: 3698 / 3700
tabulation:	1	Value 5 13	
F04DAYL4: 1. Response required household.	only if	> 3 study	patients under 12 years of age in
		c (float)	PATIENT UNDER 12 (LINE)
range: unique values:			units: 1 coded missing: 3696 / 3700
tabulation:	1 1 1		
F04DAYL5: 1. Response required household.	only if	> 4 study	patients under 12 years of age in
		 c (float)	WHO STAYS WITH PATIENT
	F04DAY		
range: unique values:			units: 1 coded missing: 1853 / 3700
tabulation:	Freq. 77 1175 64 158 334 30 9	Numeric 1 2 3 4 5 6 7	STAY ALONE PARENT OR GUARDIAN DAY CARE OR NURSERY BABYSITTER RELATIVE NON-RELATIVE
FO4DAY1: 1. Response required	only if	at least	1 study patient under 12 years of

 Response required only if at least 1 study patient under 12 years of age in household.

CSSCD FULL COHORT PATIENTS

F04DAY2 ----- WHO STAYS WITH PATIENT type: numeric (float) label: F04DAY2 range: [1,6] units: 1 coded missing: 3571 / 3700 unique values: 6 tabulation: Freq. Numeric Label 8 1 STAY ALONE 82 2 PARENT OR GUARDIAN 6 3 DAY CARE OR NURSERY 10 4 BABYSITTER 5 RELATIVE 6 NON-RELATIVE 20 3 F04DAY2: 1. Response required only if more than 1 study patient under 12 years of age in household. FO4DAY3 ----- WHO STAYS WITH PATIENT type: numeric (float) label: F04DAY3 range: [1,6] unique values: 5 units: 1 coded missing: 3681 / 3700 tabulation: Freq. Numeric Label 3 1 STAY ALONE 2 PARENT OR GUARDIAN 13 1 3 DAY CARE OR NURSERY 1 5 RELATIVE 6 NON-RELATIVE 1 F04DAY3: 1. Response required only if more than 2 study patients under 12 years of age in household. FO4DAY4 ----- WHO STAYS WITH PATIENT type: numeric (float) label: F04DAY4 range: [2,2] units: 1 unique values: 1 coded missing: 3696 / 3700tabulation: Freq. Numeric Label 2 PARENT OR GUARDIAN 4 F04DAY4: 1. Response required only if more than 3 study patients under 12 years of

SECTION 3.3 HEAD OF HOUSEHOLD DEMOGRAPHIC DATA FORM COMPOSITE HOUSEHOLD DEMOGRAPHIC FORM FORM 3 & FORM 4

age in household.

CSSCD FULL COHORT PATIENTS

Type: numeric (float) label: F04DAY5 range: [2,5] units: 1 unique values: 3 coded missing: 3693 / 3700 tabulation: Freq. Numeric Label 5 2 PARENT OR GUARDIAN 1 3 DAY CARE OR NURSERY 1 5 RELATIVE F04DAY5: Response required only if more than 4 study patients under 12 years of age in household. F04MDCL1 PATIENT (LINE) range: [1,16] units: 1 unique values: 16 coded missing: 227 / 3700 tabulation: Freq. Value tabulation: Freq. Value 596 1 17 9 841 2 11 10 913 3 6 11 509 4 8 12 277 5 3 13 156 6 2 14 89 7 1 15 43 8 1 16 F04MDCL1: Response required only if > 1 CSSCD participant in household; if only 1 CSSCD participant in household, response may be missing and is assumed to be the line number of the study participant. F04MDCL2 PATIENT (LINE) type: numeric (float) range: [2,13] units: 1 unique values: 10 coded missing: 3451 / 3700 tabulation: Freq. Value tabulation: Freq. Value 9 9 19 7 54 3 8 8 8 64 6 9 41 5 1 10 23 6 1 10 23 6 1 10 23 6 1 10 24 13 10 10 10 10 23 6 1 10 21 31 31 30 3451 3700 30 3451 3700 30 3451 3700 30 3451 3700 30 3451 3700 31 32 3451 3700 32 3451 3700 33 3451 3700 34 34 34 34 34 44 54 69 41 54 56 10 41 56 10 10 42 51 10 43 51 10 44 51 10 44 51 10 45 10 10 54 54 10 54 56 10 54 56 10 54 56 10 54 56 10 54 56 10 56 10 57 57 700 70 70 70 70 70 70				
label: F04DAY5	F04DAY5		WHO \$	STAYS WITH PATIENT
range: [2,5] units: 1 unique values: 3 coded missing: 3693 / 3700 tabulation: Freq. Numeric Label	type:	numeric (float)		
### Tabulation: Freq. Numeric Label 1				
tabulation: Freq. Numeric Label 5	range:	[2,5]	units:	1
5	unique values:	3	coded missing:	3693 / 3700
1 3 DAY CARE OR NURSERY 1 5 RELATIVE FO4DAY5: 1. Response required only if more than 4 study patients under 12 years of age in household. FO4MDCL1	tabulation:	Freq. Numeric	Label	
### Toda		5 2	PARENT OR GUARDIAN	
### Total Control Cont		1 3	DAY CARE OR NURSERY	
1. Response required only if more than 4 study patients under 12 years of age in household. FO4MDCL1		1 5	RELATIVE	
### Total Control of C	F04DAY5:			
type: numeric (float)		only if more than	n 4 study patients und	der 12 years of
range: [1,16] units: 1 unique values: 16 coded missing: 227 / 3700 tabulation: Freq. Value tabulation: Freq. Value 596 1 17 9 841 2 11 10 913 3 6 11 509 4 8 12 277 5 3 13 156 6 2 14 89 7 1 15 43 8 1 16 FO4MDCL1: 1. Response required only if > 1 CSSCD participant in household; if only 1 CSSCD participant in household, response may be missing and is assumed to be the line number of the study participant. FO4MDCL2	F04MDCL1			PATIENT (LINE)
unique values: 16 coded missing: 227 / 3700 tabulation: Freq. Value tabulation: Freq. Value	type:	numeric (float)		
tabulation: Freq. Value tabulation: Freq. Value	range:	[1,16]		
17 9 841 2 11 10 913 3 6 11 509 4 8 12 277 5 3 13 156 6 2 14 89 7 1 15 43 8 1 16 16 16 16 16 16 16	unique values:	16	coded missing:	227 / 3700
841 2 11 10 913 3 6 11 509 4 8 12 277 5 3 13 156 6 2 14 89 7 1 15 43 8 1 16 FOAMDCL1: 1. Response required only if > 1 CSSCD participant in household; if only 1 CSSCD participant in household, response may be missing and is assumed to be the line number of the study participant. FOAMDCL2	tabulation: Freq. Valu	ıe	tabulation:	Freq. Value
913 3 6 11 509 4 8 12 277 5 3 13 156 6 2 14 89 7 1 15 43 8 1 16 FO4MDCL1: 1. Response required only if > 1 CSSCD participant in household; if only 1 CSSCD participant in household, response may be missing and is assumed to be the line number of the study participant. FO4MDCL2	596 1			17 9
509 4 8 12 277 5 3 13 156 6 2 14 89 7 1 15 43 8 1 16 FO4MDCL1: 1. Response required only if > 1 CSSCD participant in household; if only 1 CSSCD participant in household, response may be missing and is assumed to be the line number of the study participant. FO4MDCL2	841 2			11 10
277 5 3 13 156 6 2 14 89 7 1 15 43 8 1 16 FO4MDCL1: 1. Response required only if > 1 CSSCD participant in household; if only 1 CSSCD participant in household, response may be missing and is assumed to be the line number of the study participant. FO4MDCL2	913 3			6 11
156 6 2 14 89 7 1 15 43 8 1 16 FO4MDCL1: 1. Response required only if > 1 CSSCD participant in household; if only 1 CSSCD participant in household, response may be missing and is assumed to be the line number of the study participant. FO4MDCL2	509 4			8 12
89 7 1 15 43 8 1 16 FO4MDCL1: 1. Response required only if > 1 CSSCD participant in household; if only 1 CSSCD participant in household, response may be missing and is assumed to be the line number of the study participant. FO4MDCL2	277 5			3 13
TO4MDCL1: 1. Response required only if > 1 CSSCD participant in household; if only 1 CSSCD participant in household, response may be missing and is assumed to be the line number of the study participant. FO4MDCL2	156 6			2 14
Tourish Tensor T	89 7			1 15
1. Response required only if > 1 CSSCD participant in household; if only 1 CSSCD participant in household, response may be missing and is assumed to be the line number of the study participant. FO4MDCL2	43 8			1 16
CSSCD participant in household, response may be missing and is assumed to be the line number of the study participant. FO4MDCL2	F04MDCL1:			
to be the line number of the study participant. FO4MDCL2	1. Response required	only if > 1 CSSC	D participant in house	ehold; if only 1
F04MDCL2	CSSCD participant	in household, res	sponse may be missing	and is assumed
type: numeric (float) range: [2,13] units: 1 unique values: 10 coded missing: 3451 / 3700 tabulation: Freq. Value tabulation: Freq. Value 9 2 19 7 54 3 8 8 86 4 6 9 41 5 1 10	to be the line num	nber of the study	participant.	
type: numeric (float) range: [2,13] units: 1 unique values: 10 coded missing: 3451 / 3700 tabulation: Freq. Value tabulation: Freq. Value 9 2 19 7 54 3 8 8 86 4 6 9 41 5 1 10				
range: [2,13] units: 1 unique values: 10 coded missing: 3451 / 3700 tabulation: Freq. Value 9 2 19 7 54 3 8 8 86 4 6 9 41 5	F04MDCL2			PATIENT (LINE)
range: [2,13] units: 1 unique values: 10 coded missing: 3451 / 3700 tabulation: Freq. Value 9 2 19 7 54 3 8 8 86 4 6 9 41 5 1 10	type:	numeric (float)		
Tabulation: Freq. Value 9 2 19 7 54 3 8 8 86 4 41 5 1 10				1
9 2 19 7 54 3 8 8 86 4 6 9 41 5 1 10	unique values:	10	coded missing:	3451 / 3700
54 3 8 8 86 4 6 9 41 5 1 10	abulation: Freq. Valu	ıe	tabulation:	Freq. Value
86 4 41 5 6 9 1 10	9 2			19 7
86 4 41 5 6 9 1 10	54 3			8 8
	86 4			
	41 5			1 10
	23 6			

F04MDCL2:

1. Response required only if > 1 CSSCD participant in household.

CSSCD FULL COHORT PATIENTS

F04MDCL3		PATIENT (LINE)
type:	numeric (float)	
range: unique values:	[2,10] 8	units: 1 coded missing: 3666 / 3700
tabulation:	Freq. Value 1 2 4 3 11 4	
	6 5 6 6 2 7 3 8 1 10	
FO4MDCL3: 1. Response required	only if > 2 CSSCD	participants in household.
	numeric (float)	PATIENT (LINE)
range: unique values:	[5,13] 3	units: 1 coded missing: 3697 / 3700
tabulation:	Freq. Value 1 5 1 6 1 13	
04MDCL4: 1. Response required	only if > 3 CSSCD	participants in household.
	numeric (float)	PATIENT (LINE)
range: unique values:		units: 1 coded missing: 3698 / 3700
tabulation:	Freq. Value 1 5 1 7	
FO4MDCL5:		participants in household

Response required only if > 4 CSSCD participants in household.

CSSCD FULL COHORT PATIENTS

F04MD)C1	type	: numeric (float) : F04MDC1	WHERI	E WENT FOF	R CARE BEFORE
	uni	range que values	• ′ •	uni [.] coded missi	ts: 1	3700
	unit	que varues	. 01	00000 m1331	ig. 70 /	0700
tab:	Freq.	Numeric	Label	tab: Freq.	Numeric	Label
	1437	1	` '	2	52	
	126		PRIVATE CLINIC(2)	2	53	
	17	3		1	55	
	89	4	ER(4)	1	60	
	213	5		10	61	
	10	6		3	62	
	32	7		3	63	
	251	8	OUTPATIENT CLINIC(8)	73	64	DIDN'T GO(64)
	47	9		3	65	
	7	10		2	68	
	79	12		1	69	
	267	13		1	72	
	8	14		1	76	
	13	15	EARTH V. DUNGTOTAN (4C)	1	81	
	220 88	16 17	FAMILY PHYSICIAN(16)	1 1	85 88	
		17		1		
	8 1	19		113	96	OTUED (400)
	73	20		22	128 129	OTHER (128)
	73 84	21		7	132	
	3	22		4	133	
	5	23		2	134	
	31	23		1	135	
	5	25		4	136	
	2	26		8	140	
	2	27		1	141	
	54	28		2	144	
	51	29		1	145	
	8	30		3	148	
	7	31		1	149	
	47	32	SICKLE CELL CENTER(32)	1	155	
	13	33	()	1	156	
	4	36		1	157	
	6	37		1	172	
	1	38		8	192	
	8	40		4	193	
	1	41		2	197	
	4	44		1	204	
	2	45		2	212	
	3	47		1	244	
	2	49				

F04MDC1:

1. Binary coded variable. See Part II for explanation of binary coded variables.

CSSCD FULL COHORT PATIENTS

F04MDC2	!	type label	: numeric (float)		WHERE	E WENT FOR	R CARE BEFORE
		-	: [1,196]			ts: 1	4.0700
	uniq	ue values	: 24	code	a missir	ng: 3453	/ 3700
tab: F	req.	Numeric	Label	tab:	Freq.	Numeric	Label
	103	1	CLINIC(1)		10	21	
	9	2	PRIVATE CLINIC(2)		8	29	
	1	3			1	31	
	10	4	ER(4)		0	32	SICKLE CELL CENTER(32)
	23	5			1	33	
	2	7			1	36	
	14	8	OUTPATIENT CLINIC(8)		1	61	
	4	12			6	64	DIDN'T GO(64)
	16	13			6	128	OTHER(128)
	1	15			3	129	
	13	16	FAMILY PHYSICIAN(16)		2	136	
	5	17			1	196	
	6	20					

F04MDC2:

- 1. Binary coded variable. See Part II for explanation of binary coded variables.
- 2. Response required only if > 1 CSSCD participant in household.

F04MDC3 ----- WHERE WENT FOR CARE BEFORE

type: numeric (float)

label: F04MDC3

range: [1,136]

units: 1 coded missing: 3664 / 3700 unique values: 13

tab:	Freq.	Numeric	Label	tab:	Freq.	Numeric	Label
	14	1	CLINIC(1)		1	20	
	2	2	PRIVATE CLINIC(2)		1	21	
	4	4	ER(4)		1	31	
	2	5			0	32	SICKLE CELL CENTER(32)
	3	8	OUTPATIENT CLINIC(8)		0	64	DIDN'T GO(64)
	1	12			1	128	OTHER (128)
	3	13			1	136	
	2	16	FAMILY PHYSICIAN(16)				

F04MDC3:

- 1. Binary coded variable. See Part II for explanation of binary coded variables.
- 2. Response required only if > 2 CSSCD participants in household.

CSSCD FULL COHORT PATIENTS

F04MDC4 ----- WHERE WENT FOR CARE BEFORE

type: numeric (float)

label: FO4MDC4

range: [1,8] units: 1

unique values: 3 coded missing: 3696 / 3700

tabulation: Freq. Numeric Label

1 CLINIC(1) 2 1

2 PRIVATE CLINIC(2) 1 8 OUTPATIENT CLINIC(8)

F04MDC4:

1. Binary coded variable. See Part II for explanation of binary coded

2. Response required only if > 3 CSSCD participantss in household.

F04MDC5 ----- WHERE WENT FOR CARE BEFORE

type: numeric (float)

label: FO4MDC5

range: [1,128] unique values: 3 units: 1 coded missing: 3693 / 3700

tabulation: Freq. Numeric Label

2 1 CLINIC(1)

2 PRIVATE CLINIC(2) 1

4 128 OTHER(128)

F04MDC5:

- 1. Binary coded variable. See Part II for explanation of binary coded variables.
- 2. Response required only if > 4 CSSCD participantss in household.

CSSCD FULL COHORT PATIENTS

I U4IVID	LX		numeric		MEDICAL	LAFLINGLO I	LAGI ILAN
			F04MDEX				
		range	[1,6]		units:	1	
	unique	e values:			coded missing:	32 / 3700	0
	tak	oulation:	: Freq.	Numeric	Label		
			1204	1	NONE		
			1205	2	\$1 - \$499		
			428		\$500-\$999		
			522		\$1,000+		
			288		DK		
			21	6	REFUSED		
04MD	EX:						
1.	Includes	insurand	ce premium	S.			
-04HI	NS				HEALTH INSUR	ANCE (OR O	THER AID)
		type:	numeric	(float)			
			F04HINS				
			[1,256]		units:		
	unique	e values:	97		coded missing:	397 / 370	00
ab:	Freq. N	Numeric	Label		tab: Freq.	Numeric	Label
	156	1	PRIVATE(1)		4	35	
	825	2	WORK OR SCH	H00L(2)	3	36	
	65	3			1	37	
	104	4	MEDICARE(4))	5	40	
	18	5			1	49	
	35	6			6	50	
	6	7			1	54	
	1287	8	MEDICAID(8))	2		
	32	9			18	64	OTHER REDUCED(64
	153 11	10			5	65	
	47	11 12			33	66 67	
	7	13			5	68	
	9	14			1	69	
	3	15			39	72	
	3	16	WORKMAN'S (COMP (16)	1	73	
	1	17		` '	7	74	
	23	18			4	76	
	3	19			1	78	
	1	20			3	82	
	1	22			1	83	
	2	24			1	86	
	1	25			1	96	
	5	26			1	98	
	1	27			1	104	
	1	29			1	111	
	11		VA(32)		1	112	
	3	33			1	115	
	12	34			5	119	

CSSCD FULL COHORT PATIENTS

tab:	Freq.	Numeric	Label	tab:	Freq.	Numeric	Label
	1	125			1	194	
	1	127			1	197	
	51	128	OTHER (128)		2	200	
	9	129			1	224	
	39	130			1	231	
	5	131			3	237	
	11	132			1	243	
	2	133			1	244	
	2	134			3	245	
	41	136			2	246	
	4	137			49	247	
	3	138			1	249	
	3	140			1	250	
	1	146			4	251	
	2	147			1	252	
	1	169			40	253	
	2	183			5	254	
	1	189			4	255	
	1	190			19	256	
	2	192					
F04HI	NS:						

1. Binary coded variable. See Part II for explanation of binary coded variables.

F04INSH ----- INSURANCE COVER HOSPITAL BILLS type: numeric (float) label: F04INSH range: [1,3] units: 1
unique values: 3 coded missing: 321 / 3700
tabulation: Freq. Numeric Label 165 1 NO 83 2 DK 3131 3 YES

F04INSH:

1. Response required only if 1 <= F04HINS < 256 (response for only 1 participant stored).

F04INSDR ----- INSURANCE COVER DOCTOR BILLS

type: numeric (float) label: FO4INSDR

units: 1

range: [1,3] unique values: 3 coded missing: 323 / 3700

tabulation: Freq. Numeric Label 1 NO 681 129 2 DK 2567 3 YES

F04INSDR:

1. Response required only if 1 <= F04HINS < 256 (response for only 1

CSSCD FULL COHORT PATIENTS

F04INSM ----- INSURANCE COVER MEDICINE

type: numeric (float)

label: F04INSM

range: [1,3] units: 1

unique values: 3 coded missing: 326 / 3700

tabulation: Freq. Numeric Label 884 1 NO

104 2 DK 2386 3 YES

F04INSM:

 Response required only if 1 <= F04HINS < 256 (response for only 1 participant stored).

CSSCD FULL COHORT PATIENTS

	: numeric (float)			
	: [1,16]	units:		0700
unique values	: 16	coded missing:	266 /	3700
tabulation: Freq. Va	lue	tabulation:	Freq.	Value
599 1			18	
819 2			11	10
916 3			6	11
495 4			7	12
270 5			3	13
157 6				14
87 7				15
43 8			1	16
F04TRNL1:				
 Response require 	_	•	-	-
	t in household, resp		and i	s assumed
to be the line n	umber of the patient			
F04TRNL2			D 4 -	TTENT /! TNC\
			PA	ITENI (LINE)
type	: numeric (float)			
	. [0.40]	2 3	4	
range	: [2,13]	units:		/ 0700
		units: coded missing:		/ 3700
range unique values	: 10		3464	
range unique values	: 10	coded missing:	3464	Value
range unique values tabulation: Freq. Va	: 10	coded missing:	3464 Freq. 20	Value
range unique values tabulation: Freq. Va 10 2	: 10	coded missing:	3464 Freq. 20 5	Value 7
range unique values tabulation: Freq. Va 10 2 49 3 84 4	: 10	coded missing:	3464 Freq. 20 5 7	Value 7 8 9
range unique values tabulation: Freq. Va 10 2 49 3 84 4 38 5	: 10	coded missing:	3464 Freq. 20 5 7	Value 7 8 9
range unique values tabulation: Freq. Va 10 2 49 3 84 4	: 10	coded missing:	3464 Freq. 20 5 7	Value 7 8 9
range unique values tabulation: Freq. Va 10 2 49 3 84 4 38 5 21 6	: 10	coded missing:	3464 Freq. 20 5 7	Value 7 8 9
range unique values tabulation: Freq. Va 10 2 49 3 84 4 38 5 21 6	: 10 lue	coded missing: tabulation:	3464 Freq. 20 5 7 1	Value 7 8 9
range unique values tabulation: Freq. Va 10 2 49 3 84 4 38 5 21 6	: 10 lue	coded missing: tabulation:	3464 Freq. 20 5 7 1	Value 7 8 9
range unique values tabulation: Freq. Va 10 2 49 3 84 4 38 5 21 6 FO4TRNL2: 1. Response require	: 10 lue	coded missing: tabulation: participant in hous	3464 Freq. 20 5 7 1 1	Value 7 8 9 10 13
range unique values tabulation: Freq. Va 10 2 49 3 84 4 38 5 21 6 FO4TRNL2: 1. Response require	: 10 lue d only if > 1 CSSCD	coded missing: tabulation:	3464 Freq. 20 5 7 1 1	Value 7 8 9 10 13
range unique values tabulation: Freq. Va 10 2 49 3 84 4 38 5 21 6 F04TRNL2: 1. Response require	<pre>: 10 lue d only if > 1 CSSCD : numeric (float)</pre>	coded missing: tabulation: participant in hous	3464 Freq. 20 5 7 1 1	Value 7 8 9 10 13
range unique values tabulation: Freq. Va 10 2 49 3 84 4 38 5 21 6 FO4TRNL2: 1. Response require type range	<pre>: 10 lue d only if > 1 CSSCD : numeric (float) : [3,10]</pre>	coded missing: tabulation: participant in hous units:	3464 Freq. 20 5 7 1 1 sehold.	Value 7 8 9 10 13
range unique values tabulation: Freq. Va 10 2 49 3 84 4 38 5 21 6 F04TRNL2: 1. Response require	<pre>: 10 lue d only if > 1 CSSCD : numeric (float) : [3,10]</pre>	coded missing: tabulation: participant in hous	3464 Freq. 20 5 7 1 1 sehold.	Value 7 8 9 10 13
range unique values tabulation: Freq. Va 10 2 49 3 84 4 38 5 21 6 FO4TRNL2: 1. Response require FO4TRNL3 type range unique values	<pre>: 10 lue d only if > 1 CSSCD : numeric (float) : [3,10] : 7</pre>	coded missing: tabulation: participant in hous units: coded missing:	3464 Freq. 20 5 7 1 1 sehold.	Value 7 8 9 10 13
range unique values tabulation: Freq. Va 10 2 49 3 84 4 38 5 21 6 FO4TRNL2: 1. Response require FO4TRNL3 type range unique values tabulation: Freq. Va	<pre>: 10 lue d only if > 1 CSSCD : numeric (float) : [3,10] : 7</pre>	coded missing: tabulation: participant in hous units:	3464 Freq. 20 5 7 1 1 sehold PA 1 3669 Freq.	Value 7 8 9 10 13 TIENT (LINE) / 3700 Value
range unique values tabulation: Freq. Va 10 2 49 3 84 4 38 5 21 6 FO4TRNL2: 1. Response require FO4TRNL3 type range unique values tabulation: Freq. Va 3 3	<pre>: 10 lue d only if > 1 CSSCD : numeric (float) : [3,10] : 7</pre>	coded missing: tabulation: participant in hous units: coded missing:	3464 Freq. 20 5 7 1 1 sehold PA 1 3669 Freq. 3	Value 7 8 9 10 13 TIENT (LINE) / 3700 Value 7
range unique values tabulation: Freq. Va 10 2 49 3 84 4 38 5 21 6 FO4TRNL2: 1. Response require FO4TRNL3 type range unique values tabulation: Freq. Va 3 3 10 4	<pre>: 10 lue d only if > 1 CSSCD : numeric (float) : [3,10] : 7</pre>	coded missing: tabulation: participant in hous units: coded missing:	3464 Freq. 20 5 7 1 1 sehold PA 1 3669 Freq. 3 3	Value 7 8 9 10 13 TIENT (LINE) / 3700 Value 7 8
range unique values tabulation: Freq. Va 10 2 49 3 84 4 38 5 21 6 FO4TRNL2: 1. Response require rouge unique values tabulation: Freq. Va 3 3	<pre>: 10 lue d only if > 1 CSSCD : numeric (float) : [3,10] : 7</pre>	coded missing: tabulation: participant in hous units: coded missing:	3464 Freq. 20 5 7 1 1 sehold PA 1 3669 Freq. 3	Value 7 8 9 10 13 TIENT (LINE) / 3700 Value 7

F04TRNL3:

1. Response required only if > 2 CSSCD participants in household.

CSSCD FULL COHORT PATIENTS

FO4TRNL4					PAILEN	NI (LINE)
		[5,13]	c (float)	units:	1	
unia	ue values:			coded missing:		700
	abulation:			couca misoring.	0001 / 01	00
-		1				
		1				
			13			
O4TRNL4:						
1. Respons	e required	only if	> 3 CSSCD	participants in hou	sehold.	
-04TRNI 5					PATIFN	NT (LINE)
			c (float)			,
		[3,7]	` ,	units:	1	
uniq	ue values:			coded missing:	3697 / 37	700
t	abulation:	Freq.	Value			
		1	3			
		1	5			
		1	7			
1. Respons				participants in hou		O CLINIC
	type:	numerio	 c (float)	participants in hou		TO CLINIC
1. Respons	type:	numerio FO4TRN	c (float)	TRANSP	ORTATION 1	TO CLINIC
1. Respons	type: label: range:	numerio FO4TRN	 c (float) 1	TRANSP units:	ORTATION 1	
1. Respons FO4TRN1 uniq	type: label: range: ue values:	numerio F04TRN [1,56] 33	 c (float) 1	units:	ORTATION 1 1 55 / 3700)
1. Respons FO4TRN1 uniq tab: Freq.	type: label: range: ue values: Numeric l	numerio F04TRN [1,56] 33	c (float)	TRANSP units:	ORTATION 1 1 55 / 3700)
1. Respons FO4TRN1 uniq tab: Freq.	type: label: range: ue values: Numeric l	numerio F04TRN [1,56] 33 Label	c (float) 1 AR(1)	units: coded missing: tab: Freq.	ORTATION 1 1 55 / 3700 Numeric)
1. Respons FO4TRN1 uniq tab: Freq. 1221	type: label: range: ue values: Numeric l	numerio F04TRN [1,56] 33 Label FAMILY C/	c (float) 1 AR(1)	units: coded missing: tab: Freq.	ORTATION 1 1 55 / 3700 Numeric 20 22)
1. Respons F04TRN1 uniq tab: Freq. 1221 256	type: label: range: ue values: Numeric I 1 F 2 (numerio F04TRN [1,56] 33 Label FAMILY C/	c (float) 1 AR(1)	units: coded missing: tab: Freq. 2	ORTATION 1 1 55 / 3700 Numeric 20 22)
1. Respons F04TRN1 uniq tab: Freq. 1221 256 37 280 12	type: label: range: ue values: Numeric 1 2 3 4 5	numerion FO4TRN [1,56] 33 Label FAMILY CA	c (float) 1 AR(1)	units: coded missing: tab: Freq. 2 1 14 2 2	ORTATION 1 1 55 / 3700 Numeric 20 22 24 25 26)
1. Respons F04TRN1 uniq tab: Freq. 1221 256 37 280 12 11	type: label: range: ue values: Numeric l 1 ! 2 (3 4 - 5 6	numerion FO4TRN [1,56] 33 Label FAMILY CA	c (float) 1 AR(1)	units: coded missing: tab: Freq. 2 1 14 2 2 1	1 55 / 3700 Numeric 20 22 24 25 26 27)
1. Respons F04TRN1 uniq tab: Freq. 1221 256 37 280 12 11 8	type: label: range: ue values: Numeric l 1	numeri FO4TRN [1,56] 33 Label FAMILY CA DTHER CAN	c (float) 1 AR(1)	units: coded missing: tab: Freq. 2 1 14 2 2 1	1 55 / 3700 Numeric 20 22 24 25 26 27 28)
1. Respons FO4TRN1 uniq tab: Freq. 1221 256 37 280 12 11 8 1396	type: label: range: ue values: Numeric 1 2 (3 4 5 6 7 8	numerion FO4TRN [1,56] 33 Label FAMILY CA	c (float) 1 AR(1)	units: coded missing: tab: Freq. 2 1 14 2 2 1 1 1 1	1 55 / 3700 Numeric 20 22 24 25 26 27 28 30)
1. Respons uniq tab: Freq. 1221 256 37 280 12 11 8 1396 56	type: label: range: ue values: Numeric 1 2 (3 4 5 6 7 8 9	numeri FO4TRN [1,56] 33 Label FAMILY CA DTHER CAN	c (float) 1 AR(1)	units: coded missing: tab: Freq. 2 1 14 2 2 1 1 1 1 2	1 55 / 3700 Numeric 20 22 24 25 26 27 28 30 31) Label
1. Respons uniq tab: Freq. 1221 256 37 280 12 11 8 1396 56 42	type: label: range: ue values: Numeric 1	numeri FO4TRN [1,56] 33 Label FAMILY CA DTHER CAN	c (float) 1 AR(1)	units: coded missing: tab: Freq. 2 1 14 2 2 1 1 1 1 2 43	1 55 / 3700 Numeric 20 22 24 25 26 27 28 30 31 32) Label
1. Respons FO4TRN1 uniq tab: Freq. 1221 256 37 280 12 11 8 1396 56 42 12	type: label: range: ue values: Numeric 1 2 3 4 5 6 7 8 9 10 11	numeri FO4TRN [1,56] 33 Label FAMILY CA DTHER CAN	c (float) 1 AR(1)	units: coded missing: tab: Freq. 2 1 14 2 2 2 1 1 1 2 43	1 55 / 3700 Numeric 20 22 24 25 26 27 28 30 31 32 33) Label
1. Respons FO4TRN1 uniq tab: Freq. 1221 256 37 280 12 11 8 1396 56 42 12 72	type: label: range: ue values: Numeric l 2 (3 4 5 6 7 8 E 9 10 11 12	numeri FO4TRN [1,56] 33 Label FAMILY CA DTHER CAN	c (float) 1 AR(1)	units: coded missing: tab: Freq. 2 1 14 2 2 1 1 1 1 2 43 2 1	1 55 / 3700 Numeric 20 22 24 25 26 27 28 30 31 32 33) Label
1. Respons FO4TRN1 uniq tab: Freq. 1221 256 37 280 12 11 8 1396 56 42 12 72 8	type: label: range: ue values: Numeric l 1	numeri FO4TRN [1,56] 33 Label FAMILY CA DTHER CAN	c (float) 1 AR(1)	units: coded missing: tab: Freq. 2 1 14 2 2 1 1 1 1 2 43 2 1 1	1 55 / 3700 Numeric 20 22 24 25 26 27 28 30 31 32 33 34 37)
1. Respons FO4TRN1 uniq tab: Freq. 1221 256 37 280 12 11 8 1396 56 42 12 72 8 21	type: label: range: ue values: Numeric l 1	numeri FO4TRN [1,56] 33 Label FAMILY CA DTHER CAN	c (float) 1 AR(1)	units: coded missing: tab: Freq. 2 1 14 2 2 1 1 1 2 43 2 1 1 1 1	1 55 / 3700 Numeric 20 22 24 25 26 27 28 30 31 32 33 34 37) Label
1. Respons FO4TRN1 uniq tab: Freq. 1221 256 37 280 12 11 8 1396 56 42 12 72 8	type: label: range: ue values: Numeric 1	numeri FO4TRN [1,56] 33 Label FAMILY CA DTHER CAN	c (float) 1 AR(1)	units: coded missing: tab: Freq. 2 1 14 2 2 1 1 1 1 2 43 2 1 1	1 55 / 3700 Numeric 20 22 24 25 26 27 28 30 31 32 33 34 37) Label

F04TRN1:

1. Binary coded variable. See Part II for explanation of binary coded variables.

CSSCD FULL COHORT PATIENTS

F04TR		label	: numeric (float) : F04TRN2 : [1,49]	units:	ORTATION TO CLINIC 1 3464 / 3700
tab:	Freq.	Numeric			
	98	1	FAMILY CAR(1)		
	13	2	OTHER CAR(2)		
	3	3			
	20	4	TAXI(4)		
	1	5			
	1	6			
	1	7			
tab:	Freq.	Numeric	Label		
	78	8	BUS(8)		
	3	9			
	5	10			
	1	11			
	4	12			
	7	16	WALK(16)		
	1	49	` '		

F04TRN2:

- Binary coded variable. See Part II for explanation of binary coded variables.
- 2. Response required only if > 1 CSSCD participant in household.

```
FO4TRN3 ----- TRANSPORTATION TO CLINIC
            type: numeric (float)
            label: F04TRN3
            range: [1,12]
                                      units: 1
                       coded missing: 3668 / 3700
      unique values: 5
        tabulation: Freq. Numeric Label
                        1 FAMILY CAR(1)
                   11
                          2 OTHER CAR(2)
                    2
                    3
                          4 TAXI(4)
                    15
                          8 BUS(8)
                          12
                    1
```

F04TRN3:

- Binary coded variable. See Part II for explanation of binary coded variables.
- 2. Response required only if > 2 CSSCD participants in household.

F04TRN4:

- Binary coded variable. See Part II for explanation of binary coded variables.
- 2. Response required only if > 3 CSSCD participants in household.

3.4: Household Composition Summary – "Form" 59

FO4TRN5 ----- TRANSPORTATION TO CLINIC

type: numeric (float)

label: F04TRN5

units: 1 range: [1,8]

unique values: 2 coded missing: 3692 / 3700

tabulation: Freq. Numeric Label

1 FAMILY CAR(1) 5

8 BUS(8) 3

F04TRN5:

1. Binary coded variable. See Part II for explanation of binary coded variables.

2. Response required only if > 4 CSSCD participants in household.

FO4TRVL ----- MINUTES TO TRAVEL TO CLINIC

type: numeric (float)

range: [2,600] units: 1 coded missing: 72 / 3700 unique values: 52

mean: 43.9697 std. dev: 46.2943

percentiles: 10% 25% 50% 75% 90% 10 20 30 60 90

F04TRVL:

1. Responses missing if the 3/1/79 version of FORM 4 was used and the patient's means of travel to the clinic was by foot.

F04COST ----- COST OF TRANSPORTATION TO CLINIC

type: numeric (float)

range: [0,88] units: .01

coded missing: 253 / 3700 unique values: 165

mean: 4.49389 std. dev: 6.8444

10% percentiles: 25% 50% 75% 90% 10

.9 1.2 2 5

F04COST:

1. Responses missing if the 3/1/79 version of FORM 4 was used and the patient's means of travel to the clinic was by foot.

2. Cost of person(s) accompanying patient to the clinic and parking costs were to be included if applicable.

_dta:

1. Created 6/14/2000

- A. List of variables deleted **F59LASTU**
- B. List of variables modified F59HHNO F59UND12 F59UND18
- C. List of variables modified with a name change

- D. Old name
- E. New name
- F. List of variables modified date to days since DOE NONE
- G. Old name
- H. New name
- I. Collection Information:

See Section 3.1 and Section D below.

- J. <u>Data Collection Period</u>: 03/79 09/88
- K. Form Version Dates: See Section 3.1
- L. Files Used to Store Information:

SAS System File: R59.SD2

Format File: R59.FMT

R59.SD2 contains data summarized from the Household Enumeration Form (Form 01, R01.SD2) which was completed at the time of study entry. In households with more than one CSSCD participant, the "record" exists only for the CSSCD patient which was assigned as the ISFAMID=1 patient—i.e., FAMID=ANONID in R09.SD2. Other CSSCD participants in the household have an ISFAMID value of "0" and the FAMID value for ISFAMID=0 status patients = the ANONID of the ISFAMID=1 participant. The variable FAMID in R09.SD2 can be used to link data stored with the ISFAMID=1 patient to an ISFAMID=0 patient. Variables F59BRN2-5 indicate whether these participants were born prior to the DOE of the ISFAMID=1 patient, they are not included in values for F59HHNO, F59UND12, and F59UND18. At the end of the Phase 1 (09/30/88), there were 340 households which had more than 1 CSSCD participant.

- M. <u>Unique Record Identifiers</u>: **ANONID**
- N. Number of Observations (Patients) in SAS Dataset: 3699 (3699)
- O. Contents of SAS Dataset:
 - Alphabetical Listing of Variables: See pp. 84
 - Listing of Variables by Position: See pp. 85
- P. Notes About Selected Variables: See Section I.

- Q. <u>Computed Variables</u>: All variables in **R59.SD2** were computed using information collected on Form 01 (**R01.SD2**).
 - F59HHNO is the variable name for number in household on the entry date of the FAMID patient.

The number of non-missing values for sex variables (F01SX1-9) in R01.SD2 over all pages and the number of non-missing values for relationship to head of household variables (F01RL1-9) in R01.SD2 over all pages were computed. F59HHNO was then computed to be the higher (maximum) of the 2 counts.

F59SCDH – is the variable name for does household head have SCD?
 The value of F59SCDH was initialized to "1" (no). If the value of F01PAGE=1 and F01RL1=1 in R01.SD2, then the following computes were done:

```
If F01SP1=1, then F59SCDH=3 (yes, in study)

If F01SP1=3, then F59SCDH=2 (yes, not in study)

If F01SP1=5 or missing, then F59SCDH=4 (don't know)
```

F59SEXH – is the variable name for sex of household head.

The value of **F59SEXH** was computed to be the same as the value of **F01SX1** if **F01PAGE**=1 and **F01RL1**=1 in **R01.SD2**.

F59AGEH – is the variable name for age of household head.

The value of **F59AGEH** was computed as follows:

F59AGEH=integer((**DOE-F01DB1**)/365.25) <u>if</u> **F01PAGE**=1 and **F01RL1**=1

F59SPOUS – is the variable name for "is there a spouse?"

The value of **F59SPOUS** was initialized to "1" (no). If the value of any of the variables **F01RL1-F01RL9** in **R01.SD2** over all pages was "2", **F59SPOUS** was computed to be "2" (yes).

• **F59UND12** – is the variable name for number of patients < 12 years of age in household on date of entry of the **FAMID** patient.

The value of **F59UND12** was initialized to 0. The value was incremented by 1 each time the following condition for any of the birthdate variables in **R01.SD2** (**F01DB1-9**) over all pages was met:

If $(F01DB \le DOE \text{ and } (F01DB+(12*365.25)) > DOE$.

<u>Note</u>: The number of household patients < 12 years of age may be incorrect if the birthdate of one or more household member is missing.

 F59UND18 – is the variable name for number of patients < 18 years of age in household on date of entry of FAMID patient.

The value of **F59UND18** was initialized to 0. The value was incremented by 1 each time the following condition for any of the birthdate variables in **R01.SD2** (**F01DB1-9**) over all pages was met:

If (F01DB < DOE and (F01DB+(18*365.25)) > DOE

<u>Note</u>: The number of household patients < 18 years of age may be incorrect if the birthdate of one or more household member is missing.

- F59CSSCD is the variable name for number of CSSCD patients in household.
 The value of F59CSSCD was initialized to "1" for all patients with an ISFAMID value of "1". Next, patients with a value of "0" for the variable ISFAMID were selected and sorted by the variable FAMID. The number of ISFAMID=0 patients with the same FAMID were counted and added to the value of F59CSSCD.
- F59ID2-5 are variable names for anonymized ID numbers of other CSSCD participants in household.

F59ID2-5 were computed to be the **ANONID**s of **ISFAMID**=0 patients with the same **FAMID** as a **ISFAMID**=1 patient with a "Record 59".

 F59BRN2-5 – are variable names for whether other CSSCD participants were born after the entry date of the FAMID (i.e., ISFAMID=1) patient.

F59BRN2-5 were initialized to "0" if corresponding **F59ID2-5** values were not missing. If the birthdate of **F59ID2-5** was > the entry date (**DOE**) of the **ISFAMID**=1 patient with the same **FAMID**, the value of **F59BRN2-5** respectively was computed to be "1" (yes).

R. Inter-Relationship With Other Datasets:

- The Household Enumeration Form (Form 01, R01.SD2) was used as the source for computed variables in R59.SD2 [See Section 3.1].
- Variables ISFAMID and FAMID in the roster dataset (R09.SD2) were used to determine 1) which patients needed a "Record 59" and 2) the number of CSSCD participants within a household [See Section 1].

CSSCD PHASE I FULL COHORT

CONTENTS OF SAS DATASET: R59.SD2

DATA FROM CSSCD "FORM" 59 - HOUSEHOLD COMPOSITION SUMMARY
VARIABLES ARE LISTED IN ALPHABETICAL ORDER AND IN ORDER OF THEIR POSITION
IN THE SAS DATASET

The SAS System 15:20 Friday, September 15, 2006 22

The CONTENTS Procedure

Data Set Name	OUT1.R59	Observations	3699
Member Type	DATA	Variables	17
Engine	V9	Indexes	0
Created	16:16 Monday, September 11, 2006	Observation Length	136
Last Modified	16:16 Monday, September 11, 2006	Deleted Observations	0
Protection		Compressed	NO
Data Set Type		Sorted	NO
Label			
Date December 4	WINDOWS		

Data Representation WINDOWS

Encoding wlatin1 Western (Windows)

Engine/Host Dependent Information

Data Set Page Size	12288
Number of Data Set Pages	42
First Data Page	1
Max Obs per Page	90
Obs in First Data Page	66
Number of Data Set Repairs	0

File Name r59.sas7bdat
Release Created 9.0000M0
Host Created XP_PR0

Alphabetic List of Variables and Attributes

#	Variable	Type	Len	Label
1	ANONID	Char	8	ANONYMIZED ID #
5	F59AGEH	Num	8	AGE OF HOUSEHOLD HEAD
10	F59BRN2	Num	8	ID #2 BORN AFTER DOE OF FAMID PATIENT?
11	F59BRN3	Num	8	ID #3 BORN AFTER DOE OF FAMID PATIENT?
12	F59BRN4	Num	8	ID #4 BORN AFTER DOE OF FAMID PATIENT?
13	F59BRN5	Num	8	ID #5 BORN AFTER DOE OF FAMID PATIENT?
9	F59CSSCD	Num	8	NO. OF CSSCD PARTICIPANTS IN HOUSEHOLD
2	F59HHN0	Num	8	NUMBER IN HOUSEHOLD ON DOE OF FAMID PT
14	F59ID2	Char	8	ANONYMIZED ID # OF STUDY PATIENT #2
15	F59ID3	Char	8	ANONYMIZED ID # OF STUDY PATIENT #3
16	F59ID4	Char	8	ANONYMIZED ID # OF STUDY PATIENT #4
17	F59ID5	Char	8	ANONYMIZED ID # OF STUDY PATIENT #5
3	F59SCDH	Num	8	DOES HOUSEHOLD HEAD HAVE SCD?
4	F59SEXH	Num	8	SEX OF HOUSEHOLD HEAD
6	F59SP0US	Num	8	IS THERE A SPOUSE?
7	F59UND12	Num	8	PATIENTS < 12 ON DOE OF FAMID PT
8	F59UND18	Num	8	PATIENTS < 18 ON DOE OF FAMID PT

CSSCD PHASE I FULL COHORT

```
******************
* F59.FMT contains value labels for numerical codes assigned to
* categorical variables in the SAS dataset R59.SD2
************************
* SIR/DBMS 2.2 SAS PROC STEP FROM DATABASE: CSSCD 08/13/99 11:26:14;
PROC FORMAT;
* FORMAT F59HHNO IS DEFINED FOR VARIABLE F59HHNO;
 VALUE F59HHNO
   10
                = \10+'
   99
                 = 'IN INSTITUTION';
* FORMAT F59SCDH IS DEFINED FOR VARIABLE F59SCDH;
 VALUE F59SCDH
                 = 'NO'
   2
                 = 'YES, NOT CSSCD PT'
                 = 'YES, CSSCD PT'
   3
                 = 'DK';
   4
* FORMAT F59SEXH IS DEFINED FOR VARIABLE F59SEXH;
 VALUE F59SEXH
                 = 'FEMALE'
   1
   2
                 = 'MALE';
* FORMAT F59SPOUS IS DEFINED FOR VARIABLE F59SPOUS;
 VALUE F59SPOUS
   1
                 = 'NO SPOUSE'
   2
                 = 'YES SPOUSE';
* FORMAT NO YES IS DEFINED FOR VARIABLES F59BRN2 F59BRN3 F59BRN4
F59BRN5;
 VALUE NO_YES
   0
                 = 'NO'
   1
                = 'YES';
  FORMAT F59HHNO F59HHNO.
          F59SCDH F59SCDH.
          F59SEXH F59SEXH.
          F59SPOUS F59SPOUS.
```

CSSCD PHASE I FULL COHORT

F59BRN2 F59BRN3 F59BRN4 F59BRN5 NO_YES.;

RUN; QUIT;

F59HHNO ------ NUMBER IN HOUSEHOLD ON DOE OF FAMID PT **MODIFIED** type: numeric (float)

CSSCD PHASE I FULL COHORT

range: [1,99] units: 1 unique values: 17 coded missing: 0 / 3699 tabulation: Freq. Value 199 1 463 2 857 3 799 4 612 5 326 6 208 7 103 8 63 9 29 10 14 11 7 12 11 13 3 14 3 15 1 17 1 99 F59HHN0: 1. Computed variable - see documentation. F59SCDH ----- DOES HOUSEHOLD HEAD HAVE SCD? type: numeric (float) range: [1,4] units: 1 coded missing: 1 / 3699 unique values: 4 tabulation: Freq. Value 2870 1 68 2 622 3 138 4 F59SCDH: 1. Computed variable - see documentation.

F59SEXH ------ SEX OF HOUSEHOLD HEAD type: numeric (float)

CSSCD PHASE I FULL COHORT

units: 1 range: [1,2] unique values: 2 coded missing: 1 / 3699 tabulation: Freq. Value 2062 1 1636 2 F59SEXH: 1. Computed variable - see documentation. F59AGEH ----- AGE OF HOUSEHOLD HEAD type: numeric (float) units: 1 range: [17,81] coded missing: 82 / 3699 unique values: 64 mean: 36.7609 std. dev: 11.6024 percentiles: 10% 25% 50% 75% 24 28 34 43 90% 43 54 F59AGEH: 1. Computed variable - see documentation. F59SPOUS ----- IS THERE A SPOUSE? type: numeric (float) range: [1,2] units: 1 coded missing: 1 / 3699 unique values: 2 tabulation: Freq. Value 2167 1 1531 2

F59SP0US:

1. Computed variable - see documentation.

CSSCD PHASE I FULL COHORT

```
F59UND12 ------ PATIENTS < 12 ON DOE OF FAMID PT MODIFIED
              type: numeric (float)
              range: [0,9]
                                           units: 1
                            coded missing: 1 / 3699
       unique values: 10
          tabulation: Freq. Value
                     1004 0
                     1140 1
                     901 2
                      425 3
                      148 4
                      55 5
                      12 6
                      11 7
                       1 8
                       1 9
F59UND12:
 1. Computed variable - see documentation.
F59UND18 ------ PATIENTS < 18 ON DOE OF FAMID PT MODIFIED
              type: numeric (float)
              range: [0,11]
                                           units: 1
                                   coded missing: 1 / 3699
       unique values: 12
          tabulation: Freq. Value
                     565 0
                      908 1
                     1019 2
                      606 3
                      336 4
                      146 5
                      68 6
                      28 7
                       9 8
                       8 9
                       2 10
                       3 11
F59UND18:
```

•

1. Computed variable - see documentation.

CSSCD PHASE I FULL COHORT

F59CSSCD ----- NO. OF CSSCD PARTICIPANTS IN HOUSEHOLD type: numeric (float) range: [1,5] units: 1 unique values: 5 coded missing: 0 / 3699 tabulation: Freq. Value 3361 1 296 2 38 3 3 4 1 5 F59CSSCD: 1. Computed variable - see documentation. F59BRN2 ----- ID #2 BORN AFTER DOE OF FAMID PATIENT? type: numeric (float) range: [0,1] coded missing: 3361 / 3699 unique values: 2 tabulation: Freq. Value 278 0 60 1 F59BRN2: 1. Computed variable - see documentation. 2. Response required only if F59CSSCD>1. F59BRN3 ------ ID #3 BORN AFTER DOE OF FAMID PATIENT? type: numeric (float) range: [0,1]
unique values: 2 units: 1 coded missing: 3657 / 3699 tabulation: Freq. Value 35 0 7 1

F59BRN3:

- 1. Computed variable see documentation.
- 2. Response required only if F59CSSCD>2.

CSSCD PHASE I FULL COHORT

F59BRN4 ------ ID #4 BORN AFTER DOE OF FAMID PATIENT?

type: numeric (float)

range: [0,1] units: 1

unique values: 2 coded missing: 3695 / 3699

tabulation: Freq. Value
3 0
1 1

F59BRN4:

- 1. Computed variable see documentation.
- 2. Response required only if F59CSSCD>3.

F59BRN5 ----- ID #5 BORN AFTER DOE OF FAMID PATIENT?

type: numeric (float)

range: [0,0] units: 0

unique values: 1 coded missing: 3698 / 3699

tabulation: Freq. Value
1 0

F59BRN5:

- 1. Computed variable see documentation.
- 2. Response required only if F59CSSCD>4.

dta:

- 1. Created 06/23/00.
- A. <u>List of variables deleted</u> **F05AID F05AIDH F05AIDM F05DATE F05DBM F05ESTAT F05FCB F05INIT F05LASTE F05LASTU F05NDATE F05OCH F05OCM F05OCPH F05OCPM F05RELH F05RELM F05VDATE F05ZIP**
- B. <u>List of variables modified</u> **F05EDH F05EDM F05INC F05INCF F05INCH F05INCM F05MS F05MSH F05MSM F05RACEM F05RMS**
- C. <u>List of variables modified with a name change</u>
- D. Old name F05OCH
- E. New name F05OCH_R
- F. List of variables modified date to days since DOE
- G. Old name F05DATE

CSSCD PHASE I FULL COHORT

H. New name JF05DATE

I. Collection Information:

Form 05 (Annual Demographic Form) was to be completed at the time of the first annual visit (one year after entry for patients entered at \geq 2 years of age; at age 3 for patients entered at < 2 years of age).

J. Data Collection Period: 03/80 – 02/86

K. Form Version Dates: 01/25/80, 05/07/80, 12/23/80

L. Files Used to Store Information:

SAS System File: R05.SD2

Format File: R05.FMT

M. Unique Record Identifiers: ANONID, F05CYCLE

Records within the dataset are sorted by **ANONID** and **F05CYCLE**.

N. Number of Observations (Patients) in SAS Dataset: 4919 (3105)

O. Contents of SAS Dataset:

Alphabetical Listing of Variables: See pp. 94-96

Listing of Variables by Position: See pp. 97-98

P. Notes About Selected Variables:

- F05HEAD F05INCH (variable #s 19-31 in order of position within the dataset) –
 correspond to questions 10-19 on Form 05 and refer to the head of the
 household. Responses for these variables are not required if the head of
 household is a CSSCD participant (See section 3.1 and 3.4) since corollary
 information was collected in the study patient section of the Form 05 completed
 for the household head participant.
- F05DMB F05INCM (variable #s 32-45 in order of position within the dataset) correspond to questions 20-30 on Form 05 and refer to the mother of study participants less than 20 years of age. Responses for these variables are not required if the participant's mother is a CSSCD participant (See sections 3.1 and 3.4) since corollary information was collected in the study patient section of the Form 05 completed for the patient's mother.
- **F05INSL1-5** are variables which refer to line numbers of household participants on Form 01 (Household Enumeration Form) (See Section 3.1)

CSSCD PHASE I FULL COHORT

Q. Computed Variables: None

R. Inter-Relationship With Other Datasets:

Demographic data were also collected on

SAS Dataset	See Section
R01.SD2	3.1
R02.SD2	3.2
R03.SD2	3.3
R03.SD2	3.3
R86.SD2	3.6
R87.SD2	3.7
	R01.SD2 R02.SD2 R03.SD2 R03.SD2 R86.SD2

CONTENTS OF SAS DATASET: R05.SD2 DATA FROM CSSCD FORM 05 - ANNUAL DEMOGRAPHIC FORM VARIABLES ARE LISTED IN ALPHABETICAL ORDER AND IN ORDER OF THEIR POSITION IN THE SAS DATASET AND ON FORM 05

The SAS System 15:20 Friday, September 15, 2006 20

The CONTENTS Procedure

OUT1.R05	Observations	4919
DATA	Variables	65
V9	Indexes	0
14:20 Thursday, September 14, 2006	Observation Length	512
14:20 Thursday, September 14, 2006	Deleted Observations	0
	Compressed	NO
	DATA V9 14:20 Thursday, September 14, 2006	DATA Variables V9 Indexes 14:20 Thursday, September 14, 2006 Observation Length 14:20 Thursday, September 14, 2006 Deleted Observations

CSSCD PHASE I FULL COHORT

Data Set Type Sorted NO

Label

Data Representation WINDOWS

Encoding wlatin1 Western (Windows)

Engine/Host Dependent Information

Data Set Page Size 16384

Number of Data Set Pages 160

First Data Page 1

Max Obs per Page 31

Obs in First Data Page 14

Number of Data Set Repairs 0

File Name r05.sas7bdat
Release Created 9.0000M0
Host Created XP_PRO

Alphabetic List of Variables and Attributes

	#	Variable	Type	Len	Label
	1	ANONID	Char	8	ANONYMIZED ID #
	2	F05CYCLE	Num	8	CYCLE NUMBER OF VISIT
	12	F05EDH	Num	8	HIGHEST LEVEL OF ED. (HOUSEHOLD
HEAD)					•
	21	F05EDM	Num	8	HIGHEST LEVEL OF ED. (PATIENTS
MOTHER)					•
	8	F05EMP	Num	8	EMPLOYED IN LAST 12 MONTHS
	10	F05HEAD	Num	8	HEAD OF HOUSEHOLD THE SAME
	37	F05HINS	Num	8	FAMILY HEALTH INSURANCE
	32	F05HSE	Num	8	TYPE OF HOUSING
	16	F05HWKH	Num	8	HRS WORKED LAST WEEK (HOUSEHOLD
HEAD)					•
	25	F05HWKM	Num	8	HRS WORKED LAST WEEK (PATIENTS
MOTHER)					
	17	F05HWKUH	Num	8	USUAL HRS WORKED (HOUSEHOLD HEAD)
	26	F05HWKUM	Num	8	USUAL HRS WORKED (PATIENTS
MOTHER)					
	9	F05INC	Num	8	INCOME FOR PATIENT
	29	F05INCF	Num	8	TOTAL FAMILY INCOME
	18	F05INCH	Num	8	INCOME (HOUSEHOLD HEAD)
	27	F05INCM	Num	8	INCOME (PATIENTS MOTHER)
	43	F05INS1	Num	8	INSURANCE FOR PATIENT
	44	F05INS2	Num	8	INSURANCE FOR PATIENT
	45	F05INS3	Num	8	INSURANCE FOR PATIENT
	46	F05INS4	Num	8	INSURANCE FOR PATIENT
	47	F05INS5	Num	8	INSURANCE FOR PATIENT
	53	F05INSD1	Num	8	INSURANCE COVER DOCTOR BILLS
	54	F05INSD2	Num	8	INSURANCE COVER DOCTOR BILLS
	55	F05INSD3	Num	8	INSURANCE COVER DOCTOR BILLS
	56	F05INSD4	Num	8	INSURANCE COVER DOCTOR BILLS
	57	F05INSD5	Num	8	INSURANCE COVER DOCTOR BILLS
	48	F05INSH1	Num	8	INSURANCE COVER HOSPITAL BILL
	49	F05INSH2	Num	8	INSURANCE COVER HOSPITAL BILL

CSSCD PHASE I FULL COHORT

	50	F05INSH3	Num	8	INSURANCE COVER HOSPITAL BILL
	51	F05INSH4	Num	8	INSURANCE COVER HOSPITAL BILL
	52	F05INSH5	Num	8	INSURANCE COVER HOSPITAL BILL
	38	F05INSL1	Num	8	LINE NUMBER FOR HEALTH PLAN
	39	F05INSL2	Num	8	LINE NUMBER FOR HEALTH PLAN
	40	F05INSL3	Num	8	LINE NUMBER FOR HEALTH PLAN
	41	F05INSL4	Num	8	LINE NUMBER FOR HEALTH PLAN
	42	F05INSL5	Num	8	LINE NUMBER FOR HEALTH PLAN
	58	F05INSM1	Num	8	INSURANCE COVER MEDICINE
	59	F05INSM2	Num	8	INSURANCE COVER MEDICINE
	60	F05INSM3	Num	8	INSURANCE COVER MEDICINE
	61	F05INSM4	Num	8	INSURANCE COVER MEDICINE
	62	F05INSM5	Num	8	INSURANCE COVER MEDICINE
	35	F05LNBD	Num	8	LENGTH OF TIME IN NEIGHBORHOOD
	15	F05LWKH	Num	8	LENGTH OF TIME ON JOB (HOUSEHOLD
HEAD)					`
,	24	F05LWKM	Num	8	LENGTH OF TIME ON JOB (PATIENTS
MOTHER)					`
,	36	F05MDEX	Num	8	FAMILY MEDICAL EXPENSES
	31	F05M0VE	Num	8	HOUSEHOLD MOVED
	4	F05MS	Num	8	MARITAL STATUS
	11	F05MSH	Num	8	MARITAL STATUS (HOUSEHOLD HEAD)
	20	F05MSM	Num	8	MARITAL STATUS (PATIENTS MOTHER)
	30	F05NSF	Num	8	NUMBER OF PEOPLE WHO HELP SUPPORT
FAMILY					
	63	F050CH R	Char	3	JOB CODE (HOUSEHOLD HEAD)
	64	F050CM R	Char	3	JOB CODE (PATIENTS MOTHER)
	33	F050WN	Num	8	OWN HOME OR RENT
	19	F05RACEM	Num	8	RACE (PATIENTS MOTHER)
	34	F05RMS	Num	8	ROOMS IN DWELLING
	3	F05RSP	Num	8	INFORMANT
	5	F05SCHL	Num	8	ATTENDED SCHOOL IN LAST 12 MONTHS
	13	F05SCHLH	Num	8	CURRENTLY STUDENT (HOUSEHOLD
HEAD)				-	(
,	22	F05SCHLM	Num	8	CURRENTLY STUDENT (PATIENTS
MOTHER)		· · ·		-	
,	28	F05SINC	Num	8	SOURCES OF INCOME OUTSIDE
HOUSEHOLD				-	
	7	F05WRKC	Num	8	WORK CHANGED FOR REASONS OF
HEALTH	-			-	
	6	F05WRKS	Num	8	WORK STATUS
	14	F05WRKSH	Num	8	WORK STATUS (HOUSEHOLD HEAD)
	23	F05WRKSM	Num	8	WORK STATUS (PATIENTS MOTHER)
	65	JF05DATE	Num	8	DATE OF VISIT - DAYS SINCE DOE
	00	CI OOD/ (IL	Num	J	DATE OF VIOLE DATE DATE

****************** * R05.FMT contains value labels for numerical codes assigned to categorical*

^{*} variables in the SAS dataset R05.SD2

```
* SIR/DBMS 2.2 SAS PROC STEP FROM DATABASE: CSSCD 06/11/99 14:18:00;
PROC FORMAT;
  VALUE F05CYCLE
                    = '1ST'
                    = '2ND'
    2
                     = '3RD'
    3
    4
                    = '4TH';
  VALUE F05RSP
    1
                    = 'PATIENT'
                    = 'PARENT'
    2
    3
                    = 'RELATIVE';
  VALUE F05MS - will modify when codebook for all patients done
                    = 'SAME'
    2
                    = 'MARRIED OR REMARRIED'
    4
                    = 'DIVORCED'
    4
                    = 'SINGLE'
    5
                    = 'WIDOWED'
    7
                    = 'SEPARATED';
INVALUE $ F05OCH_R
                     = 'PROFESSIONAL'
   `A'
   `B′
                     = 'MANAGERS'
   'C'
                     = 'CLERICAL'
   'D'
                     = 'CRAFTSMAN'
   `E′
                     = 'OPERATIVES'
   `F′
                     = 'TRANSPORT'
   ١G′
                      = 'LABORERS'
   \Η′
                      = 'FARM'
   `I'
                     = 'SERVICE'
   ١J′
                     = 'HOUSEHOLD'
   `K′
                     = 'UNCLASSIFIED (NOT OTHERWISE DEFINED)';
INVALUE $ F050CM_R
   `A′
                     = 'PROFESSIONAL'
   `В′
                     = 'MANAGERS'
   `C'
                     = 'CLERICAL'
   'D'
                     = 'CRAFTSMAN'
   `E′
                      = 'OPERATIVES'
   `F′
                      = 'TRANSPORT'
   `G′
                      = 'LABORERS'
                      = 'FARM'
   `H′
   `I'
                      = 'SERVICE'
   ٠J′
                      = 'HOUSEHOLD'
   `K′
                      = 'UNCLASSIFIED (NOT OTHERWISE DEFINED)';
```

CSSCD PHASE I FULL COHORT

```
*FORMAT NO_YES used for the following variables: F05SCHL F05WRKC
                                                   F05EMP F05HEAD F05HINS
                                                   F05INSH1 F05INSH2
                                                   F05INSH3 F05INSH4
                                                   F05INSH5 F05INSD1
                                                   F05INSD2 F05INSD3
                                                   F05INSD4 F05INSD5
                                                   F05INSM1 F05INSM2
                                                   F05INSM3 F05INSM4
                                                   F05INSM5;
 VALUE NO_YES
    1
                    = 'NO'
    2
                    = 'YES';
  VALUE F05WRKS
                    = 'NO CHANGE'
    1
    2
                    = 'UNEMPLOYED'
    3
                    = 'DISABLED'
    4
                    = 'RETIRED'
    5
                    = 'NEW JOB'
    6
                    = 'OTHER';
*FORMAT INC used for the following variables: F05INC F05INCH
                                               F05INCM F05INCF;
  VALUE INC
    1
                    = '$0-$4999'
    2
                    = '$5000-$5999'
    3
                    = '$10000-$14999'
                    = '$15000-$19999'
    5
                    = '$20000-$25000+'
    7
                    = 'REFUSED'
    8
                    = 'DK'
    9
                    = 'NA';
*FORMAT MAR used for the following variables: F05MSH F05MSM;
  VALUE MAR
    1
                    = 'MARRIED OR REMARRIED'
    3
                    = 'DIVORCED'
    4
                    = 'SINGLE'
    5
                    = 'WIDOWED'
                    = 'SEPARATED';
```

*FORMAT EDU used for the following variables: FO5EDH F05EDM;

VALUE EDU

```
1
                     = 'DK'
    2
                     = 'NA'
                     = 'GRADE SCHOOL'
    8
    11
                     = 'LESS THAN HIGH SCHOOL'
    16
                     = '12TH'
    17
                     = '1 COL'
    18
                     = '2 COL'
    19
                    = '3 COL'
                     = '4 COL'
    20
                     = '>4 COL'
    21
                     = 'TRADE SCHOOL';
    22
*FORMAT NFP used for the following variables: F05SCHLH F05SCHLM;
  VALUE NFP
                    = 'NO'
    1
    2
                    = 'FULL TIME'
    3
                     = 'PART TIME';
*FORMAT JOB used for the following variables: F05WRKSH F05WRKSM;
  VALUE JOB
                     = 'HOUSEWIFE'
    1
    2
                     = 'FULL TIME JOB'
    3
                     = 'PART TIME'
    4
                    = 'NOT WORKING'
    5
                     = 'RETIRED'
    6
                     = 'DISABLED-WORKED'
    7
                    = 'DISABLED'
    8
                     = 'UNEMPLOYED';
 VALUE F05RACEM
    1
                    = 'BLACK'
    3
                    = 'OTHER';
 VALUE F05MOVE
    1
                    = 'YES'
    2
                     = 'NO';
  VALUE F05HSE
                    = 'PUBLIC SINGLE'
    1
    2
                    = 'PUBLIC MULTIPLE'
    3
                    = 'PRIVATE SINGLE'
    4
                    = 'PRIVATE MULTIPLE'
    5
                    = 'MOBILE HOME'
                     = 'INSTITUTION';
  VALUE F050WN
    1
                     = 'OWN'
    2
                     = 'RENT'
    3
                     = 'OTHER';
```

```
VALUE F05MDEX
    1
                    = 'NONE'
    2
                    = '$1-$499'
    3
                    = '$500-$999'
    4
                    = '$1000+'
    5
                    = 'DK'
                    = 'REFUSED';
*FORMAT INS used for the following variables: F05INS1 F05INS2
                                               F05INS3 F05INS4
                                               F05INS5;
  VALUE INS
    1
                    = 'PRIVATE (1)'
                    = 'WORK-SCHOOL (2)'
    2
    4
                    = 'MEDICARE (4)'
    8
                    = 'MEDICAID (8)'
    16
                    = 'WORKMANS COMP(16)'
    32
                    = 'VA (32)'
                    = 'CLINIC (64)'
    128
                   = 'OTHER (128)'
                    = 'NONE (256)';
    256
  FORMAT
           F05RSP F05RSP.
           F05SCHL F05WRKC
           F05EMP F05HEAD F05HINS
           F05INSH1 F05INSH2
           F05INSH3 F05INSH4
           F05INSH5 F05INSD1
           F05INSD2 F05INSD3
           F05INSD4 F05INSD5
           F05INSM1 F05INSM2
           F05INSM3 F05INSM4
           F05INSM5 NO_YES.
           F05WRKS F05WRKS.
           F05INC F05INCH F05INCM F05INCF INC.
           F05MSH F05MSM MAR.
           F05EDH F05EDM EDU.
           F05SCHLH F05SCHLM NFP.
           F05WRKSH F05WRKSM JOB.
           F05RACEM F05RACEM.
           F05MOVE F05MOVE.
           F05HSE F05HSE.
           F050WN F050WN.
           F05MDEX F05MDEX.
           F05INS1 F05INS2
           F05INS3 F05INS4
           F05INS5 INS.;
```

RUN;	
OTITT	:

```
F05CYCLE ----- CYCLE NUMBER OF VISIT
             type: numeric (float)
             label: F05CYCLE
             range: [1,4]
                                         units: 1
      unique values: 4
                                 coded missing: 0 / 4919
         tabulation: Freq. Numeric Label
                   2841
                         1 1ST
                    53
                            2 2ND
                   1950
                            3 3RD
                    75
                            4 4TH
F05CYCLE:
 1. Should correspond with annual visit number.
F05VDATE ----- VERSION DATE
                                                                      DELETED
             type: numeric daily date (int)
            label: datelab
     range: [7329,7662] units: 1
or equivalently: [25jan1980,23dec1980] units: days
unique values: 3 coded missing: 0 / 4919
         tabulation: Freq. Numeric Label
                   955 7329 01/25/80
                   1337
                          7432 05/07/80
                   2627
                          7662 12/23/80
F05RSP ------ INFORMANT
             type: numeric (float)
            label: F05RSP
            range: [1,3]
                                        units: 1
      unique values: 3
                                 coded missing: 196 / 4919
         tabulation: Freq. Numeric Label
                   2499 1 PATIENT
                   2132
                            2 PARENT
                            3 RELATIVE
                    92
F05MS ----- MARITAL STATUS MODIFIED
             type: numeric (float)
            label: F05MS
             range: [1,7]
                                        units: 1
      unique values: 7
                                  coded missing: 39 / 4919
         tabulation: Freq. Numeric Label
                   3666 1 SAME AS AT ENTRY
                    163
                            2 MARRIED
                    16
                            3 REMARRIED
                            4 DIVORCED
                    239
                            5 SINGLE
                    712
                            6 WIDOWED
                     21
                     63
                          7 SEPARATED
```

CSSCD PHASE I FULL COHORT

F05SCHL ----- ATTENDED SCHOOL IN LAST 12 MONTHS type: numeric (float) label: F05SCHL range: [1,2] units. .
values: 2 coded missing: 155 / 4919 unique values: 2 tabulation: Freq. Numeric Label 2020 1 NO 2744 2 YES F05WRKS ----- WORK STATUS type: numeric (float) label: F05WRKS range: [1,5]
unique values: 4 units: 1 coded missing: 4681 / 4919 tabulation: Freq. Numeric Label 170 1 NO CHANGE 2 UNEMPLOYED 48 3 DISABLED 11 9 5 NEW JOB F05WRKC ----- WORK CHANGED FOR REASONS OF HEALTH type: numeric (float) label: F05WRKC range: [1,2] units: 1 coded missing: 4595 / 4919 unique values: 2 tabulation: Freq. Numeric Label 240 1 NO 2 YES F05WRKC: 1. Required only if F05WRKS>1. F05AID ------ RECEIVE GOVERNMENT AID DELETED type: numeric (float) label: F05AID range: [1,4] units: 1 coded missing: 65 / 4919 unique values: 4 tabulation: Freq. Numeric Label 2416 1 NO 2 DK 51 2385 3 YES 4 REFUSED

CSSCD PHASE I FULL COHORT

F05EMP ----- EMPLOYED IN LAST 12 MONTHS type: numeric (float) label: F05EMP range: [1,2] units: 1 coded missing: 95 / 4919 unique values: 2 tabulation: Freq. Numeric Label 3813 1 NO 1011 2 YES F05INC ----- INCOME FOR PATIENT **MODIFIED** type: numeric (float) label: F05INC range: [1,9] units: 1 unique values: 9 coded missing: 1984 / 4919 tabulation: Freq. Numeric Label 741 1 \$0-\$4999 2 \$5000-\$5999 322 206 3 \$10000-\$14999 87 4 \$15000-\$19999 29 5 \$20000-\$24999 23 6 \$25000+ 20 7 REFUSED 11 8 DK 1496 9 NA F05INC: Required only if F05EMP=2. F05HEAD ----- HEAD OF HOUSEHOLD THE SAME type: numeric (float) label: F05HEAD range: [1,2] units. .
coded missing: 532 / 4919 unique values: 2 tabulation: Freq. Numeric Label 381 1 NO 4006 2 YES

F05HEAD:

1. Required only if head of household is not a study participant.

CSSCD PHASE I FULL COHORT

F05MSH ----- MARITAL STATUS (HOUSEHOLD HEAD) MODIFIED type: numeric (float) label: F05MSH range: [1,6] units: 1 unique values: 6 coded missing: 3602 / 4919 tabulation: Freq. Numeric Label 1 MARRIED 547 27 2 REMARRIED 158 3 DIVORCED 235 4 SINGLE 5 WIDOWED 97 253 6 SEPARATED F05MSH: 1. Required only if head of household is not a study participant AND F05HEAD = 1.F05RELH ----- RELIGIOUS AFFILIATION (HOUSEHOLD HEAD) DELETED type: numeric (float) label: F05RELH range: [1,7] units: 1 unique values: 7 coded missing: 3632 / 4919 tabulation: Freq. Numeric Label 1 PROTESTANT 884 161 2 CATHOLIC 24 3 JEHOVAH 4 4 CHRIST. SCI 5 MOSLEM 13 6 NONE 71 130 7 OTHER

F05RELH:

 Required only if head of household is not a study participant AND F05HEAD=1.

CSSCD PHASE I FULL COHORT

F05EDH ----- HIGHEST LEVEL OF ED. (HOUSEHOLD HEAD) MODIFIED type: numeric (float) label: F05EDH range: [1,22] units: 1 unique values: 22 coded missing: 3616 / 4919 tabulation: Freq. Numeric Label 1 DK 5 2 NA 3 PS 2 4 K 1 2 5 1 4 6 2 19 7 3RD 9 8 4TH 21 9 5TH 34 10 6TH 26 11 7TH 59 12 8TH 48 13 9TH 111 14 10TH 123 15 11TH 473 16 12TH 61 17 1 COL 107 18 2 COL 37 19 3 COL 59 20 4 COL 21 >4 COL 28 43 22 TRADE SCHOOL F05EDH: 1. Required only if head of household is not a study participant AND F05HEAD=1. F05SCHLH ----- CURRENTLY STUDENT (HOUSEHOLD HEAD) type: numeric (float) label: F05SCHLH range: [1,3] units: 1 unique values: 3 coded missing: 3605 / 4919 tabulation: Freq. Numeric Label 1 NO 1111 2 FULL TIME 124

F05SCHLH:

 Required only if head of household is not a study participant AND F05HEAD=1.

3 PART TIME

79

CSSCD PHASE I FULL COHORT

F05WRKSH ----- WORK STATUS (HOUSEHOLD HEAD)

type: numeric (float)

label: F05WRKSH

range: [1,8] units: 1

unique values: 8 coded missing: 3598 / 4919

tabulation: Freq. Numeric Label

320 1 HOUSEWIFE 700 2 FULL TIME JOB 83 3 PART TIME

103 4 NOT WORKING 44 5 RETIRED

26 6 DISABLED-WORKED

11 7 DISABLED 34 8 UNEMPLOYED

F05WRKSH:

 Required only if head of household is not a study participant AND F05HEAD=1.

F050CH ----- JOB CODE (HOUSEHOLD HEAD) MODIFIED

type: numeric (float)

range: [51,982] units: 1

unique values: 12 coded missing: 4905 / 4919

tabulation: Freq. Value

1 51

1 235

1 245

1 312

1 376

2 413

1 552

1 903

1 922

925942

1 982

F050CH:

- 1. Required if patient is not head of household and F05HEAD=1 and F05WRKSH=2, 3, 4, 5, 6 or 8.
- 2. If head of household is not working but worked during the last two years, F050CH relates to head of household's last regular job.
- If head of household is retired, F050CH relates to head of household's occupation before retirement.
- 4. If head of household is disabled but worked previously, F050CH relates to head of household's occupation before becoming disabled.
- 5. If head of household is not retired or disabled but unemployed for > 2 years, F050CH relates to head of household's last regular job.
- 6. See Appendix C for Occupational Classification Codes.

CSSCD PHASE I FULL COHORT

F050CPH ----- JOB PRESTIGE CODE (HOUSEHOLD HEAD) DELETED

type: numeric (float)

range: [0,65] units: 1

unique values: 12 coded missing: 4901 / 4919

tabulation: Freq. Value

1 0

1 3

1 8

1 16

2 25

3 36

. ..

3 39

1 43

1 48

1 50

1 61

2 65

F050CPH:

1. Required only if head of household is not a study participant and F05HEAD=1 and F05WRKSH=2, 3, 4, 5, 6, or 8.

2. See Appendix C for Occupational Classification Codes.

F05LWKH ----- LENGTH OF TIME ON JOB (HOUSEHOLD HEAD)

type: numeric (float)

range: [0,6000] units: 1

unique values: 87 coded missing: 3884 / 4919

mean: 718.202 std. dev: 764.066

percentiles: 10% 25% 50% 75% 90% 6 106 500 1100 1800

F05LWKH:

 Required only if head of household is not a study participant and F05HEAD=1 and F05WRKSH=2, 3, 4, 5, 6, or 8.

F05HWKH ------ HRS WORKED LAST WEEK (HOUSEHOLD HEAD)

type: numeric (float)

range: [0,96] units: 1

unique values: 59 coded missing: 3046 / 4919

mean: 35.086 std. dev: 13.4401

percentiles: 10% 25% 50% 75% 90% 10 35 40 40 40

F05HWKH:

 Required only if head of household is not a study participant and F05HEAD=1 and F05WRKSH=2 or 3.

CSSCD PHASE I FULL COHORT

FO5HWKUH ----- USUAL HRS WORKED (HOUSEHOLD HEAD)

type: numeric (float)

range: [0,96] units: 1

coded missing: 3048 / 4919 unique values: 56

mean: 36.1096 std. dev: 12.0814

percentiles: 10% 25% 50% 75% 90% 20 37 40 40 40

F05HWKUH:

1. Required only if head of household is not a study participant and F05HEAD=1 and F05WRKSH=2 or 3.

F05AIDH ----- RECEIVE GOVERNMENT AID (HOUSEHOLD HEAD) DELETED

type: numeric (float)

label: F05AIDH

range: [1,4] units. .
values: 4 coded missing: 692 / 4919 unique values: 4

tabulation: Freq. Numeric Label 1 NO 2292 1841 2 DK 3 YES 93

4 REFUSED 1

F05AIDH:

1. Required only if head of household is not a study participant.

CSSCD PHASE I FULL COHORT

F05INCH ----- INCOME (HOUSEHOLD HEAD) MODIFIED type: numeric (float) label: F05INCH range: [1,9] units: 1 coded missing: 862 / 4919 unique values: 9 tabulation: Freq. Numeric Label 684 1 \$0-\$4999 912 2 \$5000-\$5999 711 3 \$10000-\$14999 385 4 \$15000-\$19999 5 \$20000-\$24999 214 6 \$25000+ 135 110 7 REFUSED 110 8 DK 796 9 NA F05INCH: 1. Required only if head of household is not a study participant and worked during previous year. F05RACEM ----- RACE (PATIENTS MOTHER) MODIFIED type: numeric (float) label: F05RACEM units: 1 coded missing: 3128 / 4919 range: [1,3] unique values: 3 tabulation: Freq. Numeric Label 1 BLACK 1735 14 2 CAUCASIAN 3 OTHER 42 F05RACEM: 1. Required only if patient is less than 20 years of age. If mother is a study patient or head of household, a response is not required. F05MSM ----- MARITAL STATUS (PATIENTS MOTHER) MODIFIED type: numeric (float) label: F05MSM range: [1,6] units: 1 coded missing: 3141 / 4919 unique values: 6 tabulation: Freq. Numeric Label 1 MARRIED 994 2 REMARRIED 29 168 3 DIVORCED 4 SINGLE 318 5 WIDOWED 53 6 SEPARATED 216

CSSCD PHASE I FULL COHORT

F05MSM:

1. Required only if patient is less than 20 years of age. If mother is a study patient or head of household, a response is not required.

FO5RELM ----- RELIGIOUS AFFILIATION (PATIENTS MOTHER) DELETED

type: numeric (float)

label: F05RELM

range: [1,7] units: 1

unique values: 7 coded missing: 3158 / 4919

Numeric Label tabulation: Freq. 1169 1 PROTESTANT 243 2 CATHOLIC 3 JEHOVAH 38 9 4 CHRIST. SCI 24 5 MOSLEM 74 6 NONE 204 7 OTHER

F05RELM:

1. Required only if patient is less than 20 years of age. If mother is a study patient or head of household, a response is not required.

FOSEDM ----- HIGHEST LEVEL OF ED. (PATIENTS MOTHER) MODIFIED

type: numeric (float)

label: F05EDM

tabulation: Freq.

range: [1,22] units: 1

Numeric Label

unique values: 20 coded missing: 3171 / 4919

F05EDM:

1. Required only if patient is less than 20 years of age. If mother is a study patient or head of household, a response is not required.

CSSCD PHASE I FULL COHORT

```
F05SCHLM ------ CURRENTLY STUDENT (PATIENTS MOTHER)
              type: numeric (float)
              label: F05SCHLM
              range: [1,3]
                                             units: 1
       unique values: 3
                                     coded missing: 3203 / 4919
          tabulation: Freq. Numeric Label
                     1529
                             1 NO
                      109
                               2 FULL TIME
                       78
                               3 PART TIME
F05SCHLM:
 1. Required only if patient is less than 20 years of age. If mother is a
     study patient or head of household, a response is not required.
FO5WRKSM ----- WORK STATUS (PATIENTS MOTHER)
              type: numeric (float)
              label: F05WRKSM
              range: [1,8]
                          coded missing: 3242 / 4919
                                             units: 1
       unique values: 8
          tabulation: Freq. Numeric Label
                      691
                            1 HOUSEWIFE
                      633
                               2 FULL TIME JOB
                      155
                               3 PART TIME
                                4 NOT WORKING
                      114
                                5 RETIRED
                       9
                        8
                                6 DISABLED-WORKED
                               7 DISABLED
                        9
                               8 UNEMPLOYED
                       58
F05WRKSM:
 1. Required if patient is < 20 years of age. If the mother is a study
     patient or head of household, a response is not required.
F050CM ----- JOB CODE (PATIENTS MOTHER)
                                                                            MODIFIED
              type: numeric (float)
              range: [1,944]
                                            units: 1
                                     coded missing: 4908 / 4919
       unique values: 7
          tabulation: Freq. Value
                        4 1
                        2 2
                        1 21
                        1 51
                        1 145
                        1 235
                        1 944
F050CM:
```

1. Required only if patient is less than 20 years of age and FO5WRKSM=2,

CSSCD PHASE I FULL COHORT

- 3, 4, 5, 6 or 8. If mother is a study patient or head of household, a response is not required.
- If mother is not working but worked during the last two years, F050CM relates to mother's last regular job.
- 3. If mother is retired, F050CM relates to mother's occupation before retirement
- 4. If mother is disabled but worked previously, F050CM relates to mother's occupation before becoming disabled.
- If mother is not retired or disabled but unemployed for > 2 years,
 F050CM relates to mother's last regular job.
- 6. See Appendix C for Occupational Classification Codes.

F050CPM ----- JOB PRESTIGE CODE (PATIENTS MOTHER)

DELETED

type: numeric (float)

range: [3,67] units: 1

unique values: 6 coded missing: 4913 / 4919

tabulation: Freq. Value
1 3
1 33
1 43

1 43 1 61

1 65 1 67

F050CPM:

- Required only if patient is less than 20 years of age and F05WRKSM=2, 3, 4, 5, 6, or 8. If mother is a study patient or head of household, a response is not required.
- 2. See Appendix C for Occupational Classification Codes.

F05LWKM ----- LENGTH OF TIME ON JOB (PATIENTS MOTHER)

type: numeric (float)

range: [0,3500] units: 1

unique values: 87 coded missing: 3910 / 4919

mean: 537.841 std. dev: 561.349

percentiles: 10% 25% 50% 75% 90% 6 100 300 800 1300

F05LWKM:

 Required only if patient is less than 20 years of age and F05WRKSM=2, 3, 4, 5, 6 or 8. If mother is a study patient or head of household, a response is not required.

CSSCD PHASE I FULL COHORT

FO5HWKM ----- HRS WORKED LAST WEEK (PATIENTS MOTHER)

type: numeric (float)

range: [0,84] units: 1

unique values: 44 coded missing: 4052 / 4919

mean: 32.0877 std. dev: 13.5097

percentiles: 10% 25% 50% 75% 90% 6 28 40 40 40

F05HWKM:

 Required only if patient is less than 20 years of age and F05WRKSM=2 or 3. If mother is a study patient or head of household, a response is not required.

F05HWKUM ------ USUAL HRS WORKED (PATIENTS MOTHER)

type: numeric (float)

range: [0,84] units: 1

unique values: 41 coded missing: 4054 / 4919

mean: 33.7133 std. dev: 11.7387

percentiles: 10% 25% 50% 75% 90% 15 34 40 40 40

F05HWKUM:

Required only if patient is less than 20 years of age and F05WRKSM=2 or
 If mother is a study patient or head of household, a response is not required.

F05AIDM ----- RECEIVE GOVERNMENT AID (PATIENTS MOTHER) DELETED

type: numeric (float)

label: F05AIDM

range: [1,3] units: 1

unique values: 3 coded missing: 3188 / 4919

tabulation: Freq. Numeric Label 1103 1 NO 608 2 DK 20 3 YES

F05AIDM:

1. Required only if patient is less than 20 years of age. If mother is a study patient or head of household, a response is not required.

CSSCD PHASE I FULL COHORT

F05INCM ----- INCOME (PATIENTS MOTHER) MODIFIED type: numeric (float) label: F05INCM range: [1,9] units: 1 coded missing: 2746 / 4919 unique values: 9 tabulation: Freq. Numeric Label 1 \$0-\$4999 411 408 2 \$5000-\$5999 326 3 \$10000-\$14999 125 4 \$15000-\$19999 5 \$20000-\$24999 46 25 6 \$25000+ 53 7 REFUSED 8 DK 57 722 9 NA F05INCM: 1. Response required only if mother is not a study participant and worked 2. Required only if patient is less than 20 years of age. F05SINC ----- SOURCES OF INCOME OUTSIDE HOUSEHOLD MODIFIED type: numeric (float) label: F05SINC range: [1,2] units: 1 coded missing: 81 / 4919 unique values: 2 tabulation: Freq. Numeric Label 2498 1 NO 2340 2 YES F05SINC: 1. Response should include government sources. F05INCF ----- TOTAL FAMILY INCOME MODIFIED type: numeric (float) label: F05INCF range: [1,9] units: 1 unique values: 9 coded missing: 128 / 4919 tabulation: Freq. Numeric Label 1006 1 \$0-\$4999 1350 2 \$5000-\$5999 903 3 \$10000-\$14999 501 4 \$15000-\$19999 5 \$20000-\$24999 335 389 6 \$25000+ 7 REFUSED 141 139 8 DK 27 9 NA

CSSCD PHASE I FULL COHORT

```
F05NSF ----- NUMBER OF PEOPLE WHO HELP SUPPORT FAMILY
             type: numeric (float)
             range: [0,12]
                                         units: 1
      unique values: 12
                                 coded missing: 101 / 4919
         tabulation: Freq. Value
                     99 0
                   2469 1
                   1637 2
                    404 3
                    129 4
                     41 5
                     20 6
                     11 7
                     4 8
                      1 10
                     2 11
                      1 12
F05M0VE ----- HOUSEHOLD MOVED
             type: numeric (float)
            label: F05MOVE
            range: [1,2]
                                        units: 1
                          coded missing: 1002 / 4919
      unique values: 2
         tabulation: Freq. Numeric Label
                         1 YES
                    848
                   3069
                            2 NO
F05HSE ----- TYPE OF HOUSING
             type: numeric (float)
             label: F05HSE
             range: [1,6]
                                         units: 1
      unique values: 6
                                 coded missing: 2663 / 4919
         tabulation: Freq. Numeric Label
                    85 1 PUBLIC SINGLE
                    473
                            2 PUBLIC MULTIPLE
                    867
                            3 PRIVATE SINGLE
                            4 PRIVATE MULTIPLE
                    792
                            5 MOBILE HOME
                     32
                             6 INSTITUTION
                     7
F05HSE:
```

1. Required only if F05MOVE=1.

CSSCD PHASE I FULL COHORT

F050WN ----- OWN HOME OR RENT type: numeric (float) label: F050WN range: [1,3] units: 1 units: 1 coded missing: 2673 / 4919 unique values: 3 tabulation: Freq. Numeric Label 634 1 OWN 1583 2 RENT 29 3 OTHER F050WN: Required only if F05MOVE=1. F05RMS ----- R00MS IN DWELLING MODIFIED type: numeric (float) range: [1,30] units: 1 coded missing: 2700 / 4919 unique values: 16 tabulation: Freq. Value 38 1 48 2 224 3 536 4 560 5 417 6 216 7 92 8 tabulation: Freq. Value 46 9 21 10 9 11 5 12 1 13 3 14 2 15 1 30

CSSCD FULL COHORT PATIENTS

F05RMS:

1. Required only if F05MOVE=1.

FO5LNBD ------ LENGTH OF TIME IN NEIGHBORHOOD

type: numeric (float)

range: [0,5700]

units: 1 coded missing: 1219 / 4919 unique values: 196

mean: 705.914 std. dev: 750.594

50% / 50 75% SC 1700 25% percentiles: 10% 90% 7 200

F05LNBD:

1. All values are number of months in neighborhood.

2. Neighborhood is defined as the area within 5 city blocks of the patient's current home.

F05MDEX ----- FAMILY MEDICAL EXPENSES

type: numeric (float)

label: F05MDEX

range: [1,6] units: 1

coded missing: 108 / 4919 unique values: 6

tabulation: Freq. Numeric Label 1 NONE 1567 1797 2 \$1-\$499 3 \$500-\$999 576 4 \$1000+ 627 5 DK 228 16 6 REFUSED

F05HINS ----- FAMILY HEALTH INSURANCE

type: numeric (float)

label: F05HINS

range: [1,2] units: 1

unique values: 2 coded missing: 125 / 4919

tabulation: Freq. Numeric Label 413 1 NO

4381 2 YES

CSSCD FULL COHORT PATIENTS

F05INSL1 LINE NUMBER FOR HEALTH PLA
type: numeric (float)
range: [1,20] units: 1
unique values: 17 coded missing: 1201 / 4919
tabulation: Freq. Value 12 9
668 1 tabulation: Freq. Valu
987 2 14 10
928 3 5 11
534 4 10 12
272 5 3 13
162 6 1 14
83 7 1 15
34 8 2 16
2 20
F05INSL1:
1. Required only if F05HINS=2.
F05INSL2 LINE NUMBER FOR HEALTH PLA
type: numeric (float)
range: [1,13] units: 1
unique values: 11 coded missing: 4505 / 4919
tabulation: Freq. Value tabulation: Freq. Value
2 1 30 7
34 2 12 8
83 3 6 9
128 4 2 10
76 5 1 13
40 6
F05INSL2:
1. Required only if F05HINS=2.
Required only if > 1 CSSCD study participant in household.
F05INSL3 LINE NUMBER FOR HEALTH PLA
type: numeric (float)
range: [2,10] units: 1
• · · · ·
unique values: 9 coded missing: 4846 / 4919
tabulation: Freq. Value tabulation: Freq. Value
1 2 8 7
8 3 5 8
20 4 3 9
13 5 1 10
14 6
F05INSL3:
1. Required only if F05HINS=2.
2. Required only if > 2 CSSCD study participants in household.

CSSCD FULL COHORT PATIENTS

F05INSL4 ----- LINE NUMBER FOR HEALTH PLAN type: numeric (float) range: [3,13] units: 1 unique values: 4 coded missing: 4910 / 4919 tabulation: Freq. Value 1 3 5 4 2 6 1 13 F05INSL4: 1. Required only if FO5HINS=2. 2. Required only if > 3 CSSCD study participants in household. F05INSL5 ----- LINE NUMBER FOR HEALTH PLAN type: numeric (float) range: [5,13] unique values: 5 units: 1 coded missing: 4912 / 4919 tabulation: Freq. Value 1 5 3 6 1 7 1 8 1 13 F05INSL5: 1. Required only if FO5HINS=2. 2. Required only if > 4 CSSCD study participants in household. F05INS1 ----- INSURANCE FOR PATIENT type: numeric (float) label: F05INS1 range: [0,256] units: 1 coded missing: 398 / 4919 unique values: 77 tabulation: Freq. Numeric Label tabulation: Freq. Numeric Label 15 0 5 13 14 189 1 PRIVATE (1) 15 2 WORK-SCHOOL (2) 1143 1 15 102 5 16 WORKMANS COMP(16) 4 MEDICARE (4) 2 166 17 5 28 19 18 23 6 5 19 1 7 2 20 8 MEDICAID (8) 1680 7 24 9 43 6 26 183 10 2 27 12 11 16 32 VA (32)

CSSCD FULL COHORT PATIENTS

tabulation:	Frea	Numeric	Label	tabulation:	Freq.	Numeric	Label
cabatacion.	12	34	Lubel	tabalation.	68	130	Luber
	1	35			11	131	
	1	37			18	132	
	3	38			1	133	
	4	40			1	135	
	1	44			179	136	
	3	50			3	137	
	32	64	CLINIC (64)		20	138	
	6	65	321N13 (31)		1	139	
	61	66			12	140	
	2	67			1	141	
	9	68			1	142	
	1	69			2	144	
	2	70			1	146	
	57	72			1	147	
	2	73			1	154	
	2	74			2	160	
	2	76			1	162	
	1	80			2	163	
	3	82			1	194	
	1	83			1	197	
	1	88			4	200	
	1	98			1	228	
	1	114			1	247	
	105	128	OTHER (128)		108	256	NONE (256)
	24	129					. ,

F05INS1:

- 1. Required only if FO5HINS=2.
- 2. Binary coded variable. See Part II for explanation of binary coded variables.

F05INS2 ----- INSURANCE FOR PATIENT

type: numeric (float)

label: F05INS2

range: [0,256] units: 1 values: 35 coded missing: 4477 / 4919 unique values: 35

tabulation:	Freq.	Numeric	Label	tabulation:	Freq.	Numeric	Label
	3	0			1	15	
	14	1	PRIVATE (1)		0	16	WORKMANS COMP(16)
	103	2	WORK-SCHOOL (2)		1	19	
	17	3			1	24	
	18	4	MEDICARE (4)		1	26	
	5	5			1	27	
	1	6			0	32	VA (32)
	147	8	MEDICAID (8)		5	64	CLINIC (64)
	1	9			1	65	
	26	10			7	66	
	2	11			1	68	
	4	12			4	72	
	3	13			1	82	
	1	14			19	128	OTHER (128)

CSSCD FULL COHORT PATIENTS

tabulation:	Freq.	Numeric	Label	tabulation:	Freq.	Numeric	Label
	1	129			1	138	
	7	130			1	194	
	2	131			1	200	
	1	133			19	256	NONE (256)
	21	136					

F05INS2:

- 1. Required only if F05HINS=2.
- 2. Binary coded variable. See Part II for explanation of binary coded variables.
- 3. Required only if > 1 CSSCD study participant in household.

F05INS3 ----- INSURANCE FOR PATIENT

type: numeric (float)

label: F05INS3

range: [0,256] units: 1 unique values: 14 coded missing: 4839 / 4919

tabulation:	Freq.	Numeric	Label	tabulation:	Freq.	Numeric	Label
	1	0			1	16	WORKMANS COMP(16)
	0	1	PRIVATE (1)		1	27	
	20	2	WORK-SCHOOL (2)		0	32	VA (32)
	2	3			0	64	CLINIC (64)
	3	4	MEDICARE (4)		1	65	
	3	5			4	128	OTHER (128)
	2	7			8	136	
	23	8	MEDICAID (8)		5	256	NONE (256)
	6	10					

F05INS3:

- 1. Required only if F05HINS=2.
- 2. Binary coded variable. See Part II for explanation of binary coded variables.
- 3. Required only if > 2 CSSCD study participants in household.

F05INS4 ----- INSURANCE FOR PATIENT

type: numeric (float)

label: F05INS4

range: [2,256] units: 1

coded missing: 4910 / 4919 unique values: 3

tabulation: Freq. Numeric Label 1 PRIVATE (1) 0 1 2 WORK-SCHOOL (2) 0 4 MEDICARE (4) 7 8 MEDICAID (8) 0 16 WORKMANS COMP(16) tabulation: Freq. Numeric Label 32 VA (32) 0 0 64 CLINIC (64) 0 128 OTHER (128) 1 256 NONE (256)

F05INS4:

- 1. Required only if F05HINS=2.
- 2. Binary coded variable. See Part II for explanation of binary coded variables
- 3. Required only if > 3 CSSCD study participants in household.

```
F05INS5 ----- INSURANCE FOR PATIENT
              type: numeric (float)
             label: F05INS5
             range: [2,15]
                                           units: 1
       unique values: 4
                                   coded missing: 4908 / 4919
         tabulation: Freq. Numeric Label
                                           = 'PRIVATE (1)'
                       0
                              1
                              2 WORK-SCHOOL (2)
                       5
                             3
                       1
                              4 MEDICARE (4)
                       0
                              8 MEDICAID (8)
                       4
                       1
                             15
                       0
                             16 WORKMANS COMP(16)
                       0
                             32 VA (32)
                             64 CLINIC (64)
                            128 OTHER (128)
                       0
                            256 NONE (256)
                       0
F05INS5:
 1. Required only if F05HINS=2.
 2. Binary coded variable. See Part II for explanation of binary coded
    variables.
 3. Required only if > 4 CSSCD study participants in household.
F05INSH1 ----- INSURANCE COVER HOSPITAL BILL
              type: numeric (float)
             label: F05INSH1
                                          units: 1
             range: [1,2]
                                   coded missing: 428 / 4919
       unique values: 2
         tabulation: Freq. Numeric Label
                           1 NO
                     200
                             2 YES
                    4291
F05INSH1:
 1. Required only if F05HINS=2.
F05INSH2 ----- INSURANCE COVER HOSPITAL BILL
              type: numeric (float)
             label: F05INSH2
             range: [1,2]
                                          units: 1
       unique values: 2
                                   coded missing: 4532 / 4919
         tabulation: Freq. Numeric Label
                      21
                           1 NO
                     366
                            2 YES
F05INSH2:
```

- 1. Required only if F05HINS=2.
- 2. Required only if > 1 CSSCD study participant in household.

F05INSH3 ----- INSURANCE COVER HOSPITAL BILL type: numeric (float) label: F05INSH3 range: [1,2] units: 1
values: 2 coded missing: 4846 / 4919 unique values: 2 tabulation: Freq. Numeric Label 8 1 NO 65 2 YES F05INSH3: 1. Required only if F05HINS=2. 2. Required only if > 2 CSSCD study participants in household. F05INSH4 ----- INSURANCE COVER HOSPITAL BILL type: numeric (float) label: F05INSH4 range: [2,2] units. .
values: 1 coded missing: 4907 / 4919 unique values: 1 tabulation: Freq. Numeric Label 12 2 YES F05INSH4: 1. Required only if F05HINS=2. 2. Required only if > 3 CSSCD study participants in household. F05INSH5 ----- INSURANCE COVER HOSPITAL BILL type: numeric (float) label: F05INSH5 range: [1,2] units: 1 unique values: 2 coded missing: 4909 / 4919 tabulation: Freq. Numeric Label 1 NO 2 8 2 YES F05INSH5: 1. Required only if F05HINS=2. 2. Required only if > 4 CSSCD study participants in household. F05INSD1 ----- INSURANCE COVER DOCTOR BILLS type: numeric (float) label: F05INSD1 range: [1,2] unique values: 2 units: 1 coded missing: 438 / 4919 tabulation: Freq. Numeric Label 813 1 NO

F05INSD1:

1. Required only if F05HINS=2.

3668

2 YES

F05INSD2 ----- INSURANCE COVER DOCTOR BILLS type: numeric (float) label: F05INSD2 range: [1,2] units. .

coded missing: 4512 / 4919 unique values: 2 co tabulation: Freq. Numeric Label 91 1 NO 2 YES 316 F05INSD2: 1. Required only if F05HINS=2. 2. Required only if > 1 CSSCD study participant in household. F05INSD3 ----- INSURANCE COVER DOCTOR BILLS type: numeric (float) label: F05INSD3 range: [1,2] units.

/alues: 2 coded missing: 4843 / 4919 unique values: 2 co tabulation: Freq. Numeric Label 1 NO 19 57 2 YES F05INSD3: 1. Required only if F05HINS=2. 2. Required only if > 2 CSSCD study participants in household. F05INSD4 ----- INSURANCE COVER DOCTOR BILLS type: numeric (float) label: F05INSD4 range: [1,2] units: 1 unique values: 2 coded missing: 4907 / 4919 tabulation: Freq. Numeric Label 1 1 NO 11 2 YES F05INSD4: 1. Required only if F05HINS=2. 2. Required only if > 3 CSSCD study participants in household. F05INSD5 ----- INSURANCE COVER DOCTOR BILLS type: numeric (float) label: F05INSD5 range: [1,2] units: 1
unique values: 2 coded missing: 4904 / 4919 tabulation: Freq. Numeric Label 3 1 NO

F05INSD5:

- 1. Required only if F05HINS=2.
- 2. Required only if > 4 CSSCD study participants in household.

12 2 YES

```
F05INSM1 ----- INSURANCE COVER MEDICINE
             type: numeric (float)
             label: F05INSM1
             range: [1,2] units. .
coded missing: 454 / 4919
       unique values: 2 co
tabulation: Freq. Numeric Label
                    1167 1 NO
                             2 YES
                    3298
F05INSM1:
 1. Required only if F05HINS=2.
F05INSM2 ----- INSURANCE COVER MEDICINE
              type: numeric (float)
             label: F05INSM2
             range: [1,2] units: 1
values: 2 coded missing: 4516 / 4919
       unique values: 2
         tabulation: Freq. Numeric Label
                     110
                         1 NO
                     293
                           2 YES
F05INSM2:
 1. Required only if F05HINS=2.
 2. Required only if > 1 CSSCD study participant in household.
F05INSM3 ----- INSURANCE COVER MEDICINE
             type: numeric (float)
             label: F05INSM3
             range: [1,2] units. .

coded missing: 4844 / 4919
       unique values: 2
         tabulation: Freq. Numeric Label
                     25 1 NO
                      50 2 YES
F05INSM3:
 1. Required only if F05HINS=2.
 2. Required only if > 2 CSSCD study participants in household.
F05INSM4 ----- INSURANCE COVER MEDICINE
              type: numeric (float)
             label: F05INSM4
             range: [1,2] units: I coded missing: 4908 / 4919
       unique values: 2
         tabulation: Freq. Numeric Label
                      1 1 NO
10 2 YES
F05INSM4:
 1. Required only if F05HINS=2.
```

- 2. Required only if > 3 CSSCD study participants in household.

F05INSM5 ----- INSURANCE COVER MEDICINE

type: numeric (float)
label: F05INSM5

range: [1,2] units: 1

unique values: 2 coded missing: 4907 / 4919

tabulation: Freq. Numeric Label
2 1 NO
10 2 YES

F05INSM5:

- 1. Required only if F05HINS=2.
- 2. Required only if > 4 CSSCD study participants in household.

_dta:

1. Created 6/28/2000.

- A. <u>List of variables deleted</u> **F87DATE F87DFC F87ESTAT F87FCB F87GINCN F87GINCY F87INIT F87LASTE F87LASTU F87NDATE F87VDATE F87BD1 F87BD2 F87BD3 F87BD4 F87BD5**
- B. List of variables modified F87HHGRD
- C. <u>List of variables modified with a name change</u> **NONE**
- D. Old name
- E. New name
- F. List of variables modified date to days since DOE
- G. Old name **F87DATE**
- H. New name JF87DATE
- I. Collection Information:

Form 07 (Head of Household Continuation Demographic Data Form) was to be completed at the time of the 1986 annual visit for patients \geq 2 years of age. For patients < 2 years of age in 1986, the form was to be completed at the time of the age 2 annual visit. For households with more than one CSSCD participant, only one Form 07 per household was required.

- J. <u>Data Collection Period</u>: 03/86 09/88
- K. Form Version Dates: 11/15/85
- L. Files Used to Store Information:

SAS System File: R87.SD2

Format File: R87.FMT

M. Unique Record Identifiers: ANONID, F87CYCLE

N. Number or Observations (Patients) in SAS Dataset: 2373 (2373)

O. Contents of SAS Dataset:

Alphabetical Listing of Variables: See pp. 188-190
Listing of Variables by Position: See pp. 191-192

P. Notes About Selected Variables:

- **F87PTW3** is the variable which stores the CSSCD # of the participant for whom the entry Form 03 was completed [See Section 3.3].
- F87HBMO HTINC (variable #s 44-68 in order of position within the dataset) correspond to questions 7.a 13.c on Form 07. Responses for these variables are not required if the head of household is a CSSCD participant (F87HSTDY=2) since corollary information was collected on the Form 06 completed for the household head [See Section 3.6].

Q. Computed Variables: None

R. Inter-Relationship With Other Datasets:

Demographic data were also collected on

Phase 1 Forms	SAS Dataset	See Section
Form 01	R01.SD2	3.1
Form 02	R02.SD2	3.2
Form 03	R03.SD2	3.3
Form 04	R03.SD2	3.3
Form 05	R05.SD2	3.5
Form 06	R86.SD2	3.6

CONTENTS OF SAS DATASET: R87.SD2 DATA FROM CSSCD FORM 07 - HEAD OF HOUSEHOLD CONTINUATION DEMOGRAPHIC DATA FORM VARIABLES ARE LISTED IN ALPHABETICAL ORDER AND IN ORDER OF THEIR POSITION IN THE SAS DATASET AND ON FORM 87

The SAS System 15:20 Friday, September 15, 2006 26

The CONTENTS Procedure

Data Set Name Member Type Engine	OUT1.R87 DATA V9	Observations Variables Indexes	2373 72 0
Created	16:40 Monday, September 11, 2006	Observation Length	576
Last Modified	16:40 Monday, September 11, 2006	Deleted Observations	0
Protection		Compressed	NO
Data Set Type		Sorted	NO
Label			
Data Representation	WINDOWS		

Encoding wlatin1 Western (Windows)

Engine/Host Dependent Information

Data Set Page Size 163				
Number of Data Set Pages	86			
First Data Page	1			
Max Obs per Page	28			
Obs in First Data Page	11			
Number of Data Set Repairs	0			

File Name r87.sas7bdat Release Created 9.0000M0 Host Created XP_PRO

	Aln	habetic	List of	Variables and Attributes
	p			
#	Variable	Type	Len	Label
		,,		
1	ANONID	Char	8	ANONYMIZED ID #
52	F87AINCN	Num	8	AMOUNT CONTRIBUTED BY NON-SCD MEMBERS
53	F87AINCY	Num	8	AMOUNT CONTRIBUTED BY SCD MEMBERS
2	F87CYCLE	Num	8	RECORD 87 CYCLE
54	F87EINCN	Num	8	EMP. AMOUNT CONTRIBUTED BY NON-SCD MEM
55	F87EINCY	Num	8	EMP. AMOUNT CONTRIBUTED BY SCD MEM.
27	F87HAGE	Num	8	AGE OF HOUSEHOLD HEAD
45	F87HAID	Num	8	HEAD RECEIVED GOVT AID
24	F87HBDA	Num	8	BIRTH DAY OF HOUSEHOLD HEAD
23	F87HBMO	Num	8	BIRTH MONTH OF HOUSEHOLD HEAD
25	F87HBYR	Num	8	BIRTH YEAR OF HOUSEHOLD HEAD
32	F87HCSCH	Num	8	IS HOUSEHOLD HEAD CURRENTLY IN SCHOOL?
39	F87HDISN	Num	8	HEAD DISABLED AND NEVER WORKED
38	F87HDISW	Num	8	HEAD DISABLED BUT WORKED IN PAST
34	F87HEFT	Num	8	IS HEAD EMPLOYED FULL TIME?
35	F87HEPT	Num	8	IS HEAD EMPLOYED PART TIME?
30	F87HHGRD	Num	8	HIGHEST GRADE HOUSEHOLD HEAD COMPLETED
48	F87HHINC	Num	8	TOTAL HOUSEHOLD INCOME-ALL SOURCES
33	F87HHSEW	Num	8	IS HEAD HOUSEWIFE?
71		Char	8	ANONYMIZED ID # OF HOUSEHOLD HEAD
	F87HID			
46	F87HJINC	Num	8	HEADS INCOME FROM JOB
41	F87HJ0B	Num	8	JOB CLASSIFICATION OF HEAD
29	F87HMS	Num	8	MARITAL STATUS OF HEAD
37	F87HRET	Num	8	IN HEAD RETIRED?
44	F87HRWRK	Num	8	HOURS USUALLY WORKED
20	F87HSCD	Num	8	DOES HOUSEHOLD HEAD HAVE SCD?
26	F87HSEX	Num	8	SEX OF HOUSEHOLD HEAD
22	F87HSME	Num	8	IS HOUSEHOLD HEAD SAME AS AT ENTRY?
21	F87HSTDY	Num	8	IS HOUSEHOLD HEAD STUDY PATIENT?
47	F87HTINC	Num	8	HEADS INCOME FROM ALL SOURCES
31	F87HTRD	Num	8	DID HOUSEHOLD HEAD ATTEND TRADE SCHOOL?
40	F87HUGT2	Num	8	HEAD UNEMPLOYED FOR MORE THAN 2 YRS
36	F87HULT2	Num	8	HEAD UNEMPLOYED BUT WORKED IN LAST 2 YRS
28	F87HYRS	Num	8	NUMBER OF YEARS HEAD OF HOUSEHOLD
67	F87ID1	Char	8	ANONYMIZED ID # OF RELATIVE #1
68	F87ID2	Char	8	ANONYMIZED ID # OF RELATIVE #2
69	F87ID3	Char	8	ANONYMIZED ID # OF RELATIVE #3
7	F87INHH1	Num	8	RELATIVE #1 LIVES IN HOUSEHOLD
10	F87INHH2	Num	8	RELATIVE #2 LIVES IN HOUSEHOLD
13	F87INHH3	Num	8	RELATIVE #3 LIVES IN HOUSEHOLD
16	F87INHH4	Num	8	RELATIVE #4 LIVES IN HOUSEHOLD
19	F87INHH5	Num	8	RELATIVE #5 LIVES IN HOUSEHOLD
57	F87L12C1	Num	8	WHO CARES FOR PT #1 LT 12
59	F87L12C2	Num	8	WHO CARES FOR PT #2 LT 12
61	F87L12C3	Num	8	WHO CARES FOR PT #3 LT 12
63	F87L12C4	Num	8	WHO CARES FOR PT #4 LT 12
65	F87L12C5	Num	8	WHO CARES FOR PT #5 LT 12
56	F87L12L1	Num	8	LINE # OF PT #1 LT 12
58	F87L12L2	Num	8	LINE # OF PT #2 LT 12
60	F87L12L3	Num	8	LINE # OF PT #3 LT 12
62	F87L12L4	Num	8	LINE # OF PT #4 LT 12
64	F87L12L5	Num	8	LINE # OF PT #5 LT 12

66	F87MED	Num	8	AMOUNT FAMILY SPENT ON SCD MED. EXPENSES			
43	F87MOWRK	Num	8	MONTHS WORKED AT JOB			
49	F87NINC	Num	8	NUMBER CONTRIBUTING TO TOTAL HH INCOME			
50	F87NINCN	Num	8	NUMBER WITHOUT SCD CONTRIBUTING			
51	F87NINCY	Num	8	NUMBER WITH SCD CONTRIBUTING			
70	F87PTW3	Char	8	ANONYMIZED ID # OF PATIENT WITH FORM 3			
6	F87RCDE1	Num	8	RELATION CODE OF RELATIVE #1			
9	F87RCDE2	Num	8	RELATION CODE OF RELATIVE #2			
12	F87RCDE3	Num	8	RELATION CODE OF RELATIVE #3			
15	F87RCDE4	Num	8	RELATION CODE OF RELATIVE #4			
18	F87RCDE5		8	RELATION CODE OF RELATIVE #5			
4	F87REL	Num	8	RELATION CODE OF RECATIVE #5			
3	F87RESP	Num	8	RELATIONSHIP OF RESPONDENT TO PATIENT			
	F87YRWRK		8	YEARS WORKED AT JOB			
72		Num					
72	JF87DATE	Num	8	DATE OF INTERVIEW - DAYS SINCE DOE			
* cate	egorical v	variables	in	bels for numerical codes assigned to the SAS dataset R87.SD2 ************************************			
PROC E	FORMAT;						
	*FORMAT F87RESP IS CREATED FOR VARIABLE F87RESP; VALUE F87RESP						
1 =	= 'PATIEN	T'					
2 =	- 'SPOUSE	: '					
3 =	- 'MOTHER	١ .					
	- 'FATHER	١ .					
_	= 'SIBLIN						
_	= 'GRANDE						
	= 'AUNT C						
_	OTHER'						
5 -	O I IIIII	•					
	*FORMAT NO_YES IS CREATED FOR VARIABLES F87REL F87INHH1 F87INHH2 F87INHH3 F87INHH4 F87INHH5 F87HSCD F87HSTDY F87HSME F87HTRD;						
VALU	JE NO_YES						
	= 'NO' = 'YES';						
<u>.</u>							
*FORMA		IS CREA	TED	FOR VARIABLES F87RCDE1 F87RCDE2 F87RCDE3			
107101	· +			F87RCDE5;			
VALU	JE F87RCDE	[
1 =	= 'SPOUSE	Ξ'					

```
2 = 'PARENT'
 3 = 'SIBLING'
    = 'SON OR DAUGHTER'
    = 'GRANDPARENT'
    = 'GRANDCHILD';
*FORMAT F87HSEX IS CREATED FOR VARIABLE F87HSEX;
 VALUE F87HSEX
 1 = 'MALE'
 2 = 'FEMALE';
*FORMAT F87HMS IS CREATED FOR VARIABLE F87HMS;
 VALUE F87HMS
 1 = 'MARRIED'
 2 = 'NOT MARRIED';
*FORMAT F87HHGRD IS CREATED FOR VARIABLE F87HHGRD;
 VALUE F87HHGRD
 0 = 'K'
 8 = 'GRADE SCHOOL'
11 = '< HIGH SCHOOL'
12 = 'HS DIPLOMA'
13 = '1 YR COLLEGE'
14 =
       '2 YR COLLEGE'
15 = '3 YR COLLEGE'
16 = '4 YR COLLEGE +'
19 = 'DK'
20 = 'NA';
*FORMAT F87HCSCH IS CREATED FOR VARIABLE F87HCSCH;
 VALUE F87HCSCH
 1 = 'NO'
 2 = 'YES, FULL-TIME'
    = 'YES, PART-TIME';
*FORMAT YES IS CREATED FOR VARIABLES F87HHSEW F87HEFT F87HEPT
F87HULT2 F87HRET
                                   F87HDISW F87HDISN F87HUGT2;
 VALUE YES
 2 = 'YES';
```

```
*FORMAT F87HJOB IS CREATED FOR VARIABLE F87HJOB;
 VALUE F87HJOB
    = 'PROF. OR TECH.'
    = 'MANAGER OR ADMIN.'
 3
    = 'SALES'
  4
    = 'CLERICAL'
    = 'CRAFT'
 5
 6
       'OPERATIVE'
       'SERVICE'
 8 = 'PRIVATE HSEHOLD'
 9 = 'FARM WORKER';
*FORMAT F87HAID IS CREATED FOR VARIABLE F87HAID;
 VALUE F87HAID
 1 = 'NO'
 2 = 'YES'
   = 'REFUSED ANSWER';
*FORMAT F87INC IS CREATED FOR VARIABLES F87HJINC F87HTINC F87HHINC
F87AINCN F87AINCY
                                       F87EINCN F87EINCY;
 VALUE F87INC
 1 = '$0'
    =
       '$1-999'
 3
    = '$1,000-4,999'
   = '$5,000-9,999'
    = '$10,000-14,999'
 6
   = '$15,000-19,999'
 7
    = '$20,000-24,999'
 8
       '$25,000 +'
       'REFUSED ANSWER'
10 = 'DON NOT KNOW'
11 = 'NOT APPLICABLE';
*FORMAT F87L12C IS CREATED FOR VARIABLES F87L12C1 F87L12C2 F87L12C3
F87L12C4 F87L12C5;
 VALUE F87L12C
 1 = 'STAYS ALONE'
    = 'PARENT OR GUARDIAN'
 3
       'DAY CARE'
       'BABY SITTER'
 5
       'OTHER RELATIVE'
    = 'OTHER NON-RELAT.'
 6
 7
       'OTHER';
```

```
*FORMAT F87MED IS CREATED FOR VARIABLE F87MED;
 VALUE F87MED
  1 = 'NONE'
  2 = '$1-499'
    = '$500-999'
    = '$1,000 +'
    = 'DON NOT KNOW'
    = 'REFUSED ANSWER';
   FORMAT
           F87RESP F87RESP.
                  F87INHH1 F87INHH2 F87INHH3
           F87REL
           F87INHH4 F87INHH5 F87HSCD F87HSTDY
           F87HSME F87HTRD NO_YES.
           F87RCDE1 F87RCDE2 F87RCDE3 F87RCDE4
           F87RCDE5 F87RCDE.
           F87HSEX F87HSEX.
           F87HMS F87HMS.
           F87HHGRD F87HHGRD.
           F87HCSCH F87HCSCH.
           F87HHSEW F87HEFT F87HEPT F87HULT2 F87HRET
           F87HDISW F87HDISN F87HUGT2 YES.
           F87HJOB F87HJOB.
           F87HAID F87HAID.
           F87HJINC F87HTINC F87HHINC F87AINCN F87AINCY
           F87EINCN F87EINCY F87INC.
           F87L12C1 F87L12C2 F87L12C3 F87L12C4 F87L12C5 F87L12C.
           F87MED F87MED.;
RUN;
OUIT;
```

```
F87CYCLE ----- RECORD 87 CYCLE
               type: numeric (float)
              range: [1,2] units. .
values: 2 coded missing: 0 / 2373
       unique values: 2
          tabulation: Freq. Value
                     2372 1
                      1 2
F87VDATE ----- VERSION DATE DELETED
              type: numeric daily date (int)
              label: datelab
     range: [9450,9450] units: 10 or equivalently: [15nov1985,15nov1985] units: days
       unique values: 1 coded missing: 0 / 2373
          tabulation: Freq. Numeric Label
                     2373 9450 11/15/85
F87RESP ----- RELATIONSHIP OF RESPONDENT TO PATIENT
               type: numeric (float)
              label: F87RESP
       range: [1,8] units: 1
unique values: 8 coded missing: 15 / 2373
          tabulation: Freq. Numeric Label
                     1274 1 PATIENT
15 2 SPOUSE
                      906
                               3 MOTHER
                       72 4 FATHER
14 5 SIBLING
33 6 GRANDPARENT
22 7 AUNT OR UNCLE
22 8 OTHER
F87REL ----- RELATIVES PARTICIPATING IN STUDY?
              type: numeric (float)
              label: F87REL
              range: [1,2]
values: 2
                                    units: 1
coded missing: 111 / 2373
       unique values: 2
          tabulation: Freq. Numeric Label
                     1852 1 NO
410 2 YES
```

```
F87RCDE1 ----- RELATION CODE OF RELATIVE #1
                type: numeric (float)
                label: F87RCDE1
                range: [1,6]
                                                  units: 1
        unique values: 6 co
tabulation: Freq. Numeric Label
                                coded missing: 2023 / 2373
                         1 1 SPOUSE
10 2 PARENT
321 3 SIBLING
14 4 SON OR DAUGHTER
3 5 GRANDPARENT
1 6 GRANDCHILD
F87RCDE1:
 1. Required only if F87REL=2.
F87INHH1 ----- RELATIVE #1 LIVES IN HOUSEHOLD
                type: numeric (float)
                label: F87INHH1
        range: [1,2] units: 1
unique values: 2 coded missing: 1991 / 2373
tabulation: Freq. Numeric Label
                        182 1 NO
200 2 YES
F87INHH1:

    Required only if F87REL=2.

F87RCDE2 ----- RELATION CODE OF RELATIVE #2
                type: numeric (float)
                label: F87RCDE2
        range: [1,5] units: 1
unique values: 4 coded missing: 2306 / 2373
tabulation: Freq. Numeric Label
                          1 1 SPOUSE
63 3 SIBLING
2 4 SON OR DAUGHTER
                               5 GRANDPARENT
                           1
F87RCDE2:
 1. Required only if F87REL=2.
F87INHH2 ----- RELATIVE #2 LIVES IN HOUSEHOLD
                type: numeric (float)
                label: F87INHH2
        range: [1,2] units: 1
unique values: 2 coded missing: 2297 / 2373
           tabulation: Freq. Numeric Label
                         46 1 NO
                                2 YES
                          30
F87INHH2:

    Required only if F87REL=2.
```

CSSCD FULL COHORT PATIENTS

F87RCDE3 ----- RELATION CODE OF RELATIVE #3 type: numeric (float) label: F87RCDE3 range: [2,4] units: 1 coded missing: 2353 / 2373 unique values: 3 tabulation: Freq. Numeric Label 1 2 PARENT 18 3 SIBLING 1 4 SON OR DAUGHTER F87RCDE3: Required only if F87REL=2. F87INHH3 ----- RELATIVE #3 LIVES IN HOUSEHOLD type: numeric (float) label: F87INHH3 range: [1,2] units. .
values: 2 coded missing: 2350 / 2373 unique values: 2 tabulation: Freq. Numeric Label 21 1 NO 2 2 YES F87INHH3: 1. Required only if F87REL=2. F87RCDE4 ----- RELATION CODE OF RELATIVE #4 type: numeric (float) label: F87RCDE4 range: [.,.]
unique values: 0 units: . coded missing: 2373 / 2373 tabulation: Freq. Numeric Label F87RCDE4: 1. Required only if F87REL=2. F87INHH4 ----- RELATIVE #4 LIVES IN HOUSEHOLD type: numeric (float) label: F87INHH4 range: [.,.]
unique values: 0 units: . coded missing: 2373 / 2373 tabulation: Freq. Numeric Label F87INHH4: Required only if F87REL=2.

CSSCD FULL COHORT PATIENTS

F87RCDE5 ----- RELATION CODE OF RELATIVE #5

type: numeric (float)

label: F87RCDE5

range: [.,.] units. .
values: 0 coded missing: 2373 / 2373 unique values: 0

tabulation: Freq. Numeric Label

F87RCDE5:

1. Required only if F87REL=2.

F87INHH5 ----- RELATIVE #5 LIVES IN HOUSEHOLD

type: numeric (float)

label: F87INHH5

range: [.,.] units: . unique values: 0 coded missing: 2373 / 2373

tabulation: Freq. Numeric Label

F87INHH5:

Required only if F87REL=2.

CSSCD FULL COHORT PATIENTS

F87HSCD ----- DOES HOUSEHOLD HEAD HAVE SCD? type: numeric (float) label: F87HSCD range: [1,2] units: 1 coded missing: 23 / 2373 unique values: 2 tabulation: Freq. Numeric Label 1681 1 NO 669 2 YES F87HSTDY ----- IS HOUSEHOLD HEAD STUDY PATIENT? type: numeric (float) label: F87HSTDY range: [1,2] units: 1
unique values: 2 coded missing: 1718 / 2373 tabulation: Freq. Numeric Label 35 1 NO 620 2 YES F87HSTDY: 1. Required only if F87HSCD=2. F87HSME ----- IS HOUSEHOLD HEAD SAME AS AT ENTRY? type: numeric (float) label: F87HSME range: [1,2] unique values: 2 units: 1 coded missing: 231 / 2373 tabulation: Freq. Numeric Label 1 NO 494 2 YES 1648 F87HSEX ----- SEX OF HOUSEHOLD HEAD type: numeric (float) label: F87HSEX range: [1,2] units: 1 coded missing: 1946 / 2373 unique values: 2 tabulation: Freq. Numeric Label 163 1 MALE 264 2 FEMALE F87HSEX:

- 1. Required only if F87HSME=1.
- 2. Not required if F87HSTDY=2.

F87HAGE			AG	E OF HO	USEHOLD	HEAD
	numeric (float)		, tai	J. 110		· -
• •	[18,82]		units:	1		
unique values:	53		coded missing:	1965	/ 2373	
mean:	34.2451					
std. dev:	11.2778					
percentiles:	10%	25%	50%	75%	90%	
	23	26	31	39	52	
F87HAGE:						
 Required only if F 						
2. Not required if F8	B7HSTDY=2.					
F87HYRS			NUMBER OF YEAR	S HEAD	OF HOUSE	HOLD
type:	numeric (float)					
	[0,75]		units:	1		
unique values:			coded missing:		/ 2373	
	5.45688		•			
std. dev:	7.91875					
percentiles:	10%	25%	50%	75%	90%	
	1	2	3	5	12	
F87HYRS:						
 Required only if F 	87HSME=1.					
F87HMS			MAR	ITAL ST	ATUS OF	HEAD
type:	numeric (float)					
label:	F87HMS					
range:	[1,2]		units:	1		
unique values:			coded missing:	1946	/ 2373	
tabulation:	Freq. Numerio					
	196 1					
	231 2	NOT	MARRIED			
F87HMS:						
1. Required only if F						
2. Not required if F8	37HSTDY=2.					
F87HHGRD		HIGH	EST GRADE HOUSE	HOLD HE	AD COMPL	ETED MODIFIED
type:	numeric (float)					
label:	F87HHGRD					
range:	[0,20]		units:	1		
unique values:	20		coded missing:	479 /	2373	
tab: Freq. Numeric L	abel		tab: Freq.	Nume	ric Labe	el
1 O F	(135		10 10	
3 1 1			193		11 11	
5 2 2			758		12 12	
10 3 3			108			R COLLEGE
11 4 4			185			R COLLEGE
11 5 5			62			R COLLEGE
35 6 6			163			R COLLEGE +
24 7 7			1		18	
51 8 8			73		19 DK	
62 9 9)		3		20 NA	
F87HHGRD:	N=U0TD\/ 6					
 Not required if F8 	3/HSIDY=2.					

CSSCD FULL COHORT PATIENTS

F87HTRD ----- DID HOUSEHOLD HEAD ATTEND TRADE SCHOOL?

type: numeric (float)

label: F87HTRD

range: [1,2] units. .
values: 2 coded missing: 531 / 2373 unique values: 2

tabulation: Freq. Numeric Label

1355 1 NO 487 2 YES

F87HTRD:

Not required if F87HSTDY=2.

F87HCSCH ----- IS HOUSEHOLD HEAD CURRENTLY IN SCHOOL?

type: numeric (float)

label: F87HCSCH

range: [1,3] units. .
values: 3 coded missing: 480 / 2373 unique values: 3

tabulation: Freq. Numeric Label

1677 1 NO

90 2 YES, FULL-TIME 126 3 YES, PART-TIME

F87HCSCH:

Not required if F87HSTDY=2.

CSSCD FULL COHORT PATIENTS

F87HHSEW ----- IS HEAD HOUSEWIFE? type: numeric (float) label: F87HHSEW units: 1 coded missing: 631 / 2373 range: [1,2] unique values: 2 tabulation: Freq. Numeric Label 1381 1 NO 361 2 YES F87HHSEW: 1. Not required if F87HSTDY=2. F87HEFT ----- IS HEAD EMPLOYED FULL TIME? type: numeric (float) label: F87HEFT range: [1,2] units.
values: 2 coded missing: 537 / 2373 unique values: 2 tabulation: Freq. Numeric Label 867 1 NO 969 2 YES F87HEFT: 1. Not required if F87HSTDY=2. F87HEPT ----- IS HEAD EMPLOYED PART TIME? type: numeric (float) label: F87HEPT range: [1,2] units: 1 unique values: 2 coded missing: 690 / 2373 tabulation: Freq. Numeric Label 1530 1 NO 153 2 YES F87HEPT: 1. Not required if F87HSTDY=2. F87HULT2 ----- HEAD UNEMPLOYED BUT WORKED IN LAST 2 YRS type: numeric (float) label: F87HULT2 range: [1,2] unique values: 2 units: 1 coded missing: 690 / 2373 tabulation: Freq. Numeric Label 1543 1 NO 140 2 YES F87HULT2: Not required if F87HSTDY=2.

CSSCD FULL COHORT PATIENTS

F87HRET ---- IN HEAD RETIRED? type: numeric (float) label: F87HRET range: [1,2] units: 1 unique values: 2 coded missing: 705 / 2373 tabulation: Freq. Numeric Label 1609 1 NO 59 2 YES F87HRET: 1. Not required if F87HSTDY=2. F87HDISW ------ HEAD DISABLED BUT WORKED IN PAST type: numeric (float) label: F87HDISW range: [1,2] units: 1 unique values: 2 coded missing: 700 / 2373tabulation: Freq. Numeric Label 1529 1 NO 144 2 YES F87HDISW: Not required if F87HSTDY=2. F87HDISN ----- HEAD DISABLED AND NEVER WORKED type: numeric (float)
label: F87HDISN range: [1,2] units: 1 unique values: 2 coded missing: 715 / 2373 tabulation: Freq. Numeric Label 1611 1 NO 47 2 YES 1611 F87HDISN: 1. Not required if F87HSTDY=2. F87HUGT2 ------ HEAD UNEMPLOYED FOR MORE THAN 2 YRS type: numeric (float) label: F87HUGT2 range: [1,2] unique values: 2 units: 1 coded missing: 713 / 2373 tabulation: Freq. Numeric Label 1603 1 NO 57 2 YES F87HUGT2:

1. Not required if F87HSTDY=2.

CSSCD FULL COHORT PATIENTS

F87HJOB ----- JOB CLASSIFICATION OF HEAD type: numeric (float) label: F87HJ0B range: [1,9] units: 1 unique values: 9 co tabulation: Freq. Numeric Label coded missing: 1071 / 2373 274 1 PROF. OR TECH. 84 2 MANAGER OR ADMIN. 46 3 SALES 235 4 CLERICAL 126 5 CRAFT 6 OPERATIVE 172 7 SERVICE 8 PRIVATE HSEHOLD 291 59 15 9 FARM WORKER

F87HJ0B:

- 1. Required only if F87HEFT=2 or F87HEPT=2 or F87HULT2=2 or F87HRET=2 or F87HDISW=2 or F87HUGT2=2.
- 2. Not required if F87HSTDY=2.

F87HRWRK ----- HOURS USUALLY WORKED

type: numeric (float)

range: [3,80] units: 1

coded missing: 1213 / 2373 unique values: 51

mean: 38.2784 std. dev: 8.8563

percentiles: 10% 25% 50% 75% 90% 30 36 40 40 40

F87HRWRK:

- 1. Required only if F87HEFT=2 or F87HEPT=2.
- 2. Not required if F87HSTDY=2.

```
F87HAID ----- HEAD RECEIVED GOVT AID
               type: numeric (float)
               label: F87HAID
               range: [1,3]
                                              units: 1
        unique values: 3
                              coded missing: 443 / 2373
          tabulation: Freq. Numeric Label
                      1081
                             1 NO
                       829
                                2 YES
                        20
                                3 REFUSED ANSWER
F87HAID:

    Not required if F87HSTDY=2.

F87HJINC ----- HEADS INCOME FROM JOB
               type: numeric (float)
               label: F87HJINC
       range: [1,11] units: 1
unique values: 11 coded missing: 669 / 2373
tabulation: Freq. Numeric Label
107 1 $0
51 2 $1-999
                                3 $1,000-4,999
                       120
                       197
                                4 $5,000-9,999
                                5 $10,000-14,999
6 $15,000-19,999
                       216
                       219
                                7 $20,000-24,999
                       144
                                8 $25,000 +
9 REFUSED ANSWER
                       160
                        52
                       177
                                10 DO NOT KNOW
                                11 NOT APPLICABLE
                       261
F87HJINC:
```

- 1. Required only if the head of household worked last year.
- 2. Not required if F87HSTDY=2.

```
F87HTINC ------ HEADS INCOME FROM ALL SOURCES
                    type: numeric (float)
                    label: F87HTINC
                   range: [1,11] units.

/2lues: 11 coded missing: 585 / 2373
          unique values: 11
              tabulation: Freq. Numeric Label
                                38 1 $0
                                35
                                           2 $1-999
                               35 2 $1-999

233 3 $1,000-4,999

324 4 $5,000-9,999

241 5 $10,000-14,999

232 6 $15,000-19,999

138 7 $20,000-24,999

215 8 $25,000 +

68 9 REFUSED ANSWER

199 10 DO NOT KNOW

65 11 NOT APPLICABLE
F87HTINC:
  1. Not required if F87HSTDY=2.
F87HHINC ----- TOTAL HOUSEHOLD INCOME-ALL SOURCES
                    type: numeric (float)
                    label: F87HHINC
                   range: [1,11] unite.

coded missing: 125 / 2373
          unique values: 11
             tabulation: Freq. Numeric Label
                             1 $0
37 2 $1-999
278 3 $1,000-4,999
442 4 $5,000-9,999
320 5 $10,000-14,999
269 6 $15,000-19,999
191 7 $20,000-24,999
340 8 $25,000 +
74 9 REFUSED ANSWER
237 10 DO NOT KNOW
18 11 NOT APPLICAPLE
F87NINC ----- NUMBER CONTRIBUTING TO TOTAL HH INCOME
                   type: numeric (float)
                  range: [0,11]
values: 12
                                                              units: 1
                                                   coded missing: 75 / 2373
          unique values: 12
                                                      tabulation: Freq. Value
tabulation: Freq. Value
                  67 0
                                                                           17 6
                 954 1
                                                                            12 7
                 762 2
                                                                            9 8
                 262 3
                                                                           16 9
                 124 4
                                                                           23 10
                  45 5
                                                                            7 11
```

```
F87NINCN ----- NUMBER WITHOUT SCD CONTRIBUTING
                 type: numeric (float)
         range: [0,11] units: 1
unique values: 12 coded missing: 79 / 2373
on: Freq. Value tabulation: Freq. Val
tabulation: Freq. Value
                                               tabulation: Freq. Value
               477 0
                                                                   4 6
              1104 1
                                                                   8 7
               464 2
                                                                   6 8
               121 3
                                                                   11 9
                40 4
                                                                   25 10
                20 5
                                                                   14 11
F87NINCY ----- NUMBER WITH SCD CONTRIBUTING
                 type: numeric (float)
range: [0,11]
unique values: 11
tabulation: Freq. Value
                                                       units: 1
                                             coded missing: 82 / 2373
                                              tabulation: Freq. Value
               912 0
                                                                   4 6
              1204 1
                                                                   4 7
                90 2
                                                                   11 9
                23 3
                                                                   18 10
                 3 4
                                                                   21 11
                 1 5
F87AINCN ----- AMOUNT CONTRIBUTED BY NON-SCD MEMBERS
                 type: numeric (float)
                 label: F87AINCN
         range: [1,11] units: 1
unique values: 11 coded missing: 110 / 2373
tabulation: Freq. Numeric Label
                           473 1 $0
                                   2 $1-999
3 $1,000-4,999
                            63
                            276
                           265 4 $5,000-9,999
243 5 $10,000-14,999
173 6 $15,000-19,999
133 7 $20,000-24,999
216 8 $25,000 +
69 9 REFUSED ANSWER
227 10 DO NOT KNOW
125 11 NOT APPLICABLE
                                      4 $5,000-9,999
                            265
```

```
F87AINCY ----- AMOUNT CONTRIBUTED BY SCD MEMBERS
                 type: numeric (float)
                label: F87AINCY
                range: [1,11]
                                                   units: 1
        unique values: 11 co
tabulation: Freq. Numeric Label
                                coded missing: 114 / 2373
                         858 1 $0
                         F87EINCN ------ EMP. AMOUNT CONTRIBUTED BY NON-SCD MEM
                 type: numeric (float)
                label: F87EINCN
        range: [1,11] units: 1
unique values: 11 coded missing: 114 / 2373
           tabulation: Freq. Numeric Label
                         1 $0

47 2 $1-999

99 3 $1,000-4,999

158 4 $5,000-9,999

201 5 $10,000-14,999

156 6 $15,000-19,999

129 7 $20,000-24,999

223 8 $25,000 +

65 9 REFUSED ANSWER

212 10 DO NOT KNOW

251 11 NOT APPLICABLE
                        718 1 $0
F87EINCY ----- EMP. AMOUNT CONTRIBUTED BY SCD MEM.
                 type: numeric (float)
                label: F87EINCY
                range: [1,11] units: 1
values: 11 coded mission: 13
                                          coded missing: 135 / 2373
         unique values: 11
           tabulation: Freq. Numeric Label
                        1282 1 $0
```

```
F87GINCN ------ AID AMOUNT CONTRIBUTED BY NON-SCD MEM DELETED
                   type: numeric (float)
                  label: F87GINCN
         unique values: 11 coded missing: 130 / 2373 tabulation: Freq. Numeric Label
                           1112 1 $0
                            F87GINCY ----- AID AMOUNT CONTRIBUTED BY SCD MEM DELETED
                   type: numeric (float)
                  label: F87GINCY
         range: [1,11] units: 1
unique values: 11 coded missing: 134 / 2373
             tabulation: Freq. Numeric Label
                           1039 1 $0
                            61 2 $1-999
507 3 $1,000-4,999
169 4 $5,000-9,999
30 5 $10,000-14,999
12 6 $15,000-19,999
5 7 $20,000-24,999
3 8 $25,000 +
41 9 REFUSED ANSWER
102 10 DO NOT KNOW
270 11 NOT APPLICABLE
                             61
                                        2 $1-999
```

```
F87L12L1 ----- LINE # 0F PT #1 LT 12
              type: numeric (float)
             range: [1,16] units.
values: 16 coded missing: 1880 / 2373
       unique values: 16
tabulation: Freq. Value
                                     tabulation: Freq. Value
            9 1
            54 2
                                                    2 10
            160 3
                                                    1 11
            103 4
                                                    5 12
            65 5
                                                    2 13
            41 6
                                                     1 14
             28 7
                                                     1 15
             13 8
F87L12L1:
 1. Required only if patient(s) is (are) under 12 years of age.
F87L12C1 ----- WHO CARES FOR PT #1 LT 12
              type: numeric (float)
             label: F87L12C1
             range: [1,7]
                                          units: 1
       unique values: 7
                                   coded missing: 1567 / 2373
         tabulation: Freq. Numeric Label
                          1 STAYS ALONE
                     67
                              2 PARENT OR GUARDIAN
                      529
                              3 DAY CARE
                      27
                      39
                              4 BABY SITTER
                           5 OTHER RELATIVE
6 OTHER NON-RELAT.
7 OTHER
                      129
                      10
                       5
F87L12C1:
 1. Required only if patient(s) is (are) under 12 years of age.
F87L12L2 ------ LINE # OF PT #2 LT 12
              type: numeric (float)
             range: [3,14]
                                          units: 1
       unique values: 10
                                   coded missing: 2330 / 2373
                                                   2 10
                                                     1 11
tabulation: Freq. Value
            10 3
                                                     1 14
             8 4
             8 5
             7 6
             3 7
tabulation: Freq. Value
             1 8
             2 9
```

3.6: Patient Continuation Demographic Data Form - Form 06

F971 1	12L2:										
10/L	Required	only	j f	patient(s)	ic	(ann)	undon	10	Veans	٥f	202
١.	Required	UIITY	Τï	pattent(s)	12	(are)	unuer	12	years	ΟI	age.

3.6: Patient Continuation Demographic Data Form – Form 06

```
F87L12C2 ----- WHO CARES FOR PT #2 LT 12
             type: numeric (float)
             label: F87L12C2
             range: [1,5] units.
values: 4 coded missing: 2322 / 2373
       unique values: 4
         tabulation: Freq. Numeric Label
                      7 1 STAYS ALONE
                      32
                             2 PARENT OR GUARDIAN
                             3 DAY CARE
                      3
                             5 OTHER RELATIVE
                       9
F87L12C2:
 1. Required only if patient(s) is (are) under 12 years of age.
F87L12L3 ----- LINE # OF PT #3 LT 12
             type: numeric (float)
             range: [4,10] units: 1
values: 2 coded missing: 2371 / 2373
       unique values: 2
         tabulation: Freq. Value
                      1 4
                      1 10
F87L12L3:
 1. Required only if patient(s) is (are) under 12 years of age.
F87L12C3 ------ WHO CARES FOR PT #3 LT 12
              type: numeric (float)
             label: F87L12C3
             range: [1,2]
                                         units: 1
       unique values: 2
                           coded missing: 2368 / 2373
         tabulation: Freq. Numeric Label
                          1 STAYS ALONE
                              2 PARENT OR GUARDIAN
                       4
F87L12C3:
 1. Required only if patient(s) is (are) under 12 years of age.
F87L12L4 ------ LINE # OF PT #4 LT 12
              type: numeric (float)
      range: [.,.]
unique values: 0
                                          units: .
                                   coded missing: 2373 / 2373
         tabulation: Freq. Value
F87L12L4:
 1. Required only if patient(s) is (are) under 12 years of age.
```

```
F87L12C4 ----- WHO CARES FOR PT #4 LT 12
              type: numeric (float)
              label: F87L12C4
             range: [2,2] units: 1
values: 1 coded missing: 2372 / 2373
       unique values: 1
          tabulation: Freq. Numeric Label
                      1 2 PARENT OR GUARDIAN
F87L12C4:
 1. Required only if patient(s) is (are) under 12 years of age.
F87L12L5 ----- LINE # OF PT #5 LT 12
              type: numeric (float)
             range: [5,5]
values: 1
                                           units: 1
                                    coded missing: 2372 / 2373
       unique values: 1
          tabulation: Freq. Value
                     1 5
F87L12L5:
 1. Required only if patient(s) is (are) under 12 years of age.
F87L12C5 ------ WHO CARES FOR PT #5 LT 12
              type: numeric (float)
              label: F87L12C5
              range: [1,5]
                                           units: 1
                            units: 1
coded missing: 2368 / 2373
       unique values: 4 co
tabulation: Freq. Numeric Label
                       1 1 STAYS ALONE
                            2 PARENT OR GUARDIAN4 BABY SITTER
                        2
                        1
                               5 OTHER RELATIVE
F87L12C5:
 1. Required only if patient(s) is (are) under 12 years of age.
F87MED ----- AMOUNT FAMILY SPENT ON SCD MED. EXPENSES
              type: numeric (float)
              label: F87MED
              range: [1,6]
                                            units: 1
       unique values: 6
                                     coded missing: 104 / 2373
          tabulation: Freq. Numeric Label
                          1 NONE
                      804
                            2 $1-499
3 $500-999
4 $1,000 +
5 DO NOT KNOW
6 REFUSED ANSWER
                      832
                      218
                      244
                      156
                       15
_dta:
 1. Created 7/5/2000.
```

A. <u>List of variables deleted</u> **F86DATE F86DFC F86ESTAT F86FCB F86INIT F86JTOP F86LASTE F86LASTU F86MMDET F86MN1-F86MN17 F86MN10B**

F86MN15B F86MN16B F86MN17B F86NDATE F86TH2Y F86VDATE
F86YCMPL F86YCPCS F86YDISC F86YLEFT F86YLEPT F86YR1-F86YR17
F86YR10B F86YR15B F86YR16B F86YR17B F86YRST F86YRSTR
F86YYCOL F86YYDC F86YYDET F86YYHIC F86YYHS F86YYK F86YYPC
F86L6KY F86L6DCY F86YYCOL F86TSYCA F86PYCA

- B. <u>List of variables modified</u> **F85GLEVL F86GLREP F86GLRP2 F86HIGRD**F86HOUSE F86NCOUS F86NGRAN F86NMOFF F86NMSIB F86NNIEC
 F86NOFF F86NOTHR F86NSIB F86NUNC F86ODISC F86OFFDI F86OFFSC F86SDISC F86SIBDI
- C. List of variables modified with a name change **NONE**
- D. Old name
- E. <u>List of variables modified date to days since DOE</u>
- F. Old name F86DATE
- G. New name JF86DATE
- H. Collection Information:

Form 06 (Patient Continuation Demographic Data Form) was to be completed at the time of the 1986 annual visit for patients \geq 2 years of age. For patients < 2 years of age in 1986, the form was to be completed at the time of the age 2 annual visit.

- I. <u>Data Collection Period</u>: 03/86 09/88
- J. Form Version Dates: 11/15/85
- K. Files Used to Store Information:

SAS System File: R86.SD2

Format File: R06.FMT

L. <u>Unique Record Identifiers</u>: **ANONID**, **F86CYCLE**

Records within the dataset are sorted by **ANONID** and **F86CYCLE**.

- M. Number of Observations (Patients) in SAS Dataset: 2495 (2493)
- N. Contacts of SAS Dataset:
 - Alphabetical Listing of Variables: See pp. 133-137
 - Listing of Variables by Position: See pp. 138-142
- O. Notes About Selected Variables:

3.6: Patient Continuation Demographic Data Form – Form 06

- F86PTW7 is the variable which stores the anonymized ID # of the CSSCD participant for whom the associated Form 07 was completed [See Section 3.7].
- P. Computed Variables: None
- Q. Inter-Relationship With Other Datasets:

Demographic data were also collected on

Phase 1 Forms	SAS Dataset	See Section
Form 01	R01.SD2	3.1
Form 02	R02.SD2	3.2
Form 03	R03.SD2	3.3
Form 04	R03.SD2	3.3
Form 05	R05.SD2	3.5
Form 07	R87.SD2	3.7

CSSCD FULL COHORT PATIENTS

CONTENTS OF SAS DATASET: R86.SD2

DATA FROM CSSCD FORM 06 - PATIENT CONTINUATION DEMOGRAPHIC DATA FORM VARIABLES ARE LISTED IN ALPHABETICAL ORDER AND IN ORDER OF THEIR POSITION IN THE SAS DATASET AND ON FORM 06

The SAS System

15:20 Friday, September 15, 2006 23

The CONTENTS Procedure

Data Set Name	OUT1.R86			Observations	2495
Member Type	DATA			Variables	119
Engine	V9			Indexes	0
Created	15:55 Tuesday,	October 3,	2006	Observation Length	952
Last Modified	15:55 Tuesday,	October 3,	2006	Deleted Observations	0
Protection				Compressed	NO
Data Set Type				Sorted	NO
Label					
Data Representation	WINDOWS				

Encoding wlatin1 Western (Windows)

Engine/Host Dependent Information

Data Set Page Size 16384 Number of Data Set Pages 148 First Data Page 1 Max Obs per Page 17 Obs in First Data Page 1 Number of Data Set Repairs 0

File Name O:\decastat\EBP\CSSCD\Phase 1 LAD DEV\sd2anon\r86.sas7bdat

Release Created 9.0000M0 XP_PRO Host Created

Alphabetic List of Variables and Attributes

#	Variable	Туре	Len	Label
1	ANONID	Char	8	ANONYMIZED ID #
75	F86APPDS	Num	8	APPLIED FOR DISABILITY
43	F86ATSCH	Num	8	CURRENTLY ATTENDING SCHOOL
101	F86B0S1	Num	8	BIRTH OF SIBLING
32	F86C0USP	Num	8	COUSINS IN PATIENT'S HOUSEHOLD
106	F86CSTMP	Num	8	COST OF MEDICAL PREMIUM
2	F86CYCLE	Num	8	RECORD 86 CYCLE
54	F86DCAUS	Num	8	POSSIBLE CAUSE OF DELAY
96	F86DCFM	Num	8	DEATH OF CLOSE FAMILY MEMBER
53	F86DDLAY	Num	8	DEVELOPMENTALLY DELAYED
55	F86DD0C	Num	8	DELAY DOCUMENTED BY PSY. TEST
76	F86DETER	Num	8	DISABILITY DETERMINED BY
73	F86DISAB	Num	8	DISABLED
86	F86DIVP	Num	8	PATIENT'S DIVORCE
87	F86DIVPP	Num	8	PARENT OF PATIENT'S DIVORCE
94	F86D0PP	Num	8	DEATH OF PATIENT'S PARENT(S)
92	F86D0PS	Num	8	DEATH OF PATIENT'S SPOUSE

81	F86EMKNO	Num	8	EMPLOYER KNOW YOU HAVE SCD
69	F86EMPFT	Num	8	EMPLOYED FULL TIME
66	F86EMPPT	Num	8	EMPLOYED PART TIME
7	F86FASCD	Num	8	DOES FATHER HAVE SCD
20	F86FATHP	Num	8	FATHER IN PATIENT'S HOUSEHOLD
45	F86GLEVL	Num	8	CURRENT GRADE LEVEL
50	F86GLREP	Num	8	GRADE LEVEL #1 REPEATED
51	F86GLRP2	Num	8	GRADE LEVEL #2 REPEATED
113	F86G0VAG	Num	8	RECEIVED ANYTHING FROM GOVT. AGENCY
22	F86GRANP	Num	8	GRANDPARENTS IN PATIENT'S HOUSEHOLD
114	F86GROUP	Num	8	TO WHICH GROUP DID EARNINGS BELONG
52	F86HBT	Num	8	HOMEBOUND TEACHER
104	F86HC0ST	Num	8	HOSPITALIZATION COSTS
107	F86HDENI	Num	8	HEALTH INSURANCE DENIED
39	F86HIGRD	Num	8	HIGHEST GRADE LEVEL COMPLETED
59	F86HOMM	Num	8	HOMEMAKER
18	F86H0USE	Num	8	HOW MANY PEOPLE IN PATIENT'S HOUSE
102	F86HPLN	Num	8	TYPE OF HEALTH INSURANCE PLAN
67	F86HRPWK	Num	8	HOURS PER WEEK
70	F86HRSPW	Num	8	HOURS PER WEEK
111	F86HWLNG	Num	8	HOW LONG DID YOU RECEIVE PAYMENTS
64	F86J0B1	Num	8	TYPE OF JOB
65	F86J0B2	Num	8	TYPE OF JOB
68	F86J0B3	Num	8	TYPE OF JOB
71	F86J0B4	Num	8	TYPE OF JOB
36	F86L6DC	Num	8	PATIENT ATTENDED DAY CARE,<= 6 YRS OLD
37	F86L6K	Num	8	ATTENDED KINDERGARDEN
109	F86LDENI	Num	8	LIFE INSURANCE DENIED
108	F86LIFIN	Num	8	DO YOU HAVE LIFE INSURANCE
84	F86MARP	Num	8	PATIENT'S MARRIAGE
85	F86MARPP	Num	8	PARENT OF PATIENT'S MARRIAGE
17	F86MARST	Num	8	PATIENT'S CURRENT MARITAL STATUS
105	F86MEDEQ	Num	8	MEDICAL EQUIPMENT OR SUPPLIES
5	F86MFSCD	Num	8	DOES EITHER PARENT HAVE SCD
6	F86MOSCD	Num	8	DOES MOTHER HAVE SCD
21	F86MOTHP	Num	8	MOTHER IN PATIENT'S HOUSEHOLD
80	F86MTNEM	Num	8	PREVENTED FROM MAINTAINMING EMPLOYMENT
33	F86NCOUS	Num	8	NUMBER OF COUSINS IN HH
23	F86NGRAN	Num	8	NUMBER OF GRANDPARENTS IN HH
30	F86NIECP	Num	8	NIECES OR NEPHEWS OF PATIENT
13	F86NMOFF	Num	8	NUMBER OF PATIENT'S OFFSPRING
8	F86NMSIB	Num	8	NUMBER OF SIBLINGS OF PATIENT
31	F86NNIEC	Num	8	NUMBER OF NIECES OR NEPHEWS IN HH
27	F86N0FF	Num	8	NUMBER OF OFFSPRING IN HH
35	F86NOTHR	Num	8	NUMBER OF OTHERS IN HH
25	F86NSIB	Num	8	NUMBER OF SIBLINGS IN HH
72	F86NUMJB	Num	8	NUMBER FULL TIME JOBS
29	F86NUNC	Num	8	NUMBER OF UNCLES OR AUNTS IN HH
62	F86NVRWK	Num	8	NEVER WORKED
60	F86NWSTU	Num	8	NON-WORKING STUDENT
79	F860BTEM	Num	8	PREVENTED FROM OBTAINING EMPLOYMENT
16	F860DISC	Num	8	OFFSPRING WITH SCS WHO DIED
15	F860FFDI	Num	8	OFFSPRING WHO HAVE DIED
26	F860FFP	Num	8	OFFSPRING IN PATIENT'S HOUSEHOLD
14	F860FFSC	Num	8	OFFSPRING WITH SCD
17	. 55511 66		J	5 5IIIIG 111111 00D

34	F860THR1	Num	8	OTHERS IN PATIENT'S HOUSEHOLD
38	F860THR2	Num	8	OTHER EDUCATION
42	F860THR3	Num	8	ATTENDED SOME OTHER SCHOOL
48	F860THR4	Num	8	ATTENDING SOME OTHER SCHOOL
95	F86PARSC	Num	8	PARENT HAD SCD
57	F86PCAUS	Num	8	PHYSICIAN: POSSIBLE CAUSE OF DELAY
56	F86PDLAY	Num	8	PHYSICIAN: DEVELOPMENTALLY DELAYED
58	F86PD0C	Num	8	PHYSICIAN: DELAY DOCUMENTED BY PSY. TEST
97	F86PFFJ	Num	8	PATIENT FIRED FROM JOB
98	F86PFGIS	Num	8	PATIENT FAILED GRADE IN SCHOOL
82	F86PFMST	Num	8	PATIENT'S PERFORMANCE STATUS
103	F86PREDG	Num	8	PRESCRIPTION DRUGS
118	F86PTW7	Char	8	ANONYMIZED ID # OF PATIENT W/ FORM 7
100	F86PWGB	Num	8	PATIENT('S WIFE) GAVE BIRTH
99	F86PWSP	Num	8	PATIENT('S WIFE) STARTED PREGNANCY
74	F86RDISA	Num	8	REASON FOR DISABILITY
78	F86REASN	Num	8	REASON DISCONTINUED
77	F86RECDS	Num	8	STILL RECEIVING DISABILITY
90	F86REMP	Num	8	PATIENT'S REMARRIAGE
91	F86REMPP	Num	8	PARENT OF PATIENT'S REMARRIAGE
49	F86REPET	Num	8	REPEATED ANY GRADE LEVELS
4	F86RESP	Num	8	RELATIONSHIP OF RESPONDENT TO PATIENT
44	F86SCTYP	Num	8	TYPE OF SCHOOL
12	F86SDISC	Num	8	SIBLINGS WITH SCD WHO DIED
88	F86SEPP	Num	8	PATIENT'S SEPARATION
89	F86SEPPP	Num	8	PARENT OF PATIENT'S SEPARATION
11	F86SIBDI	Num	8	NUMBER OF PATIENTS SIBLINGS WHO DIED
24	F86SIBP	Num	8	SIBLINGS IN PATIENT'S HOUSEHOLD
9	F86SIBSC	Num	8	NUMBER OF SIBLINGS WITH SCD
40	F86SPED	Num	8	ATTENDED SPECIAL EDUCATION CLASSES
46	F86SPEDC	Num	8	ATTENDING SPECIAL ED. CLASSES
19	F86SP0US	Num	8	SPOUSE IN PATIENT'S HOUSEHOLD
93	F86SPSCD	Num	8	SPOUSE HAD SCD
3	F86STATP	Num	8	PATIENT STATUS
47	F86TDSCC	Num	8	ATTENDING TRADE SCHOOL CLASSES
83	F86TIMHP	Num	8	HOW MUCH TIME HOSPITALIZED
115	F86TINC	Num	8	TOTAL ANNUAL INCOME FROM ALL SOURCES
110	F86TMPDA	Num	8	RECEIVED TEMPORARY DISABILITY
41	F86TRADE	Num	8	ATTENDED TRADE SCHOOL
10	F86TWIN	Num	8	PATIENT HAS TWIN?
112	F86UEPAY	Num	8	RECEIVED UNEMPLOYMENT PAYMENTS
28	F86UNCP	Num	8	UNCLES OR AUNTS IN PATIENT'S HOUSEHOLD
63	F86UNEMP	Num	8	UNEMPLOYED
116	F86VAR1	Num	8	DUMMY VAR1
117	F86VAR2	Num	8	DUMMY VAR2
61	F86WKSTU	Num	8	WORKING STUDENT
119	JF86DATE	Num	8	DATE OF INTERVIEW - DAYS SINCE DOE

```
******************
* R86.FMT contains value labels for numerical codes assigned to categorical*
* variables in the SAS dataset R86.SD2
* SIR/DBMS 2.2 SAS PROC STEP FROM DATABASE: CSSCD 06/11/99 15:10:54;
PROC FORMAT;
*FORMAT NO YES used for the following variables: F86STATP F86MOSCD
                                          F86FASCD F86L6DC
                                           F86L6K F860THR2
                                           F86SPED F86TRADE
                                           F860THR3 F86SPEDC
                                           F86TDSCC F860THR4
                                           F86RECDS F86SPSCD
                                          F86PARSC F86DCFM
                                          F86JTOP F86PFFJ
                                          F86PFGIS F86PWSP
                                          F86PWGB F86BOS1
                                          F86LIFIN F86TMPDA
                                          F86UEPAY;
 VALUE NO YES
   1
                 = 'NO'
                 = 'YES';
   2
 VALUE F86RESP
                 = 'PATIENT'
   2
                 = 'SPOUSE'
   3
                 = 'MOTHER'
   4
                 = 'FATHER'
   5
                 = 'SIBLING'
   6
                 = 'GRANDPARENT'
   7
                 = 'AUNT-UNCLE'
   8
                 = 'OTHER';
 VALUE F86MFSCD
                 = 'NO'
   1
   2
                 = 'DK'
   3
                 = 'YES';
 VALUE F86TWIN
   1
                 = 'NO'
   2
                 = 'YES, DK'
   3
                 = 'YES, IDENTICAL'
   4
                 = 'YES,FRATERNAL';
```

```
VALUE F86MARST
                    = 'NEVER MARRIED'
    1
    2
                    = 'MARRIED'
    3
                    = 'DIVORCED'
    4
                   = 'WIDOWED'
    5
                    = 'SEPARATED';
*FORMAT NNY used for the following variables: F86SPOUS F86FATHP
                                               F86MOTHP F86GRANP
                                               F86SIBP F860FFP
                                               F86UNCP F86NIECP
                                               F86COUSP F86OTHR1
                                               F86MARP F86MARPP
                                               F86DIVP F86DIVPP
                                               F86SEPP F86SEPPP
                                               F86REMP F86REMPP
                                               F86DOPS F86DOPP;
  VALUE NNY
                   = 'NA'
                   = 'NO'
    2
                    = 'YES';
    3
  VALUE F86HIGRD
   8
                   = 'GRADE SCHOOL'
   11
                   = '<HIGH SCHOOL'
   12
                   = 'HS DIPLOMA'
   13
                   = '1 YR COLLEGE'
                   = '2 YR COLLEGE'
   14
    15
                   = '3 YR COLLEGE'
   16
                   = '4 YR COLLEGE +'
   19
                   = 'DK'
   20
                   = 'NA';
  VALUE F86ATSCH
    1
                   = 'NO'
    2
                   = 'YES,FULL-TIME'
    3
                   = 'YES,PART-TIME';
 VALUE F86SCTYP
    1
                   = 'DAY CARE'
    2
                   = 'KINDERGARTEN'
    3
                   = 'ELEMENTARY'
    4
                   = 'JUNIOR HIGH'
    5
                   = 'SENIOR HIGH'
    6
                   = 'COLLEGE'
    7
                    = 'GRADUATE-PROF.';
```

```
VALUE F86GLEVL
                    = 'GRADE SCHOOL'
    8
                    = '<HIGH SCHOOL'
    11
    12
                    = 'HS DIPLOMA'
    13
                    = '1 YR COLLEGE'
    14
                    = '2 YR COLLEGE'
    15
                    = '3 YR COLLEGE'
    16
                    = '4 YR COLLEGE +';
  VALUE F86REPET
                    = 'DK'
    1
                    = 'NA'
    2
    3
                    = 'NO'
    4
                    = 'YES, NO REASON'
                    = 'YES, SICKLE CELL'
    5
    6
                    = 'YES,OTHER REASON';
*FORMAT GRADE used for the following variables: F86GLREP F86GLRP2;
   VALUE GRADE
    8
                    = 'GRADE SCHOOL'
    11
                    = '<HIGH SCHOOL'
    12
                    = 'HS DIPLOMA'
    13
                    = '1 YR COLLEGE'
    14
                    = '2 YR COLLEGE'
    15
                    = '3 YR COLLEGE'
    16
                    = '4 YR COLLEGE +';
  VALUE F86HBT
    1
                    = 'NA'
    2
                    = 'NO'
    3
                    = 'YES, NOW'
                    = 'YES, IN PAST';
*FORMAT NYDK used for the following variables:F86DDLAY F86PDLAY;
  VALUE NYDK
                    = 'NO'
    1
    2
                    = 'YES'
                    = 'DK';
*FORMAT HIST used for the following variables:F86DCAUS F86PCAUS;
  VALUE HIST
    1
                    = 'MATERNAL PROBLEMS'
    2
                    = 'BIRTH ASPHYXIA'
    4
                    = 'PREMATURITY'
    8
                    = 'MENINGITIS'
    16
                    = 'STROKE'
    32
                    = 'SEIZURES'
    64
                    = 'FAMILY HISTORY'
    128
                    = 'OTHER'
    256
                    = 'UNKNOWN';
```

```
*FORMAT DELAY used for the following variables: F86DDOC F86PDOC;
  VALUE DELAY
    1
                    = 'NO, NOT DELAYED'
    2
                    = 'YES,DELAYED'
    3
                    = 'DK, RESULTS UNK.'
                    = 'NEVER TESTED';
*FORMAT YES used for the following variables: F86HOMM F86NWSTU
                                               F86WKSTU F86NVRWK
                                               F86UNEMP F86EMPPT
                                               F86EMPFT F86DISAB;
 VALUE YES
    2
                    = 'YES';
*FORMAT JOB used for the following variables: F86JOB1 F86JOB2
                                               F86JOB3 F86JOB4;
 VALUE JOB
    1
                    = 'PROF. OR TECH.'
    2
                    = 'MANAGER OR ADMIN.'
    3
                    = 'SALES'
    4
                    = 'CLERICAL'
    5
                    = 'CRAFT'
    6
                    = 'OPERATIVE'
                    = 'SERVICE'
    7
                    = 'PRIVATE HSEHOLD'
    8
    9
                    = 'FARM WORKER';
 VALUE F86RDISA
    1
                    = 'SICKLE CELL'
    2
                    = 'OTHER';
 VALUE F86APPDS
                    = 'NO'
   1
    2
                    = 'YES-NO'
    3
                    = 'YES-YES'
                    = 'YES-PENDING';
 VALUE F86DETER
    1
                    = 'SSA (1)'
    2.
                    = 'CSA (2)'
    4
                    = 'VA (4)'
    8
                    = 'LOCAL STATE(8)'
    16
                    = 'LOCAL CITY(16)'
    32
                    = 'OTHER (32)'
                    = 'SELF (64)';
    64
```

```
VALUE F86REASN
                    = 'ABILITY TO WORK'
    1
                    = 'CHNGE IN CRITER.'
    2
    3
                    = 'OTHER';
*FORMAT NYNA used for the following variables: F860BTEM F86MTNEM
                                                F86EMKNO;
 VALUE NYNA
   1
                    = 'NO'
                    = 'YES'
    2
                    = 'NA';
    3
  VALUE F86PFMST
                    = 'NORMAL'
   1
    2
                    = 'MINOR, NO TIME'
                    = 'MINOR,5-10% TIME'
    3
    4
                    = 'MODERATE, 10-25%'
    5
                    = '25-50% LOST'
    6
                    = '> 50% LOST'
    7
                    = 'CONSID. ASSIST.'
    8
                    = 'SEVERE DISABIL.';
  VALUE F86TIMHP
                    = '0 DAYS'
    1
    2
                    = '1 DAY-1 WEEK'
    3
                    = '1 WEEK-1 MO.'
    4
                    = '1-2 MOS.'
                    = '2-4 MOS.'
    5
    6
                    = '> 4 MOS.';
 VALUE F86HPLN
    1
                    = 'PRIVATE GRP(1)'
    2
                    = 'PREPAID GRP(2)'
    4
                    = 'PRIVATE IND(4)'
    8
                    = 'MILITARY (8)'
    16
                    = 'SCHOOL (16)'
    32
                   = 'MEDICARE (32)'
    64
                   = 'MEDICAID (64)'
    128
                   = 'OTHER (128)'
                    = 'NONE (256)';
    256
*FORMAT NYPF used for the following variables: F86PREDG F86HCOST F86MEDEQ;
 VALUE NYPF
   1
                    = 'NO'
    2
                    = 'YES, PART'
    3
                    = 'YES, FULL';
```

```
VALUE F86CSTMP
                     = '< $250'
    1
                     = '$500'
    2
    3
                     = '$1,000'
    4
                     = '$1,500'
    5
                     = '$2,000'
    6
                     = '0 OR N.A.';
*FORMAT APPLY used for the following variables: F86HDENI F86LDENI;
 VALUE APPLY
                    = 'NO'
    1
    2
                    = 'YES'
    3
                    = 'NEVER APPLIED';
  VALUE F86GOVAG
                     = 'NO'
    1
    2
                    = 'YES'
    3
                    = 'REFUSED ANSWER';
*FORMAT INC used for the following variables: F86GROUP F86TINC;
  VALUE INC
                     = '$0'
    1
    2
                     = '$1-999'
    3
                    = '$1,000-4,999'
    4
                    = '$5,000-9,999'
    5
                    = '$10,000-14,999'
    6
                    = '$15,000-19,999'
    7
                    = '$20,000-24,999'
                    = '>= $25,000'
    8
    9
                    = 'REFUSED ANSWER'
    10
                    = 'DK'
    11
                    = 'NOT APPLICABLE';
   FORMAT
           F86STATP F86MOSCD
           F86FASCD F86L6DC
           F86L6K F86OTHR2
           F86SPED F86TRADE
           F860THR3 F86SPEDC
           F86TDSCC F860THR4
           F86RECDS F86SPSCD
           F86PARSC F86DCFM
           F86JTOP F86PFFJ
           F86PFGIS F86PWSP
           F86PWGB F86BOS1
           F86LIFIN F86TMPDA
           F86UEPAY NO YES.
           F86RESP F86RESP.
           F86MFSCD F86MFSCD.
           F86TWIN F86TWIN.
           F86MARST F86MARST.
           F86SPOUS F86FATHP
           F86MOTHP F86GRANP
```

CSSCD FULL COHORT PATIENTS

```
F86SIBP F860FFP
F86UNCP F86NIECP
F86COUSP F86OTHR1
F86MARP F86MARPP
F86DIVP F86DIVPP
F86SEPP F86SEPPP
F86REMP F86REMPP
F86DOPS F86DOPP NNY.
F86HIGRD F86HIGRD.
F86ATSCH F86ATSCH.
F86SCTYP F86SCTYP.
F86GLEVL F86GLEVL.
F86REPET F86REPET.
F86GLREP F86GLRP2 GRADE.
F86HBT F86HBT.
F86DDLAY F86PDLAY NYDK.
F86DCAUS F86PCAUS HIST.
F86DDOC F86PDOC DELAY.
F86HOMM F86NWSTU
F86WKSTU F86NVRWK
F86UNEMP F86EMPPT
F86EMPFT F86DISAB YES.
F86JOB1 F86JOB2
F86JOB3 F86JOB4 JOB.
F86RDISA F86RDISA.
F86APPDS F86APPDS.
F86DETER F86DETER.
F86REASN F86REASN.
F860BTEM F86MTNEM F86EMKNO NYNA.
F86PFMST F86PFMST.
F86TIMHP F86TIMHP.
F86HPLN F86HPLN.
F86PREDG F86HCOST F86MEDEQ NYPF.
F86CSTMP F86CSTMP.
F86HDENI F86LDENI APPLY.
F86GOVAG F86GOVAG.
F86GROUP F86TINC INC.;
```

RUN;
QUIT;

```
F86CYCLE ----- RECORD 86 CYCLE
              type: numeric (float)
             range: [1,2] units.
values: 2 coded missing: 0 / 2495
       unique values: 2
          tabulation: Freq. Value
                    2493 1
                      2 2
F86VDATE ----- VERSION DATE DELETED
              type: numeric daily date (int)
             label: datelab
     range: [9450,9815] units: 1 or equivalently: [15nov1985,15nov1986] units: days
       unique values: 2 coded missing: 1 / 2495
         tabulation: Freq. Numeric Label
                    2490 9450 11/15/85
                      4
                           9815 11/15/86
F86STATP ----- PATIENT STATUS
              type: numeric (float)
             label: F86STATP
       range: [1,2] units: 1
unique values: 2 coded missing: 317 / 2495
          tabulation: Freq. Numeric Label
                    1704 1 NO
474 2 YES
F86RESP ----- RELATIONSHIP OF RESPONDENT TO PATIENT
              type: numeric (float)
              label: F86RESP
       range: [1,8] units: 1
unique values: 8 coded missing: 23 / 2495
          tabulation: Freq. Numeric Label
                          1 PATIENT
2 SPOUSE
3 MOTHER
                     1430
                      10
                      877
                               4 FATHER
                      74
                      16 5 SIBLING
24 6 GRANDPARENT
29 7 AUNT-UNCLE
12 8 OTHER
```

```
F86MFSCD ----- DOES EITHER PARENT HAVE SCD
              type: numeric (float)
              label: F86MFSCD
       range: [1,3] units: 1
unique values: 3 coded missing: 24 / 2495
tabulation: Freq. Numeric Label
                     2169 1 NO
                      125 2 DK
177 3 YES
F86MOSCD ----- DOES MOTHER HAVE SCD
              type: numeric (float)
              label: F86MOSCD
              range: [1,2] units. .
values: 2 coded missing: 2297 / 2495
       unique values: 2 coo
tabulation: Freq. Numeric Label
                     109 1 NO
                      89 2 YES
F86MOSCD:
 1. Required only if F86MFSCD=3.
F86FASCD ----- D0ES FATHER HAVE SCD
              type: numeric (float)
              label: F86FASCD
              range: [1,2] units: 1
values: 2 coded missing: 2291 / 2495
       unique values: 2 co
tabulation: Freq. Numeric Label
                      104 1 NO
100 2 YES
F86FASCD:
 1. Required only if F86MFSCD=3.
F86NMSIB ----- NUMBER OF SIBLINGS OF PATIENT MODIFIED
              type: numeric (float)
             range: [0,16] units.

17 coded missing: 66 / 2495
       unique values: 17
tabulation: Freq. Value
                                       tabulation: Freq. Value
            276 0
                                                      53 9
            508 1
                                                      26 10
            438 2
                                                      29 11
                                                      20 12
            341 3
            246 4
                                                       9 13
            180 5
                                                      3 14
            117 6
                                                      5 15
            104 7
                                                       2 16
             72 8
```

F86SIBSC		NUMBER OF	SIBLINGS WITH SCD
	numeric (float)		
range:	[0,10]	units:	1
unique values:		coded missing:	97 / 2495
tabulation:	Freq. Value		
	1656 0		
	491 1		
	169 2 52 3		
	14 4		
	6 5		
	6 6		
	2 7		
	2 10		
F86SIBSC:			
1. Required only if F	86NMSIB>0.		
F86TWIN			PATIENT HAS TWIN?
• • • • • • • • • • • • • • • • • • • •	numeric (float) F86TWIN		
Tabel.	LOOIMIN		
range:	[1,4]	units:	1
unique values:		coded missing:	47 / 2495
tabulation:	Freq. Numeric	Label	
	2381 1	NO	
	12 2		
		YES, IDENTICAL	
	38 4	YES, FRATERNAL	
F86TWIN:			
1. Required only if F	86NMSIB>0.		
			SIBLINGS WHO DIED MODIFIED
type:	numeric (float)		
range:	[0,13]	units:	1
unique values:		coded missing:	71 / 2495
tabulation: Freq. Valu	ie	tabulation:	Freq. Value
1902 0			3 6
368 1			2 7
92 2			2 8
28 3			1 9
14 4 10 5			2 13
10 5			
F86SIBDI:			
 Required only if F 	86NMSIB>0.		

```
F86SDISC ----- SIBLINGS WITH SCD WHO DIED MODIFIED
              type: numeric (float)
             range: [0,10] units. .
values: 7 coded missing: 123 / 2495
       unique values: 7
         tabulation: Freq. Value
                    2184 0
                     162 1
                      22 2
                       1 3
                       1 4
                       1 5
                       1 10
F86SDISC:
 1. Required only if F86NMSIB>0.
F86NMOFF ----- NUMBER OF PATIENT'S OFFSPRING MODIFIED
              type: numeric (float)
       range: [0,12] units: 1 unique values: 11 coded missing: 161 / 2495
                                           units: 1
         tabulation: Freq. Value
                    1696 0
                     287 1
                     190 2
                      85 3
                      39 4
                      24 5
                       7 6
                       3 7
                       1 8
                       1 10
                       1 12
F860FFSC ----- OFFSPRING WITH SCD MODIFIED
              type: numeric (float)
             range: [0,3]
                                          units: 1
                                   coded missing: 222 / 2495
       unique values: 4
         tabulation: Freq. Value
                    2205 0
                      54 1
                      11 2
                       3 3
F860FFSC:
 1. Required only if F86NMOFF>0.
```

```
F860FFDI ----- OFFSPRING WHO HAVE DIED MODIFIED
              type: numeric (float)
         range: [0,4] units: 1
ique values: 5 coded missing: 221 / 2495
tabulation: Freq. Value
       unique values: 5
                     2242 0
                      20 1
                       5 2
                       5 3
F860FFDI:
 1. Required only if F86NMOFF>0.
F860DISC ----- OFFSPRING WITH SCS WHO DIED MODIFIED
              type: numeric (float)
             range: [0,10]
                                           units: 1
       unique values: 6
                                   coded missing: 230 / 2495
          tabulation: Freq. Value
                     2248 0
                       9 1
                       3 2
                       1 6
                       1 8
F860DISC:
 1. Required only if F86NMOFF>0.
F86MARST ----- PATIENT'S CURRENT MARITAL STATUS
              type: numeric (float)
             label: F86MARST
       range: [1,5] units: 1
unique values: 5 coded missing: 38 / 2495
tabulation: Freq. Numeric Label
                    1937 1 NEVER MARRIED
275 2 MARRIED
113 3 DIVORCED
                          4 WIDOWED
5 SEPARATED
                      36
                      96
F86HOUSE ----- HOW MANY PEOPLE IN PATIENT'S HOUSE MODIFIED
              type: numeric (float)
             range: [1,32]
                                          units: 1
                                    coded missing: 103 / 2495
       unique values: 16
tab: Freq. Value
                        tab: Freq. Value
                                                   tab: Freq. Value
      165 1
                                177 6
                                                           10 12
      386 2
                                 88 7
                                                            3 13
      553 3
                                 64 8
                                                            2 14
      542 4
                                 24 9
                                                            1 16
      350 5
                                 21 10
                                                            1 32
                                  5 11
```

```
F86SPOUS ------ SPOUSE IN PATIENT'S HOUSEHOLD
               type: numeric (float)
               label: F86SPOUS
       range: [1,3] units: 1
unique values: 3 coded missing: 592 / 2495
tabulation: Freq. Numeric Label
1018 1 NA
602 2 NO
283 3 YES
F86FATHP ------ FATHER IN PATIENT'S HOUSEHOLD
               type: numeric (float)
               label: F86FATHP
       range: [1,3] units: 1
unique values: 3 coded missing: 547 / 2495
tabulation: Freq. Numeric Label
                       21 1 NA
                       1311 2 NO
616 3 YES
                       1311
F86MOTHP ----- MOTHER IN PATIENT'S HOUSEHOLD
               type: numeric (float)
              label: F86MOTHP
                              units: 1
coded missing: 346 / 2495
               range: [1,3]
        unique values: 3
          tabulation: Freq. Numeric Label
                       19 1 NA
585 2 NO
1545 3 YES
F86GRANP ----- GRANDPARENTS IN PATIENT'S HOUSEHOLD
              type: numeric (...
label: F86GRANP
range: [1,3] units: 1
coded missing: 687 / 2495
               type: numeric (float)
       unique values: 3 co
tabulation: Freq. Numeric Label
                       63 1 NA
                       1513 2 NO
232 3 YES
F86NGRAN ----- NUMBER OF GRANDPARENTS IN HH MODIFIED
               type: numeric (float)
              range: [0,4]
                                               units: 1
                                       coded missing: 2301 / 2495
        unique values: 5
          tabulation: Freq. Value
                         9 0
                        141 1
                        37 2
                         6 3
                         1 4
F86NGRAN:
 1. Required only if F86GRANP=3.
```

CSSCD FULL COHORT PATIENTS

```
F86SIBP ----- SIBLINGS IN PATIENT'S HOUSEHOLD
              type: numeric (float)
             label: F86SIBP
             range: [1,3] units. .

values: 3 coded missing: 403 / 2495
       unique values: 3 co
tabulation: Freq. Numeric Label
                     101 1 NA
                    664 2 NO
1327 3 YES
F86NSIB ----- NUMBER OF SIBLINGS IN HH MODIFIED
             type: numeric (float)
             range: [1,11]
                                           units: 1
       unique values: 10
                                   coded missing: 1187 / 2495
tabulation: Freq. Value
                                     tabulation: Freq. Value
            577 1
                                                   25 6
            388 2
                                                    7 7
            187 3
                                                    1 9
            90 4
                                                     1 10
            30 5
                                                     2 11
F86NSIB:
 1. Required only if F86SIBP=3.
F860FFP ----- OFFSPRING IN PATIENT'S HOUSEHOLD
              type: numeric (float)
             label: F860FFP
             range: [1,3] units: 1
values: 3 coded missing: 553 / 2495
       unique values: 3
         tabulation: Freq. Numeric Label
                    596 1 NA
853 2 NO
493 3 YES
F86NOFF ----- NUMBER OF OFFSPRING IN HH MODIFIED
              type: numeric (float)
             range: [1,6]
                                           units: 1
                                   coded missing: 2003 / 2495
       unique values: 6
         tabulation: Freq. Value
                     263 1
                     150 2
                      55 3
                      18 4
                       4 5
                       2 6
F86NOFF:
```

1. Required only if F860FFP=3.

CSSCD FULL COHORT PATIENTS

```
F86UNCP ----- UNCLES OR AUNTS IN PATIENT'S HOUSEHOLD
             type: numeric (float)
             label: F86UNCP
             range: [1,3] units. .

values: 3 coded missing: 646 / 2495
       unique values: 3 co
tabulation: Freq. Numeric Label
                    219 1 NA
                    1439 2 NO
191 3 YES
F86NUNC ----- NUMBER OF UNCLES OR AUNTS IN HH MODIFIED
             type: numeric (float)
            range: [1,5]
                                          units: 1
       unique values: 5
                                  coded missing: 2313 / 2495
         tabulation: Freq. Value
                     121 1
                     39 2
                      10 3
                      11 4
                      1 5
F86NUNC:
 1. Required only if F86UNCP=3.
F86NIECP ----- NIECES OR NEPHEWS OF PATIENT
             type: numeric (float)
             label: F86NIECP
             unique values: 3 co
tabulation: Freq. Numeric Label
                    241 1 NA
1411 2 NO
178 3 YES
                    1411
F86NNIEC ----- NUMBER OF NIECES OR NEPHEWS IN HH MODIFIED
              type: numeric (float)
             range: [1,7]
                                          units: 1
       unique values: 7
                                coded missing: 2327 / 2495
         tabulation: Freq. Value
                     77 1
                      52 2
                      21 3
                      8 4
                      6 5
                      3 6
F86NNIEC:
```

1. Required only if F86NIECP=3.

CSSCD FULL COHORT PATIENTS

```
F86COUSP ----- COUSINS IN PATIENT'S HOUSEHOLD
              type: numeric (float)
              label: F86COUSP
       range: [1,3] units: 1
unique values: 3 coded missing: 681 / 2495
tabulation: Freq. Numeric Label
              range: [1,3]
                                           units: 1
                     223 1 NA
                     1497 2 NO
94 3 YES
                     1497
F86NCOUS ----- NUMBER OF COUSINS IN HH MODIFIED
             type: numeric (float)
             range: [1,6]
                                           units: 1
                                   coded missing: 2409 / 2495
       unique values: 6
         tabulation: Freq. Value
                      47 1
                      18 2
                      10 3
                       7 4
                       2 5
                       2 6
F86NCOUS:
 1. Required only if F86COUSP=3.
F860THR1 ----- OTHERS IN PATIENT'S HOUSEHOLD
              type: numeric (float)
             label: F860THR1
       range: [1,3] units: 1
unique values: 3 coded missing: 732 / 2495
tabulation: Freq. Numeric Label
                     123 1 NA
                     1438 2 NO
202 3 YES
F86NOTHR ----- NUMBER OF OTHERS IN HH MODIFIED
              type: numeric (float)
             range: [1,9]
                                           units: 1
       unique values: 8
                                   coded missing: 2305 / 2495
         tabulation: Freq. Value
                     137 1
                      26 2
                      12 3
                       4 4
                       3 5
                       3 6
                       2 7
                       3 9
F86NOTHR:
```

1. Required only if F860THR1=3.

CSSCD FULL COHORT PATIENTS

F86L6DC ----- PATIENT ATTENDED DAY CARE,<= 6 YRS OLD type: numeric (float) label: F86L6DC range: [1,2] units. .
values: 2 coded missing: 1605 / 2495 unique values: 2 tabulation: Freq. Numeric Label 527 1 NO 363 2 YES F86L6DC: 1. Required only if patient entered into study at age 6 years or less. F86L6DCY ------ YEAR ENTERED DAY CARE DELETED type: numeric (float) range: [70,88] units: 1 unique values: 19 coded missing: 2149 / 2495 tabulation: Freq. Value tabulation: Freq. Value 29 80 2 70 4 71 26 81 4 72 32 82 5 73 36 83 10 74 17 84 13 75 27 85 24 76 30 86 12 77 14 87 28 78 1 88 32 79 F86L6DCY: 1. Required only if F86L6DC=2. F86L6K ----- ATTENDED KINDERGARDEN type: numeric (float) label: F86L6K range: [1,2] units: 1 coded missing: 1610 / 2495 unique values: 2 tabulation: Freq. Numeric Label 1 NO 278 2 YES 607

F86L6K:

1. Required only if patient entered into study at age 6 years or less.

CSSCD FULL COHORT PATIENTS

F86L6KY				ENTRY YFAF	RINTO	KINDFRGARDEN	N DELETED
	numeric (f			L. TLAI	. 11110	TENDENGARDER	. JEEEIED
	[70,88]	,		units:	1		
unique values:	19		coded	missing:	1920	/ 2495	
tabulation: Freq. Valu	ıe		tal	oulation:	Freq.	Value	
4 70						80	
3 71						81	
8 72						82	
7 73 7 74						83 84	
19 75						85	
19 76						86	
24 77					21	87	
37 78					5	88	
53 79							
F86L6KY:							
1. Required only if F	86L6K=2.						
F860THR2					OTH	ER EDUCATION	N
type:	numeric (f	loat)					
label:	F860THR2						
	[1,2]			units:			
unique values:	2		coded	missing:	1921	/ 2495	
tabulation:							
	539 35	1 2	NO YES				
FORTUPO							
F860THR2: 1. Required only if p	oatient ente	red ir	nto study a	t age 6 ye	ears or	less.	
F860TH2Y				EN7	RY YEA	R INTO OTHER	R DELETED
	numeric (f						
range: unique values:	[76,88]		coded	units:		/ 2405	
unique values.	11		coueu	missing.	2409	/ 2493	
tabulation:	Freq. Valu	ae					
	1 76						
	2 77						
	1 78						
	1 80						
	1 81 1 82						
	1 82						
	5 84						
	6 85						
	5 86						
	2 88						
FOOTHOW							
F860TH2Y:							

1. Required only if F860THR2=2.

-86HI	GRD							H	IGHEST GR	ADE LEVE	L COMPLE	TED	MODIFIE
					numeric F86HIGR		at)						
			range	:	[0,20]				units:	1			
	uni		alues					coded	missing:	146 /	2495		
ab:	Freq.	Num	eric	La	abel			tab:	Freq.	Numeric	Label		
	62		0	Κ					131	10	10		
	81		1	1					160	11	11		
	77		2	2					514	12	12		
	77		3	3					95	13	1 YR C	OLLEGE	Ξ
	95		4	4					179	14	2 YR C		
	94			5					60	15			
	87		6						83	16	4 YR C	OLLEGE	<u> </u>
	80		7						1	18			
	97		8	8					5	19			
	114		9	9					257	20	NA		
:86YC	:MPL				numeric			YEAR C	OMPLETED	HIGHEST	GRADE LE	EVEL	DELETI
					[21,99]				units:	1			
	uni		alues					coded	missing:		2495		
tab:	Freq.	•				tab:	Frea.	Value	•	-	: Freq.	Val	ue
	1	21					7			20.0	41		
	1	25					7				41		
	2	29					7	56			30		
	2	33					7	57			42		
	1	34					9	58			57		
	1	35					5	59			56	79	
	1	36					10	60			57	80	
	2	40					6	61			51	81	
	2	41					12	62			61	82	
	4	42					8	63			81	83	
	2	44					13	64			76	84	
	1	45					17	65			285	85	
	2	46					20	66			486	86	
	1	47					21	67			222	87	
	4	48					20	68			18	88	
	2	49					29	69			1	90	
	3	50					29	70			2	91	
	2	51					19	71			1	94	
	4						29				1	99	
	3	53					37	73					
-86YC													
1.	Requir	ed on	ly if	ра	atient p	artic	ipated	in the	standard	school s	ystem.		
-86SP	'ED		type	:	numeric	(floa		ATTEND	ED SPECIA	L EDUCAT	ION CLAS	SSES	
					[1,2]				units:	1			
	uni		alues					coded	missing:		2495		
					Freq.	Nume	ric la		55±119 •	5.5 /	50		
				-	1999		1 NO						
					1999		I NU						

CSSCD FULL COHORT PATIENTS

	TADE						ATTENDED	TRADE	3CH00L	
			: numeric (float)						
			: F86TRADE							
			: [1,2]				s: 1			
		que values			coded	missin	g: 353	/ 2495		
		tabulation	: Freq. N							
				1						
			277	2	YES					
- 860T	ГНR3					- ATTEN	DED SOME	OTHER (SCH00L	
		type	: numeric (float)						
		label	: F860THR3							
		range	: [1,2]			unit	s: 1			
	uni	que values	: 2		coded	missin	g: 460	/ 2495		
		tabulation	: Freq. N	umeric	Label					
			1949	1	NO					
			86	2	YES					
86YY	/DC		: numeric (YEAR ENT	ERED DA	Y CARE	DELET
			: [48,88]				s: 1			
	uni	que values	: 25		coded	missin	g: 2127	/ 2495		
tab:	Freq.	Value	tab: Freq.	Value	tab:	Freq.	Value	tab:	Freq.	Value
		48		71		31				85
	3	63	8	72		24	79		34	86
	1	64	9	73		25	80		13	87
	1	65	16	74		16	81		1	88
	1	68	18	75		32	82			
	2	69	26	76		36	83			
	5	70	15	77		17	84			
-86YY	/DC:									
			patient ent	ered da	y care.					
1.	Requir	ed only it								
						YFAR	ENTERED	KINDER	3ARDEN	DEI ET
						YEAR	ENTERED	KINDER	GARDEN	DELET
		type					ENTERED	KINDER	GARDEN	DELET
	/K	type	: numeric (unit	s: 1		GARDEN	DELET
-86YY	/K uni	type range	: numeric (: [36,89] : 45	float)	coded	unit missin	s: 1 g: 1773			
-86YY	/K uni	type range que values	: numeric (: [36,89] : 45	float)	coded	unit missin	s: 1 g: 1773	/ 2495		
-86YY	/K uni Freq.	type range que values Value	: numeric (: [36,89] : 45 tab: Freq.	float) Value	coded	unit missin Freq.	s: 1 g: 1773 Value	/ 2495	Freq.	Value 79
-86YY	/K uni Freq. 1	type range que values Value 36	: numeric (: [36,89] : 45 tab: Freq.	float) Value 57	coded	unit missin Freq. 3	s: 1 g: 1773 Value 68	/ 2495	Freq. 56	Value 79
-86YY	uni Freq. 1	type range que values Value 36 38	: numeric (: [36,89] : 45 tab: Freq. 1	float) Value 57 58	coded	unit missin Freq. 3	s: 1 g: 1773 Value 68 69	/ 2495	Freq. 56 53	Value 79 80
-86YY	uni Freq. 1 1	type range que values Value 36 38	: numeric (: [36,89] : 45 tab: Freq. 1 2	Value 57 58 59	coded	unit missin Freq. 3 9	s: 1 g: 1773 Value 68 69 70	/ 2495	Freq. 56 53 59	Value 79 80 81
-86YY	uni Freq. 1 1 1	type range que values Value 36 38 44	: numeric (: [36,89] : 45 tab: Freq. 1 2	Value 57 58 59 60	coded	unit missin Freq. 3 9 8	s: 1 g: 1773 Value 68 69 70	/ 2495	Freq. 56 53 59 40	Value 79 80 81 82
-86YY	uni Freq. 1 1 1 1	type range que values Value 36 38 44 46 47	: numeric (: [36,89] : 45 tab: Freq. 1 2 1 4	Value 57 58 59 60 61	coded	unit missin Freq. 3 9 8 12 16 22	s: 1 g: 1773 Value 68 69 70 71	/ 2495	Freq. 56 53 59 40 46	Value 79 80 81 82 83
-86YY	uni Freq. 1 1 1 1 1 2	type range que values Value 36 38 44 46 47	: numeric (: [36,89] : 45 tab: Freq. 1 2 1 4 4	Value 57 58 59 60 61 62	coded	unit missin Freq. 3 9 8 12 16 22	s: 1 g: 1773 Value 68 69 70 71 72	/ 2495	Freq. 56 53 59 40 46 71	Value 79 80 81 82 83
-86YY	uni Freq. 1 1 1 1 2 2	type range que values Value 36 38 44 46 47 49	: numeric (: [36,89] : 45 tab: Freq. 1 2 1 4 4 2 3	Value 57 58 59 60 61 62 63	coded	unit missin Freq. 3 9 8 12 16 22 22	s: 1 g: 1773 Value 68 69 70 71 72 73	/ 2495	Freq. 56 53 59 40 46 71 55	Value 79 80 81 82 83 84 85
-86YY	uni Freq. 1 1 1 1 2 2	type range que values Value 36 38 44 46 47 49 50	: numeric (: [36,89] : 45 tab: Freq. 1 2 1 4 4 2 3 3	Value 57 58 59 60 61 62 63 64	coded	unit missin Freq. 3 9 8 12 16 22 22 31	s: 1 g: 1773 Value 68 69 70 71 72 73 74	/ 2495	Freq. 56 53 59 40 46 71 55 26	Value 79 80 81 82 83 84 85 86 87
	uni Freq. 1 1 1 1 2 2 1 2	type range que values Value 36 38 44 46 47 49 50 51	: numeric (: [36,89] : 45 tab: Freq. 1 2 1 4 4 2 3 3	Value 57 58 59 60 61 62 63 64 65	coded	unit missin Freq. 3 9 8 12 16 22 22 31 37	s: 1 g: 1773 Value 68 69 70 71 72 73 74 75 76	/ 2495	Freq. 56 53 59 40 46 71 55 26 24	Value 79 80 81 82 83 84 85 86 87

1. Required only if patient entered kindergarten.

CSSCD FULL COHORT PATIENTS

F86YYH	IS						- YEAR	GRADUATE	D HIGH	SCH00L	DELETED
		ty	pe: num	neric (f	loat)						
		ran	ge: [37	,94]	•		uni	ts: 1			
	uni	que valu	es: 50			coded	l missi	ng: 1744	/ 2495		
tab:	Freq.	Value	tab:	Freq.	Value	tab:	Freq.	Value	tab:	Freq.	Value
	1	37		6	56		31	69		35	82
	1	40		3	57		18	70		37	83
	2	42		9	58		15	71		43	84
	1	44		4	59		22	72		42	85
	1	45		5	60		28	73		35	86
	1	46		4	61		30	74		13	87
	3	48		11	62		30	75		8	88
	2	49		6	63		27	76		1	89
	2	50		6	64		35	77		2	91
	1	52		13	65		27	78		1	92
	1	53		18	66		41	79		1	94
	5	54		19	67		53	80			
	3	55		17	68		31	81			
F86YYH	HS:										

1. Required only if patient graduated from high school.

F86YYCOL ------ YEAR ENTERED COLLEGE **DELETED**

type: numeric (float)

range: [35,88] units: 1

	uni	que values	37			code	d missir	ng: 2130	/ 2495		
tab:	Freq.	Value	tab:	Freq.	Value	tab:	Freq.	Value	tab:	Freq.	Value
	1	35		2	61		10	71		24	80
	1	45		1	62		12	72		21	81
	1	49		5	63		11	73		20	82
	1	50		2	65		15	74		26	83
	2	54		3	66		17	75		22	84
	1	55		8	67		22	76		13	85
	2	56		4	68		16	77		17	86
	2	57		15	69		16	78		10	87
	1	58		11	70		25	79		2	88
	3	60									

F86YYCOL:

1. Required only if patient entered college.

F86YYHIC ----- YEAR HIGHEST COLLEGE LEVEL DELETED

type: numeric (float)

range: [59,88] units: 1
values: 27 coded missing: 2204 / 2495
lue tab: Freq. Value tab: Freq. Value tab: unique values: 27

τap:	Freq.	value	tap:	rreq.	value	tap:	rreq.	value	tap:	Freq.	value
	1	59		5	69		11	76		29	83
	3	62		6	70		12	77		23	84
	2	63		7	71		15	78		33	85
	5	65		4	72		14	79		27	86
	1	66		5	73		17	80		11	87
	2	67		8	74		18	81		1	88
	2	68		11	75		18	82			

F86YYHIC:

1. Required only if patient completed a college level.

CSSCD FULL COHORT PATIENTS

F86YYPC	Value 84 85
range: [22,86] units: 1 unique values: 15 coded missing: 2469 / 2495 tab: Freq. Value tab: Freq. Value tab: Freq. Value tab: Freq. 1 22 1 72 2 77 2 1 65 1 73 1 79 5	84
unique values: 15 coded missing: 2469 / 2495 tab: Freq. Value tab: Freq. Value tab: Freq. Value tab: Freq. 1 22 1 72 2 77 2 1 65 1 73 1 79 5	84
unique values: 15 coded missing: 2469 / 2495 tab: Freq. Value tab: Freq. Value tab: Freq. Value tab: Freq. 1 22 1 72 2 77 2 1 65 1 73 1 79 5	84
tab: Freq. Value tab: Freq. Value tab: Freq. Value tab: Freq. 1 22 1 72 2 77 2 1 65 1 73 1 79 5	84
1 22 1 72 2 77 2 1 65 1 73 1 79 5	84
1 65 1 73 1 79 5	
	85
1 70 2 74 2 82 2	
1 71 2 75 2 83	80
F86YYPC:	
 Required only if patient began graduate school. 	
F86TSYCA TRADE SCHOOLYEAR CERTIFICATE AWARDED	DELETED
type: numeric (float)	5222.25
range: [46,87] units: 1	
unique values: 33 coded missing: 2340 / 2495	
tab: Freq. Value tab: Freq. Value tab: Freq. Value	Value
1 46 1 63 3 72 7	81
1 50 1 64 4 73 11	82
1 55 1 65 2 74 10	83
1 57 4 66 5 75 14	84
1 59 2 67 4 76 17	
	86
	87
1 62 4 70 13 79	
1 71 11 80	
F86TSYCA:	
1. Required only if patient was awarded a trade school certificate.	
F86PYCA PROFESSIONALYEAR CERTIFICATE AWARDED	DELETED
type: numeric (float)	
range: [55,87] units: 1	
unique values: 18 coded missing: 2455 / 2495	
tab: Freq. Value tab: Freq. Value tab: Freq.	Value
·	85
1 67 3 75 4 81 2	
	87
1 71 1 77 1 83	
1 72 1 78 3 84	

F86PYCA:

1. Required only if patient was awarded a professional certificate.

CSSCD FULL COHORT PATIENTS

```
F86YCPCS ------ YEAR COMPLETED HI.LEVEL POST-COL. SCHOOL DELETED
               type: numeric (float)
              range: [71,87]
                                             units: 1
                                 coded missing: 2480 / 2495
       unique values: 11
          tabulation: Freq. Value
                        1 71
                        1 72
                        1 74
                        1 76
                        4 78
                        1 81
                        1 84
                        1 85
                        2 86
                        1 87
F86YCPCS:
 1. Required only if patient attended graduate school.
F86ATSCH ----- CURRENTLY ATTENDING SCHOOL
               type: numeric (float)
              label: F86ATSCH
              range: [1,3]
                                            units: 1
                                     coded missing: 103 / 2495
       unique values: 3
          tabulation: Freq. Numeric Label
                      1237 1 NO
1052 2 YES,FULL-TIME
103 3 YES,PART-TIME
                      1237
F86SCTYP ----- TYPE OF SCHOOL
               type: numeric (float)
              label: F86SCTYP
              range: [1,7] units: 1
values: 7 coded missing: 1419 / 2495
       unique values: 7
          tabulation: Freq. Numeric Label
                             1 DAY CARE
                       62
                               2 KINDERGARTEN
                       54
                                3 ELEMENTARY
                       462
                       152
                                4 JUNIOR HIGH
                      195 5 SENIOR HIGH
135 6 COLLEGE
16 7 GRADUATE-PRO
                               7 GRADUATE-PROF.
F86SCTYP:
```

1. Required only if F86ATSCH>1.

CSSCD FULL COHORT PATIENTS

F86GLEVL ----- CURRENT GRADE LEVEL type: numeric (float) label: F86GLEVL range: [1,16] units. .

values: 16 coded missing: 1405 / 2495 unique values: 16 tabulation: Freq. Numeric Label 69 1 1 81 2 2 71 3 3 73 4 4 87 5 5 86 6 6 83 7 7 71 8 8 71 9 9 70 10 10 64 11 11 12 12 87 13 1 YR COLLEGE 57 14 2 YR COLLEGE 53 40 15 3 YR COLLEGE 27 16 4 YR COLLEGE +

F86GLEVL:

Required only if F86SCTYP>=3.

CSSCD FULL COHORT PATIENTS

F86SPEDC ----- ATTENDING SPECIAL ED. CLASSES type: numeric (float) label: F86SPEDC range: [1,2] units: 1
values: 2 coded missing: 224 / 2495 unique values: 2 tabulation: Freq. Numeric Label 2146 1 NO 125 2 YES F86TDSCC ----- ATTENDING TRADE SCHOOL CLASSES type: numeric (float) label: F86TDSCC range: [1,2] units: 1
unique values: 2 coded missing: 299 / 2495 tabulation: Freq. Numeric Label 2157 1 NO 39 2 YES F860THR4 ----- ATTENDING SOME OTHER SCHOOL type: numeric (float) label: F860THR4 range: [1,2] units: 1
unique values: 2 coded missing: 339 / 2495 tabulation: Freq. Numeric Label 2120 1 NO 36 2 YES F86REPET ----- REPEATED ANY GRADE LEVELS type: numeric (float) label: F86REPET range: [1,6] units: 1 unique values: 6 coded missing: 79 / 2495 tabulation: Freq. Numeric Label 32 1 DK 336 2 NA 1450 3 NO 213 4 YES,NO REASON 271 5 YES,SICKLE CELL 114 6 YES,OTHER REASON

CSSCD FULL COHORT PATIENTS

```
F86GLREP ------ GRADE LEVEL #1 REPEATED MODIFIED
             type: numeric (float)
             label: F86GLREP
             range: [0,16] units. .

values: 17 coded missing: 1883 / 2495
       unique values: 17
         tabulation: Freq. Numeric Label
                     24 0 K
                    117
                             1 1
                     78
                             2 2
                     78
                             3 3
                     54
                             4 4
                             5 5
                     52
                     32
                             6 6
                             7 7
                     42
                             8 8
                     28
                     31
                             9 9
                     35
                            10 10
                     14
                            11 11
                            12 12
                     19
                      4
                            13 1 YR COLLEGE
                      1
                            14 2 YR COLLEGE
                      2
                            15 3 YR COLLEGE
                      1
                            16 4 YR COLLEGE +
F86GLREP:
 1. Required only if F86REPET>3.
F86GLRP2 ----- GRADE LEVEL #2 REPEATED MODIFIED
             type: numeric (float)
             label: F86GLRP2
            range: [0,14]
                                        units: 1
                                 coded missing: 2396 / 2495
      unique values: 14
         tabulation: Freq. Numeric Label
                     3
                         0 K
                      4
                             1 1
                            2 2
                     10
                     15
                             3 3
                     11
                             5 5
                     14
                             6 6
                     14
                             7 7
                      9
                      5
                             8 8
                      8
                             9 9
                             10 10
                      3
                      1
                             11 11
                      1
                            12 12
                            14 2 YR COLLEGE
                      1
```

F86GLRP2:

1. Required only if patient has repeated more than 1 grade level.

CSSCD FULL COHORT PATIENTS

F86HBT ----- HOMEBOUND TEACHER

type: numeric (float)

label: F86HBT

range: [1,4] units: 1

coded missing: 234 / 2495 unique values: 4

tabulation: Freq. Numeric Label

448 1 NA 1583 2 NO

45 3 YES,NOW

4 YES, IN PAST 185

```
F86DDLAY ----- DEVELOPMENTALLY DELAYED
               type: numeric (float)
              label: F86DDLAY
              range: [1,3]
                                             units: 1
       unique values: 3 co
tabulation: Freq. Numeric Label
                             coded missing: 927 / 2495
                      1466 1 NO
                                2 YES
                       92
                        10
                                3 DK
F86DDLAY:
 1. Required only if patient is < 18 years of age.
F86DCAUS ----- POSSIBLE CAUSE OF DELAY
               type: numeric (float)
              label: F86DCAUS
              range: [1,256]
                                             units: 1
       unique values: 14 coded missing: 2411 / 2495
          tabulation: Freq. Numeric Label
                        1 1 MATERNAL PROBLEMS (1)
                             2 BIRTH ASPHYXIA (2)
                        0
                               3
                        1
                        3 4 PREMATURITY (4)
2 8 MENINGITIS (8)
14 16 STROKE (16)
2 32 SEIZURES (32)
                              48
                         5
                               64 FAMILY HISTORY (64)
                        1
                              112
                             128 OTHER (128)
                        25
                               136
                         1
                              160
                         1
                              192
                        1
                        24
                               256 UNKNOWN (256)
F86DCAUS:
 1. Required only if F86DDLAY=2.
 2. Required only if patient is < 18 years of age.
 3. Binary coded variable. See Part II for explanation for binary coded
     variables.
F86DDOC ----- DELAY DOCUMENTED BY PSY. TEST
               type: numeric (float)
              label: F86DD0C
              range: [1,4]
                                             units: 1
       unique values: 4 co
tabulation: Freq. Numeric Label
                                     coded missing: 2270 / 2495
                      149 1 NO,NOT DELAYED
                             2 YES, DELAYED
3 DK, RESULTS UNK.
                       45
                        9
                               4 NEVER TESTED
                        22
F86DDOC:
```

- 1. Required only if F86DDLAY=2.
- 2. Required only if patient is < 18 years of age.

```
F86PDLAY ----- PHYSICIAN: DEVELOPMENTALLY DELAYED
                type: numeric (float)
               label: F86PDLAY
               range: [1,3]
                                                units: 1
        unique values: 3 co
tabulation: Freq. Numeric Label
                              coded missing: 810 / 2495
                       1593
                             1 NO
                                  2 YES
                         85
                          7
                                  3 DK
F86PDLAY:
 1. This response was supposed to be given by a physician.
 2. Required only if patient is < 18 years of age.
F86PCAUS ----- PHYSICIAN: POSSIBLE CAUSE OF DELAY
                type: numeric (float)
               label: F86PCAUS
               range: [4,256] units. .

values: 12 coded missing: 2419 / 2495
        unique values: 12
           tabulation: Freq. Numeric Label
                         0 1 MATERNAL PROBLEMS (1)
                          0
                                  2 BIRTH ASPHYXIA (2)
                         1 4 PREMATURITY (4)
2 8 MENINGITIS (8)
23 16 STROKE (16)
2 32 SEIZURES (32)
                          1
                                34
                          2
                                 48
                                 64 FAMILY HISTORY (64)
                          4
                          1
                                112
                         16
                                128 OTHER (128)
                                160
                          1
                          3
                                192
                         20
                                 256 UNKNOWN (256)
F86PCAUS:
 1. Required only if F86PDLAY=2.
 2. Required only if patient is < 18 years of age.
 3. Binary coded variable. See Part II for explanation of binary coded
     variables.
F86PDOC ----- PHYSICIAN: DELAY DOCUMENTED BY PSY. TEST
               type: numeric (float)
               label: F86PDOC
               range: [1,4]
                                                units: 1
        unique values: 4
                                        coded missing: 2315 / 2495
           tabulation: Freq. Numeric Label
                        135 1 NO,NOT DELAYED
                               2 YES, DELAYED
3 DK, RESULTS UNK.
                         43
                         1
                                  4 NEVER TESTED
F86PD0C:
```

- Required only if F86PDLAY=2.
- 2. Required only if patient is < 18 years of age.

CSSCD FULL COHORT PATIENTS

type: numeric (float) label: F86HOMM range: [1,2] units. .
values: 2 coded missing: 2370 / 2495 unique values: 2 tabulation: Freq. Numeric Label 24 1 NO 101 2 YES 2 YES F86NWSTU ----- NON-WORKING STUDENT type: numeric (float) label: roc.... range: [1,2] unique values: 2 label: F86NWSTU units: 1 coded missing: 1713 / 2495 tabulation: Freq. Numeric Label 11 1 NO 771 2 YES F86WKSTU ----- WORKING STUDENT type: numeric (float) label: F86WKSTU range: [1,2] units: 1 unique values: 2 coded missing: 2386 / 2495 tabulation: Freq. Numeric Label 17 1 NO 92 2 YES 17 F86NVRWK ----- NEVER WORKED type: numeric (float) type: numeric ()

label: F86NVRWK

range: [1,2] units: 1

values: 2 coded missing: 1957 / 2495 unique values: 2 tabulation: Freq. Numeric Label 11 1 NO 527 2 YES 2 YES F86UNEMP ----- UNEMPLOYED type: numeric (float) label: F86UNEMP
range: [1,2]
unique values: 2 units: 1 coded missing: 2162 / 2495 tabulation: Freq. Numeric Label 16 1 NO 317 2 YES

```
type: numeric (float)
              label: F86J0B1
       25 1 PROF. OR TECH.
                        9
                                2 MANAGER OR ADMIN.
                            2 MANAGER ON ...
3 SALES
4 CLERICAL
5 CRAFT
6 OPERATIVE
7 SERVICE
8 PRIVATE HSEHOLD
9 FARM WORKER
                        9
                        56
                        9
                        18
                        34
                         2
F86J0B1:
 1. Required only if F86UNEMP=2.
F86JOB2 ------ TYPE OF JOB
               type: numeric (float)
              label: F86J0B2
       range: [1,8] units: 1
unique values: 7 coded missing: 2447 / 2495
tabulation: Freq. Numeric Label
                        1 PROF. OR
4 3 SALES
17 4 CLERICAL
2 5 CRAFT
4 6 OPERATIVE
13 7 SERVICE
3 8 PRIVATE
                       5 1 PROF. OR TECH.
                                8 PRIVATE HSEHOLD
F86J0B2:
 1. Required only if F86UNEMP=2.
F86EMPPT ----- EMPLOYED PART TIME
               type: numeric (float)
              label: F86EMPPT
       range: [1,2] units: 1
unique values: 2 coded missing: 2331 / 2495
tabulation: Freq. Numeric Label
                      12 1 NO
                                2 YES
                       152
F86HRPWK ----- HOURS PER WEEK
               type: numeric (float)
             range: [4,82]
                                              units: 1
                                   coded missing: 2357 / 2495
       unique values: 27
mean: 23.3043
            std. dev: 9.52186
         percentiles: 10% 25% 50% 75% 15 18 20 30
                                                            90%
                                                          32
F86HRPWK:

    Required only if F86EMPPT=2.
```

CSSCD FULL COHORT PATIENTS

```
type: numeric (float)
             label: F86J0B3
             range: [1,8]
                                           units: 1
       unique values: 8 co
tabulation: Freq. Numeric Label
                           coded missing: 2386 / 2495
                      19 1 PROF. OR TECH.
                      2
                              2 MANAGER OR ADMIN.
                           3 SALES
4 CLERICAL
5 CRAFT
6 OPERATIVE
7 SERVICE
8 PRIVATE HSEHOLD
                      11
                      32
                       8
                       4
                       30
                       3
F86J0B3:

    Required only if F86EMPPT=2.

F86EMPFT ----- EMPLOYED FULL TIME
              type: numeric (float)
             label: F86EMPFT
       range: [1,2] units: 1
unique values: 2 coded missing: 2086 / 2495
tabulation: Freq. Numeric Label
                     14 1 NO
395 2 YES
F86HRSPW ----- HOURS PER WEEK
             type: numeric (float)
             range: [4,82] units: 1
values: 29 coded missing: 2107 / 2495
       unique values: 29
             mean: 39.549
           std. dev: 6.49907
        percentiles: 10% 25% 50% 75% 35 40 40 40
                                                        90%
                                                          40
F86HRSPW:

    Required only if F86EMPFT=2.

F86J0B4 ----- TYPE OF J0B
              type: numeric (float)
             unique values: 9
         tabulation: Freq. Numeric Label
                      87 1 PROF. OR TECH.
                            2 MANAGER OR ADMIN.3 SALES
                      21
                      15
                              4 CLERICAL
                      86
                              5 CRAFT
                      17
                            6 OPERATIVE
7 SERVICE
8 PRIVATE HSEHOLD
                      23
                      35
                       6
                              9 FARM WORKER
F86.I0R4 ·
```

1. Required only if F86EMPFT=2.

CSSCD FULL COHORT PATIENTS

F86NUMJB ----- NUMBER FULL TIME JOBS type: numeric (float) range: [1,7] units. .
values: 5 coded missing: 2392 / 2495 unique values: 5 tabulation: Freq. Value 81 1 14 2 2 3 2 4 4 7 F86NUMJB: Required only if F86EMPFT=2. F86DISAB ----- DISABLED type: numeric (float) label: F86DISAB range: [1,2] units: 1 values: 2 coded missing: 2013 / 2495 unique values: 2 tabulation: Freq. Numeric Label 25 1 NO 457 2 YES F86RDISA ----- REASON FOR DISABILITY type: numeric (float) label: F86RDISA range: [1,2] units: 1 values: 2 coded missing: 2053 / 2495 unique values: 2 tabulation: Freq. Numeric Label 411 1 SICKLE CELL 31 2 OTHER

F86RDISA:

1. Required only if F86DISAB=2.

```
F86APPDS ----- APPLIED FOR DISABILITY
                type: numeric (float)
               label: F86APPDS
        range: [1,4] units: 1
unique values: 4 coded missing: 134 / 2495
tabulation: Freq. Numeric Label
                       1268 1 NO
                        2/7 2 YES-NO
767 3 YES-YES
49 4 27
                                 4 YES-PENDING
F86DETER ----- DISABILITY DETERMINED BY...
                type: numeric (float)
               label: F86DETER
range: [1,128] units: 1
unique values: 18 coded missing: 1611 / 2495
tab: Freq. Numeric Label tab: Freq. Numeric Label
       774 1 SSA (1)
                                                19
        12 2 CSA (2)
2 4 VA (4)
                                                 18
6
                                                         32 OTHER (32)
                                                         33
                5
                                                         40
         4
                                                  1
           8 LOCAL STATE(8)
                                                         64 SELF (64)
        14
                                                  4
                9
                                                 1
         8
                                                         73
         3
                11
                                                 1
                                                        100
             16 LOCAL CITY(16)
                                                 1
                                                        111
               17
                                                        128
F86DETER:
 1. Required only if F86DISAB=2.
 2. Binary coded variable. See Part II for explanation of binary coded
     variables.
F86RECDS ----- STILL RECEIVING DISABILITY
                type: numeric (float)
               type: numerical label: F86RECDS range: [1,2] units: 1 coded missing: 1585 / 2495
        unique values: 2 cc
tabulation: Freq. Numeric Label
                        127 1 NO
783 2 YES
F86RECDS:
 1. Required only if F86DISAB=2.
F86REASN ----- REASON DISCONTINUED
                type: numeric (float)
               label: F86REASN
        range: [1,3] units: 1
unique values: 3 coded missing: 2402 / 2495
tabulation: Freq. Numeric Label
                         48 1 ABILITY TO WORK
                         7 2 CHNGE IN CRITER. 38 3 OTHER
F86REASN:

    Required only if F86RECDS=1.
```

```
F860BTEM ----- PREVENTED FROM OBTAINING EMPLOYMENT
              type: numeric (float)
              label: F860BTEM
              range: [1,3]
                                            units: 1
       unique values: 3
                                    coded missing: 347 / 2495
          tabulation: Freq. Numeric Label
                      867
                           1 NO
                      376 2 YES
905 3 NA
F86MTNEM ----- PREVENTED FROM MAINTAINMING EMPLOYMENT
              type: numeric (float)
              label: F86MTNEM
       range: [1,3]
unique values: 3
                                            units: 1
                                    coded missing: 367 / 2495
          tabulation: Freq. Numeric Label
                      701 1 NO
                          2 YES
3 NA
                      469
                      958
F86EMKNO ----- EMPLOYER KNOW YOU HAVE SCD
              type: numeric (float)
              label: F86EMKNO
              range: [1,3]
                                   units: 1
       unique values: 3
                                    coded missing: 454 / 2495
          tabulation: Freq. Numeric Label
                      218 1 NO
410 2 YES
                     1413
                               3 NA
F86EMKNO:
 1. Required only if F86WKSTU=2 or F86EMPPT=2 or F86EMPFT=2.
F86PFMST ----- PATIENT'S PERFORMANCE STATUS
              type: numeric (float)
              label: F86PFMST
              label: 100.
range: [1,8]
                                   units: 1
                                    coded missing: 190 / 2495
       unique values: 8
          tabulation: Freq. Numeric Label
                      462 1 NORMAL
467 2 MINOR,NO TIME
724 3 MINOR,5-10% TIME
425 4 MODERATE,10-25%
143 5 25-50% LOST
55 6 > 50% LOST
                       23
                              7 CONSID. ASSIST.
                       6 8 SEVERE DISABIL.
F86PFMST:
 1. Required only if patient > 5 years of age.
```

```
F86TIMHP ----- HOW MUCH TIME HOSPITALIZED
             type: numeric (float)
             label: F86TIMHP
            range: [1,6] units.

/alues: 6 coded missing: 77 / 2495
       unique values: 6
         tabulation: Freq. Numeric Label
                   1127 1 0 DAYS
                    494
                            2 1 DAY-1 WEEK
                    534
                            3 1 WEEK-1 MO.
                            4 1-2 MOS.
                    136
                           5 2-4 MOS.
                     95
                            6 > 4 MOS.
                     32
F86TIMHP:
 1. Required only if patient > 5 years of age.
F86MARP ----- PATIENT'S MARRIAGE
             type: numeric (float)
             label: F86MARP
            range: [1,3] units: 1 values: 3 coded missing: 83 / 2495
                                       units: 1
      unique values: 3
         tabulation: Freq. Numeric Label
                       1 NA
2 NO
3 YES
                   1194
                   1059
                    159
F86MARPP ----- PARENT OF PATIENT'S MARRIAGE
            type: numeric (float)
            label: F86MARPP
            range: [1,3] UIIII. .
values: 3 coded missing: 621 / 2495
       unique values: 3
         tabulation: Freq. Numeric Label
                    24 1 NA
                   1771
                            2 NO
                    79
                            3 YES
F86DIVP ----- PATIENT'S DIVORCE
             type: numeric (float)
            label: F86DIVP
            range: [1,3]
                                       units: 1
       unique values: 3
                                 coded missing: 104 / 2495
         tabulation: Freq. Numeric Label
                   1237 1 NA
                   1080
                             2 NO
                    74
                            3 YES
```

```
F86DIVPP ----- PARENT OF PATIENT'S DIVORCE
                type: numeric (float)
                label: F86DIVPP
        range: [1,3] units: 1
unique values: 3 coded missing: 605 / 2495
tabulation: Freq. Numeric Label
                        26 1 NA
1795 2 NO
69 3 YES
F86SEPP ----- PATIENT'S SEPARATION
                type: numeric (float)
                label: F86SEPP
        range: [1,3] units: 1
unique values: 3 coded missing: 108 / 2495
tabulation: Freq. Numeric Label
                       1232 1 NA
                       1067 2 NO
88 3 YES
F86SEPPP ----- PARENT OF PATIENT'S SEPARATION
                type: numeric (float)
               label: F86SEPPP
range: [1,3] units: 1
values: 3 coded missing: 600 / 2495
        unique values: 3
           tabulation: Freq. Numeric Label
                        26 1 NA
1759 2 NO
110 3 YES
F86REMP ----- PATIENT'S REMARRIAGE
                type: numeric (float)
               type: Inumerity (
label: F86REMP

range: [1,3] units: 1

coded missing: 103 / 2495
        unique values: 3 co
tabulation: Freq. Numeric Label
                        1244 1 NA
                        1127 2 NO
21 3 YES
F86REMPP ----- PARENT OF PATIENT'S REMARRIAGE
                type: numeric (float)
        label: F86REMPP
range: [1,3] units: 1
unique values: 3 coded missing: 615 / 2495
tabulation: Freq. Numeric Label
                        26 1 NA
                         1825 2 NO
29 3 YES
                        1825
```

CSSCD FULL COHORT PATIENTS

F86DOPS ----- DEATH OF PATIENT'S SPOUSE type: numeric (float) label: F86DOPS range: [1,3] units: 1 values: 3 coded missing: 133 / 2495 unique values: 3 tabulation: Freq. Numeric Label 1314 1 NA 1033 2 NO 15 3 YES 1033 F86SPSCD ------ SPOUSE HAD SCD type: numeric (float) label: F86SPSCD range: [1,2] units: 1 unique values: 2 coded missing: 2371 / 2495 tabulation: Freq. Numeric Label 116 1 NO 8 2 YES F86SPSCD: 1. Required only if F86DOPS=3. F86DOPP ----- DEATH OF PATIENT'S PARENT(S) type: numeric (float) label: F86DOPP units: 1 coded missing: 404 / 2495 range: [1,3] unique values: 3 tabulation: Freq. Numeric Label 766 1 NA 1201 2 NO 3 YES 124 F86PARSC ----- PARENT HAD SCD type: numeric (float) label: F86PARSC range: [1,2] units: 1 coded missing: 2199 / 2495 unique values: 2

209

tabulation: Freq. Numeric Label

269 1 NO 27 2 YES

F86PARSC:

1. Required only if F86DOPP=3.

```
F86DCFM ----- DEATH OF CLOSE FAMILY MEMBER
             type: numeric (float)
             label: F86DCFM
            range: [1,2] units.
values: 2 coded missing: 124 / 2495
      unique values: 2
         tabulation: Freq. Numeric Label
                   1624 1 NO
                   747
                            2 YES
F86JTOP ----- JAIL TERM OF PATIENT DELETED
             type: numeric (float)
             label: F86JTOP
            range: [1,2]
                                 units: 1
      unique values: 2
                                 coded missing: 147 / 2495
         tabulation: Freq. Numeric Label
                   2304 1 NO
                    44
                            2 YES
F86PFFJ ----- PATIENT FIRED FROM JOB
             type: numeric (float)
            label: F86PFFJ
            labe1: 100.
range: [1,2]
                                 units: 1
                                 coded missing: 166 / 2495
      unique values: 2
        tabulation: Freq. Numeric Label 2228 1 NO 101 2 YES
F86PFGIS ----- PATIENT FAILED GRADE IN SCHOOL
             type: numeric (float)
            type: Industrial (
label: F86PFGIS

range: [1,2] units: 1

relues: 2 coded missing: 162 / 2495
      unique values: 2
         tabulation: Freq. Numeric Label
                   2126 1 NO
                    207
                            2 YES
F86PWSP ----- PATIENT('S WIFE) STARTED PREGNANCY
             type: numeric (float)
            label: F86PWSP
      range: [1,2]
unique values: 2
                                        units: 1
                                 coded missing: 178 / 2495
         tabulation: Freq. Numeric Label
                   2049 1 NO
                   268 2 YES
```

CSSCD FULL COHORT PATIENTS

F86PWGB ----- PATIENT('S WIFE) GAVE BIRTH

type: numeric (float)

label: F86PWGB

range: [1,2] units: 1 values: 2 coded missing: 183 / 2495 unique values: 2

tabulation: Freq. Numeric Label

2086 1 NO 226 2 YES

F86BOS1 ----- BIRTH OF SIBLING

type: numeric (float)

label: F86BOS1

range: [1,2] units: 1
unique values: 2 coded missing: 166 / 2495

tabulation: Freq. Numeric Label

2143 1 NO 186 2 YES

F86HP									
	LN				Т	YPE OF HE	ALTH IN	SURANCE	PLAN
				c (float)					
			F86HPLI						
		_	[1,256]		units:			
		e values:				missing:	-		
tab:	•	Numeric			tab:	•	Numeric	Label	
	454		PRIVATE (5	68		
	220		PREPAID (GRP(2)		49	96		
	2	3				1	98		
	71		PRIVATE	IND(4)		1	100		
	6	5				1	105		
	6	6				108	128	OTHER	(128)
	12		MILITARY	(8)		30	129		
	1	10				8	130		
	1	11				1	131		
	1		SCHOOL (16)		10	132		
	1	18				1	135		
	1	21				1	136		
	1	22	MEDIO:=	(00)		28	160		
	81		MEDICARE	(32)		1	162		
	8	33				1	164		
	2	36				82	192		
	4	40	MEDIOAIO	(64)		1	193		
	930		MEDICAID	(64)		3	196		
	13	65				8	224	NONE	(050)
F86HP 1.			able. Se	e Part II	for explan	274 ation of		NONE	(200)
1.	LN: Binary c variable	oded vari s.				ation of	binary (coded	
1.	LN: Binary c variable	oded vari s.			for explan	ation of	binary (coded	
1.	LN: Binary c variable	oded vari s. type: label:	numerio	 c (float)		ation of	binary (coded	
1.	LN: Binary c variable	oded vari s. type: label: range:	numeri F86PREI [1,3]	 c (float)		ation of	binary o	coded	
1.	LN: Binary c variable EDG	oded vari s. type: label: range: e values:	numeri F86PREI [1,3] 3	c (float) OG	coded	ation of	binary o	coded	
1.	LN: Binary c variable EDG	oded vari s. type: label: range:	numeri F86PREI [1,3] 3	 c (float)	coded	ation of	binary o	coded	
1.	LN: Binary c variable EDG	oded vari s. type: label: range: e values:	numeri F86PREI [1,3] 3 Freq.	c (float) DG Numeric 1	coded Label	ation of	binary o	coded	
	LN: Binary c variable EDG	oded vari s. type: label: range: e values:	numeri F86PREI [1,3] 3 Freq. 500	C (float) DG Numeric 1 2	coded Label NO	ation of units: missing:	binary o	coded	
1. F86PR F86PR	EDG:	oded vari s. type: label: range: e values: bulation:	numeric F86PREI [1,3] 3 Freq. 500 654 1109	O (float) OG Numeric 1 2	coded Label NO YES, PART YES, FULL	ation of units: missing:	binary o	coded	
1. F86PR F86PR	EDG:	oded vari s. type: label: range: e values: bulation:	numeric F86PREI [1,3] 3 Freq. 500 654 1109	C (float) DG Numeric 1 2	coded Label NO YES, PART YES, FULL	ation of units: missing:	binary o	coded	
1. F86PR F86PR 1.	EDG: Required	oded vari s. type: label: range: e values: bulation:	numeri F86PREI [1,3] 3 Freq. 500 654 1109	Numeric 1 2 3 HPLN < 256	coded Label NO YES, PART YES, FULL	ation of units: missing:	PRESCR 1 232 /	Coded IPTION 2495	DRUGS
1. F86PR F86PR 1.	EDG: Required	oded vari s. type: label: range: e values: bulation:	numeri F86PREI [1,3] 3 Freq. 500 654 1109	Numeric 1 2 3 HPLN < 256	coded Label NO YES, PART YES, FULL	ation of units: missing:	PRESCR 1 232 /	Coded IPTION 2495	DRUGS
1. F86PR F86PR 1.	EDG: Required	oded vari s. type: label: range: e values: bulation: only if	numeri F86PREI [1,3] 3 Freq. 500 654 1109	Numeric 1 2 3 HPLN < 256	coded Label NO YES, PART YES, FULL	ation of units: missing:	PRESCR 1 232 /	Coded IPTION 2495	DRUGS
1. F86PR F86PR 1.	EDG: Required	oded vari s. type: label: range: e values: bulation: only if type: label:	numeri F86PREI [1,3] 3 Freq. 500 654 1109 1 <= F86I	Numeric 1 2 3 HPLN < 256	coded Label NO YES, PART YES, FULL	ation of units: missing:	PRESCR: 1 232 /	Coded IPTION 2495	DRUGS
1. F86PR F86PR 1.	EDG: Required	oded vari s. type: label: range: e values: bulation: only if type: label:	numeric F86PREI [1,3] 3 Freq. 500 654 1109 1 <= F86I	Numeric 1 2 3 HPLN < 256	coded Label NO YES, PART YES, FULL	ation of units: missing:	PRESCR: 1 232 /	IPTION 2495	DRUGS
1. F86PR F86PR 1.	EDG: Required OST	oded vari s. type: label: range: e values: bulation: only if type: label: range: e values:	numeric F86PREI [1,3] 3 Freq. 500 654 1109 1 <= F86I 	Numeric 1 2 3 HPLN < 256	coded Label NO YES, PART YES, FULL	units: missing:	PRESCR: 1 232 /	IPTION 2495	DRUGS
1. F86PR F86PR 1.	EDG: Required OST	oded vari s. type: label: range: e values: bulation: only if type: label: range: e values:	numeric F86PREI [1,3] 3 Freq. 500 654 1109 1 <= F86I 	Numeric 1 2 3 HPLN < 256	coded Label NO YES, PART YES, FULL S.	units: missing:	PRESCR: 1 232 /	IPTION 2495	DRUGS
1. F86PR F86PR 1.	EDG: Required OST	oded vari s. type: label: range: e values: bulation: only if type: label: range: e values:	numeric F86PREI [1,3] 3 Freq. 500 654 1109 1 <= F86I numeric F86HCO3 [1,3] 3 Freq.	OC (float) OG Numeric 1 2 3 HPLN < 256 CC (float) ST Numeric 1	coded Label NO YES, PART YES, FULL S.	units: missing: units: missing:	PRESCR: 1 232 /	IPTION 2495	DRUGS
1. F86PR F86PR 1.	EDG: Required OST	oded vari s. type: label: range: e values: bulation: only if type: label: range: e values:	numeric F86PREI [1,3] 3 Freq. 500 654 1109 1 <= F86I	Numeric 1 2 3 HPLN < 256 C (float) ST Numeric 1 2	coded Label NO YES, PART YES, FULL S. coded Label NO	units: missing: units: missing:	PRESCR: 1 232 /	IPTION 2495	DRUGS

```
F86MEDEQ ----- MEDICAL EQUIPMENT OR SUPPLIES
             type: numeric (float)
             label: F86MEDEQ
             range: [1,3]
                                         units: 1
       unique values: 3
                          coded missing: 316 / 2495
         tabulation: Freq. Numeric Label
                    379 1 NO
                     744
                             2 YES, PART
                    1056
                             3 YES, FULL
F86MEDEQ:
 1. Required only if 1 <= F86HPLN < 256.
F86CSTMP ----- COST OF MEDICAL PREMIUM
             type: numeric (float)
             label: F86CSTMP
             range: [1,5] units.
values: 5 coded missing: 1075 / 2495
       unique values: 5
         tabulation: Freq. Numeric Label
                         1 < $250
                    1027
                     200
                             2 $500
                     200 2 $300
123 3 $1,000
45 4 $1,500
25 5 $2,000
F86CSTMP:
 1. Required only if 1 <= F86HPLN < 256.
F86HDENI ----- HEALTH INSURANCE DENIED
             type: numeric (float)
             label: F86HDENI
             range: [1,3] units. ...
values: 3 coded missing: 76 / 2495
       unique values: 3
         tabulation: Freq. Numeric Label
                    1498 1 NO
                     266
655
                             2 YES
                            3 NEVER APPLIED
F86LIFIN ----- DO YOU HAVE LIFE INSURANCE
              type: numeric (float)
       label: F86LIFIN
range: [1,2]
unique values: 2
                                         units: 1
                                  coded missing: 111 / 2495
         tabulation: Freq. Numeric Label
                    1237 1 NO
                    1147 2 YES
```

CODEBOOK FOR CSSCD FORM 06 PATIENT CONTINUATION DEMOGRAPHIC DATA FORM - PAGE 9

CSSCD FULL COHORT PATIENTS

F86LDENI ------ LIFE INSURANCE DENIED

type: numeric (float)

label: F86LDENI

range: [1,3] units: 1
values: 3 coded missing: 92 / 2495 unique values: 3

tabulation: Freq. Numeric Label

1304 1 NO

307

307 2 YES 792 3 NEVER APPLIED

F86TMPDA ----- RECEIVED TEMPORARY DISABILITY

type: numeric (float)

label: F86TMPDA

range: [1,2] units: 1 unique values: 2 coded missing: 197 / 2495

tabulation: Freq. Numeric Label

2156 1 NO 142 2 YES

F86HWLNG ------ HOW LONG DID YOU RECEIVE PAYMENTS

type: numeric (float)

range: [1,99] units: 1 values: 24 coded missing: 2373 / 2495 unique values: 24

mean: 18.123

std. dev: 24.3469

percentiles: 10% 25% 50% 75% 1 2 6 22 90% 60

F86HWLNG:

1. Required only if F86TMPDA=2.

F86UEPAY ----- RECEIVED UNEMPLOYMENT PAYMENTS

type: numeric (float)

label: F86UEPAY

range: [1,2] units: 1

coded missing: 114 / 2495 unique values: 2

tabulation: Freq. Numeric Label

2254 1 NO 127 2 YES

```
F86GOVAG ----- RECEIVED ANYTHING FROM GOVT. AGENCY
               type: numeric (float)
              label: F86GOVAG
              range: [1,3] units.

coded missing: 61 / 2495
       unique values: 3 co
tabulation: Freq. Numeric Label
                     1187 1 NO
                      1230
                                2 YES
                                3 REFUSED ANSWER
                       17
F86GROUP ----- TO WHICH GROUP DID EARNINGS BELONG
               type: numeric (float)
              label: F86GROUP
              range: [1,11] units.

/2lues: 11 coded missing: 666 / 2495
       unique values: 11
          tabulation: Freq. Numeric Label
                       228 1 $0
                       107
                                2 $1-999
                       159
                                3 $1,000-4,999
                                4 $5,000-9,999
                       131
                               5 $10,000-14,999
                       119
                               6 $15,000-19,999
7 $20,000-24,999
                       99
                       54
                              8 >= $25,000
9 REFUSED ANSWER
                        47
                        28
                               10 DK
                        36
                               11 NOT APPLICABLE
                       821
F86GROUP:
 1. Required only if patient worked in the previous year.
F86TINC ----- TOTAL ANNUAL INCOME FROM ALL SOURCES
               type: numeric (float)
              label: F86TINC
       range: [1,11] units: 1
unique values: 11 coded missing: 254 / 2495
          tabulation: Freq. Numeric Label
                            1 $0
                       231
                       103
                                2 $1-999
                               3 $1,000-4,999
                       501
                                4 $5,000-9,999
                       296
                                5 $10,000-14,999
                       158
                                6 $15,000-19,999
                       113
                                7 $20,000-24,999
                        68
                       77
                                8 >= $25,000
                        45
                                9 REFUSED ANSWER
                        98
                               10 DK
                       551
                               11 NOT APPLICABLE
F86TINC:
 1. Required only if patient worked in the previous year.
_dta:
 1. Created 6/28/2000.
```

3.7: Head of Household Continuation Demographic Data Form – Form 07

- S. <u>List of variables deleted</u> **F87DATE F87DFC F87ESTAT F87FCB F87GINCN F87GINCY F87INIT F87LASTE F87LASTU F87NDATE F87VDATE F87BD1 F87BD2 F87BD3 F87BD4 F87BD5**
- T. List of variables modified **F87HHGRD**
- U. List of variables modified with a name change NONE
- V. Old name
- W. New name
- X. <u>List of variables modified date to days since DOE</u>
- Y. Old name **F87DATE**
- Z. New name **JF87DATE**

AA.Collection Information:

Form 07 (Head of Household Continuation Demographic Data Form) was to be completed at the time of the 1986 annual visit for patients \geq 2 years of age. For patients < 2 years of age in 1986, the form was to be completed at the time of the age 2 annual visit. For households with more than one CSSCD participant, only one Form 07 per household was required.

- BB. <u>Data Collection Period</u>: 03/86 09/88
- CC. Form Version Dates: 11/15/85
- DD. Files Used to Store Information:

SAS System File: R87.SD2

Format File: R87.FMT

EE.Unique Record Identifiers: ANONID, F87CYCLE

FF. Number or Observations (Patients) in SAS Dataset: 2373 (2373)

GG. Contents of SAS Dataset:

- Alphabetical Listing of Variables: See pp. 188-190
- Listing of Variables by Position: See pp. 191-192

HH. Notes About Selected Variables:

- **F87PTW3** is the variable which stores the CSSCD # of the participant for whom the entry Form 03 was completed [See Section 3.3].
- F87HBMO HTINC (variable #s 44-68 in order of position within the dataset) –
 correspond to questions 7.a 13.c on Form 07. Responses for these variables

3.7: Head of Household Continuation Demographic Data Form – Form 07

are not required if the head of household is a CSSCD participant (**F87HSTDY**=2) since corollary information was collected on the Form 06 completed for the household head [See Section 3.6].

II. Computed Variables: None

JJ. Inter-Relationship With Other Datasets:

Demographic data were also collected on

Phase 1 Forms	SAS Dataset	See Section
Form 01	R01.SD2	3.1
Form 02	R02.SD2	3.2
Form 03	R03.SD2	3.3
Form 04	R03.SD2	3.3
Form 05	R05.SD2	3.5
Form 06	R86.SD2	3.6

CSSCD FULL COHORT PATIENTS

CONTENTS OF SAS DATASET: R87.SD2

DATA FROM CSSCD FORM 07 - HEAD OF HOUSEHOLD CONTINUATION DEMOGRAPHIC DATA FORM VARIABLES ARE LISTED IN ALPHABETICAL ORDER AND IN ORDER OF THEIR POSITION IN THE SAS DATASET AND ON FORM 87

The SAS System

15:20 Friday, September 15, 2006 26

The CONTENTS Procedure

Data Set Name	OUT1.R87	Observations	2373
Member Type	DATA	Variables	72
Engine	V9	Indexes	0
Created	16:40 Monday, September 11, 2006	Observation Length	576
Last Modified	16:40 Monday, September 11, 2006	Deleted Observations	0
Protection		Compressed	NO
Data Set Type		Sorted	NO
Label			

Data Representation WINDOWS

Encoding wlatin1 Western (Windows)

Engine/Host Dependent Information

Data Set Page Size	1638
Number of Data Set Pages	86
First Data Page	1
Max Obs per Page	28
Obs in First Data Page	11
Number of Data Set Repairs	0

File Name r87.sas7bdat
Release Created 9.0000M0
Host Created XP_PRO

Alphabetic List of Variables and Attributes

#	Variable	Type	Len	Label
1	ANONID	Char	8	ANONYMIZED ID #
52	F87AINCN	Num	8	AMOUNT CONTRIBUTED BY NON-SCD MEMBERS
53	F87AINCY	Num	8	AMOUNT CONTRIBUTED BY SCD MEMBERS
2	F87CYCLE	Num	8	RECORD 87 CYCLE
54	F87EINCN	Num	8	EMP. AMOUNT CONTRIBUTED BY NON-SCD MEM
55	F87EINCY	Num	8	EMP. AMOUNT CONTRIBUTED BY SCD MEM.
27	F87HAGE	Num	8	AGE OF HOUSEHOLD HEAD
45	F87HAID	Num	8	HEAD RECEIVED GOVT AID
24	F87HBDA	Num	8	BIRTH DAY OF HOUSEHOLD HEAD
23	F87HBMO	Num	8	BIRTH MONTH OF HOUSEHOLD HEAD
25	F87HBYR	Num	8	BIRTH YEAR OF HOUSEHOLD HEAD
32	F87HCSCH	Num	8	IS HOUSEHOLD HEAD CURRENTLY IN SCHOOL?
39	F87HDISN	Num	8	HEAD DISABLED AND NEVER WORKED
38	F87HDISW	Num	8	HEAD DISABLED BUT WORKED IN PAST
34	F87HEFT	Num	8	IS HEAD EMPLOYED FULL TIME?
35	F87HEPT	Num	8	IS HEAD EMPLOYED PART TIME?
30	F87HHGRD	Num	8	HIGHEST GRADE HOUSEHOLD HEAD COMPLETED

CSSCD FULL COHORT PATIENTS

71 46	F87HHSEW F87HID F87HJINC	Num Char	8	IS HEAD HOUSEWIFE?
46 41 29 37	F87HJINC	Char	_	
41 29 37			8	ANONYMIZED ID # OF HOUSEHOLD HEAD
29 37	EOZU IOD	Num	8	HEADS INCOME FROM JOB
37	F87HJ0B	Num	8	JOB CLASSIFICATION OF HEAD
	F87HMS	Num	8	MARITAL STATUS OF HEAD
44	F87HRET	Num	8	IN HEAD RETIRED?
	F87HRWRK	Num	8	HOURS USUALLY WORKED
20	F87HSCD	Num	8	DOES HOUSEHOLD HEAD HAVE SCD?
26	F87HSEX	Num	8	SEX OF HOUSEHOLD HEAD
22	F87HSME	Num	8	IS HOUSEHOLD HEAD SAME AS AT ENTRY?
21	F87HSTDY	Num	8	IS HOUSEHOLD HEAD STUDY PATIENT?
47	F87HTINC	Num	8	HEADS INCOME FROM ALL SOURCES
31	F87HTRD	Num	8	DID HOUSEHOLD HEAD ATTEND TRADE SCHOOL?
40	F87HUGT2	Num	8	HEAD UNEMPLOYED FOR MORE THAN 2 YRS
36	F87HULT2	Num	8	HEAD UNEMPLOYED BUT WORKED IN LAST 2 YRS
28	F87HYRS	Num	8	NUMBER OF YEARS HEAD OF HOUSEHOLD
67	F87ID1	Char	8	ANONYMIZED ID # OF RELATIVE #1
68	F87ID2	Char	8	ANONYMIZED ID # OF RELATIVE #2
69	F87ID3	Char	8	ANONYMIZED ID # OF RELATIVE #3
7	F87INHH1	Num	8	RELATIVE #1 LIVES IN HOUSEHOLD
10	F87INHH2	Num	8	RELATIVE #2 LIVES IN HOUSEHOLD
13	F87INHH3	Num	8	RELATIVE #3 LIVES IN HOUSEHOLD
16	F87INHH4	Num	8	RELATIVE #4 LIVES IN HOUSEHOLD
19	F87INHH5	Num	8	RELATIVE #5 LIVES IN HOUSEHOLD
57	F87L12C1	Num	8	WHO CARES FOR PT #1 LT 12
59	F87L12C2	Num	8	WHO CARES FOR PT #2 LT 12
61	F87L12C3	Num	8	WHO CARES FOR PT #3 LT 12
63	F87L12C4	Num	8	WHO CARES FOR PT #4 LT 12
65	F87L12C5	Num	8	WHO CARES FOR PT #5 LT 12
56	F87L12L1	Num	8	LINE # OF PT #1 LT 12
58	F87L12L2	Num	8	LINE # OF PT #2 LT 12
60	F87L12L3	Num	8	LINE # OF PT #3 LT 12
62	F87L12L4	Num	8	LINE # OF PT #4 LT 12
64	F87L12L5	Num	8	LINE # OF PT #5 LT 12
66	F87MED	Num	8	AMOUNT FAMILY SPENT ON SCD MED. EXPENSES
43	F87MOWRK	Num	8	MONTHS WORKED AT JOB
49	F87NINC	Num	8	NUMBER CONTRIBUTING TO TOTAL HH INCOME
50	F87NINCN	Num	8	NUMBER WITHOUT SCD CONTRIBUTING
51	F87NINCY	Num	8	NUMBER WITH SCD CONTRIBUTING
70	F87PTW3	Char	8	ANONYMIZED ID # OF PATIENT WITH FORM 3
6	F87RCDE1	Num	8	RELATION CODE OF RELATIVE #1
9	F87RCDE2	Num	8	RELATION CODE OF RELATIVE #2
12	F87RCDE3	Num	8	RELATION CODE OF RELATIVE #3
15	F87RCDE4	Num	8	RELATION CODE OF RELATIVE #4
18	F87RCDE5	Num	8	RELATION CODE OF RELATIVE #4 RELATION CODE OF RELATIVE #5
4	F87REL	Num	8	RELATION CODE OF RELATIVE #5 RELATIVES PARTICIPATING IN STUDY?
3			8	RELATIONSHIP OF RESPONDENT TO PATIENT
	F87RESP	Num		
42 72	F87YRWRK JF87DATE	Num Num	8 8	YEARS WORKED AT JOB DATE OF INTERVIEW - DAYS SINCE DOE

^{*} R87.FMT contains value labels for numerical codes assigned to

^{*} categorical variables in the SAS dataset R87.SD2

CSSCD FULL COHORT PATIENTS

```
PROC FORMAT;
*FORMAT F87RESP IS CREATED FOR VARIABLE F87RESP;
 VALUE F87RESP
 1 = 'PATIENT'
    = 'SPOUSE'
  2
       'MOTHER'
  4 = 'FATHER'
  5 = 'SIBLING'
  6 = 'GRANDPARENT'
  7 = 'AUNT OR UNCLE'
  8 = 'OTHER';
*FORMAT NO_YES IS CREATED FOR VARIABLES F87REL F87INHH1 F87INHH2
F87INHH3 F87INHH4 F87INHH5 F87HSCD F87HSTDY F87HSME F87HTRD;
 VALUE NO_YES
  1 = 'NO'
  2 = 'YES';
*FORMAT F87RCDE IS CREATED FOR VARIABLES F87RCDE1 F87RCDE2 F87RCDE3
F87RCDE4
                                        F87RCDE5;
 VALUE F87RCDE
 1 = 'SPOUSE'
  2 = 'PARENT'
  3 = 'SIBLING'
  4 = 'SON OR DAUGHTER'
  5
    = 'GRANDPARENT'
  6 = 'GRANDCHILD';
*FORMAT F87HSEX IS CREATED FOR VARIABLE F87HSEX;
 VALUE F87HSEX
  1 = 'MALE'
  2 = 'FEMALE';
*FORMAT F87HMS IS CREATED FOR VARIABLE F87HMS;
 VALUE F87HMS
 1 = 'MARRIED'
```

2 =

'NOT MARRIED';

```
*FORMAT F87HHGRD IS CREATED FOR VARIABLE F87HHGRD;
 VALUE F87HHGRD
 0 = 'K'
 8 = 'GRADE SCHOOL'
11 = '< HIGH SCHOOL'
12 = 'HS DIPLOMA'
13
   = '1 YR COLLEGE'
14 = '2 YR COLLEGE'
15 = '3 YR COLLEGE'
16 = '4 \ YR \ COLLEGE +'
19 = 'DK'
20 = 'NA';
*FORMAT F87HCSCH IS CREATED FOR VARIABLE F87HCSCH;
 VALUE F87HCSCH
 1 = 'NO'
 2 = 'YES, FULL-TIME'
    = 'YES, PART-TIME';
*FORMAT YES IS CREATED FOR VARIABLES F87HHSEW F87HEFT F87HEPT
F87HULT2 F87HRET
                                    F87HDISW F87HDISN F87HUGT2;
 VALUE YES
 2 = 'YES';
*FORMAT F87HJOB IS CREATED FOR VARIABLE F87HJOB;
 VALUE F87HJOB
 1 = 'PROF. OR TECH.'
   = 'MANAGER OR ADMIN.'
    = 'SALES'
    = 'CLERICAL'
    = 'CRAFT'
       'OPERATIVE'
 7
       'SERVICE'
    =
 8 = 'PRIVATE HSEHOLD'
 9 = 'FARM WORKER';
*FORMAT F87HAID IS CREATED FOR VARIABLE F87HAID;
 VALUE F87HAID
```

```
2 = 'YES'
 3 = 'REFUSED ANSWER';
*FORMAT F87INC IS CREATED FOR VARIABLES F87HJINC F87HTINC F87HHINC
F87AINCN F87AINCY
                                      F87EINCN F87EINCY;
 VALUE F87INC
 1 = '\$0'
 2 = '\$1-999'
 3 = '$1,000-4,999'
 4 = '$5,000-9,999'
 5 = '$10,000-14,999'
   = '$15,000-19,999'
 6
    = '$20,000-24,999'
 7
    = '$25,000 +'
 8
 9
    = 'REFUSED ANSWER'
10 = 'DON NOT KNOW'
11 = 'NOT APPLICABLE';
*FORMAT F87L12C IS CREATED FOR VARIABLES F87L12C1 F87L12C2 F87L12C3
F87L12C4 F87L12C5;
 VALUE F87L12C
 1 = 'STAYS ALONE'
 2 = 'PARENT OR GUARDIAN'
    = 'DAY CARE'
    = 'BABY SITTER'
 5 = 'OTHER RELATIVE'
 6 = 'OTHER NON-RELAT.'
 7 = 'OTHER';
*FORMAT F87MED IS CREATED FOR VARIABLE F87MED;
 VALUE F87MED
 1 = 'NONE'
 2 = '\$1-499'
    = '$500-999'
    = '$1,000 +'
    = 'DON NOT KNOW'
 6 = 'REFUSED ANSWER';
  FORMAT
          F87RESP F87RESP.
          F87REL F87INHH1 F87INHH2 F87INHH3
          F87INHH4 F87INHH5 F87HSCD F87HSTDY
          F87HSME F87HTRD NO_YES.
          F87RCDE1 F87RCDE2 F87RCDE3 F87RCDE4
          F87RCDE5 F87RCDE.
```

CSSCD FULL COHORT PATIENTS

F87HSEX F87HSEX.
F87HMS F87HMS.
F87HHGRD F87HHGRD.
F87HCSCH F87HCSCH.
F87HHSEW F87HEFT F87HEPT F87HULT2 F87HRET
F87HDISW F87HDISN F87HUGT2 YES.
F87HJOB F87HJOB.
F87HAID F87HAID.
F87HJINC F87HTINC F87HHINC F87AINCN F87AINCY
F87EINCN F87EINCY F87INC.
F87L12C1 F87L12C2 F87L12C3 F87L12C4 F87L12C5 F87L12C.

RUN;
QUIT;

```
F87CYCLE ----- RECORD 87 CYCLE
               type: numeric (float)
              range: [1,2] units. .
values: 2 coded missing: 0 / 2373
       unique values: 2
          tabulation: Freq. Value
                     2372 1
                      1 2
F87VDATE ----- VERSION DATE DELETED
              type: numeric daily date (int)
              label: datelab
     range: [9450,9450] units: 10 or equivalently: [15nov1985,15nov1985] units: days
       unique values: 1 coded missing: 0 / 2373
          tabulation: Freq. Numeric Label
                     2373 9450 11/15/85
F87RESP ----- RELATIONSHIP OF RESPONDENT TO PATIENT
               type: numeric (float)
              label: F87RESP
       range: [1,8] units: 1
unique values: 8 coded missing: 15 / 2373
          tabulation: Freq. Numeric Label
                     1274 1 PATIENT
15 2 SPOUSE
                      906
                               3 MOTHER
                       72 4 FATHER
14 5 SIBLING
33 6 GRANDPARENT
22 7 AUNT OR UNCLE
22 8 OTHER
F87REL ----- RELATIVES PARTICIPATING IN STUDY?
              type: numeric (float)
              label: F87REL
              range: [1,2]
values: 2
                                    units: 1
coded missing: 111 / 2373
       unique values: 2
          tabulation: Freq. Numeric Label
                     1852 1 NO
410 2 YES
```

```
F87RCDE1 ----- RELATION CODE OF RELATIVE #1
                type: numeric (float)
                label: F87RCDE1
                range: [1,6]
                                                  units: 1
        unique values: 6 co
tabulation: Freq. Numeric Label
                                coded missing: 2023 / 2373
                         1 1 SPOUSE
10 2 PARENT
321 3 SIBLING
14 4 SON OR DAUGHTER
3 5 GRANDPARENT
1 6 GRANDCHILD
F87RCDE1:
 1. Required only if F87REL=2.
F87INHH1 ----- RELATIVE #1 LIVES IN HOUSEHOLD
                type: numeric (float)
                label: F87INHH1
        range: [1,2] units: 1
unique values: 2 coded missing: 1991 / 2373
tabulation: Freq. Numeric Label
                        182 1 NO
200 2 YES
F87INHH1:

    Required only if F87REL=2.

F87RCDE2 ----- RELATION CODE OF RELATIVE #2
                type: numeric (float)
                label: F87RCDE2
        range: [1,5] units: 1
unique values: 4 coded missing: 2306 / 2373
tabulation: Freq. Numeric Label
                          1 1 SPOUSE
63 3 SIBLING
2 4 SON OR DAUGHTER
                               5 GRANDPARENT
                           1
F87RCDE2:
 1. Required only if F87REL=2.
F87INHH2 ----- RELATIVE #2 LIVES IN HOUSEHOLD
                type: numeric (float)
                label: F87INHH2
        range: [1,2] units: 1
unique values: 2 coded missing: 2297 / 2373
           tabulation: Freq. Numeric Label
                         46 1 NO
                                2 YES
                          30
F87INHH2:

    Required only if F87REL=2.
```

CSSCD FULL COHORT PATIENTS

F87RCDE3 ----- RELATION CODE OF RELATIVE #3 type: numeric (float) label: F87RCDE3 range: [2,4] units: 1 coded missing: 2353 / 2373 unique values: 3 tabulation: Freq. Numeric Label 1 2 PARENT 18 3 SIBLING 1 4 SON OR DAUGHTER F87RCDE3: Required only if F87REL=2. F87INHH3 ----- RELATIVE #3 LIVES IN HOUSEHOLD type: numeric (float) label: F87INHH3 range: [1,2] units. .
values: 2 coded missing: 2350 / 2373 unique values: 2 tabulation: Freq. Numeric Label 21 1 NO 2 2 YES F87INHH3: 1. Required only if F87REL=2. F87RCDE4 ----- RELATION CODE OF RELATIVE #4 type: numeric (float) label: F87RCDE4 range: [.,.]
unique values: 0 units: . coded missing: 2373 / 2373 tabulation: Freq. Numeric Label F87RCDE4: 1. Required only if F87REL=2. F87INHH4 ----- RELATIVE #4 LIVES IN HOUSEHOLD type: numeric (float) label: F87INHH4 range: [.,.]
unique values: 0 units: . coded missing: 2373 / 2373 tabulation: Freq. Numeric Label F87INHH4: Required only if F87REL=2.

CSSCD FULL COHORT PATIENTS

F87RCDE5 ----- RELATION CODE OF RELATIVE #5

type: numeric (float)

label: F87RCDE5

range: [.,.] units. .
values: 0 coded missing: 2373 / 2373 unique values: 0

tabulation: Freq. Numeric Label

F87RCDE5:

1. Required only if F87REL=2.

F87INHH5 ----- RELATIVE #5 LIVES IN HOUSEHOLD

type: numeric (float)

label: F87INHH5

range: [.,.] units: . unique values: 0 coded missing: 2373 / 2373

tabulation: Freq. Numeric Label

F87INHH5:

Required only if F87REL=2.

CSSCD FULL COHORT PATIENTS

F87HSCD ----- DOES HOUSEHOLD HEAD HAVE SCD? type: numeric (float) label: F87HSCD range: [1,2] units: 1 coded missing: 23 / 2373 unique values: 2 tabulation: Freq. Numeric Label 1681 1 NO 669 2 YES F87HSTDY ----- IS HOUSEHOLD HEAD STUDY PATIENT? type: numeric (float) label: F87HSTDY range: [1,2] units: 1
unique values: 2 coded missing: 1718 / 2373 tabulation: Freq. Numeric Label 35 1 NO 620 2 YES F87HSTDY: 1. Required only if F87HSCD=2. F87HSME ----- IS HOUSEHOLD HEAD SAME AS AT ENTRY? type: numeric (float) label: F87HSME range: [1,2] unique values: 2 units: 1 coded missing: 231 / 2373 tabulation: Freq. Numeric Label 1 NO 494 2 YES 1648 F87HSEX ----- SEX OF HOUSEHOLD HEAD type: numeric (float) label: F87HSEX range: [1,2] units: 1 coded missing: 1946 / 2373 unique values: 2 tabulation: Freq. Numeric Label 163 1 MALE 264 2 FEMALE F87HSEX:

- 1. Required only if F87HSME=1.
- 2. Not required if F87HSTDY=2.

F87HAGE			AG	E OF HO	USEHOLD	HEAD
	numeric (float)		, tai	2. 110		· -
• •	[18,82]		units:	1		
unique values:	53		coded missing:	1965	/ 2373	
mean:	34.2451					
std. dev:	11.2778					
percentiles:	10%	25%	50%	75%	90%	
	23	26	31	39	52	
F87HAGE:						
 Required only if F 						
2. Not required if F8	B7HSTDY=2.					
F87HYRS			NUMBER OF YEAR	S HEAD	OF HOUSE	HOLD
type:	numeric (float)					
	[0,75]		units:	1		
unique values:			coded missing:		/ 2373	
	5.45688		•			
std. dev:	7.91875					
percentiles:	10%	25%	50%	75%	90%	
	1	2	3	5	12	
F87HYRS:						
 Required only if F 	87HSME=1.					
F87HMS			MAR	ITAL ST	ATUS OF	HEAD
type:	numeric (float)					
label:	F87HMS					
range:	[1,2]		units:	1		
unique values:			coded missing:	1946	/ 2373	
tabulation:	Freq. Numerio					
	196 1					
	231 2	NOT	MARRIED			
F87HMS:						
1. Required only if F						
2. Not required if F8	37HSTDY=2.					
F87HHGRD		HIGH	EST GRADE HOUSE	HOLD HE	AD COMPL	ETED MODIFIED
type:	numeric (float)					
label:	F87HHGRD					
range:	[0,20]		units:	1		
unique values:	20		coded missing:	479 /	2373	
tab: Freq. Numeric L	abel		tab: Freq.	Nume	ric Labe	el
1 O F	(135		10 10	
3 1 1			193		11 11	
5 2 2			758		12 12	
10 3 3			108			R COLLEGE
11 4 4			185			R COLLEGE
11 5 5			62			R COLLEGE
35 6 6			163			R COLLEGE +
24 7 7			1		18	
51 8 8			73		19 DK	
62 9 9)		3		20 NA	
F87HHGRD:	N=U0TD\/ 6					
 Not required if F8 	3/HSIDY=2.					

CSSCD FULL COHORT PATIENTS

F87HTRD ----- DID HOUSEHOLD HEAD ATTEND TRADE SCHOOL?

type: numeric (float)

label: F87HTRD

range: [1,2] units. .
values: 2 coded missing: 531 / 2373 unique values: 2

tabulation: Freq. Numeric Label

1355 1 NO 487 2 YES

F87HTRD:

Not required if F87HSTDY=2.

F87HCSCH ----- IS HOUSEHOLD HEAD CURRENTLY IN SCHOOL?

type: numeric (float)

label: F87HCSCH

range: [1,3] units. .
values: 3 coded missing: 480 / 2373 unique values: 3

tabulation: Freq. Numeric Label

1677 1 NO

90 2 YES, FULL-TIME 126 3 YES, PART-TIME

F87HCSCH:

Not required if F87HSTDY=2.

CSSCD FULL COHORT PATIENTS

F87HHSEW ----- IS HEAD HOUSEWIFE? type: numeric (float) label: F87HHSEW units: 1 coded missing: 631 / 2373 range: [1,2] unique values: 2 tabulation: Freq. Numeric Label 1381 1 NO 361 2 YES F87HHSEW: 1. Not required if F87HSTDY=2. F87HEFT ----- IS HEAD EMPLOYED FULL TIME? type: numeric (float) label: F87HEFT range: [1,2] units.
values: 2 coded missing: 537 / 2373 unique values: 2 tabulation: Freq. Numeric Label 867 1 NO 969 2 YES F87HEFT: 1. Not required if F87HSTDY=2. F87HEPT ----- IS HEAD EMPLOYED PART TIME? type: numeric (float) label: F87HEPT range: [1,2] units: 1 unique values: 2 coded missing: 690 / 2373 tabulation: Freq. Numeric Label 1530 1 NO 153 2 YES F87HEPT: 1. Not required if F87HSTDY=2. F87HULT2 ----- HEAD UNEMPLOYED BUT WORKED IN LAST 2 YRS type: numeric (float) label: F87HULT2 range: [1,2] unique values: 2 units: 1 coded missing: 690 / 2373 tabulation: Freq. Numeric Label 1543 1 NO 140 2 YES F87HULT2: Not required if F87HSTDY=2.

CSSCD FULL COHORT PATIENTS

F87HRET ---- IN HEAD RETIRED? type: numeric (float) label: F87HRET range: [1,2] units: 1 unique values: 2 coded missing: 705 / 2373 tabulation: Freq. Numeric Label 1609 1 NO 59 2 YES F87HRET: 1. Not required if F87HSTDY=2. F87HDISW ------ HEAD DISABLED BUT WORKED IN PAST type: numeric (float) label: F87HDISW range: [1,2] units: 1 unique values: 2 coded missing: 700 / 2373tabulation: Freq. Numeric Label 1529 1 NO 144 2 YES F87HDISW: Not required if F87HSTDY=2. F87HDISN ----- HEAD DISABLED AND NEVER WORKED type: numeric (float)
label: F87HDISN range: [1,2] units: 1 unique values: 2 coded missing: 715 / 2373 tabulation: Freq. Numeric Label 1611 1 NO 47 2 YES 1611 F87HDISN: 1. Not required if F87HSTDY=2. F87HUGT2 ------ HEAD UNEMPLOYED FOR MORE THAN 2 YRS type: numeric (float) label: F87HUGT2 range: [1,2]
unique values: 2 units: 1 coded missing: 713 / 2373 tabulation: Freq. Numeric Label 1603 1 NO 57 2 YES F87HUGT2:

1. Not required if F87HSTDY=2.

CSSCD FULL COHORT PATIENTS

F87HJOB ----- JOB CLASSIFICATION OF HEAD type: numeric (float) label: F87HJ0B range: [1,9] units: 1 unique values: 9 co tabulation: Freq. Numeric Label coded missing: 1071 / 2373 274 1 PROF. OR TECH. 84 2 MANAGER OR ADMIN. 46 3 SALES 235 4 CLERICAL 126 5 CRAFT 6 OPERATIVE 172 7 SERVICE 8 PRIVATE HSEHOLD 291 59 15 9 FARM WORKER

F87HJ0B:

- 1. Required only if F87HEFT=2 or F87HEPT=2 or F87HULT2=2 or F87HRET=2 or F87HDISW=2 or F87HUGT2=2.
- 2. Not required if F87HSTDY=2.

F87HRWRK ----- HOURS USUALLY WORKED

type: numeric (float)

range: [3,80] units: 1

coded missing: 1213 / 2373 unique values: 51

mean: 38.2784 std. dev: 8.8563

percentiles: 10% 25% 50% 75% 90% 30 36 40 40 40

F87HRWRK:

- 1. Required only if F87HEFT=2 or F87HEPT=2.
- 2. Not required if F87HSTDY=2.

```
F87HAID ----- HEAD RECEIVED GOVT AID
               type: numeric (float)
               label: F87HAID
               range: [1,3]
                                              units: 1
        unique values: 3
                              coded missing: 443 / 2373
          tabulation: Freq. Numeric Label
                      1081
                             1 NO
                       829
                                2 YES
                        20
                                3 REFUSED ANSWER
F87HAID:

    Not required if F87HSTDY=2.

F87HJINC ----- HEADS INCOME FROM JOB
               type: numeric (float)
               label: F87HJINC
       range: [1,11] units: 1
unique values: 11 coded missing: 669 / 2373
tabulation: Freq. Numeric Label
107 1 $0
51 2 $1-999
                                3 $1,000-4,999
                       120
                       197
                                4 $5,000-9,999
                                5 $10,000-14,999
6 $15,000-19,999
                       216
                       219
                                7 $20,000-24,999
                       144
                                8 $25,000 +
9 REFUSED ANSWER
                       160
                        52
                       177
                                10 DO NOT KNOW
                                11 NOT APPLICABLE
                       261
F87HJINC:
```

- 1. Required only if the head of household worked last year.
- 2. Not required if F87HSTDY=2.

```
F87HTINC ------ HEADS INCOME FROM ALL SOURCES
                    type: numeric (float)
                    label: F87HTINC
                   range: [1,11] units.

/2lues: 11 coded missing: 585 / 2373
          unique values: 11
              tabulation: Freq. Numeric Label
                                38 1 $0
                                35
                                           2 $1-999
                               35 2 $1-999

233 3 $1,000-4,999

324 4 $5,000-9,999

241 5 $10,000-14,999

232 6 $15,000-19,999

138 7 $20,000-24,999

215 8 $25,000 +

68 9 REFUSED ANSWER

199 10 DO NOT KNOW

65 11 NOT APPLICABLE
F87HTINC:
  1. Not required if F87HSTDY=2.
F87HHINC ----- TOTAL HOUSEHOLD INCOME-ALL SOURCES
                    type: numeric (float)
                    label: F87HHINC
                   range: [1,11] unite.

coded missing: 125 / 2373
          unique values: 11
             tabulation: Freq. Numeric Label
                             1 $0
37 2 $1-999
278 3 $1,000-4,999
442 4 $5,000-9,999
320 5 $10,000-14,999
269 6 $15,000-19,999
191 7 $20,000-24,999
340 8 $25,000 +
74 9 REFUSED ANSWER
237 10 DO NOT KNOW
18 11 NOT APPLICAPLE
F87NINC ----- NUMBER CONTRIBUTING TO TOTAL HH INCOME
                   type: numeric (float)
                  range: [0,11]
values: 12
                                                              units: 1
                                                   coded missing: 75 / 2373
          unique values: 12
                                                      tabulation: Freq. Value
tabulation: Freq. Value
                  67 0
                                                                           17 6
                 954 1
                                                                            12 7
                 762 2
                                                                            9 8
                 262 3
                                                                           16 9
                 124 4
                                                                           23 10
                  45 5
                                                                            7 11
```

```
F87NINCN ----- NUMBER WITHOUT SCD CONTRIBUTING
                 type: numeric (float)
         range: [0,11] units: 1
unique values: 12 coded missing: 79 / 2373
on: Freq. Value tabulation: Freq. Val
tabulation: Freq. Value
                                               tabulation: Freq. Value
               477 0
                                                                   4 6
              1104 1
                                                                   8 7
               464 2
                                                                   6 8
               121 3
                                                                   11 9
                40 4
                                                                   25 10
                20 5
                                                                   14 11
F87NINCY ----- NUMBER WITH SCD CONTRIBUTING
                 type: numeric (float)
range: [0,11]
unique values: 11
tabulation: Freq. Value
                                                       units: 1
                                             coded missing: 82 / 2373
                                              tabulation: Freq. Value
               912 0
                                                                   4 6
              1204 1
                                                                   4 7
                90 2
                                                                   11 9
                23 3
                                                                   18 10
                 3 4
                                                                   21 11
                 1 5
F87AINCN ----- AMOUNT CONTRIBUTED BY NON-SCD MEMBERS
                 type: numeric (float)
                 label: F87AINCN
         range: [1,11] units: 1
unique values: 11 coded missing: 110 / 2373
tabulation: Freq. Numeric Label
                           473 1 $0
                                   2 $1-999
3 $1,000-4,999
                            63
                            276
                           265 4 $5,000-9,999
243 5 $10,000-14,999
173 6 $15,000-19,999
133 7 $20,000-24,999
216 8 $25,000 +
69 9 REFUSED ANSWER
227 10 DO NOT KNOW
125 11 NOT APPLICABLE
                                      4 $5,000-9,999
                            265
```

```
F87AINCY ----- AMOUNT CONTRIBUTED BY SCD MEMBERS
                 type: numeric (float)
                label: F87AINCY
                range: [1,11]
                                                   units: 1
        unique values: 11 co
tabulation: Freq. Numeric Label
                                coded missing: 114 / 2373
                         858 1 $0
                         F87EINCN ------ EMP. AMOUNT CONTRIBUTED BY NON-SCD MEM
                 type: numeric (float)
                label: F87EINCN
        range: [1,11] units: 1
unique values: 11 coded missing: 114 / 2373
           tabulation: Freq. Numeric Label
                         1 $0

47 2 $1-999

99 3 $1,000-4,999

158 4 $5,000-9,999

201 5 $10,000-14,999

156 6 $15,000-19,999

129 7 $20,000-24,999

223 8 $25,000 +

65 9 REFUSED ANSWER

212 10 DO NOT KNOW

251 11 NOT APPLICABLE
                        718 1 $0
F87EINCY ----- EMP. AMOUNT CONTRIBUTED BY SCD MEM.
                 type: numeric (float)
                label: F87EINCY
                range: [1,11] units: 1
values: 11 coded mission: 13
                                          coded missing: 135 / 2373
         unique values: 11
           tabulation: Freq. Numeric Label
                        1282 1 $0
```

```
F87GINCN ------ AID AMOUNT CONTRIBUTED BY NON-SCD MEM DELETED
                   type: numeric (float)
                  label: F87GINCN
         unique values: 11 coded missing: 130 / 2373 tabulation: Freq. Numeric Label
                           1112 1 $0
                            F87GINCY ----- AID AMOUNT CONTRIBUTED BY SCD MEM DELETED
                   type: numeric (float)
                  label: F87GINCY
         range: [1,11] units: 1
unique values: 11 coded missing: 134 / 2373
             tabulation: Freq. Numeric Label
                           1039 1 $0
                            61 2 $1-999
507 3 $1,000-4,999
169 4 $5,000-9,999
30 5 $10,000-14,999
12 6 $15,000-19,999
5 7 $20,000-24,999
3 8 $25,000 +
41 9 REFUSED ANSWER
102 10 DO NOT KNOW
270 11 NOT APPLICABLE
                             61
                                        2 $1-999
```

```
F87L12L1 ----- LINE # 0F PT #1 LT 12
              type: numeric (float)
             range: [1,16] units.
values: 16 coded missing: 1880 / 2373
       unique values: 16
tabulation: Freq. Value
                                     tabulation: Freq. Value
            9 1
            54 2
                                                    2 10
            160 3
                                                    1 11
            103 4
                                                    5 12
            65 5
                                                    2 13
            41 6
                                                     1 14
             28 7
                                                     1 15
             13 8
F87L12L1:
 1. Required only if patient(s) is (are) under 12 years of age.
F87L12C1 ----- WHO CARES FOR PT #1 LT 12
              type: numeric (float)
             label: F87L12C1
             range: [1,7]
                                          units: 1
       unique values: 7
                                   coded missing: 1567 / 2373
         tabulation: Freq. Numeric Label
                          1 STAYS ALONE
                     67
                              2 PARENT OR GUARDIAN
                      529
                              3 DAY CARE
                      27
                      39
                              4 BABY SITTER
                           5 OTHER RELATIVE
6 OTHER NON-RELAT.
7 OTHER
                      129
                      10
                       5
F87L12C1:
 1. Required only if patient(s) is (are) under 12 years of age.
F87L12L2 ------ LINE # OF PT #2 LT 12
              type: numeric (float)
             range: [3,14]
                                          units: 1
       unique values: 10
                                   coded missing: 2330 / 2373
                                                   2 10
                                                     1 11
tabulation: Freq. Value
            10 3
                                                     1 14
             8 4
             8 5
             7 6
             3 7
tabulation: Freq. Value
             1 8
             2 9
```

3.0: Demographic Data - Overview

		0.01 20.	<u>g</u>				
F87L12L2: 1. Required	only if	patient(s) i	s (are)	under 12	years of	age.	

3.0: Demographic Data - Overview

F87L12C2 ----- WHO CARES FOR PT #2 LT 12 type: numeric (float) label: F87L12C2 range: [1,5] units: 1 coded missing: 2322 / 2373 unique values: 4 tabulation: Freq. Numeric Label 7 1 STAYS ALONE 2 PARENT OR GUARDIAN 3 DAY CARE 32 3 5 OTHER RELATIVE 9 F87L12C2: 1. Required only if patient(s) is (are) under 12 years of age. F87L12L3 ----- LINE # OF PT #3 LT 12 type: numeric (float) range: [4,10] units: 1
/alues: 2 coded missing: 2371 / 2373 unique values: 2 tabulation: Freq. Value 1 4 1 10 F87L12L3: 1. Required only if patient(s) is (are) under 12 years of age. F87L12C3 ----- WHO CARES FOR PT #3 LT 12 type: numeric (float) label: F87L12C3 range: [1,2] units: 1 unique values: 2 coded missing: 2368 / 2373 tabulation: Freq. Numeric Label 1 STAYS ALONE 2 PARENT OR GUARDIAN 4 F87L12C3: 1. Required only if patient(s) is (are) under 12 years of age. F87L12L4 ------ LINE # OF PT #4 LT 12 type: numeric (float) range: [.,.]
unique values: 0 units: . coded missing: 2373 / 2373 tabulation: Freq. Value F87L12L4: 1. Required only if patient(s) is (are) under 12 years of age.

3.0: Demographic Data - Overview

```
F87L12C4 ----- WHO CARES FOR PT #4 LT 12
             type: numeric (float)
             label: F87L12C4
             range: [2,2]
                           units: 1
coded missing: 2372 / 2373
       unique values: 1
         tabulation: Freq. Numeric Label
                     1 2 PARENT OR GUARDIAN
F87L12C4:
 1. Required only if patient(s) is (are) under 12 years of age.
F87L12L5 ----- LINE # OF PT #5 LT 12
             type: numeric (float)
             range: [5,5]
                                          units: 1
                                   coded missing: 2372 / 2373
       unique values: 1
         tabulation: Freq. Value
                    1 5
F87L12L5:
 1. Required only if patient(s) is (are) under 12 years of age.
F87L12C5 ------ WHO CARES FOR PT #5 LT 12
             type: numeric (float)
             label: F87L12C5
             range: [1,5]
                                         units: 1
                           coded missing: 2368 / 2373
       unique values: 4 co
tabulation: Freq. Numeric Label
                      1
                          1 STAYS ALONE
                           2 PARENT OR GUARDIAN4 BABY SITTER
                       2
                       1
                             5 OTHER RELATIVE
F87L12C5:
 1. Required only if patient(s) is (are) under 12 years of age.
F87MED ----- AMOUNT FAMILY SPENT ON SCD MED. EXPENSES
             type: numeric (float)
             label: F87MED
             range: [1,6]
                                          units: 1
       unique values: 6
                                   coded missing: 104 / 2373
         tabulation: Freq. Numeric Label
                         1 NONE
                     804
                            2 $1-499
3 $500-999
                     832
                     218
                     244
                             4 $1,000 +
                     156
                             5 DO NOT KNOW
                            6 REFUSED ANSWER
                      15
_dta:
 1. Created 7/5/2000.
```