A. Collection Information:

Beginning in March 1996, a magnetic resonance angiography (MRA) study was to be completed at the time of each magnetic resonance imaging (MRI) study (See Section 2.1).

Form MRA (MRA Form) was used to collect the data. Section A of the form was completed by the radiology technician/technologist at the local institution. Section B was completed by the Data Coordinator at the local institution. Section C was completed by the Data Manager at the SCC; and Section D was completed by the Data Manager at the SCC based on consensus reading results of two members of the CSSCD MR Reading Panel. The CSSCD MR Reading Panel included three neuroradiologists who met 2-4 times each year between 1990 and 1999 in either Philadelphia or New York to perform batch reviews/readings of CSSCD MRI/MRA studies.

MRA Protocol:

MR angiograms should be obtained using 3D time-of-flight techniques. MRA data acquisition and image display protocol requirements are described below.

A. Image Acquisition

- 1. Anatomic coverage:
 - a. An axial (transverse) plane of acquisition should be used.
 - b. The study must include the juxtasellar and supraclinoid internal carotid arteries and the horizontal portion of the middle cerebral arteries in the Sylvian cistern. This can usually be achieved by centering the slab on the supraclinoid ICA.
- 2. Echo time (TE): The TE should be minimized (≤ 5 msec if possible). This reduces intravoxel phase dispersion and resultant loss of flow related signal. Loss of flow related signal can mimic or exaggerate vascular stenoses, and is particularly problematic in patients with SCD due to their increased flow rates.
- 3. Spatial resolution: Use of the smallest feasible voxel size (small FOV 15-20 cm, 256-512 matrix) and shortest obtainable echo time (TE) minimize flow-related loss of intravascular signal. Unfortunately, when one attempts to use a small FOV or increase the read matrix, the minimum obtainable TE usually increases. While both are important, minimizing TE should take priority over voxel size considerations.
 - a. The highest reasonable resolution should be used. A matrix of 256 x 256 is acceptable. Higher resolution matrices (256 x 512) are preferable as long as TE is not prolonged > 5 msec.

- b. The minimum feasible field of view should be used, optimally in the 15-20 cm range. A rectangular field of view can be used, if available, to reduce scan time or increase resolution.
- c. At least 60 partitions, \leq 1 mm thick should be acquired.

4. Other parameters:

- a. The flip angle is system and parameter specific and should be optimized on each imaging system.
- b. Variable flip angle techniques (a.k.a. TONE, ramped-RF) may be used if available, provided there is no significant TE penalty on the system.
- c. A presaturation pulse may be used cephalad to the slab to eliminate visualization of venous structures.
- d. Where available, magnetization transfer preparation may be used, understanding that MTC usually increases the minimum TR.

B. Image Display for Filming

- 1. All partitions (source images) should be photographed in sequence. They may be made small, but should be large enough so that vascular anatomy can be worked out when the maximum intensity projections (MIP) leave questions. A 24 on 1 format is recommended as the maximum for a 14 x 17 sheet of film.
- 2. MIP images should be generated and filmed as follows:
 - a. **Sites that cannot perform targeted (segmented) MIPs:** An axial collapsed image followed by unsegmented MIP images rotated from the left lateral projection, through the AP, to the right lateral projection in 15 degree increments.
 - b. **Sites that can perform targeted (segmented) MIPs:** The anterior and posterior circulations should be separately MIP'ed and projected. Each should be rotated from the left lateral, through the AP, to right lateral projection in 30 degree increments.
 - c. **All sites:** Unsegmented paraxial images should be filmed starting with the right side down (remember you are "looking up at the vessels from below"), then rotated through the **axial collapsed projection**, ending with the left side down. The images should be filmed in roughly 10- degree increments. These images are designed to eliminate superimposition of MCA branches in the axial plane.
 - d. The vessels should be displayed as white on a black background. Please adjust the window and level of the images so that the details of the vessel walls will be apparent.

In general, compliance with this compliance was poor. Approximately 50% of studies performed were unacceptable for reading, primarily due to acquisition problems or failure to provide the requested images. Echo time exceeded 5.1 msec on more that 40% of the rejected studies.

B. Data Collection Period: 03/96 – 09/98

Five studies were performed after 09/30/98.

C. <u>Form Versions</u>: C (05/01/96) - Phase 3

D (04/01/97) - Phase 3

D. Files Used to Store Information:

SAS System File: MRA_PUBN.SD2

Format File: MRAN.FMT

E. <u>Unique Record Identifiers</u>: **ANONID**, **MRAID2**

Records within the dataset are sorted by **ANONID** and **MRAID2**.

F. Number of Observations (Patients) in SAS Dataset: 277 (251)

Two hundred twenty-six patients had one MRA study; 24 had two, and one had three. Note that 23 of the 277 studies were not reviewed by the MR Reading Panel at the time of a central reading meeting of the Panel. Based on previous quality reviews of these studies by the Panel, 15 were determined to be unreadable. The other 8 were not available for reading at the time of the last meeting of the MR Reading Panel.

G. Contents of SAS Dataset:

• Alphabetical Listing of Variables: See pp. 7-9

• Listing of Variables by Position: See pp. 10-11

H. Notes About Selected Variables:

MRAID2 – is the variable name for the follow-up code number identifier which, with ANONID, can be used to link with the corresponding follow-up identifier in the MRI (MRIID2 in MRI_PUBN.SD2) dataset (See Section 2.1) or neuropsychological (NPCID2 in NPC_PUBN.SD2) dataset (See Section 2.3).

I. Computed Variables: None

- J. <u>Inter-Relationship With Other Datasets</u>:
 - MRI data collected at the same time as the MRA data were collected on

Form Abbreviation SAS Dataset See Section

MR3 **MRI PUBN.SD2** 2.1

Neuropsychological evaluation data which were to be collected within six weeks of

MRI/MRA studies were collected on

Form Abbreviation NPC	SAS Dataset NPC PUBN.SD2	See Section 2.3
ACC	ACC_PUBN.SD2	2.4
NPP	NPP_PUBN.SD2	2.5
PVTQ	PVTQPUBN.SD2	2.6
FES	FES_PUBN.SD2	2.7
ACBC	ACBCPUBN.SD2	2.8

CCTION A	
BE COMPLETED BY RADIOLOGY TECHNICIAN	
. Person completing form (Name):	MRAFC (Initials):
. Date of procedure (Month/Day/Year):	MRADATE
. Department film/Scan ID number:	SCAN_ID
.1 Is the patient's MRA data available on tape or optical disk	? ON_TAPE 1. NO 2. YES
the MRA films adequate for interpretation?	ADEQUATE1. NO2.YES ↓
A4.a. Reason: INADREAS	
1. Incomplete Study 2. Motion Artifact	3. Other → A4.b. Specify:
chine/Model: MACHINE	
o Time (ms): ECHOTIME	MATRIX1 MATRIX2
rix:	x
d-of-View (range: 6 - 20 cm):	FLDVIEW1 (IF SQUARE)
	X (IF RECTANGULAR) FLDVIEWA FLDVIEWB
CTION B	
BE COMPLETED BY THE DATA COORDINATOR	
	Month/Day/Year): DTE_FILM
	BE COMPLETED BY RADIOLOGY TECHNICIAN Person completing form (Name): Date of procedure (Month/Day/Year): Department film/Scan ID number: I Is the patient's MRA data available on tape or optical disk the MRA films adequate for interpretation? A4.a. Reason: INADREAS INADREAS RESCHEDULE STUDY The of Imaging Center: MACHINE Trix: d-of-View (range: 6 - 20 cm):

TO BE COMPLETED TO BE COMPLETED AT 1	THE SCC					
C1. Is this MRA scan being compared to a pre	vious scan?	1. NO	2.	YES C	OMPPREV	
	Which Scan	(s)?				
	C1.a. Basel	ine scan dated _	BASE_ /_	/		
	C1.b. Previo	ous scan dated	PREV_ /_	_DTE _/		
C2. Institutional Report:		1. Not Rec	eived	2. Receiv	ed IRE	P_REC
SECTIONS D – F						
TO BE COMPLETED BY READERS						
D1. READERS: A. (Name):		_	(Initials):			READER1
B. (Name):			(Initials):			READER2
D2. Date read (Month/Day/Year):		DTE_RE	AD	•	•	
D3. Study:		ACCEPTED	1. ACCEPTE	:D	2.REJEC	TED
D3.a. Reason:						
1. Incomplete Study	2. Motion Artifact	$3. Other \rightarrow$	D3.b. Specify: _	RE	J_REAS	
D4. SCAN QUALITY (CHECK ONE):	SCANQUAL	1. Excelle	ent			
		2. Slight	Artifact/Motion,	Adequate		
		3. Severe	e Artifact/Motion	, Inadequat	е	
D.5 IMAGES AVAILABLE FOR REVIEW:			1	. NO	2. YES	
A. Source Images			•			SOURCE
B. Targetd MIP Images						TARGETED
C. Unsegmented Paraxial Images						UNSEGPAR
E. CENTRAL REVIEW INTERPRETATION (CC	MPLETE TABLE	FOR MRA USING TH	E CODES BELO	OW)		
a. RATING		b. STAT	US			

1 = NORMAL	A = IMPROVED
2 = STENOSIS, MILD	B = SAME (NO PROGRESSION)
3 = STENOSIS, MODERATE	C = WORSE (PROGRESSION)
4 = STENOSIS, SEVERE	D = CANNOT DETERMINE
5 = OCCLUSION	E = N/A
6 = NOT ASSESSABLE	
7 = DEPHASING ARTIFACT LIKELY NORMAL	

								COMPARED TO	
				RAT	ING		Baseline Study	Previous Study	
Е	1.	RIGHT ICA		a.	RICA_A		b1.	b2.	RICA_B1
E	2.	RIGHT MCA		a.	RMCA_A		b1.	b2.	RMCA_B1
E	3.	RIGHT ACA		a	RACA_A		b1.	b2.	RACA_B1
E	4.	RIGHT PCA		a.	RPCA_A		b1.	b2.	RPCA_B1
E	5.	LEFT ICA		a.	LICA_A		b1.	b2.	LICA_B1
E	6.	LEFT MCA		a.	LMCA_A		b1.	b2.	LMCA_B1
E.	7.	LEFT ACA		a	LACA_A		b1.	b2.	LACA_B1
E	8.	LEFT PCA		a			b1.	b2.	
E	9.	BASILAR		a.	LPCA_A BASILRA		b1.	b2.	LPCA_B1
			1.NORMAL	2.SMALL	3.NOT VISUA	LIZED			BASILRB.
Е	10a.	RIGHT PCoA				RPCOA A	b1.	b2.	RPCOA_B
Е	11a.	LEFT PCoA				_	b1.	b2.	_
			1.GOOD	2.POOR	3.INDETERMIN	LPCOA_A ATE			LPCOA_B
Е	12a.	Robustness of Right Hemisphere blood flow				RHBLD_A	b1.	b2.	RHBLD_B
Е	13a.	Robustness of Left Hemisphere blood flow				LHBLD_A	b1.	b2.	LHBLD_B
F. COMI	MEN	TS: COMM	ENTS						
	COI	MM_TXT							
								_	

QUESTION-BY-QUESTION SPECIFICATIONS FOR THE MRA FORM

Only sections A and B will be completed by clinic/local MR personnel. Section A is to be completed by the radiology technician/technologist who performs the MRA test. Section B is to be completed by the Data Coordinator. The remainder of the form will be completed by SCC staff or the central reading panel.

Question Al. Person completing form: The radiology technician/technologist completing the form should enter his/her name on the line and initials in the three boxes to the right of the line.

Question A2. Date of procedure: The date the MRI was done should be entered in the MM/DD/YY date format (e.g., October 24, 1994 would be entered as 10/24/94).

Question A3. Department film/Scan ID number: The radiology technician/technologist should enter the department ID number of the MRI films.

Question A3.I Is the patient's MRA film/scan data available on tape? The radiology technician/technologist should place a check mark in the appropriate response box (1. NO or 2. YES).

Question A4. Are the MRA films adequate for interpretation? The radiology

technician/technologist should place a check mark in the appropriate response box (1. NO or 2. YES). If the response is 1. NO, a reason the films are inadequate should be checked (Question A4.a -1. Incomplete Study, 2. Motion Artifact, 3. Other. If the reason is 3. Other, the reason should be specified in the space provided (Question A4.b).

Question A5. Name of Imaging Center. The radiology technician/technologist should print the name of the Imaging Center where the study was performed.

Question A6. Machine/Model. The radiology technician/technologist should print the name of the machine make and model.

Question A7. Echo Time. The radiology technician/technologist should record the echo time

(TE). The echo time should be \leq 5 msec if possible.

Question A8. Spatial Resolution. The radiology technician/technologist should record the spacial resolution matrix. A matrix of 256 x 256 is acceptable. Higher resolution matrices (256 x 512) are preferable as long as TE is not prolonged > 5 msec.

Question A9. Field of View. The radiology technician/technologist should record the field of view (FOV) used in the appropriate (square or rectangular) box(es). Optimally, the FOV should be in the 15-20 cm range.

Question BI. Date films sent to Statistical Coordinating Center: The Data Coordinator should enter the date that (s)he sent the form, films and institutional report to the SCC. The date should be entered in the MM/DD/YY date format (e.g., October 24, 1994 would be entered as 10/24/94).

Section C will be completed at the SCC.

Section D will be completed by the Central Review Pane

CSSCD INFANT COHORT PATIENTS

CONTENTS OF SAS DATASET: MRA_PUN.SD2

DATA FROM CSSCD FORM MRA - CODEBOOK CHECKLIST

VARIABLES ARE LISTED IN ALPHABETICAL ORDER AND IN ORDER OF THEIR POSITION

IN THE SAS DATASET AND ON FORM MRA

DATE VARIABLES HAVE BEEN REMOVED & CSSCD ID #S REPLACED W/ ANONYMIZED ID #

The SAS System 11:21 Tuesday, February 10, 2004 1

The CONTENTS Procedure

Data Set Name: IN.MRA PUN Observations: 277 Member Type: DATA Variables: 53 Engine: ٧6 Indexes: 0 Created: 11:25 Tuesday, February 10, 2004 Observation Length: 502 Last Modified: 11:25 Tuesday, February 10, 2004 Deleted Observations: 0 Compressed: NO Data Set Type: Sorted: NO Label:

-----Engine/Host Dependent Information-----

Data Set Page Size: 16384
Number of Data Set Pages: 10
First Data Page: 1
Max Obs per Page: 32
Obs in First Data Page: 18
Number of Data Set Repairs: 0

File Name: mra_pun.sd2
Release Created: 6.08.00
Host Created: WIN

-----Alphabetic List of Variables and Attributes-----

#	Variable	Type	Len	Pos	Format	Informat	Label
18	ACCEPTED	Num	8	167	2.	2.	D3 STUDY ACCEPTED
4	ADEQUATE	Num	8	31	2.	2.	A4 MRA FILMS ADEQUATE FOR INTERPRET
1	ANONID	Char	8	0			ANONYMIZED ID #
40	BASILRA	Num	8	295	2.	2.	E9A BASILAR - RATING
41	BASILRB1	Char	2	303			E9B1 BASILAR - COMP STATUS TO BASELN
50	COMMENTS	Num	8	345	2.	2.	COMMENTS
51	COMM_TXT	Char	60	353			COMMENTS
14	COMPPREV	Num	8	145	2.	2.	C1 IS IT COMPARED TO PREVIOUS SCAN
8	ECHOTIME	Num	8	97	4.1	4.1	A7 ECHO TIME (ms)
11	FLDVIEW1	Num	8	121	2.	2.	A9A FIELD OF VIEW (cm)
12	FLDVIEWA	Num	8	129	2.	2.	A9B1 FIELD OF VIEW (cm) - RECT, 1st DIM
13	FLDVIEWB	Num	8	137	2.	2.	A9B2 FIELD OF VIEW (cm) - RECT, 2nd DIM
5	INADREAS	Num	8	39	2.	2.	A4A REASON MRA FILMS INADEQUATE
15	IREP_REC	Num	8	153	2.	2.	C2 INSTITUTIONAL REPORT RECEIVED
36	LACA_A	Num	8	275	2.	2.	E7A LEFT ACA - RATING
37	LACA_B1	Char	2	283			E7B1 LEFT ACA - COMP STATUS TO BASELN
48	LHBLD_A	Num	8	335	2.	2.	E13A ROBUSTNESS LFT HEMISPHERE BLD FLOW
49	LHBLD_B1	Char	2	343			E13B1 LFT HEM BLD FLOW - STATUS TO BASE
32	LICA_A	Num	8	255	2.	2.	E5A LEFT ICA - RATING
33	LICA_B1	Char	2	263			E5B1 LEFT ICA - COMP STATUS TO BASELN
34	LMCA_A	Num	8	265	2.	2.	E6A LEFT MCA - RATING
35	LMCA_B1	Char	2	273			E6B1 LEFT ACA - COMP STATUS TO BASELN
38	LPCA_A	Num	8	285	2.	2.	E8A LEFT PCA - RATING
39	LPCA_B1	Char	2	293			E8B1 LEFT PCA - COMP STATUS TO BASELN

CODEBOOK FOR CSSCD FORM MRA MRA FORM

44	LPCOA_A	Num	8	315	2.	2.	E11A LEFT PCoA - RATING
45	LPCOA_B1	Char	2	323			E11B1 LEFT PCoA - COMP STATUS TO BASELN
7	MACHINE	Char	30	67			A6 MACHINE/MODEL
9	MATRIX1	Num	8	105	3.	3.	A8A MATRIX (1st dim)
10	MATRIX2	Num	8	113	3.	3.	A8B MATRIX (2nd dim)

CODEBOOK FOR CSSCD FORM MRA MRA FORM

CSSCD INFANT COHORT PATIENTS

The SAS System

11:21 Tuesday, February 10, 2004 2

The CONTENTS Procedure

-----Alphabetic List of Variables and Attributes-----

#	Variable	Туре	Len	Pos	Format	Informat	Label	
53	MRAID2	Num	8	478			FOLLOW-UP IDENTIFIER	
3	ON_TAPE	Num	8	23	2.	2.	A31 MRA DATA AVAILABLE ON TAPE/OP-DISK	
28	RACA_A	Num	8	235	2.	2.	E3A RIGHT ACA - RATING	
29	RACA_B1	Char	2	243			E3B1 RIGHT ACA - COMP STATUS TO BASELN	
54	REASINC	Num	8	486			REASON INCOMPLETE 1	
55	REASINC2	Num	8	494			REASON INCOMPLETE 2	
6	REAS_SP	Char	20	47			A4B SPECIFY REASON INADEQUATE	
19	REJ_REAS	Num	8	175	2.	2.	D3A REASON NOT ACCEPTED	
52	REJ_TEXT	Char	65	413			D3B SPECIFY OTHER REASON NOT ACCEPTED	
46	RHBLD_A	Num	8	325	2.	2.	E12A ROBUSTNESS RT HEMISPHERE BLD FLOW	
47	RHBLD_B1	Char	2	333			E12B1 RT HEM BLD FLOW - STATUS TO	
BASELI	V							
24	RICA_A	Num	8	215	2.	2.	E1A RIGHT ICA - RATING	
25	RICA_B1	Char	2	223			E1B1 RIGHT ICA - COMP STATUS TO BASELN	
26	RMCA_A	Num	8	225	2.	2.	E2A RIGHT MCA - RATING	
27	RMCA_B1	Char	2	233			E2B1 RIGHT MCA - COMP STATUS TO BASELN	
30	RPCA_A	Num	8	245	2.	2.	E4A RIGHT PCA - RATING	
31	RPCA_B1	Char	2	253			E4B1 RIGHT PCA - COMP STATUS TO BASELN	
42	RPCOA_A	Num	8	305	2.	2.	E10A RIGHT PCoA - RATING	
43	RPCOA_B1	Char	2	313			E10B1 RIGHT PCoA - COMP STATUS TO	
BASELN								
20	SCANQUAL	Num	8	183	2.	2.	D4 SCAN QUALITY	
2	SCAN_ID	Char	15	8			A3 DEPARTMENT FILM/SCAN ID NUMBER	
21	SOURCE	Num	8	191	2.	2.	D5A SOURCE AVAIL FOR REVIEW	
22	TARGETED	Num	8	199	2.	2.	D5B TARGETED AVAIL FOR REVIEW	
23	UNSEGPAR	Num	8	207	2.	2.	D5C UNSEGMENTED PARAX AVAIL FOR REVIEW	

```
*******************
* MRA.FMT contains value labels for numerical codes assigned to categorical *
* variables in the SAS dataset MRA_PUN.SD2
PROC FORMAT;
* FORMAT NO_YES IS DEFINED FOR VARIABLES: ON_TAPE ADEQUATE COMPPREV IREP_REC
 SOURCE TARGETED UNSEGPAR COMMENTS;
VALUE NO_YES
              1 = ' NO '
              2='YES';
* FORMAT REASON IS DEFINED FOR VARIABLES: INADREAS REJ_REAS;
VALUE REASON
              1='INCOMPLETE STUDY'
              2='MOTION ARTIFACT'
              3='OTHER';
VALUE ACCEPTED
              1='ACCEPTED'
              2='REJECTED';
VALUE SCANQUAL
              1='EXCELLENT'
              2='SLIGHT ARTIFACT/MOTION'
              3='SEVERE ARTIFACT/MOTION - INADEQUATE';
* FORMAT RATING IS DEFINED FOR VARIABLES: RICA_A RMCA_A RACA_A RPCA_A LICA_A
 LMCA A LACA A LPCA A BASILRA;
VALUE RATING
              1 = 'NORMAL'
              2='STENOSIS - MILD'
              3='STENOSIS - MODERATE'
              4='STENOSIS - SEVERE'
              5='OCCLUSION'
              6='NOT ASSESSABLE'
              7='DEPHASING ARTIFACT, LIKELY NORMAL'
              8='CONGENITALLY ABSENT OR HYPOPLASTIC (SMALL)';
* FORMAT $STATUS IS DEFINED FOR VARIABLES: RICA_B1 RMCA_B1
```

```
RACA_B1 RPCA_B1 LICA_B1 LMCA_B1 LACA_B1 LPCA_B1 BASILRB1
  RPCOA B1 LPCOA B1 RHBLD B1 LHBLD B1;
VALUE $STATUS
               'A'='IMPROVED'
               'B'='SAME (NO PROGRESSION)'
               'C'='WORSE (PROGRESSION)'
               'D'='CANNOT DETERMINE'
               'E'='N/A';
* FORMAT PCOA IS DEFINED FOR VARIABLES: RPCOA_A LPCOA_A;
VALUE PCOA
               1='NORMAL'
               2= ' SMALL '
               3='NOT VISUALIZED';
* FORMAT FLOW IS DEFINED FOR VARIABLES: RHBLD A LHBLD A;
VALUE FLOW
               1='G00D'
               2= ' POOR '
               3='INDETERMINATE';
* FORMAT REAS IS DEFINED FOR VARIABLES: REASINC REASINC2;
VALUE REAS
               1='UNSEG MIPS MISSING'
               2='UNSEG MIPS WRONG'
               3='SEG MIPS MISSING'
               4='SEG MIPS WRONG'
               5='UNSEG TILTS MISSING'
               6='UNSEG TILTS WRONG'
               7='OTHER';
format ON TAPE ADEQUATE COMPPREV IREP REC SOURCE TARGETED UNSEGPAR COMMENTS NO YES.
       INADREAS REJ REAS REASON.
       ACCEPTED ACCEPTED.
       SCANQUAL SCANQUAL.
       RICA A RMCA A RACA A RPCA A LICA A LMCA A LACA A LPCA A BASILRA RATING.
       RICA B1 RMCA B1 RACA B1 RPCA B1 LICA B1 LMCA B1 LACA B1 LPCA B1 BASILRB1
       RPCOA_B1 LPCOA_B1 RHBLD_B1 LHBLD_B1 $STATUS.
       RPCOA_A LPCOA_A PCOA.
       RHBLD A LHBLD A FLOW.
       REASINC REASINC2 REAS.;
RUN;
QUIT;
```

CSSCD INFANT COHORT PATIENTS

ON TAPE ----- A31 MRA DATA AVAILABLE ON TAPE/OP-DISK type: numeric (float) label: ON_TAPE range: [1,2] units: 1 coded missing: 22 / 277 unique values: 2 tabulation: Freq. Numeric Label 5 1 NO 250 2 YES ADEQUATE ----- A4 MRA FILMS ADEQUATE FOR INTERPRET type: numeric (float) label: ADEQUATE range: [1,2] units: 1
unique values: 2 coded missing: 27 / 277 tabulation: Freq. Numeric Label 1 NO 2 YES 1 249 INADREAS ----- A4A REASON MRA FILMS INADEQUATE type: numeric (float) label: INADREAS range: [.,.] units: . unique values: 0 coded missing: 277 / 277 tabulation: Freq. Numeric Label INADREAS: Required only if ADEQUATE=1. REAS SP ----- A4B SPECIFY REASON INADEQUATE type: string (str20) coded missing: 0 / 277 unique values: 1 tabulation: Freq. Value 277 "C" REAS SP: Required only if INADREAS=3.

```
MACHINE ----- A6 MACHINE/MODEL
             type: string (str30)
      unique values: 3
                       coded missing: 0 / 277
        tabulation: Freq. Value
                   134 "GE SIGNA"
                    72 "PICKER EDGE"
                    71 "SIEMENS"
ECHOTIME ----- A7 ECHO TIME (ms)
            type: numeric (float)
           range: [2,7.5] units. ..
values: 25 coded missing: 8 / 277
      unique values: 25
tabulation:
Freq. Value
                                   Freq.
                                         Value
  1
      2
                                     2
                                           4.5
       2.5
  1
                                     13
                                            4.8
  5
        2.8
                                     21
                                            5
  6
        2.9
                                     72
                                           5.1
  4
       3.1
                                      1
                                           5.6
  3
       3.2
                                     26
                                           6
  15
       3.3
                                      4
                                           6.4
  3
       3.6
                                      5
                                           6.5
  28
        3.7
                                      10
                                           6.9
  1
        4.1
                                      1
                                             7
  3
        4.2
                                      1
                                           7.3
  35
        4.3
                                      5
                                            7.5
        4.4
  3
MATRIX1 ----- A8A MATRIX (1st dim)
            type: numeric (float)
                              units: 1
coded missing: 19 / 277
            range: [133,512]
      unique values: 8
        tabulation: Freq. Value
                    1 133
                     1 138
                     8 182
                    56 192
                    12 219
                    46 256
                    72 480
                    62 512
```

```
MATRIX2 ----- A8B MATRIX (2nd dim)
             type: numeric (float)
             range: [128,516]
                                         units: 1
                                coded missing: 19 / 277
       unique values: 8
         tabulation: Freq. Value
                      1 128
                      1 156
                      1 160
                     34 192
                      4 224
                     110 256
                     105 512
                      2 516
FLDVIEW1 ----- A9A FIELD OF VIEW (cm)
             type: numeric (float)
             range: [13,25]
                                         units: 1
                               coded missing: 42 / 277
       unique values: 10
         tabulation: Freq. Value
                      2 13
                     27 16
                      5 18
                     36 19
                     51 20
                     16 21
                     12 22
                      5 23
                     74 24
                      7 25
FLDVIEW1:
 1. Required only if square FOV.
FLDVIEWA ------ A9B1 FIELD OF VIEW (cm) - RECT, 1st DIM
             type: numeric (float)
             range: [18,21]
                                         units: 1
                                  coded missing: 252 / 277
       unique values: 3
         tabulation: Freq. Value
                     13 18
                      9 20
                      3 21
FLDVIEWA:
 1. Required only if rectangular FOV.
```

CSSCD INFANT COHORT PATIENTS

FLDVIEWB ----- A9B2 FIELD OF VIEW (cm) - RECT, 2nd DIM

type: numeric (float)

range: [13,15] units: 1

unique values: 2 coded missing: 252 / 277

tabulation: Freq. Value
13 13
12 15

FLDVIEWB:

1. Required only if rectangular FOV.

CSSCD INFANT COHORT PATIENTS

COMPPREV ----- C1 IS IT COMPARED TO PREVIOUS SCAN type: numeric (float) label: COMPPREV range: [1,2] units: 1 coded missing: 148 / 277 unique values: 2 tabulation: Freq. Numeric Label 119 1 NO 10 2 YES COMPPREV: Required only if ACCEPTED=1. IREP REC ------ C2 INSTITUTIONAL REPORT RECEIVED type: numeric (float) label: IREP_REC range: [1,2] units: 1
unique values: 2 coded missing: 148 / 277 tabulation: Freq. Numeric Label 12 1 NO 117 2 YES IREP_REC: Required only if ACCEPTED=1. READER1 ----- D1A READER 1 (INITIALS) DELETED type: string (str3) unique values: 4 coded missing: 0 / 277 tabulation: Freq. Value 148 "-1" 11 "FM" 22 "JAB" 96 "RZ" READER2 ----- D1B READER 2 (INITIALS) DELETED type: string (str3) unique values: 3 coded missing: 0 / 277 tabulation: Freq. Value 148 "-1" 118 "FM" 11 "RZ"

CSSCD INFANT COHORT PATIENTS

ACCEPTED ----- D3 STUDY ACCEPTED type: numeric (float) label: ACCEPTED range: [1,2] units: 1 values: 2 coded missing: 23 / 277 unique values: 2 tabulation: Freq. Numeric Label 129 1 ACCEPTED 125 2 REJECTED REJ REAS ----- D3A REASON NOT ACCEPTED type: numeric (float) label: REJ REAS range: [1,3] coded missing: 152 / 277 unique values: 3 tabulation: Freq. Numeric Label 49 1 INCOMPLETE STUDY 16 2 MOTION ARTIFACT 60 3 OTHER **REJ REAS:** 1. Required only if ACCEPTED=2. REJ_TEXT ----- D3B SPECIFY OTHER REASON NOT ACCEPTED type: string (str65) unique values: 10 coded missing: 0 / 277 tabulation: Freq. Value 216 "C" 1 "ACQUISITION PROBLEM: BAD MOTSA" 1 "ACQUISITION PROBLEM: DID NOT COVER ANATOMY, NO SEGMENTATION" 1 "ACQUISITION PROBLEM: NEED SINGLE SLAB, NO MOTSA" 1 "ACQUISITION PROBLEM: POOR CHOICE OF VOLUME" 1 "ACQUISITION PROBLEM: POST CIRCULATION CUT OFF" 1 "ACQUISITION PROBLEM: PULSATION ARTIFACT IN ANTERIOR CIRCULATION" 53 "ECHO TIME > 5 cm/s" 1 "POOR QUALITY" 1 "VERY NARROW AREA OF INTEREST"

CSSCD INFANT COHORT PATIENTS

SCANQUAL D4 SCAN QUALITY type: numeric (float) label: SCANQUAL range: [2,2] units: 1 values: 1 coded missing: 148 / 277 unique values: 1 tabulation: Freq. Numeric Label 129 2 SLIGHT ARTIFACT/MOTION SCANQUAL: 1. Required only if DTE READ has non-missing value. SOURCE ----- D5A SOURCE AVAIL FOR REVIEW type: numeric (float) label: SOURCE range: [2,2] units: 1 coded missing: 148 / 277 unique values: 1 tabulation: Freq. Numeric Label 129 2 YES SOURCE: 1. Required only if DTE_READ has non-missing value. TARGETED D5B TARGETED AVAIL FOR REVIEW type: numeric (float) label: TARGETED range: [2,2] units: 1 values: 1 coded missing: 151 / 277 unique values: 1 tabulation: Freq. Numeric Label 126 2 YES TARGETED: 1. Required only if DTE_READ has non-missing value. UNSEGPAR ----- D5C UNSEGMENTED PARAX AVAIL FOR REVIEW type: numeric (float) label: UNSEGPAR range: [1,2] units: 1
unique values: 2 coded missing: 187 / 277 tabulation: Freq. Numeric Label _5 Lar 1 NO 1 89 2 YES

```
UNSEGPAR:
     1. Required only if DTE_READ has non-missing value.
RICA A ----- E1A RIGHT ICA - RATING
              type: numeric (float)
              label: RICA_A
              range: [1,5] units: 1
values: 4 coded missing: 148 / 277
       unique values: 4
          tabulation: Freq. Numeric Label
                           1 NORMAL
2 STENOSIS - MILD
4 STENOSIS - SEVERE
5 OCCLUSION
                      126
                       1
RICA B1 ----- E1B1 RIGHT ICA - COMP STATUS TO BASELN
               type: string (str2)
       unique values: 2
                       coded missing: 0 / 277
          tabulation: Freq. Value
                      267 "C"
                       10 "B"
RICA B1:

    Required only if COMPPREV=2.

RMCA_A ------ E2A RIGHT MCA - RATING
               type: numeric (float)
              label: RMCA_A
       range: [1,7] units: 1
unique values: 3 coded missing: 148 / 277
          tabulation: Freq. Numeric Label
                      127 1 NORMAL
                          5 OCCLUSION
7 DEPHASING ARTIFACT, LIKELY NORMAL
                       1
RMCA B1 ----- E2B1 RIGHT MCA - COMP STATUS TO BASELN
               type: string (str2)
       unique values: 2
                                     coded missing: 0 / 277
          tabulation: Freq. Value
                      267 "C"
                       10 "B"
RMCA_B1:
 1. Required only if COMPPREV=2.
```

CSSCD INFANT COHORT PATIENTS

RACA A ----- E3A RIGHT ACA - RATING type: numeric (float) label: RACA_A range: [1,8] units: 1 values: 3 coded missing: 148 / 277 unique values: 3 tabulation: Freq. Numeric Label 1 NORMAL
3 STENOSIS - MODERATE
8 CONGENITALLY ABSENT OR HYPOPLASTIC (SMALL) 123 1 RACA B1 ----- E3B1 RIGHT ACA - COMP STATUS TO BASELN type: string (str2) unique values: 2 coded missing: 0 / 277 tabulation: Freq. Value 267 "C" 10 "B" RACA B1: Required only if COMPPREV=2. RPCA A ----- E4A RIGHT PCA - RATING type: numeric (float) label: RPCA_A range: [1,1] units: 1 unique values: 1 coded missing: 148 / 277 tabulation: Freq. Numeric Label 129 1 NORMAL RPCA B1 ----- E4B1 RIGHT PCA - COMP STATUS TO BASELN type: string (str2) unique values: 2 coded missing: 0 / 277 tabulation: Freq. Value 267 "C" 10 "B" RPCA B1: Required only if COMPPREV=2.

CSSCD INFANT COHORT PATIENTS

LICA A ----- E5A LEFT ICA - RATING type: numeric (float) label: LICA_A range: [1,5] units: 1 values: 3 coded missing: 148 / 277 unique values: 3 tabulation: Freq. Numeric Label 25 1 NORMAL 3 4 STENOSIS - SEVERE 1 5 OCCLUSION 125 LICA_B1 ------ E5B1 LEFT ICA - COMP STATUS TO BASELN type: string (str2) unique values: 2 coded missing: 0 / 277 tabulation: Freq. Value 267 "C" 10 "B" LICA B1: Required only if COMPPREV=2. LMCA A ------ E6A LEFT MCA - RATING type: numeric (float) label: LMCA_A range: [1,5] units. .
values: 3 coded missing: 148 / 277 unique values: 3 tabulation: Freq. Numeric Label
127 1 NORMAL
1 4 STENOSIS - SEVERE 5 OCCLUSION LMCA B1 ------ E6B1 LEFT ACA - COMP STATUS TO BASELN type: string (str2) unique values: 2 coded missing: 0 / 277 tabulation: Freq. Value 267 "C" 10 "B" LMCA B1: Required only if COMPPREV=2.

CSSCD INFANT COHORT PATIENTS

LACA_A ------ E7A LEFT ACA - RATING type: numeric (float) label: LACA_A units: 1 coded missing: 148 / 277 range: [1,8] unique values: 4 tabulation: Freq. Numeric Label 1 NORMAL
1 2 STENOSIS - MILD
1 4 STENOSIS - SEVERE
1 8 CONGENITALLY ABSENT OR HYPOPLASTIC (SMALL) 126 1 LACA B1 ----- E7B1 LEFT ACA - COMP STATUS TO BASELN type: string (str2) unique values: 2 coded missing: 0 / 277 tabulation: Freq. Value 267 "C" 10 "B" LACA B1: Required only if COMPPREV=2. LPCA_A ------ E8A LEFT PCA - RATING type: numeric (float) label: LPCA_A range: [1,1] units: 1
unique values: 1 coded missing: 148 / 277 tabulation: Freq. Numeric Label 1 NORMAL 129 LPCA B1 ----- E8B1 LEFT PCA - COMP STATUS TO BASELN type: string (str2) unique values: 2 coded missing: 0 / 277 tabulation: Freq. Value 267 "C" 10 "B" LPCA B1: Required only if COMPPREV=2.

CSSCD INFANT COHORT PATIENTS

BASILRA ----- E9A BASILAR - RATING type: numeric (float)

label: BASILRA

range: [1,1] units: 1 values: 1 coded missing: 148 / 277 unique values: 1

tabulation: Freq. Numeric Label 1 NORMAL 129

BASILRB1 ----- E9B1 BASILAR - COMP STATUS TO BASELN

type: string (str2)

unique values: 2 coded missing: 0 / 277

tabulation: Freq. Value 267 "C" 10 "B"

BASILRB1:

Required only if COMPPREV=2.

RPCOA_A ----- E10A RIGHT PCOA - RATING

type: numeric (float)

label: RPCOA_A

range: [1,3] units: 1 unique values: 3 coded missing: 148 / 277

tabulation: Freq. Numeric Label 101 1 NORMAL
19 2 SMALL

2 SMALL 3 NOT VISUALIZED 9

RPCOA B1 ----- E10B1 RIGHT PCoA - COMP STATUS TO BASELN

type: string (str2)

unique values: 2 coded missing: 0 / 277

tabulation: Freq. Value 269 "C"

8 "B"

RPCOA B1:

Required only if COMPPREV=2.

CSSCD INFANT COHORT PATIENTS

LPCOA A ----- E11A LEFT PCOA - RATING type: numeric (float) label: LPCOA_A range: [1,3] units: 1 values: 3 coded missing: 148 / 277 unique values: 3 tabulation: Freq. Numeric Label 110 LPCOA B1 ----- E11B1 LEFT PCoA - COMP STATUS TO BASELN type: string (str2) unique values: 2 coded missing: 0 / 277 tabulation: Freq. Value 267 "C" 10 "B" LPCOA B1: Required only if COMPPREV=2. RHBLD A ------ E12A ROBUSTNESS RT HEMISPHERE BLD FLOW type: numeric (float) label: RHBLD_A range: [1,2] units: 1 unique values: 2 coded missing: 148 / 277 tabulation: Freq. Numeric Label
126 1 GOOD
3 2 POOR RHBLD B1 ----- E12B1 RT HEM BLD FLOW - STATUS TO BASELN type: string (str2) coded missing: 0 / 277 unique values: 2 tabulation: Freq. Value 267 "C" 10 "B" RHBLD B1: Required only if COMPPREV=2.

CSSCD INFANT COHORT PATIENTS

LHBLD_A ------ E13A ROBUSTNESS LFT HEMISPHERE BLD FLOW type: numeric (float) label: LHBLD_A range: [1,2] units: 1
/alues: 2 coded missing: 148 / 277 unique values: 2 tabulation: Freq. Numeric Label 126 1 G00D 3 2 P00R LHBLD B1 ------ E13B1 LFT HEM BLD FLOW - STATUS TO BASE type: string (str2) unique values: 2 coded missing: 0 / 277 tabulation: Freq. Value 267 "C" 10 "B" LHBLD B1: Required only if COMPPREV=2. COMMENTS ----- COMMENTS type: numeric (float) label: COMMENTS range: [1,2] units: 1 unique values: 2 coded missing: 148 / 277 tabulation: Freq. Numeric Label 126 1 NO 3 2 YES 126 COMM_TXT ----- COMMENTS type: string (str60) unique values: 4 coded missing: 0 / 277 tabulation: Freq. Value 274 "C" 1 "COLLATERALS FROM VERT BASILAR - MOYA" 1 "CONGENITAL VARIANT - RPCOA - NO BASILAR CONNECTION" 1 "GOOD COLLATERAL FLOW THROUGH ACOM AND PCOM" COMM_TXT: 1. Required only if COMMENTS=2.

CSSCD INFANT COHORT PATIENTS

REASINC ----- REASON INCOMPLETE 1

type: numeric (float)

label: REASINC

range: [2,4] units: 1 values: 3 coded missing: 228 / 277 unique values: 3

tabulation: Freq. Numeric Label

1 2 UNSEG MIPS WRONG
19 3 SEG MIPS MISSING
29 4 SEG MIPS WRONG

REASINC2 ----- REASON INCOMPLETE 2

type: numeric (float)

label: REASINC2

range: [4,7] units: 1
unique values: 3 coded missing: 273 / 277

tabulation: Freq. Numeric Label

1 4 SEG MIPS WRONG 2 6 UNSEG TILTS WRONG

7 OTHER 1

_dta:

1. Created 07/03/00.