

HEIRS Bibliography

Updated December 27, 2006

Publications

Acton R, Barton J, McLaren CE, McLaren GD, Dawkins FW, Harris EL, Holup J, Adams P, Speechley M, Leiendecker-Foster C, Snively B, Balasubramanyan A. Geographic Differences in *HFE* Mutation Frequencies and Screening Iron Phenotypes in Whites, Blacks, and Hispanics in the HEIRS Study. *Ethnicity and Disease* 2006; 16: 815- 821.

Acton RT, Barton JC, Passmore LV, Adams PC, Speechley MR, Dawkins FW, Sholinsky P, Reboussin DM, McLaren GD, Harris EL, Bent TC, Vogt TM, Castro O. Relationships of serum ferritin, transferrin saturation and *HFE* mutations and self-reported diabetes in the Hemochromatosis and Iron Overload Screening (HEIRS) Study. *Diabetes Care* 2006; 29 (9): 2084-2089.

Adams PC, Passmore L, Chakrabarti S, Reboussin D, Acton R, Barton J, McLaren G, Eckfeldt J, Dawkins F, Gordeuk V, Harris E, Leiendecker-Foster C, Gossman E, Sholinsky P. Liver diseases in participants with an elevated transferrin saturation and ferritin in the Hemochromatosis and Iron Overload Screening Study. *Clinical Gastroenterology and Hepatology* 2006; 4:918-923.

Adams PC, Reboussin DM, Barton JC, McLaren CE, Eckfeldt JH, McLaren GD, Dawkins FW, Acton RT, Harris EL, Gordeuk VR, Leiendecker-Foster C, Speechley M, Snively BM, Holup JL, Thomson E, Sholinsky P for the Hemochromatosis and Iron Overload Study Research Investigators. Hemochromatosis and Iron-Overload Screening in a Racially Diverse Population. *New England Journal of Medicine*, April 28, 2005; 352:1769-1778.

Adams PC, Reboussin DM, Leiendecker-Foster C, Moses GC, McLaren GD, McLaren CE, Dawkins FW, Kasvosve I, Acton RT, Barton JC, Zaccaro D, Harris EL, Press R, Chang H, and Eckfeldt JH. Comparison of the Unsaturated Iron-Binding Capacity with Transferrin Saturation as a Screening Test to Detect C282Y Homozygotes for Hemochromatosis in 101,168 Participants in the Hemochromatosis and Iron Overload Screening (HEIRS) Study. *Clinical Chemistry*, 2005; 51: 1048-1052.

Anderson RT, Press N, Tucker DC, Snively BM, Wenzel L, Ellis SD, Hall MA, Walker AP, Thomson EJ, Lewis-Jack O, Acton RT. Patient acceptability of genotypic testing for hemochromatosis in primary care. *Genetics in Medicine*, October 2005; 7 (8): 557-563.

Barton JC, Acton RT, Dawkins FW, Adams PC, Lovato L, Leiendecker-Foster C, McLaren CE, Reboussin DM, Speechley M, Gordeuk VR, McLaren GD, Sholinsky P, Harris EL. Initial Screening Transferrin Saturation Values, Serum Ferritin Concentrations, and *HFE* Genotypes in Whites and Blacks in the Hemochromatosis and Iron Overload Screening (HEIRS) Study. *Genetic Testing*, September 2005; 9(3):231-241.

Barton JC, Acton RT, Lovato L, Speechley MR, McLaren CE, Harris EL, Reboussin DM, Adams PC, Dawkins FW, Gordeuk VR, and Walker AP. Initial screening transferrin saturation values, serum ferritin concentrations and *HFE* Genotypes in Native Americans and whites in the HEIRS Study. *Clinical Genetics*, 2006; 69: 48-57.

Hall M, McEwen J, Barton JC, Walker AP, Howe EG, Reiss JA, Power TE, Ellis SD, Tucker DC, Harrison BW, McLaren GD, Ruggiero A, Thomson EJ. Concerns in a Primary Care Population about Genetic Discrimination by Insurers. *Genetics in Medicine*, May/June 2005, 7(5): 311- 316.

McLaren CE, Li K-T, McLaren, GD, Gordeuk VR, Snively BM, Reboussin DM, Barton JC, Acton RT, Dawkins FW, Harris EL, Eckfeldt JH, Moses GC, and Adams PC. Mixture models of serum

iron measures in population screening for hemochromatosis and iron overload. *Translational Research*, 48(4):196-206, 2006.

McLaren CE, Barton JC, Adams P, Harris EL, Acton RT, Press N, Reboussin DM, McLaren GD, Sholinsky P, Walker AP, Gordeuk VR, Leiendecker-Foster C, Dawkins FW, Eckfeldt JH, Mellen BG, Speechley M, Thomson E for the Hemochromatosis and Iron Overload Study Research Investigators. Hemochromatosis and Iron Overload Screening (HEIRS) Study Design for an Evaluation of 100,000 Primary Care-Based Adults. *American Journal of the Medical Sciences*, 2003; 325:53-52.

Tucker DC, Acton RT, Press N, Ruggiero A, Reiss JA, Walker AP, Wenzel L, Harrison B, Akinsiku M, Harrison H, Adams PC, Crabb JA, Anderson R, Thomson E. Predictors of belief that genetic test information should be shared with family members. *Genetic Testing*, 2006; 10: 50-59.

Accepted/ In-Press Publications

Anderson R, Tucker D, Acton R, Harrison B, Howe E, Press N, Holup J, Adams P, Power T, Leiendecker-Foster C, Hall M, Ruggiero A, Thomson E, Wenzel L, Walker A.. Psychological Impact of Ambiguous Results from Iron Overload Screening Results in Primary Care: The HEIRS Study. *Genetics in Medicine*, In-press, June 2006.

Dawkins FW, Gordeuk VR, Barton JC, Acton RT, McLaren GD, Leiendecker-Foster C, McLaren CE, Adams PC, Speechley M, Harris EL, Snively BM, Lovato L, Jackson S, Thomson E. African-Americans at risk for increased iron stores or liver disease. *American Journal of Medicine*, In-press, anticipated January 2007 publication.

Hall MA, Barton JC, Adams PC, McLaren CM, Reiss JA, Castro O, Ruggiero A, Acton RT, Power TE, Bent TC. A prospective study of potential genetic discrimination one year after screening for hemochromatosis and iron overload. *Journal of Family Practice*; In-press, publication in 2007.

Harris E, Reboussin D, McLaren G, Snively B, Gordeuk V, Dawkins F, Barton J, Acton R, McLaren CE, Holup J, Adams P, Lin E, Eckfeldt J, Leiendecker-Foster C. Distribution of serum ferritin and transferrin saturation levels among Asians living in the US and Canada: HEIRS Study. *Archives of Internal Medicine*; In-press, publication in 2007.

Leiendecker-Foster C, Steiner M, Eckfeldt J, McLaren G, Snively B, McLaren C, Adams P. HFE Gene Splice Site Mutation IVS5+1 G/A in North American Vietnamese With and Without Phenotypic Evidence of Iron Overload. *Translational Research* (former *Journal of Laboratory and Clinical Medicine*); In-press, September 2006.

Power T, Barton J, Acton R, Walker A, Howe R, Harrison B, Adams P, Anderson R, Palla S. Psychosocial Impact of Genetic testing for C282Y Mutation: A comparison between Canada and the United States of America. *Genetic Testing*; in-press September 2006.

Rivers CA, Barton JC, Gordeuk VR, Acton RT, Speechley MR, Snively BM, Leiendecker-Foster C, Press RD, Adams PC, McLaren GD, Dawkins FW, McLaren CM, Reboussin DM. Association of Ferroportin Q248H Polymorphism with Elevated Levels of Serum Ferritin in HEIRS Study African American Participants. *Blood Cells, Molecules and Diseases*; In-press December 2006.

Presented Abstracts

Acton R, Snively B, Barton J, McLaren C, Adams P, Rich S, Eckfeldt J, Press R, Sholinsky P, Leiendecker-Foster C, McLaren G, Speechley M, Harris E, Dawkins F, Gordeuk V. A genome-wide scan suggests a region on chromosome 16p is a determinant of serum ferritin after adjusting for HFE: The HEIRS Family Study. Poster #1482/B presented at the annual meeting of The

American Society of Human Genetics, October 9-13, 2006, New Orleans, LA. Available from <http://www.ashg.org/genetics/ashg05s/>

Acton RT, Barton JC, Passmore L, Adams PC, Speechley MR, Dawkins FW, Sholinsky P, Reboussin DM, McLaren GD, Harris EL, Bent TC, Vogt T, Castro O Relationships of serum ferritin, transferrin saturation, and HFE mutations and self-reported diabetes mellitus in the hemochromatosis and iron overload screening (HEIRS) study. *BLOOD* 106 (11): 3713 Part 2 November 16, 2005.

Acton RT, Snively BM, Barton JC, Adams PC, Eckfeldt JH, Harris EL, Dawkins FW, McLaren CE, Gordeuk VR, McLaren GD, Reboussin DM, Sholinsky P, Speechley MR, Holup J, Leiendecker C. Geographic and Race/Ethnicity Differences in *HFE* Mutation Frequencies and Iron Phenotypes in the Hemochromatosis and Iron Overload Screening (HEIRS) Study. Presented at the Annual Meeting of the American Society of Hematology, San Diego, CA, December 2004. *BLOOD* 2004;104:877a, 2004.

Acton RT, Adams PC, Barton JC, Dawkins F, Eckfeldt JH, Gordeuk VR, Harris EL, McLaren CE, McLaren GD, Mellen BG, Reboussin DM, Sholinsky P, Speechley M, Thomson E. Hemochromatosis and iron overload screening study (HEIRS)--an interim analysis of 20,000 *HFE* genotypes by race/ethnicity, and association with iron phenotype. Presented at the 2002 Annual Clinical Genetics Meeting, New Orleans, LA, March 14-17, 2002. *Genet Med* 4:180, 2002.

Adams PC, Reboussin DM, McLaren C, Barton JC, Acton RT, Lovato L, McLaren GD, Moses GC, Press R, Chang H, Leiendecker-Foster C, Harris EL, Gordeuk VR, Dawkins FW, Eckfeldt JH. Do the biological variability of transferrin saturation and unsaturated binding capacity limit their utility as screening tests for HFE C282Y-linked hemochromatosis? *Hepatology* 2006; 44:432A.

Adams PC, Passmore L, Chakrabarti S, Reboussin DM, Acton RT, Barton J, McLaren G, Eckfeldt J, Dawkins FW, Gordeuk V, Harris EL, Leiendecker-Foster C, Gossman E, Sholinsky P. Liver diseases in participants with elevated transferrin saturation and serum ferritin in the Hemochromatosis and Iron Overload Screening Study (HEIRS). Presented at the World Congress of Gastroenterology meeting in Montreal, Quebec, Canada, September 10 – 14, 2005. (On-line citation, <http://www.pulsus.com/WCOG/abs/LB.081.htm>).

Adams PC, Reboussin DM, Barton JC, McLaren CE, Eckfeldt JH, McLaren GD, Dawkins FW, Acton RT, Harris EL, Gordeuk VR, Leiendecker-Foster C, Speechley M, Snively BM, Holup JL, Thomson E, Sholinsky P, for the Hemochromatosis and Iron Overload Screening Study Research Investigators. Hemochromatosis and Iron Overload Screening (HEIRS) Study: Screening of a primary care population of 101,168 persons of diverse background. Presented at the 17th International Conference of the International BiIron Society, Prague, Czech Republic, May 22 – 27, 2005.

Adams PC, Reboussin DM, Leiendecker-Foster C, Moses GC, McLaren GD, McLaren CE, Dawkins FW, Kasvosve I, Acton RT, Barton JC, Zaccaro D, Harris EL, Press R, Chang H, Eckfeldt JH. A comparison of the UIBC to transferrin saturation as a screening test to detect C282Y homozygotes for hemochromatosis. Presented at the 17th International Conference of the International BiIron Society, Prague, Czech Republic, May 22 – 27, 2005.

Adams PC, Zaccaro D, Reboussin D, Moses G, Eckfeldt J, Leiendecker-Foster C., McLaren C, McLaren G, Dawkins F, Gordeuk V, Acton R, Barton J, Harris E, Press R, Chang H. A comparison of the unsaturated iron binding capacity to transferrin saturation to detect C282Y homozygotes for hemochromatosis in 101,168 participants in the HEIRS study. *Hepatology* 2004;40:232A.

Adams PC, Reboussin D, Acton R, Barton J, Gordeuk V, Dawkins F, McLaren C, McLaren G, Harris E, Press N, Speechley M, Thomson E, Eckfeldt H, Sholinsky P. Prevalence of Self-

Reported Symptoms in the HEIRS Study: Differences by *HFE* Genotype. Presented at the 6th International Symposium on Microbial Iron Transport, Storage and Metabolism and the 16th International Conference of the International BiIron Society, Bethesda, MD, May 4-9, 2003.

Adams PC, Reboussin D, Acton R, Barton J, Gordeuk V, Dawkins F, McLaren CE, McLaren G, Harris E, Press N, Speechley M, Mellen B, Thomson E, Eckfeldt J, Sholinsky P. Prevalence of self-reported symptoms in the HEIRS study: Differences by *HFE* genotype. American Association for the Study of Liver Diseases, Annual Meeting, Boston, MA, October 2003, *Hepatology* 2003;38(supplement):230A.

Adams PC, Acton R, Barton JC, Dawkins F, Eckfeldt JH, Gordeuk VR, Harris EL, McLaren CE, McLaren GD, Press N, Reboussin DM, Sholinsky P, Speechley M, Thomson E. Hemochromatosis and iron overload screening study (HEIRS)--an interim analysis of 20,130 *HFE* primary care persons. Presented at Digestive Disease Week, May 19 – 22, San Francisco, CA 2002. *Gastroenterology* 122:A634, 2002.

Anderson R, Press N, Tucker D, Wenzel L, Snively B, Hall M, Ellis S, Walker A, Thomson E, Lewis-Jack O, Acton RT. A Randomized Trial Assessing Acceptability of DNA versus BLOOD Marker Testing to Detect Hemochromatosis In Primary Care Settings: The HEIRS Study. Presented at the annual meeting of the American Society of Human Genetics, Toronto, Ontario, CA. *ASHG*, 1484, 2004.

Anderson RT, Press N, Tucker D, Wenzel L, Snively B, Hall M, Ellis S, Walker A, Thomson E, Lewis-Jack O, Acton RT. A randomized trial on acceptability of DNA versus blood marker testing to detect hemochromatosis in primary care settings: The HEIRS study. Presented at Healthcare Research and Quality Day, Wake Forest University School of Medicine, Winston-Salem, NC, December 2004.

Barton JC, Acton RT, Lovato L, Speechley MR, McLaren CE, Harris EL, Reboussin DM, Adams PC, Dawkins FW, Gordeuk VR, Walker AP. Initial screening transferrin saturation values, serum ferritin concentrations, and *HFE* genotypes in native Americans and whites in the hemochromatosis and iron overload screening (HEIRS) study. *BLOOD* 106 (11): 3712 Part 2 November 16, 2005.

Barton JC, Acton RT, Dawkins FW, Adams PC, Lovato L, Leiendecker-Foster C, McLaren CE, Reboussin DM, Speechley MR, Gordeuk VR, McLaren GD, Sholinsky P, Harris EL. Initial Screening Transferrin Saturations, Serum Ferritin Concentrations, and *HFE* Genotypes in Whites and Blacks in the Hemochromatosis and Iron Overload Screening (HEIRS) Study. Presented at the Annual Meeting of the American Society of Hematology, San Diego, CA, December 2004. *BLOOD*, 104 :874a, 2004.

Dawkins FW, Mellen BG, Reboussin DM, McLaren CE, Sholinsky P, Acton RT, Adams PC, Barton JC, McLaren GD, Harris EL, Press N, Speechley M, Thomson E, Eckfeldt JH, Gordeuk VR. Comparison of Screening Serum Ferritin Concentrations and Transferrin Saturations in *HFE* Wild –Type African American and Caucasian HEIRS Participants. Presented at the 6th International Symposium on Microbial Iron Transport, Storage and Metabolism and the 16th International Conference of the International BiIron Society, Bethesda, MD, May 4-9, 2003.

DeRio-LaFreniere S, Li H, Foster CL, Zaun C, Thompson N, Wang X, Press R, Acton R, Eckfeldt J. Multiplex analysis using denaturing high-performance liquid chromatography (dHPLC) to screen for gene variants associated with iron overload
J MOL DIAGN 8 (5): 667-667, November 2006.

Franks AM, Leiendecker-Foster C, Rasmussen E, Grygiel R, Iszczyszyn W, Eckfeldt JH, McGlennen RC. Optimization of a modified Invader™ genotype protocol using robotic automation for high throughput *HFE* genotyping of a modified Invader™ genotype

protocol using robotic automation for high throughput *HFE* genotyping. *JMD* 2001; 3(4):195.

Gordeuk VR, Dawkins FW, Barton JC, Acton RT, McLaren GD, McLaren CE, Harris EL, Reiss J, Adams PC, Speechley M, Phatak PD, Sholinsky P, Eckfeldt JH, Reboussin DM. Possible causes of serum ferritin concentration elevations among 101,168 primary care patients based on clinical evaluation. Presented at the 17th International Conference of the International BiIron Society, Prague, Czech Republic, May 22 – 27, 2005.

Hall MA, Snively B, Barton JC, Castro O, Ruggiero A, Reiss J, McLaren CE, Acton RT, Adams PC, Akinsiku M. A prospective study of reported genetic discrimination after screening for hemochromatosis and iron overload. Presented at the American Society of Human Genetics 55th Meeting at the Salt Palace Convention Center, Salt Lake City, Utah, October 25-29, 2005. The abstract appears on page 234 #1220.

Harris EL, Acton RT, Snively BM, Barton JC, Leiendecker-Foster C, McLaren CE, Adams PC, Speechley M, Bent TC. Using family history of hemochromatosis or iron overload to aid targeted screening in a multiethnic, primary-care population: The Hemochromatosis and Iron Overload Screening (HEIRS) Study. Poster presentation. American Society of Human Genetics, Salt Lake City, UT, October 25-29, 2005. The abstract appears on page 229 #1194.

Harris EL, Snively BM, Vogt TM, Holup JL, Dawkins FW, Gordeuk VR, Le HD, Nguyen HV, Passmore LV. Distribution of transferrin saturation and serum ferritin among Pacific Islanders living in the U.S.: the Hemochromatosis and Iron Overload Screening (HEIRS) Study. Presented at the American Society of Human Genetics, Toronto, Ontario, Canada. *ASHG*, 2004. No citation information available.

Harris EL, McLaren CE, Adams PC, McLaren GD, Vogt TM, Mellen BG, Speechley M, Reboussin DM, Acton RT. Distribution of serum ferritin and transferrin saturation levels among Asians living in the US and Canada: Hemochromatosis and Iron Overload Screening (HEIRS) Study. Presented at the annual meeting of the American Society of Human Genetics, Los Angeles, CA, November 4-8, 2003. *Am J Hum Genet* 73 (5): 1436 November 2003.

Harris EL, Mellen BG, Adams PC, Acton R, Barton JC, McLaren GD, Dawkins F, Eckfeldt JH, Gordeuk VR, Lovato L, McLaren CE, Press N, Sholinsky P, Speechley M, Thomson E. Hemochromatosis and Iron Overload Screening (HEIRS) Study. Prevalence of elevated iron test levels by *HFE* genotype. Presented at the annual meeting of the American Society of Human Genetics, Baltimore, MD, October 16-19, 2002. *Am J Hum Genet* 71 (4): 83 Suppl. S, 2002.

Holup JL, Vollmer WM, Harris EL, Press N, Vogt TM. Asian groups differ in response patterns about relevant health history and perceived causes of disease. Presented at the American Society of Human Genetics, Toronto, Ontario, Canada. *ASHG*, 2004. No citation information available.

Leiendecker Foster C, Franks A, Thompson N, McGlennen RC, Eckfeldt JH. Validation of C282Y and H63D Mutation Detection in the HEIRS Study Using Invader™ Assay and Buffy Coat Spotted FTA™ Paper. *JMD* 2001; 3(4):194.

McLaren CE, Gordeuk VR, Snively BM, Chen, W-P, Harris EL, Adams PC, Barton JC, Castro O, Speechley M, Acton RT, Reboussin DM. Mixture Models of Bivariate Distributions for Biochemical Markers of Iron Status: the Hemochromatosis and Iron Overload (HEIRS) Screening Study. Presented at the WNAAR/IMS Western Regional Meeting, Flagstaff, AZ, June 27-30, 2006.

McLaren CE, McLaren GD, Li KT, Gordeuk VR, Snively BM, Reboussin DM, Barton JC, Acton RT, Dawkins FW, Harris EL, Eckfeldt JH, Moses GC, Adams PC. Mixture Models of Phenotypic Markers in Population Disease Screening for Hemochromatosis and Iron Overload. . Presented

at the 17th International Conference of the International BiIron Society, Prague, Czech Republic, May 22 – 27, 2005.

McLaren CE, Gordeuk VR, Li K-T, Reboussin DM, Sholinsky P, Mellen BG, Speechley M. Mixture Models of Phenotypic Markers in Population Disease Screening for Hemochromatosis and Iron Overload. Presented at the XXInd International Biometric Conference, Cairns, Australia, July 11-16, 2004.

McLaren CE, Gordeuk VR, Li KT, Reboussin DM, Sholinsky P, Mellen BG, Speechley M. Mixture models of phenotypic markers in population disease screening for hemochromatosis and iron overload. Presented at the Joint Statistical Meetings, San Francisco, CA, August 2003.

McLaren CE, Acton R, Adams, P, Barton JC, Dawkins FW, Eckfeldt JH, Harris E, McLaren GD, Press N, Reboussin DM. Hemochromatosis and Iron Overload Screening (HEIRS) Study Design. Presented at the 8th Conference of the International Association for the Study of Disorders of Iron Metabolism and the 15th International Conference on Proteins of Iron Metabolism, Cairns, Australia, August 18-24, 2001.

McLaren CE, Acton, R., Adams, P., Barton JC, Dawkins FW, Eckfeldt JH, Harris E, McLaren GD, Press N, Reboussin DM. Hemochromatosis and Iron Overload Screening (HEIRS) Study Design Hemochromatosis and iron overload screening (HEIRS) study design. *BLOOD* 98: 3604, 2001.

McLaren GD, Barton JC, Gordeuk VR, McLaren CE, Adams PC, Reboussin DM, Acton R, Harris EL, Dawkins FW, Mellen BG, Sholinsky P, Speechley M, Eckfeldt JH. High *HFE* C282 Homozygote Frequency in Caucasians but not in Hispanics, African Americans, or Asians: an Analysis of 50,290 Primary Care Patients in the Hemochromatosis and Iron Overload Screening (HEIRS) Study. Presented at the 6th International Symposium on Microbial Iron Transport, Storage and Metabolism and the 16th International Conference of the International BiIron Society, Bethesda, MD, May 4-9, 2003.

McLaren GD, Barton JC, Gordeuk VR, McLaren CE, Adams PC, Reboussin DM, Acton R, Harris EL, Dawkins FW, Mellen BG, Sholinsky P, Speechley M, Eckfeldt JH. High *HFE* C282 homozygote frequency in Caucasians but not in Hispanics, African Americans, or Asians: an analysis of 50,290 primary care patients in the Hemochromatosis and Iron Overload Screening (HEIRS) Study. Presented at the Annual Meeting of the American Society of Hematology, Philadelphia, PA, December 6-10, 2002. *BLOOD* 100:447a, 2002.

Mellen BG, Lohman KL, Acton RT, Adams PC, Barton JC, Eckfeldt JH, Gordeuk VR, Harris EL, McLaren CE, Press N, Reboussin DM, Rivers CA, Sholinsky P, Speechley M, Thomson E. Replacement of Controls through Constrained Random Sampling in a Case-Control Design: the Hemochromatosis and Iron Overload Screening (HEIRS) Study. Presented at the 9th Biennial CDC/ATSDR Symposium on Statistical Methods: Study Design and Decision Making in Public Health, Atlanta, GA, January 28-29, 2003.

Snively BM, Reboussin DM, McLaren CE, Acton RT, Speechley MR, Harris EL, Barton JC, Leiendecker-Foster C, Gordeuk VR. Inference under various multinomial distribution models for haplotypes under Hardy-Weinberg disequilibrium. Contributed paper at the Spring Meeting of the International Biometric Society, Eastern North American Region, Austin, TX, March 20-23, 2005.

Steiner M, Leiendecker-Foster C, Snively BM, McLaren CE, McLaren GD, Adams PC, and Eckfeldt JH. *HFE* gene splice site mutations IVS5 + 1 G/A in American Vietnamese with and without elevated serum biochemical iron test results. Presented at the 17th International Conference of the International BiIron Society, Prague, Czech Republic, May 22 – 27, 2005.

Tucker DC, Crabb JA, Hicken B, Acton R, Press N, Reiss J, Wenzel L, Walker A, Power T, Holup J, Harris B, Dawkins F, Anderson R, Reboussin D. Hispanics differ from other ethnic groups in

the HEIRS study in opinions about communicating genetic test information within families. *Soc of Behavioral Med* 2004; 27:S142.

Wenzel LB, McLaren CM, Harrison H, Brown BJ, Adams PC, Walker AP, Baca JA, Thomson EJ. Participant-Driven Responses to Hemochromatosis Risk Notification via Letter. Presented at the 17th International Conference of the International Biolron Society, Prague, Czech Republic, May 22 – 27, 2005.

Submitted Manuscripts

Acton R, Barton J, McLaren C, McLaren G, Gordeuk V, Dawkins FW, Harris EL, Press R, Adams P, Speechley M, Leiendecker-Foster C, Eckfeldt J, Snively B, Rich S, Sholinsky P. A Genomewide Scan for Iron Phenotype Quantitative Trait Loci: The HEIRS Family Study." Submitted to *Clinical Genetics*, December 2006.

Adams P, Acton R, Barton J, Dawkins FW, Gordeuk V, Reboussin D, Lovato L, Press R, Leiendecker-Foster C, Moses G, McLaren G, Eckfeldt J. Do the biological variability of transferrin saturation and UIBC limit their utility to screen for C282Y-linked hemochromatosis? Submitted to the *American Journal of Medicine*, November 2, 2006.

Barton JC, Reboussin DM, McLaren GD, Acton R, McLaren CE, Press R, Reiss J, Adams P, Speechley M, Eckfeldt J, Leiendecker-Foster C, Lovato L. *HFE* C282Y Homozygotes at HEIRS Study Initial Screening of Participants Ages 25-29 years. Submitted to *Community Genetics*, August 8, 2006.

Gordeuk V, Reboussin DM, Dawkins F, Barton J, Acton R, McLaren G, McLaren C, Harris E, Reiss J, Adams P, Speechley M, Phatak P, Sholinsky P, Eckfeldt J. Possible causes of serum ferritin concentration elevations among 101, 168 primary care patients based on clinical evaluation. Submitted to *New England Journal of Medicine*, December 2006.

Holup J, Press N, Vollmer WM, Harris EL, Vogt T. The Office of Management and Budget's race and ethnicity categories: how does the revised OMB minimum-standard fare in Asian populations? Submitted to *International Journal of Intercultural Relations* on February 17, 2006.

Leiendecker-Foster C, Franks AM, Jackson S, Press R, McLaren GD, Acton RT, McGlennen RC, Eckfeldt JH. High throughput genotyping for *HFE* gene carrier C282Y and H63D alleles using buffy coat spotted FTA Paper. Submitted to *Clinical Chemistry*, May, 2005; rejected; format revisions needed to resubmit to *Journal of Molecular Diagnostics*.

McLaren CM, Barton JC, Gordeuk VR, Wu L, Adams PC, Reboussin DM, Speechley M, Chang H, Acton RT, Harris EL, Castro O. Determinants and Characteristics of Mean Corpuscular Volume and Hemoglobin Concentration in White C282Y Homozygotes in the HEIRS Study. Submitted to *American Journal of Hematology*, August 16, 2006.

Wenzel L, McLaren CE, Harrison H, Brown BJ, Adams PC, Walker A, Baca JA, Thomson E. Participant-Driven Responses to Hemochromatosis Risk Notification via letter. Submitted to *Genetics in Medicine*, June 2005; rejected. Need to revise and resubmit.

Wenzel LB, Anderson R, Rivers C, Tucker DC, Palla S, Thomson E, Speechley M, Harrison H, Lewis-Jack O, Fadojutimi-Akinsiku M, Eckfeldt JH, Reiss JA, Snively BM, Rivers CA, Bookman E and McLaren CE. Health related quality of life in a racially diverse population screened for hemochromatosis: Results from the HEIRS study. Submitted to *Genetics in Medicine*, August 2, 2006, under revision.

Under NHLBI/SC Review

McLaren G, McLaren C, Acton R, Barton J, Dawkins F, Gordeuk V, Vogt T, Harris Em, Adams P, Speechley M, Eckfeldt J, Snively B, Reboussin D, Sholinsky P. Symptoms and Clinical Conditions in Patients with Hemochromatosis Identified by Screening in Primary Care.

Reboussin DM, Acton RT, Adams PC, Barton JC, Dawkins FW, Eckfeldt JH, Gordeuk VR, Harris EL, Leiendecker-Foster C, McLaren CE, McLaren GD, Meenan R, Snively BM, Speechley MR. Iron removed by quantitative phlebotomy in participants identified from a multi-ethnic primary care sample: The HEIRS Study.

In Draft

Harrison H, Harrison B, Acton R, Rivers C, Walker A, Bent T, Akinsiku M, Adams P, Lohman K, Ellis S. Understanding of results and satisfaction with mailed patient notification among non-affected participants a large hemochromatosis and iron overload screening study (HEIRS).

Leiendecker-Foster C, Eckfeldt J, Acton R, Press R, DeRio-LaFreniere S, Li H, Zaun C, Thompson N, Wang X. Multiplex analysis using denaturing high-performance liquid chromatography (dHPLC) to screen for gene variants associated with iron overload.

McLaren C, Chen, W-P, Reboussin D, Snively B, Gordeuk V, Castro O, Adams P, Speechley M. The Distribution of Transferrin Saturation and Serum Ferritin Concentration in non-Caucasian Race/Ethnicities.

Rivers CA, Dixon D, Baca J, Bent T, Dawkins F, Akinsiku M, Holup J, Uchida A, Harris EL, Harrison H, Speechley MR, Craven BL, Ellis S, Lovato L. HEIRS recruitment strategies.

Reboussin DM, Snively BM, Acton RT, Barton J, McLaren CE, McLaren GD, Harris EL, Reiss J, Gordeuk V, Harrison B, Speechley MR, Adams PC, Eckfeldt JH, Leiendecker-Foster C, Sholinsky P. Screening for Iron Overload: Recommendations from the HEIRS Study.

Speechley M, Barton JC, River CA, Wenzel L, Diaz S, Harris EL, Harrison H, Palla S, Passmore L, Akinsiku M. Comparison of factors affecting the participation of subjects in the Comprehensive Clinical Examination of the HEIRS study.

Walker A, Tucker D, Acton R, McLaren C, Reiss J, Holup J, Harrison B., Diaz S, Adams P, Harrison H, Lohman KU, Hall M. . Efficacy of results communication and patient education in a large, ethnically and linguistically diverse group screened for hemochromatosis and/or iron overload.

In Analysis Stage

Acton R, Barton J, McLaren G, Gordeuk V, Dawkins FW, Vogt T, Adams P, Speechley M, Eckfeldt J, Reboussin D, Passmore L, Sholinsky P. Relationship of Serum Ferritin, TfSat, *HFE* Mutations, Insulin Resistance, C-Reactive Protein Levels and blood lymphocyte Counts.-Local analysis.

Acton R, Barton J, McLaren C, McLaren G, Harrison B, Castro C, Harris E, Reiss J, Adams P, Speechley M, Leiendecker-Foster C, Snively B, Passmore L. Sensitivity and specificity of family history of disease to detect iron overload.

Anderson R, Barton J, Acton R, Harrison B, Akinsiku M, Reiss J, Press N, Adams P, Power T, Wenzel L, Ruggiero A. The long-term psychological effects of genetic and phenotypic screening for HH and iron overload.

Barton JC, Acton R, McLaren C, McLaren G, Harris E, Castro O, Dawkins F, Adams P, Speechley M, Eckfeldt J, Reboussin D, Lovato L, Sholinsky P. Evaluation of seasonal variation of serum iron concentration, transferrin saturation and serum ferritin concentration.

Barton J, Acton R, McLaren CM, McLaren G, Harris EL, Reiss J, Adams P, Harrison H, Eckfeldt, Snively B. Iron Depletion and Deficiency in HEIRS Study Participants: Relationship to Sex, Age, Race/Ethnicity, Field Center, and Inheritance of *HFE* C282Y.

Gordeuk V, Barton J, Acton R, McLaren C, McLaren G, Diaz S, Harris E, Adams P, Speechley M, Eckfeldt J, Lovato L, Vitolins M, Sholinsky P. Relationship between dietary iron intake and serum ferritin and expression of hemochromatosis.

Press R, Acton R, McLaren G, Eckfeldt J, Leiendecker-Foster C, Lovato L, Snively B, Chang H. Accuracy and precision of HFE diagnostic genotyping in a 100,000 participant population screening trial for iron overload (HEIRS).

Snively BM, Reboussin DM, Acton RT, Gordeuk VR, Dawkins FW, Barton JC, McLaren CE, Harris EL, Leiendecker-Foster C. Inference under Various multinomial distribution models for haplotypes under Hardy-Weinberg equilibrium.

Snively, BM, Acton R, Barton J, McLaren C, McLaren G, Harris E, Vogt T, Gordeuk V, Dawkins F, Speechley M, Adams P, Eckfeldt J, Henkin L, Jaquish C. Heritability analysis of serum ferritin, transferrin saturation, unbound iron binding capacity (UIBC), fasting insulin and glucose.

Tucker D, Acton R, Wenzel L, Hicken B, Lewis-Jack O, Howe E, Holup J, Press N, Power T, Harrison H, Palla S, Anderson R. Perceptions of Health and Psychological Well-Being in an Ethnically Diverse Sample Enrolled in the HEIRS Screening Study.

Tucker D, Acton R, Baca JA, Walker A, Harrison B, Howe R, Press N, Reiss J, Harrison H, Power T, Ruggiero A, Ellis S. Effects of genetic screening results on intention to share results with family members.

Writing Group Formed

Eckfeldt J, Leiendecker-Foster C, Honggui L, Acton R, Barton J, Press R, Snively B, Reboussin D, Gordeuk V, Dawkins F, Speechley M, Adams P, McLaren C, McLaren G. (Lack of) correlation of the presence of polymorphisms in genes related to iron accumulation (*HAMP*, *HJV*, *TFR2*, *FTL*, and *FPN1*) and serum transferrin saturation and ferritin in a multiethnic population: The Hemochromatosis and Iron Overload Screening Study (HEIRS) results.

Gordeuk V, Acton R, Barton J, McLaren C, McLaren G, Harrison B, Harris E, Reiss J, Adams P, Speechley M, Eckfeldt J, Leiendecker-Foster C, Snively B, Balasubramanian A. Familial aggregation of hemochromatosis/iron overload and associated phenotypes.

Harris E, Acton R, Barton J, McLaren C, Bent T, Gordeuk V, Castro O, Reiss J, Adams P, Speechley M, Eckfeldt J, Leiendecker-Foster C, Snively BM, Lovato L. Using family history of hemochromatosis or iron overload to aid targeted screening in a multi-ethnic, primary care population: The HEIRS study.

McLaren G, Barton J, Acton R, McLaren C, Gordeuk V, Dawkins F, Press R, Harris E, Adams P, Speechley M, Eckfeldt J, Leiendecker Foster C, Reboussin D, Ruggiero A. Age, C282Y status and total body iron and disease manifestations.

Proposal Approved, Forming Writing Groups

Adams, P, Reboussin DM, Passmore L, Acton R, Barton JC, Gordeuk V, McLaren CE, McLaren G, Dawkins FW, Eckfeldt J, Leiendecker-Foster C, Speechley M, Meenan R. Serial

measurements of serum ferritin in untreated C282Y homozygotes of the HFE gene in the HEIRS Study.

On Hold/Tabled

Barton JC, Acton R, McLaren C, Wu L, Gordeuk VR, Castro O, Harris E, Passmore L, Reboussin D, Leiendecker Foster C, Chang H, Adams P, Speechley M. Evaluation of Mean Corpuscular Volume (MCV) as a Possible Surrogate Marker for HFE C282Y Homozygosity.-This manuscript is tabled and will not be pursued.

Eckfeldt J, Barton J, Acton R, Gordeuk V, Dawkins F, Press R, Harris E, Adams P, Moses G, Leiendecker-Foster C, Snively B, Lovato L, Chang H. Intra-individual variability in serum transferrin saturation, unsaturated iron binding capacity, and ferritin results in HFE C282Y homozygotes and those without HFE mutations: Implications for population screening for iron overload using serum biochemical iron-related tests.

Holup J, Rivers C, Tucker D, Bent T, Walker A, Fadojutimi-Akinsiku M, Diaz S, Harris E, Adams P, Speechley M, Lohman K, Ellis S, Boyer J. Sharing results with MD.

Press N, Acton R, Tucker D, Wenzel L, Howe E, Harrison B, Harris E, Adams P, Power T, Eckfeldt J, Pall S, Hall M, Thomson E. Attitudes toward genetics and genetic testing among a primary care population of diverse ethnic backgrounds enrolled in the HEIRS screening trial.

Snively BM, Reboussin DM, McLaren GD, Bent T, Acton RT, Sholinsky P, Gordeuk VR, Dawkins FW, Harris EL, Ritenbaugh C, Adams PC, Speechley MR, Eckfeldt JH, Phatak P. Modeling gender, age, ethnicity and *HFE* gene effects on total body iron stores as assessed by serum ferritin: The Hemochromatosis and Iron Overload Screening (HEIRS) Study.