

**HONOLULU HEART PROGRAM PUBLICATIONS
FROM 1966 TO 2000**

1. Trombold JC, Moellering RC Jr., Kagan A. Epidemiological aspects of coronary heart disease and cerebrovascular disease: The Honolulu Heart Program. *Hawaii Med J* 1966;25:231-234.
2. Worth RM, Kagan A. Ascertainment of men of Japanese ancestry in Hawaii through World War II Selective Service registration. *J Chronic Dis* 1970;23:389-397.
3. Kagan A, Rhoads GG, Zeegen PD, Nichaman MZ. Coronary heart disease among men of Japanese ancestry in Hawaii: The Honolulu Heart Study. *Israel J Med Sci* 1971;7:1573-1577.
4. Belsky JL, Kagan A, Syme SL. Epidemiologic studies of coronary heart disease and stroke in Japanese men living in Japan, Hawaii and California: Research plan. ABCC TR 12-71 1971.
5. Sano T, Yokoyama M, Rhoads GG. Clinical significance of 1 anti-trypsin level - a preliminary evaluation among Japanese men. *Hawaii Med J* 1972;31:27-32.
6. Gould SE, Hayashi T, Tashiro T, Tanimura A, Nakashima T, Ashley FW. Coronary heart disease and stroke: Atherosclerosis in Japanese men in Hiroshima, Japan and Honolulu, Hawaii. *Arch Path* 1972;93:98-102.
7. Rhoads GG, Zeegen PD, Glober GA, Boelling GM. The epidemiology of pterygium in a high risk population. *Transactions of Pacific Coast Oto-Ophthalmological Society*, 1972;163-173.
8. Tillotson JL, Kato H, Nichaman MZ, Miller DC, Gay ML, Johnson KG. Epidemiology of coronary heart disease and stroke in Japanese men living in Japan, Hawaii and California: Methodology for comparison of diet. *Am J Clin Nutr* 1973;26:177-184.
9. Kato H, Tillotson J, Nichaman MZ, Rhoads GG, Hamilton HB. Epidemiologic studies of coronary heart disease and stroke in Japanese men living in Japan, Hawaii and California: Serum lipids and diet. *Am J Epidemiol* 1973;97:372-385.
10. Kagan A. The worldwide investigation of the epidemiology of coronary heart disease. *J Hiroshima Med Assoc* 1973;26:1145-1157.

11. Glober GA, Rhoads GG, Liu F, Kagan A. Long term results of gastrectomy with respect to blood lipids, blood pressure, weight and living habits. Ann Surg 1974;179:896-901.
12. Phillips RL, Lilienfeld AM, Diamond EL, Kagan A. Frequency of coronary heart disease and cerebrovascular accidents in parents and sons of coronary heart disease index cases and controls. Am J Epidemiol 1974;100:87-100.
13. Gordon T, Garcia-Palmieri MR, Kagan A, Kannel WB, Schiffman J. Differences in coronary heart disease in Framingham, Honolulu and Puerto Rico. J Chronic Dis 1974;27:329-344.
14. Kagan A, Harris BR, Winkelstein W Jr, Johnson KG, Kato H, Syme SL, Rhoads GG, Gay ML, Nichaman MZ, Hamilton HB, Tillotson JL. Epidemiologic studies of coronary heart disease and stroke in Japanese men living in Japan, Hawaii and California: Demographic, physical, dietary and biochemical characteristics. J Chronic Dis 1974;27:345-364.
15. Gordon T, Kagan A, Rhoads GG. Relative weights in different populations. Am J Clin Nutr 1975;28:304-305.
16. Yano K, Peskoe SM, Rhoads GG, Moore JO, Kagan A. Epidemiology of left axis deviation and left anterior hemiblock among 8,000 Japanese-American men. Am J Cardiol 1975;35:809-815.
17. Syme SL, Marmot MG, Kagan A, Kato H, Rhoads GG. Epidemiologic studies of coronary heart disease and stroke in Japanese men living in Japan, Hawaii and California: Introduction. Am J Epidemiol 1975;102:477-480.
18. Worth RM, Kato H, Rhoads GG, Kagan A, Syme SL. Epidemiologic studies of coronary heart disease and stroke in Japanese men living in Japan, Hawaii and California: Mortality. Am J Epidemiol 1975;102:481-490.

19. Nichaman MZ, Hamilton HB, Kagan A, Grier T, Sacks ST, Syme SL. Epidemiologic studies of coronary heart disease and stroke in Japanese men living in Japan, Hawaii and California: Distribution of biochemical risk factors. *Am J Epidemiol* 1975;102:491-501.
20. Winkelstein W Jr, Kagan A, Kato H, Sacks ST. Epidemiologic studies of coronary heart disease and stroke in Japanese men living in Japan, Hawaii and California: Blood pressure distributions. *Am J Epidemiol* 1975;102:502-513.
21. Marmot MG, Syme SL, Kagan A, Kato H, Cohen JB, Belsky J. Epidemiologic studies of coronary heart disease and stroke in Japanese men living in Japan, Hawaii and California: Prevalence of coronary and hypertensive heart disease and associated risk factors. *Am J Epidemiol* 1975;102:514-525.
22. Rhoads GG, Kagan A, Yano K. Usefulness of community surveillance for the ascertainment of coronary heart disease and stroke. *Int J Epidemiol* 1975;4:265-270.
23. Kagan A, Gordon T, Rhoads GG, Schiffman JC. Some factors related to coronary heart disease incidence in Honolulu Japanese men: The Honolulu Heart Study. *Int J Epidemiol* 1975;4:271-279.
24. Hankin JH, Nomura A, Rhoads GG. Dietary patterns among men of Japanese ancestry in Hawaii. *Cancer Research* 1975;35:3259-3264.
25. Winkelstein W Jr. Cooperative studies of blood pressure in Japanese in Japan, Hawaii and the United States. In Epidemiology and Control of Hypertension, Paul O (ed). Miami: Symposia Specialists, 1975;101-114.
26. Rhoads GG, Gulbrandsen CL, Kagan A. Serum lipoproteins and coronary heart disease in a population study of Hawaii Japanese men. *N Engl J Med* 1976;294:293-298.
27. Kagan A. Epidemiology of hypertension and stroke in Oceania. In Hypertension and Stroke Control in the Community, Hatano S, Shigematsu I, Strasser T (eds). Geneva: World Health Organization, 1976;97-105.

28. Stemmermann GN, Steer A, Rhoads GG, Lee K, Hayashi T, Nakashima T, Keehn R: A comparative pathology study of myocardial lesions and atherosclerosis in Japanese men living in Hiroshima, Japan and Honolulu, Hawaii. *Lab Invest* 1976;34:592-600.
29. Kagan A, Popper J, Rhoads GG, Takeya Y, Kato H, Brown-Goode G, Marmot MG: Epidemiologic studies of coronary heart disease and stroke in Japanese men living in Japan, Hawaii, and California: Prevalence of stroke. In Cerebrovascular Diseases, Tenth Princeton Conference, Scheinberg P (ed). New York: Raven Press, 1976;267-277.
30. Robertson TL, Kato H, Rhoads GG, Kagan A, Marmot MG, Syme SL, Gordon T, Worth RM, Belsky JL, Dock DS, Miyanishi M, Kawamoto S: Epidemiologic studies of coronary heart disease and stroke in Japanese men living in Japan, Hawaii and California: Incidence of myocardial infarction and death from coronary heart disease. *Am J Cardiol* 1977;39:239-43.
31. Robertson TL, Kato H, Gordon T, Kagan A, Rhoads GG, Land CE, Worth RM, Belsky JL, Dock DS, Miyanishi M, Kawamoto S: Epidemiologic studies of coronary heart disease and stroke in Japanese men living in Japan, Hawaii and California: Coronary heart disease risk factors in Japan and Hawaii. *Am J Cardiol* 1977;39:244-249.
32. Rhoads GG, Klein K, Yano K, Preston H: The earlobe crease - Sign of obesity in middle-aged Japanese men. *Hawaii Med J* 1977;36:74-77.
33. Morton NE, MacLean CJ, Kagan A, Gulbrandsen CL, Rhoads GG, Yee S, Lew R: Commingling in distributions of lipids and related variables. *Am J Hum Genet* 1977;29:52-59.
34. Yano K, Rhoads GG, Kagan A: Epidemiology of serum uric acid among 8000 Japanese-American men in Hawaii. *J Chronic Dis* 1977;30:171-184.
35. Castelli WP, Cooper GR, Doyle JT, Garcia-Palmieri M, Gordon T, Hames C, Hulley SB, Kagan A, Kuchmak M, McGee D, Vicic WJ: Distribution of triglyceride and total, LDL and HDL cholesterol in several populations: a cooperative lipoprotein phenotyping study. *J Chronic Dis* 1977;30:147-169.

36. Castelli WP, Doyle JT, Gordon T, Hames CG, Hjortland MC, Hulley SB, Kagan A, Zukel WJ: HDL cholesterol and other lipids in coronary heart disease. The Cooperative Lipoprotein Phenotyping Study. *Circulation* 1977;55:767-772.
37. Castelli WP, Gordon T, Hjortland MC, Kagan A, Doyle JT, Hames CG, Hulley SB, Zukel WJ. Alcohol and blood lipids. The Cooperative Lipoprotein Phenotyping Study. *Lancet* 1977;2:153-156.
38. Yano K, Rhoads GG, Kagan A. Coffee, alcohol and the risk of coronary heart disease among Japanese men living in Hawaii. *N Engl J Med* 1977;297:405-409.
39. Takeya Y, Kato H, Kagan A, Popper J, Rhoads GG, Browne-Goode G, Marmot M. Epidemiologic study of stroke in Japanese men living in Japan, Hawaii and California: Prevalance of Stroke. In Gene-Environment Interaction in Common Disease, Inouye E, Nishimura H (eds). University of Tokyo Press, 1977;15-18.
40. Roberts A, Kagan A, Rhoads GG, Pierce JA, Bruce RM. Antitrypsin and chronic obstructive pulmonary disease among Japanese-American men. *Chest* 1977;72:489-491.
41. Gulbrandsen CL, Morton NE, Rhoads GG, Kagan A, Lew R. Behavioral, Social, and Physiological Determinants of Lipoprotein Concentrations. *Soc Biol* 1977;24:289-293.
42. Yano K, Rhoads GG, Kagan A, Tillotson J. Dietary intake and the risk of coronary heart disease in Japanese men living in Hawaii. *Am J Clin Nutr* 1978;31:1270-1279.
43. Rhoads GG, Blackwelder WC, Stemmermann GN, Hayashi T, Kagan A. Coronary risk factors and autopsy findings in Japanese-American men. *Lab Invest* 1978;38:304-311.
44. Morton NE, Gulbrandsen CL, Rhoads GG, Kagan A. The Lp lipoprotein in Japanese. *Clin Genet* 1978;14:207-212.
45. Rhoads GG, Morton NE, Gulbrandsen CL, Kagan A. Sinking pre-beta lipoprotein and coronary heart disease in Japanese-American men in Hawaii. *Am J Epidemiol* 1978;108:350-356.
46. Morton NE, Gulbrandsen CL, Rhoads GG, Kagan A, Lew R. Major loci for lipoprotein concentrations. *Am J Hum Genet* 1978;30:538-589.
47. Gulbrandsen CL, Morton NE, Rao DC, Rhoads GG, Kagan A. Determinants of plasma uric acid. *Hum Genet* 1979;50:307-312.

48. Yano K, Blackwelder WC, Kagan A, Rhoads GG, Cohen JB, Marmot MG. Childhood cultural experience and the incidence of coronary heart disease in Hawaii Japanese. Am J Epidemiol 1979;109:440-450.
49. Kagan A, Yano K, Rhoads GG, Kato H. Is the reported high mortality from cerebrovascular disease in Japan really an artifact? J Chronic Dis 1979;32:153-156.
50. Mitsuyama Y, Thompson LR, Hayashi T, Lee KK, Keehn RJ, Steer A. An autopsy study of cerebrovascular disease in Japanese men who lived in Hiroshima, Japan and Honolulu, Hawaii. Stroke 1979;10:389-395.
51. Steer A, Lee SS, Stemmermann GN, Yamamoto T, Rhoads GG, Lee KK. Autopsy study of small cardiac scars in Japanese men who lived in Hiroshima, Japan and Honolulu, Hawaii. Lab Invest 1979;41:538-545.
52. Cohen JB, Syme SL, Jenkins CD, Kagan A, Zyzanski SJ. The cultural context of type A behavior and risk of CHD. Behav Med 1979;2:375-384.
53. Rao DC, Morton NE, Gulbrandsen CL, Rhoads GG, Kagan A, Yee S. Cultural and biological determinants of lipoprotein concentrations. Ann Hum Genet 1979;42:467-477.
54. Morton NE, Gulbrandsen CL, Rao DC, Rhoads GG, Kagan A. Determinants of blood pressure in Japanese-American families. Hum Genet 1980;53:261-266.
55. Kagan A, Popper JS, Rhoads GG. Factors related to stroke incidence in Hawaii Japanese men: The Honolulu Heart Study. Stroke 1980;11:14-21.
56. Rhoads GG, Popper JS, Kagan A, Yano K. Incidence of transient cerebral ischemic attack in Hawaii Japanese men: The Honolulu Heart Study. Stroke 1980;11:21-26.
57. Blackwelder WC, Yano K, Rhoads GG, Kagan A, Gordon T, Palesch Y. Alcohol and mortality: The Honolulu Heart Study. Am J Med 1980;68:164-169.
58. Kagan A, Marmot MG, Kato H. The Ni-Hon-San study of cardiovascular disease epidemiology: population characteristics and epidemiology of stroke. In Epidemiology of Arterial Blood Pressure. Kesteloot H, Joossens JV (eds). The Hague/Boston/London: Martinus Nijhoff, 1980;423-436.

59. Marmot MG, Kagan A, Kato H. Hypertension and heart disease in the Ni-Hon-San Study. In Epidemiology of Arterial Blood Pressure. Kesteloot H, Joossens JV (eds). The Hague/Boston/London: Martinus Nijhoff, 1980;437-452.
60. Rhoads GG. Hemoglobin A1C reproducibility (letter). Ann Intern Med 1980;93:574.
61. McGee D, Rhoads GG, Feinleib M. The logistic function. A model for assessing risk of heart disease. In Proceedings of the Fourteenth Hawaii International Conference on System Sciences. Shriner B et al. (eds), Honolulu HI, University of Hawaii Press, 1981;722-740.
62. Blackwelder WC, Kagan A, Gordon T, Rhoads GG. Comparison of methods for diagnosing angina pectoris: Honolulu Heart Study. Int J Epidemiol 1981;10:211-215.
63. Gordon T, Kagan A, Garcia-Palmieri M, Kannel WB, Zukel WJ, Tillotson M, Sorlie MS, Hjortland M. Diet and its relation to coronary heart disease in three populations. Circulation 1981;63:500-515.
64. Kagan A, McGee D, Yano K, Rhoads GG, Nomura A: Serum cholesterol and mortality in a Japanese-American population. Am J Epidemiol 1981;114:11-20.
65. Kagan A, Yano K, Rhoads GG, McGee D. Alcohol and cardiovascular disease: the Hawaiian experience. Circulation 1981; 64 (suppl III):27-31.
66. Reed D, McGee D, Yano K. Biological and social correlates of blood pressure among Japanese men in Hawaii. Hypertension 1982;4:406-414.
67. Yano K, Kagan A, McGee D, Rhoads GG. Glucose intolerance and nine-year mortality in Hawaii Japanese men. Am J Med 1982;72:71-80.
68. McGee D, Rhoads GG, Hankin J. Within person variability of nutrient intake in a group of Hawaiian men of Japanese ancestry. Am J Clin Nutr 1982;36:657-663.
69. Reed D, McGee D, Cohen J. Acculturation and coronary heart disease among Japanese men in Hawaii. Am J Epidemiol 1982;115:894-905.
70. Kagan A, Yano K, McGee D, Rhoads GG. Epidemiology of glucose intolerance in Hawaii Japanese men. Excerpta Medica. In: Genetic Environmental Interaction in Diabetes Mellitus. Proceedings of the Third Symposium on Diabetes Mellitus in

- Asia and Oceania; Honolulu, Feb 6-7, 1981; ISBN Elsevier North Holland, 1982 (International Congress Series No. 549, pp 51-56).
71. Hulley S, Rhoads GG. Plasma lipoprotein as risk factors. *Metabolism* 1982;31:773-777.
72. Yamamoto L, Yano K, Rhoads GG: Characteristics of joggers among Japanese men in Hawaii. *Am J Public Health* 1983;73(2):147-152.
73. Yano K, McGee D, Reed D. The impact of elevated blood pressure upon 10-year mortality among Japanese men in Hawaii: The Honolulu Heart Program. *J Chronic Dis* 1983;36:569-579.
74. Reed D, McGee D, Yano K. Trends of coronary heart disease among men of Japanese ancestry in Hawaii. *J Community Health* 1983;8(3):149-159.
75. Carter C, McGee D, Reed D, Yano K, Stemmermann G. Hematocrit and the risk of coronary heart disease: The Honolulu Heart Program. *Am Heart J* 1983;105:674-679.
76. Reed D, McGee D, Yano K, Feinleib M. Social networks and coronary heart disease among Japanese men in Hawaii. *Am J Epidemiol* 1983;117:384-396.
77. Rhoads GG, Feinleib M. Serum triglyceride and risk of coronary heart disease, stroke, and total mortality in Japanese-American men. *Arteriosclerosis* 1983;3:316-322.
78. Rhoads, GG, Kagan A. The relation of coronary disease, stroke and mortality to weight in youth and in middle age. *Lancet* 1983;1:492-495.
79. Rao DC, Williams WR, McGue M, Morton NE, Gulbrandsen CL, Rhoads GG, Kagan A. Cultural and biological inheritance of plasma lipids. *Am J Phys Anthropol* 1983;62:33-49.
80. Williams WR, Morton NE, Rao DC, Gulbrandsen CL, Rhoads GG, Kagan A. Family resemblance for fasting blood glucose in a population of Japanese Americans. *Clin Genet* 1983;23:287-293.
81. Reed D, Feinleib M. Changing patterns of cardiovascular disease in the Pacific Basin: Report of an international workshop. *J Community Health* 1983;8(3):182-205.
82. Reed D. Social stress, social support and hypertension among Japanese men in Hawaii. In: Proceedings of the

Second International symposium on Hypertension and the Japanese. Molokai, Hawaii. Japan Medical Tribune, 1983;pp 21-30.

83. Hankin JH, Kolonel LN, Yano K, Heilbrun L, Nomura A. Epidemiology of diet-related disease in the Japanese migrant population of Hawaii. Proc Nutr Soc Aust 1983;8:22-40.
84. Reed D, McGee D, Yano K. Psychosocial processes and general susceptibility to chronic disease. Am J Epidemiol 1984;119(3):356-370.
85. Yano K, Reed D, McGee D. Ten-year incidence of coronary heart disease in The Honolulu Heart Program: Relationship to biological and lifestyle characteristics. Am J Epidemiol 1984;119(5):653-666.
86. Stemmermann G, Hayashi T, Resch J, Reed DM, Chung CS, Rhoads GG. Risk factors related to ischemic and hemorrhagic cerebrovascular disease at autopsy: The Honolulu Heart Program. Stroke 1984;15(1):23-28.
87. Carter C, McGee D, Yano K. Morbidity and mortality rates in Okinawan Japanese vs mainland Japanese: The Honolulu Heart Program. Hum Biol 1984;56(2):339-353.
88. Stemmermann G, Heilbrun L, Nomura A, Rhoads GG, Glober GA. Late mortality after partial gastrectomy. Int J Epidemiol 1984;13(3):299-303.
89. McGee D, Reed D, Yano K, Kagan A, Tillotson J. Ten-year incidence of coronary heart disease in the Honolulu Heart Program: Relationship to nutrient intake. Am J Epidemiol 1984;119:667-676.
90. Takeya Y, Popper JS, Shimizu Y, Kato H, Rhoads GG, Kagan A. Epidemiologic studies of coronary heart disease and stroke in Japanese men living in Japan, Hawaii and California: Incidence of stroke in Japan and Hawaii. Stroke 1984;15:15-23.
91. McGee D, Reed D, Yano K. The results of logistic analyses when the variables are highly correlated: An empirical example using diet and CHD incidence. J Chronic Dis 1984;37:713-19.
92. McGee D, Reed D, Stemmermann G, Rhoads GG, Yano K, Feinleib M. The relationship of dietary fat and cholesterol to mortality in 10 years: The Honolulu Heart Program. Int J Epidemiol 1985;14:97-105.

93. Joffres M, Reed D, Nomura A. Psychosocial processes and cancer incidence among Japanese men in Hawaii. Am J Epidemiol 1985;121:488-500.
94. Reed D, McGee D, Yano K, Hankin J. Diet, blood pressure and multi-collinearity. Hypertension 1985;7:405-410.
95. Benfante R, Reed D, Brody J. Biological and social predictors of health in an aging cohort. J Chronic Dis 1985;38:385-395.
96. Kagan A, Popper J, Rhoads GG, Yano K. Dietary and other risk factors for stroke in Hawaii Japanese men. Stroke 1985;16:390-396.
97. Reed D, McGee D, Yano K, Hankin J. Diet, blood pressure and multi-collinearity. In: Nutritional Prevention of Cardiovascular Disease. Lovenberg W, Yamori Y (eds), Academic Press, Inc, Orlando, Florida, 1984;155-166.
98. Sasaki H, Shimizu Y, Kodama K, Kato H, Kagan A, Yano K, Reed D, Kautz J. Incidence and risk factors of coronary heart disease (CHD) in Japanese men living in Japan and Hawaii, 1966-78 (addendum to research plan TR 12-71). Research Protocol, RERF RP 4-85, 1985.
99. Reed D, Benfante R. Predictors of health in men of Japanese ancestry in Hawaii. Hawaii Med J 1985;44:307-308.
100. Yano K, Reed D, Kagan A. Coronary heart disease and stroke among Japanese-American men in Hawaii: The Honolulu Heart Program. Hawaii Med J 1985;44:297-300.
101. Heilbrun L, Kagan A, Nomura A, Wasnich RD. The origins of epidemiologic studies of heart disease, cancer and osteoporosis among Hawaii Japanese. Hawaii Med J 1985;44:294-296.
102. Morton NE, Berg K, Dahlen G, Ferrell RE, Rhoads GG. Genetics of the Lp lipoprotein in Japanese-Americans. Genetic Epidemiol 1985;2:113-122.
103. Cohen J, Reed D. Type A behavior pattern and coronary heart disease among men in Hawaii. J Behav Med 1985;8:343-352.
104. Curb JD, Reed DM. Fish consumption and mortality from CHD. N Engl J Med (letter) 1985;313:821.

105. Reed D, Yano K, Kagan A. Lipids and lipoproteins as predictors of coronary heart disease, stroke and cancer in the Honolulu Heart Program. Am J Med 1986;80:871-878.
106. Curb D, Reed D, Kautz J, Yano K. Coffee, caffeine and serum cholesterol in Japanese men in Hawaii. Am J Epidemiol 1986;123:648-755.
107. Donahue RP, Abbott RD, Reed DM, Yano K. Alcohol and hemorrhagic stroke: The Honolulu Heart Program. JAMA 1986;255:2311-2314.
108. Yano K, Reed DM, Curb JD, Hankin JH, Albers J. Biological and dietary correlates of plasma lipids in elderly Japanese men in Hawaii. Arteriosclerosis 1986;6:422-433.
109. Curb JD, Reed DM, Yano K, Kautz JA, Albers JJ. Plasma lipids and lipoproteins in elderly Japanese-American men. J Am Geriatr Soc 1986;34:773-780.
110. Abbott RD, Yin Y, Reed DM, Yano K. Risk of stroke in male cigarette smokers. N Engl J Med 1986;1315:717-720.
111. Bloom E, Reed DM, Yano K, MacLean CJ. Does obesity protect hypertensives against cardiovascular disease? JAMA 1986;256:2972-2975.
112. Rhoads GG, Dahlen G, Berg K, Morton NE, Dannenberg AL. Lp(a) lipoprotein as a risk factor for myocardial infarction. JAMA 1986;56:2540-2544.
113. Joffres MR, Reed DM, Yano K. Relationship of magnesium intake and other dietary factors to blood pressure: The Honolulu Heart Study. Am J Clin Nutr 1987;45:469-485.
114. Reed DM, MacLean CJ, Hayashi T. Predictors of atherosclerosis in the Honolulu Heart Program. 1. Biologic, dietary and lifestyle characteristics. Am J Epidemiol 1987;126:214-225.
115. MacLean CJ, Reed DM. Predictors of atherosclerosis in the Honolulu Heart Program. 2. Adjustment for autopsy bias. Am J Epidemiol 1987;126:226-236.
116. Abbott RD, Donahue RP, MacMahon SW, Reed DM, Yano K, Wolf PA. Diabetes and the risk of stroke: The Honolulu Heart Program. JAMA 1987;257:949-952.

117. Stemmermann GN, Heilbrun L, Nomura A, Yano K, Hayashi T. Adenomatous polyps and atherosclerosis: An autopsy study of Japanese men in Hawaii. *Int J Cancer* 1986;38:789-794.
118. Yano K, Reed DM, MacLean CJ. Coffee consumption and coronary heart disease. *N Engl J Med (letter)* 1987;316:946.
119. Donahue RP, Abbott RD, Reed DM. Post challenge glucose concentration and coronary heart disease in men of Japanese ancestry: The Honolulu Heart Program. *Diabetes* 1987;36:689-692.
120. Reed DM, Yano K. Epidemiologic studies of hypertension among elderly Japanese and Japanese-Americans. *Asia-Pacific J Public Health* 1987;1:49-56.
121. Reed DM. Predictors of a long healthy life among Japanese men in Hawaii. In: Prevention of cardiovascular diseases: an approach to active long life. Yamori Y, Lenfant C (eds). New Jersey: Elsevier Science Publishers, 1987;225-234.
122. Donahue RP, Abbott RD, Bloom E, Reed DM, Yano K. Central obesity and coronary heart disease in men. *Lancet* 1987;1:821-824.
123. Yano K, McCarthy LJ, Reed DM, Kagan A. Postmortem findings in sudden and non-sudden deaths among Japanese-American men in Hawaii. *Am J Med* 1987;83:1037-1044.
124. Yano K, MacLean CJ, Reed DM, Shimizu Y, Sasaki H, Kodama K, Kato H, Kagan A. A comparison of the 12-year mortality and predictive factors of coronary heart disease among Japanese men in Japan and Hawaii. *Am J Epidemiol* 1988;127:476-487.
125. MacLean CJ. Assessing changes in risk factor effect over multiple levels of severity. *Am J Epidemiol* 1988;127:663-673.
126. Knutsen R, Knutsen SF, Curb JD, Reed DM, Kautz JA, Yano K. The predictive value of resting electrocardiograms for 12-year incidence of coronary heart disease in the Honolulu Heart Program. *J Clin Epidemiol* 1988;41:293-302.
127. Knutsen R, Knutsen SF, Curb JD, Reed DM, Kautz JA, Yano K. Predictive value of resting electrocardiograms for 12-year incidence of stroke in the Honolulu Heart Program. *Stroke* 1988;19:555-559.
128. Donahue RP, Abbott RD, Reed DM, Yano K. Physical activity and coronary heart disease in middle-aged and elderly men:

- The Honolulu Heart Program. Am J Public Health 1988;78:683-685.
129. Reed DM, Resch JA, Hayashi T, MacLean CJ, Yano K. A prospective study of cerebral artery atherosclerosis. Stroke 1988;19:820-825.
130. Lee CN, Reed DM, MacLean CJ, Chiu D. The effect of reported dietary potassium intake on the incidence of stroke and stroke-related mortality in the Honolulu Heart Program. New Engl J Med (letter) 1988;318:995.
131. Marcus EB, Buist AS, Johnson L, Curb JD, Reed DM, Yano K. Reference values of FEV1 for Japanese-American men aged 45-68. Am Rev Respir Dis 1988;138:1393-1397.
132. Marcus EB, Curb JD, Reed DM, Yano K. Correlates of FEV1 and prevalence of pulmonary conditions in Japanese-American men. Am Rev Respir Dis 1988;138:1398-1404.
133. Reed DM, Strong JP, Hayashi T, Newman WP, Tracy RE, Guzman MA, Stemmermann GN. A comparison of two measures of atherosclerosis in a prospective epidemiology study. Arteriosclerosis 1988;8:782-787.
134. Miller DW, Reed DM, MacLean CJ. A prospective study of mortality and morbidity among carpenters in the Honolulu Heart Program. J Occup Med 1988;30:879-882.
135. Tracy RE, MacLean CJ, Reed DM, Hayashi T, Gandia M, Strong JP. Blood pressure, nephrosclerosis, and age. Autopsy findings from the Honolulu Heart Program. Modern Pathology 1988;1:420-426.
136. MacLean CJ, Kasamoto J. Initial values for recalcitrant logistic regression problems. Computers and Biomedical Research 1988;21:597-599.
137. Phillips GB, Yano K, Stemmerman GN. Serum sex hormone levels and myocardial infarction in the Honolulu Heart Program. Pitfalls in prospective studies on sex hormones. J Clin Epidemiol 1988;41:1151-1156.
138. Marcus EB, Curb JD, Reed DM, Yano K. Pulmonary function as a predictor of coronary heart disease. Am J Epidemiol 1989;129:97-104.
139. Marcus EB, Yano K, MacLean CJ. Regression of Q waves following acute myocardial infarction. Am J Epidemiol 1989;129:105-111.

140. Kagan A, Yano K, Reed DM. Alcohol and the U-shaped curve. *Lancet* (letter) 1989;1:224-225.
141. Benfante RJ, Reed DM, MacLean CJ, Yano K. Risk factors in middle age that predict early and late onset of coronary heart disease. *J Clin Epidemiol* 1989;42:95-104.
142. Reed DM, LaCroix A, Karasek Ra, Miller DW, MacLean CA. Occupational strain and the incidence of coronary heart disease. *Am J Epidemiol* 1989;129:495-502.
143. Stemmermann GN, Marcus EB, Buist AS, MacLean CJ. The relative impact of smoking and reduced pulmonary function upon peptic ulcer risk: A prospective study of Hawaii Japanese men. *Gastroenterology* 1989;96:1419-1424.
144. Marcus EB, Buist AS, MacLean CJ, Yano K. 20-year trends in mortality from chronic obstructive lung disease: The Honolulu Heart Program. *Am Rev Respiratory Dis* 1989; (Suppl 64) :S64-S68.
145. Kagan A, Yano K, Reed DM, MacLean CJ. Predictors of sudden cardiac death among Hawaiian-Japanese men. *Am J Epidemiol* 1989;130:268-277.
146. Benfante R, Reed DM, MacLean CJ, Kagan A. Response bias in the Honolulu Heart Program. *Am J Epidemiol* 1989;130:1088-1100.
147. Yano K, MacLean CJ. The incidence and prognosis of unrecognized myocardial infarction in the Honolulu Heart Program. *Arch Intern Med* 1989;149:1528-1532.
148. Yano K, Reed DM, MacLean CJ. Serum cholesterol and hemorrhagic stroke in the Honolulu Heart Program. *Stroke* 1989;20:1460-1465.
149. Reed DM, Strong JP, Resch J, Hayashi T. Serum lipids and lipoproteins as predictors of atherosclerosis: an autopsy study. *Arteriosclerosis* 1989;9:560-564.
150. Criqui MH, Langer RD, Reed DM. Dietary alcohol, calcium, and potassium: Independent and combined effects on blood pressure. *Circulation* 1989;80:609-614.
151. Reed DM, MacLean C. The nineteen-year trends of coronary heart disease in the Honolulu Heart Program. *Int J Epidemiol* 1989;18 (suppl 1):S82-87.

152. Reed DM, Yano K. Epidemiology of geriatric hypertension among the Japanese and Japanese-Americans. In: 1986 International Conference on Hypertension in the Elderly. Cuervo C (ed). Intern. Exchange Center on Gerontology, Florida, 1989.
153. Reed DM. The importance of protein and calcium intake in cardiovascular disease: data from the Honolulu Heart Program. In: New Horizons in Preventing Cardiovascular Disease. Yamori Y, Strasser T (eds). Excerpta Medica, Amsterdam-New York-Oxford, 1989.
154. Benfante R, Reed D. Is elevated serum cholesterol a risk factor for coronary disease in the elderly? JAMA 1990;263:393-396.
155. Benfante R, Reed D. Reducing cholesterol levels in elderly persons. JAMA (letter) 1990;263:2889-2990.
156. Reed DM. The paradox of high risk of stroke in populations with low risk of coronary heart disease. Am J Epidemiol 1990;131:579-588.
157. Joffres M, MacLean CJ, Reed DM, Yano K, Benfante R. Potential bias due to prevalent diseases in prospective studies. Int J Epidemiol 1990;19:459-465.
158. Benfante R, Reed DM, Frank J. Does cigarette smoking have an independent effect on coronary heart disease incidence in the elderly? Am J Public Health 1991;81:897-899.
159. Curb JD, Reed DM, Miller FD, Yano K. Health status and life style in elderly Japanese men with a long life expectancy. J Am Geriatric Soc 1990;45(5):S206-211.
160. Curb JD, Marcus EB, Reed DM, MacLean C, Yano K. Smoking, pulmonary function and mortality. Ann Epidemiol 1990;1:23-32.
161. Reed DM, Yano K. Predictors of arteriographically defined coronary stenosis in the Honolulu Heart Program: Comparisons of cohorts and arteriography series analyses. Am J Epidemiol 1991;134(2):111-122.
162. Reed D, Marcus E, Hayashi T. Smoking as a predictor of atherosclerosis in the Honolulu Heart Program. In Tobacco Smoking and Atherosclerosis: Pathogenesis and Cellular

- Mechanisms. Proceedings of an International Symposium on Tobacco Smoking and Atherosclerosis; Lexington, Kentucky, Dec 10-13, 1989; Plenum Publishing Corp, New York/London/Washington, DC/Boston, 1990;17-25.
163. Reed D. Wartime determinants of arteriographically confirmed coronary artery disease in Beirut. *Am J Epidemiol* (letter) 1991;133:210-11.
164. Benfante R, Reed DM, Frank J. Do coronary heart disease risk factors measured in the elderly have the same predictive roles as in middle-age: Comparisons of relative and attributable risks. *Ann Epidemiol* 1992;2:273-282.
165. Curb JD, Marcus EB. Body fat and obesity in Japanese Americans. *Am J Clin Nutrition*, 1991;53:1552S-1555S.
166. Curb JD, Marcus EB. Body fat, coronary heart disease and stroke in Japanese men. *Am J Clin Nutrition*, 1991;53:1612S-1615S.
167. Stemmermann GN, Po-Huang C, Kagan A, Nomura A, Yano K. Serum cholesterol and mortality among Japanese-American males: The Honolulu Heart Program. *Arch Int Med* 1991;151:969-972.
168. Benfante R. Lipid and other coronary heart disease risk factors in the elderly men: The Honolulu Heart Program. Workshop of International Taskforce for Prevention of Cardiovascular Diseases in the Elderly; Washington, DC, December 1990. In: Prevention of Coronary Heart Disease in the Elderly. Lewis B, Mancini M, Farinaro E (eds). Current Medical Literature, Ltd., London, 1991;18-33.
169. Reed D, Benfante R. Lipid and lipoprotein predictors of coronary heart disease in elderly men in the Honolulu Heart Program. *Ann Epidemiol* 1992;2:29-34.
170. Langer R, Criqui M, Reed D. Lipoproteins and blood pressure as biologic pathways for the effect of moderate alcohol consumption on CHD. *Circulation* 1992;85:910-915.
171. Reed D, Reed C, Stemmermann G, Hayashi T. Are aortic aneurysms caused by atherosclerosis? *Circulation* 1992;85:205-11.
172. Kagan A, Yano K, Reed DM, MacLean C. Predictors of sudden cardiac death among Hawaiian-Japanese men. *Am J Epidemiol* (letter) 1991;134:326-327.

173. Frank J, Reed D, Grove J, Benfante R. Will lowering population levels of serum cholesterol affect total mortality? *J Clin Epidemiol* 1992;45:333-346.
174. Benfante R. Does the impact of serum cholesterol as a risk factor for coronary heart disease decline in the elderly: Perspective from the Honolulu Heart Program. *Cardiovascular Risk Factors. An International Journal* (Madrid) 1992;2:150-157.
175. Benfante R. Studies of cardiovascular disease and cause-specific mortality trends in Japanese-American men living in Hawaii and risk factor comparisons with other Japanese populations in the Pacific region: A Review. *Hum Biol* 1992;64:791-805.
176. LaCroix AZ, Yano K, Reed DM. Dehydroepiandrosterone sulfate, incidence of myocardial infarction, and extent of atherosclerosis in men. *Circulation* 1992;86:1529-1535.
177. Jacobs D, Blackburn H, Higgins M, Reed D, Iso H, McMillan G, Neaton J, Nelson J, Potter J, Rifkind B, Rossouw J, Shekelle R, Ysuf S. Report of the conference on low blood cholesterol: Mortality associations. *Circulation* 1992;86:1046-1060.
178. Yano K, Reed DM. The relationship between serum cholesterol and the incidence of type-specific stroke in Honolulu Japanese men. In Cholesterol and Coronary Heart Disease. The Great Debate, Gold P, Grover S, Roncari DAK (eds). Casterton Hall, Carnforth, Lancs, United Kingdom: The Parthenon Publishing Group, 1992;385-399.

179. Yano K, Benfante R, Reed D. Risk factors for coronary heart disease in elderly men: The Honolulu Heart Program. In New Horizons in Aging Science. Proceedings of the Fourth Asia/Oceania Regional Congress of Gerontology. Orimo H, Fukuchi Y, Kuramoto K, Iriki M (eds). Tokyo, Japan: The Organizing Committee of the Fourth Asia/Oceania Regional Congress of Gerontology, 1992;150-151.
180. Reed, D. Which risk factors are associated with atherosclerosis? Circulation 1993;87(3):II54-II55.
181. Masaki KH, Petrovitch H, Rodriguez BL, Curb JD. The value of risk factor modification in old age. Cardiology in the Elderly 1993;1:391-397.
182. Burchfiel CM, Reed DM, Marcus EB, Strong JP, Hayashi T. Association of diabetes mellitus with coronary atherosclerosis and myocardial lesions: An autopsy study from the Honolulu Heart Program. Am J Epidemiol 1993;137:1328-1340.
183. Miller FD, Reed DM, MacClean CJ. Mortality and morbidity among blue and white collar workers in the Honolulu Heart Program Cohort. Int J Epidemiol 1993;22:834-837.
184. Laws A, Marcus EB, Grove JS, Curb JD. Lipids and lipoproteins as risk factors for coronary heart disease in men with abnormal glucose tolerance: the Honolulu Heart Program. J Intern Med 1993;234:471-478.
185. Yano K, Grove JS, Reed DM, Chun HM. Determinants of the prognosis after a first myocardial infarction in a migrant Japanese Population: the Honolulu Heart Program. Circulation 1993;88:2582-2595.
186. Kagan A, Popper J, Reed DM, MacLean CJ, Grove JS. Trends in stroke incidence and mortality in Hawaiian Japanese men. Ann Epidemiol (Abstract) 1993;3:508.
187. Miller FD, Reed DM, Banta J. Sugarcane workers: Morbidity and mortality. Hawaii Med J 1993;52:300-306.
188. Yano K, Popper JS, Kagan A, Chyou P-H, Grove J. Epidemiology of stroke among Japanese men in Hawaii during 24 years of follow-up: The Honolulu Heart Program. Health Reports, 1994;6:28-38.
189. Goldberg RJ, Burchfiel CM, Reed DM, Wergowske G, Chiu D. A prospective study of the health effects of alcohol consumption in middle-aged and elderly males: The Honolulu Heart Program. Circulation 1994;89:651-659.

190. Reed DM, Jacobs DR, Hayashi T, Konishi M, Nelson J, Iso H, Strong J. A comparison of lesions in small intracerebral arteries among Japanese men in Hawaii and Japan. *Stroke* 1994;25:60-65.
191. Benfante R, Yano K, Hwang LJ, Curb JD, Kagan A, Ross W. Elevated serum cholesterol is a risk factor for both coronary heart disease and thromboembolic stroke in Hawaiian Japanese men: Implications of shared risk. *Stroke* 1994;25:815-820.
192. Kagan A, Popper J, Reed DM, MacLean CJ, Grove JS. Trends in stroke incidence and mortality in Hawaiian Japanese men. *Stroke* 1994;25:1170-1175.
193. Burchfiel CM, Curb JD, Rodriguez BL, Abbott RD, Chiu D, Yano K. Glucose intolerance and 22-year stroke incidence: The Honolulu Heart Program. *Stroke* 1994;25:951-957.
194. Rodriguez BL, Curb JD, Burchfiel CM, Abbott RD, Petrovitch H, Masaki K, Chiu D. Physical activity and 23-year incidence of coronary heart disease morbidity and mortality among middle-aged men: The Honolulu Heart Program. *Circulation* 1994;89:2540-2544.
195. Abbott RD, Gutgesell HP. The effects of heteroscedasticity and skewness on prediction in regression: An example from modeling growth of the human heart. In: Numerical Computer Methods, Brand L. Johnson ML (eds), Orlando: Academic Press, pp. 37-51, 1994.
196. Abbott RD, Rodriguez BL, Burchfiel CM, Curb JD. Physical activity in older middle-aged men and reduced risk of stroke: The Honolulu Heart Program. *Am J Epidemiol* 1994;139:881-893.

197. Benfante R, Hwang LJ, Masaki K, Curb JD. To what extent do cardiovascular risk factor values measured in elderly men represent their midlife values measured 25 years earlier? A preliminary report and commentary from the Honolulu Heart Program. *Am J Epidemiol* 1994;140:206-216.
198. Rodriguez BL, Masaki K, Burchfiel C, Curb JD, Fong KO, Chyou PH, Marcus EB: Pulmonary function decline and 17-year total mortality: The Honolulu Heart Program. *Am J Epidemiol* 1994;140:398-408.
199. Sharp DS, Rodriguez BL, Shahar E, Hwang LJ, Burchfiel CM. Fish consumption may limit the damage of smoking on the lung. *Am J Respir Crit Care Med*, 1994;150:983-987.
200. Abbott RD, Behrens GR, Sharp DS, Rodriguez BL, Burchfiel CM, Ross GW, Yano K, Curb JD. Body mass index and the risk of thromboembolic stroke in nonsmoking men in older middle-age: The Honolulu Heart Program. *Stroke* 1994;25:2370-2376.
201. Yano K, Curb JD, MacLean CJ, Marcus EB, Kagan A, Chyou PH. Cardiovascular risk factors in elderly men: the Honolulu Heart Program. In: Multiple Risk Factors in Cardiovascular Disease. Yamamoto A (ed). Churchill Livingstone, Tokyo, Japan 1994:7-10.
202. Yano K, Rodriguez BL, Curb JD, Kagan A, Chyou PH, Fong KO, Ardo E, Chiu D, D'Agostino R, Cobb J. Epidemiology of coronary heart disease among Japanese men living in Hawaii: the Honolulu Heart Program. *JAMA Japanese Edition Supplement* 16-19, 1994.
203. Rodriguez BL, Labarthe DR, Lopez J, Huang BJ. The rise of blood pressure with age: New evidence of population differences. *Hypertension* 1994;24:779-785.
204. Curb JD. The trials and tribulations of clinical trials in the elderly. *J Am Geriatrics Soc* 1994;42(6):682-683.
205. Grandinetti A, Morens DM, Reed R, MacEachern D. Prospective study of cigarette smoking and the risk of developing idiopathic Parkinson's disease. *Am J Epidemiol* 1994;139:1129-1139.

206. Kodama K, Oishi K, Yamada M, Sasaki H, Akahoshi M, Shimaoka K, Kasagi F, Shimizu Y, Shibata Y, Ohara JL, Nakamura S, Tsujihata M, Nagataki S, Seto M, White LR, Schull WJ. Study of senile dementia among the adult Health Study Subjects. Publication #RERF RP 5-92, Radiation Effects Research Foundation, Hiroshima, 1994.
207. Liu HC, Chou P, Lin KN, Wang SJ, Fuh JL, Lin HC, Liu CY, Wu GS, Larson EB, White LR, Graves AB, Teng EL. Assessing cognitive abilities and dementia in a predominantly illiterate population of older individuals in Kinmen. *Psychological Med* 1994;24:763-770.
208. Morens DM, Grandinette A, Reed D, White LR. Smoking-associated protection from Alzheimer's and Parkinson's disease. *The Lancet* 1994;343:356-357 (letter).
209. Sharp DS, Benowitz NL. Letter "Inconsistent associations of caffeine-containing beverages with blood pressure and with lipoproteins: The Cardia Study". *Am J Epidemiol* 1994;140:665-666.
210. Burchfiel CM, Curb JD, Rodriguez BL, Yano K, Hwang LJ, Fong KO, Marcus EB. Incidence and predictors of diabetes in Japanese-American men: The Honolulu Heart Program. *Ann Epidemiol* 1995;5:33-43.
211. Burchfiel CM, Sharp DS, Curb JD, Rodriguez BL, Hwang LJ, Marcus EB, Yano K. Physical activity and incidence of diabetes: The Honolulu Heart Program. *Am J Epidemiol* 1995;141:360-368.
212. Curb JD, Rodriguez BL, Burchfiel CM, Yano K, Chiu D. Sudden death, impaired glucose tolerance and diabetes in Japanese-American men. *Circulation* 1995;91:2591-2595.
213. Goldberg RJ, Burchfiel C, Benfante R, Chiu D, Reed D, Yano K. Lifestyle and biologic factors associated with the long-term development of atherosclerotic disease in middle-aged males: Twenty-year findings from the Honolulu Heart Program. *Arch Intern Med* 1995;155:686-694.

214. Burchfiel CM, Marcus EB, Curb JD, MacLean CJ, Vollmer W, Johnson L, Fong K, Rodriguez BL, Masaki K, Buist, AS. Effects of smoking and smoking cessation on longitudinal decline in pulmonary function. *Am J Respir Crit Care Med*, 1995;151:1778-1785.
215. Iribarren C, Reed DM, Wergowske G, Burchfiel CM, Dwyer JH. Serum cholesterol and mortality due to suicide and trauma in the Honolulu Heart Program. *Arch Intern Med* 1995;155:695-700.
216. Petrovitch BL, Curb JD, Marcus EB. Isolated systolic hypertension and the risk of stroke in Japanese-American men: the Honolulu Heart Program. *Stroke* 1995;26:25-29.
217. Iribarren C, Burchfiel CM, Dwyer JH. Serum total cholesterol and mortality: confounding factors and risk modification in Japanese-American men. *JAMA* 1995;273:1926-1932.
218. Young DR, Masaki KH, Curb JD. Associations of physical activity with performance-based and self-reported physical functioning in older men: The Honolulu Heart Program. *JAGS* 1995;43:845-854.
219. Burchfiel CM, Laws A, Benfante R, Goldberg RJ, Hwang LJ, Chiu D, Rodriguez BL, Curb JD, Sharp DS. Combined effects of HDL cholesterol, triglyceride and total cholesterol concentrations on 18-year risk of atherosclerotic disease. *Circulation* 1995;92:1430-1436.
220. Sharp DS, Chyou PH, Curb JD. Fish consumption may limit the damage of smoking on the lung. *Am J Respir Crit Care Med* (letter) 1995;151:1688-1689.
221. Young DR, Sharp DS, Petrovitch H, Curb JD. Internal validity of the physical activity index over 26 years in middle-aged and older men. *JAGS* 1995;43:999-1006.
222. Iribarren C, Sharp DS, Burchfiel CM, Petrovitch H. Association of weight change and fluctuation with mortality in Japanese-American men. *New Engl J Med* 1995;333:686-692.

223. Burchfiel CM, Curb JD, Sharp DS, Rodriguez BL, Arakaki R, Chyou PH, Yano K. Distribution and correlates of insulin in elderly men: The Honolulu Heart Program. *Arterioscl Thromb Vasc Biol* 1995;15:2213-2221.
224. Iribarren C, Reed DM, Chen R, Dwyer JH. Low serum cholesterol and mortality. Which is the cause and which is the effect? *Circulation* 1995;92:2396-2403.
225. Young DR, Sharp DS, Curb JD. Associations among baseline physical activity and subsequent cardiovascular risk factors. *Med Sci Sports Exerc* 1995;27:1646-1654.
226. Curb JD, Masaki K, Rodriguez BL, Abbott RD, Burchfiel CM, Chen R, Petrovitch H, Sharp DS, Yano K. Peripheral artery disease and cardiovascular risk factors in the elderly: The Honolulu Heart Program. *Arterioscl Thromb Vasc Biol*, 1996;15:1495-1500.
227. Launer LJ, Masaki K, Petrovitch H, Foley D, Havlick RJ. The association between midlife blood pressure levels and late life cognitive function; The Honolulu Asia Aging Study. *JAMA* 1995;274:1846-1851.
228. Morens DM, Grandinetti A, Reed D, White LR, Ross GW. Cigarette smoking and protection from Parkinson's disease: false association or etiologic clue? *Neurology* 1995;45:1041-1051.
229. Masaki KH. Appropriate Use of Medications in the Elderly. *Straub Proceedings* 1995;59:24-27.
230. Sharp DS, Enright PL, Chiu D, Burchfiel CM, Rodriguez BL, Curb JD. Reference values for pulmonary function tests of Japanese-American men ages 71 to 90 years. *Am J Respir Crit Care Med* 1996;153:805-811.
231. Rodriguez BL, Curb JD, Burchfiel CM, Fong KO, Yano K, Sharp DS. Socioeconomic status and 23-year cardiovascular disease and total mortality among middle aged men: The Honolulu Heart Program. *Proceedings of the NHLBI Conference on SES and CVD* 1995.
232. Sharp DS, Abbott RD, Burchfiel CM, Rodriguez BL, Tracy RP, Yano K, Curb JD. Plasma fibrinogen and coronary heart disease in elderly Japanese American men. *Arterioscl Thromb Vasc Biol* 1996;16:262-268.
233. Burchfiel CM, Reed DM, Strong J, Sharp DS, Chyou PH, Rodriguez BL. Predictors of myocardial lesions in men with

- minimal atherosclerosis at autopsy: The Honolulu Heart Program. *Ann Epidemiol* 1996;6:137-146.
234. Iribarren I, Sharp D, Burchfiel SM, Sun P, Dwyer JH. Association of serum total cholesterol with coronary disease and all-cause mortality: Multivariate correction for bias due to measurement error. *Am J Epidemiol* 1996;143:463-471.
235. Chyou PH, White L, Yano K, Sharp DS, Burchfiel CM, Chen R, Rodriguez BL, Curb JD. Pulmonary function measures as predictors and correlates of cognitive functioning in later life. *Am J Epidemiol* 1996;143:750-756.
236. Rodriguez BL, Curb JD, Petrovitch H, Masaki K. The role of epidemiology in medical education. *Hawaii Med J* 1996;55:66.
237. Sharp DS, Curb JD, Schatz IJ, Meiselman HJ, Fisher TC, Burchfiel CM, Rodriguez BL, Yano K. Mean red cell volume as a correlate of blood pressure. *Circulation* 1996;93:1677-1684.
238. Abbott RD, Curb JD, Rodriguez BL, Sharp DS, Burchfiel CM, Yano K. Effect of dietary calcium and milk consumption on risk of thromboembolic stroke in older middle-aged men: The Honolulu Heart Program. *Stroke* 1996;27:813-818.
239. Curb JD, Abbott RD, MacLean CJ, Rodriguez BL, Burchfiel CM, Sharp DS, Ross GW, Yano K. Age-related changes in stroke risk in men with hypertension and normal blood pressure. *Stroke* 1996;27:819-824.
240. Burchfiel CM, Marcus EB, Sharp DS, Enright PL, Rodriguez BL, Masaki K, Hwang LJ, Curb JD. Characteristics associated with rapid decline in forced expiratory volume. *Ann Epidemiol* 1996;6:217-227.
241. Rodriguez BL, Curb JD, Burchfiel CM, Huang B, Sharp DS, Lu GE, Fujimoto W, Yano K. Impaired glucose tolerance, diabetes and cardiovascular disease risk factor profiles in the elderly: The Honolulu Heart Program. *Diabetes Care* 1996;19:587-590.

242. Zhong S, Sharp DS, Grove JS, Bruce C, Yano K, Curb JD, Tall AR. Increased coronary heart disease in Japanese-American men with mutation in the cholesteryl ester transfer protein gene despite increased HDL levels. *J Clin Invest* 1996;97:2917-2923.
243. Morens DM, Davis JW, Grandinetti A, Ross GW, Popper JS, White LR. Epidemiologic observations on Parkinson's disease: Incidence and mortality in a prospective study of middle-aged men. *Neurology* 1996;46:1044-1050.
244. Morens DM, Grandinetti A, Waslien CI, Park CB, Ross GW, White LR. Case-control study of idiopathic Parkinson's disease and dietary vitamin E intake. *Neurology* 1996;46:1270-1274.
245. Morens DW, White LR, Davis JW. The frequency of idiopathic Parkinson's disease by age, ethnic group, and sex in northern Manhattan, 1988-1993. *Am J Epidemiol* (letter) 1996;144:198-199.
246. Rodriguez BL, Sharp DS, Abbott RD, Burchfiel CM, Masaki K, Chyou P-H, Huang B, Yano K, Curb JD. Fish intake may limit the increase in risk of coronary heart disease morbidity and mortality among heavy smokers: The Honolulu Heart Program. *Circulation*, 1996;94:952-956.
247. Curb JD, Aluli NE, Huang BJ, Sharp DS, Rodriguez BL, Burchfiel CM, Chiu D. Hypertension in elderly Japanese-Americans and adult Native Hawaiians. *Public Health Reports* 1996;111 suppl 2:53-5.
248. Kagan A. Introduction. In: The Honolulu Heart Program: An Epidemiological Study of Coronary Heart Disease and Stroke, Kagan A (ed). Australia/Canada/China/France/Germany/India/Japan/Luxembourg/Malaysia/The Netherlands/Russia/Singapore/Switzerland/Thailand/United Kingdom: Harwood Academic Publishers, 1996.
249. Worth R, Grove JS. Methods. In: The Honolulu Heart Program: An Epidemiological Study of Coronary Heart Disease and Stroke, Kagan A (ed). Australia/Canada/China/France/Germany/India/Japan/Luxembourg/Malaysia/The Netherlands/Russia/Singapore/Switzerland/Thailand/United Kingdom: Harwood Academic Publishers, 1996.

250. Kagan A, Yano K. Ni-Hon-San Study. In: The Honolulu Heart Program: An Epidemiological Study of Coronary Heart Disease and Stroke, Kagan A (ed). Australia/Canada/China/France/Germany/India/Japan/Luxembourg/Malaysia/The Netherlands/Russia/Singapore/Switzerland/Thailand/United Kingdom: Harwood Academic Publishers, 1996.
251. Rhoads G. Lipoprotein Studies. In: The Honolulu Heart Program: An Epidemiological Study of Coronary Heart Disease and Stroke, Kagan A (ed). Australia/Canada/China/France/Germany/India/Japan/Luxembourg/Malaysia/The Netherlands/Russia/Singapore/Switzerland/Thailand/United Kingdom: Harwood Academic Publishers, 1996.
252. Yano K, Reed D. Hypertension. In: The Honolulu Heart Program: An Epidemiological Study of Coronary Heart Disease and Stroke, Kagan A (ed). Australia/Canada/China/France/Germany/India/Japan/Luxembourg/Malaysia/The Netherlands/Russia/Singapore/Switzerland/Thailand/United Kingdom: Harwood Academic Publishers, 1996.
253. Yano K. Coronary Heart Disease. In: The Honolulu Heart Program: An Epidemiological Study of Coronary Heart Disease and Stroke, Kagan A (ed). Australia/Canada/China/France/Germany/India/Japan/Luxembourg/Malaysia/The Netherlands/Russia/Singapore/Switzerland/Thailand/United Kingdom: Harwood Academic Publishers, 1996.
254. Kagan A. Stroke. In: The Honolulu Heart Program: An Epidemiological Study of Coronary Heart Disease and Stroke, Kagan A (ed). Australia/Canada/China/France/Germany/India/Japan/Luxembourg/Malaysia/The Netherlands/Russia/Singapore/Switzerland/Thailand/United Kingdom: Harwood Academic Publishers, 1996.
255. Curb JD. Mortality. In: The Honolulu Heart Program: An Epidemiological Study of Coronary Heart Disease and Stroke, Kagan A (ed). Australia/Canada/China/France/Germany/India/Japan/Luxembourg/Malaysia/The Netherlands/Russia/Singapore/Switzerland/Thailand/United Kingdom: Harwood Academic Publishers, 1996.
256. Stemmermann GN. Pathology. In: The Honolulu Heart Program: An Epidemiological Study of Coronary Heart Disease and Stroke, Kagan A (ed).

- Australia/Canada/China/France/Germany/India/
Japan/Luxembourg/Malaysia/The Netherlands/Russia/
Singapore/Switzerland/Thailand/United Kingdom: Harwood
Academic Publishers, 1996.
257. Curb JD, Petrovitch H, Rodriguez BL. Fourth Examination. In: The Honolulu Heart Program: An Epidemiological Study of Coronary Heart Disease and Stroke, Kagan A (ed).
Australia/Canada/China/France/Germany/India/
Japan/Luxembourg/Malaysia/The Netherlands/Russia/
Singapore/Switzerland/Thailand/United Kingdom: Harwood
Academic Publishers, 1996.
258. Kagan A. Summary. In: The Honolulu Heart Program: An Epidemiological Study of Coronary Heart Disease and Stroke, Kagan A (ed).
Australia/Canada/China/France/Germany/India/
Japan/Luxembourg/Malaysia/The Netherlands/Russia/
Singapore/Switzerland/Thailand/United Kingdom: Harwood
Academic Publishers, 1996.
259. Sharp DS, Burchfiel CM, White LR. Plans for Future. In: The Honolulu Heart Program: An Epidemiological Study of Coronary Heart Disease and Stroke, Kagan A (ed).
Australia/Canada/China/France/Germany/India/
Japan/Luxembourg/Malaysia/The Netherlands/Russia/
Singapore/Switzerland/Thailand/United Kingdom: Harwood
Academic Publishers, 1996.
260. Burchfiel CM, Tracy RE, Chyou P-H, Strong JP.
Cardiovascular risk factors and hyalinization of renal
arterioles at autopsy: The Honolulu Heart Program.
Arterioscler, Thromb Vasc Biol 1996;16:1356-1364.
261. Burchfiel CM, Curb JD, Arakaki R, Abbott RD, Sharp DS,
Rodriguez BL, Yano K. Cardiovascular risk factors and
hyperinsulinemia in elderly men: The Honolulu Heart Program.
Ann Epidemiol, 1996;6:490-497.
262. Davis JW, Grandinette A, Wasline CI, Ross GW, White LR,
Morens DM. Observations on serum uric acid levels and
the risk of idiopathic Parkinson's disease. *Am J
Epidemiol* 1996;144:480-484.
263. Huang B, Rodriguez BL, Burchfiel CM, Chyou PH, Curb JD,
Yano K. Acculturation and prevalence of diabetes among
Japanese-American men in Hawaii. *Am J Epidemiol*
1996;144:674-681.

264. Masaki K, Curb JD, Chiu D, Petrovitch H, Rodriguez BL. The association of body mass index with blood pressure in elderly Japanese American males; The Honolulu Heart Program. *Hypertension*, 1997;29:673-677.
265. Morens DM, White LR, Davis JW. The frequency of idiopathic Parkinson's disease by age, ethnic group, and sex in Northern Manhattan, 1988-1993. *Am J Epidemiol* 1996;144:198-199.
266. White L. Is silent cerebrovascular disease an important cause of later-life cognitive decline? *J Am Geriatr Soc* 1996;44:328-330.
267. White L, Petrovitch H, Ross GW, Masaki K, Abbott RD, Teng EL, Rodriguez BL, Blanchette PL, Havlik RJ, Wergowske G, Chiu D, Foley DJ, Murdaugh C, Curb JD. Prevalence of dementia in Japanese-American men living in Hawaii: the Honolulu-Asia Aging Study. *JAMA*, 1996;276:955-960.
268. Morens DM, Grandinette A, Davis JW, Ross GW, White LR, Reed D. Evidence against the operation of selective mortality in explaining the association between cigarette smoking and reduced occurrence of idiopathic Parkinson disease. *Am J Epidemiol* 1996;144:400-404.
269. Burchfiel CM, Abbott RD, Sharp DS, Curb JD, Rodriguez BL, Yano K. Distribution and correlates of lipids and lipoproteins in elderly Japanese-American men; The Honolulu Heart Program. *Arterioscl Thromb Vasc Biol* 1996;16:1356-1364.
270. Iribarren C, Sharp DS, Curb JD, Yano K. High uric acid: a metabolic marker of coronary heart disease among alcohol abstainers? *J Clin Epidemiol* 1996;49:673-678.
271. Abbott RD, Sharp DS, Burchfiel CM, Curb JD, Rodriguez BL, Yano K. Cross-sectional and longitudinal changes in total and high-density lipoprotein levels over a 20-year period in elderly men: The Honolulu Heart Program. *Ann Epidemiol* 1997;7:417-424.
272. Ross GW, Abbott R, Petrovitch H, Masaki K, Murdaugh C, Trockman C, White L. Frequency and characteristics of silent dementia among elderly Japanese-American men; the Honolulu Asia Aging Study. *JAMA*, 1997;277:800-805.

273. Huang B, Rodriguez BL, Burchfiel CM, Chyou PH, Curb JD, Sharp DS. Associations of adiposity with prevalent coronary heart disease among elderly men in Hawaii. *Int J Obes Related Metab Disord*, 1997;21:340-348.
274. White LR, Foley DJ, Havlik RJ. Lifestyle risk factors for cognitive impairment. In: Strategies to prevent cognitive decline in later life. Fillit H, Butler RN, eds. Oxford University Press, London 1997.
275. Ross GW, Petrovitch H, White LR. Update on Dementia. *Generations* 1997;20:22-27.
276. Galanis DJ, Petrovitch H, Launer LJ, Harris TB, Foley DJ, White LR. Smoking history in middle age and subsequent cognitive performance in elderly Japanese-American men; The Honolulu-Asia Aging Study. *Am J Epidemiol* 1997;145:507-515.
277. Petrovitch H, Nelson J, Snowdon D, Davis DG, Ross GW, Li CY, White LR. Microscope field size and the neuropathologic criteria for Alzheimer's disease. *Neurology* 1997;49:1175-1176.
278. Sharp DS, Burchfiel CM, Curb JD, Rodriguez BL, Enright PL. The synergy of low lung function and low body mass index predicting all-cause mortality among older Japanese American men. *JAGS* 1997;45:1464-1471.
279. Grove JS, Reed DM, Yano K, Hwang LJ. Variability in systolic blood pressure - A risk factor for coronary heart disease? *Am J Epidemiol* 1997;145:771-776.
280. Burchfiel CM, Enright PL, Sharp DS, Chyou PH, Rodriguez BL, Curb JD. Factors associated with pulmonary function in elderly Japanese American men. *Chest*, 1997;112:87-97.
281. Chyou PH, Burchfiel CM, Yano K, Sharp DS, Rodriguez BL, Curb JD, Nomura A. Obesity, alcohol consumption, smoking and mortality. *Ann Epidemiol* 1997;7:311-317.

282. Masaki K, Curb JD, Chiu D, Petrovitch H, Rodriguez BL. The association of body mass index with blood pressure in elderly Japanese American males; The Honolulu Heart Program. *Hypertension* 1997;29:673-677.
283. Hakim AA, Petrovitch H, Burchfiel CM, Ross W, Rodriguez BL, White LR, Yano K, Curb JD, Abbott RD. Effects of walking on mortality among nonsmoking retired men. *NEJM* 1998;338:94-99.
284. Petrovitch H, White L, Masaki K, Ross W, Rodriguez BL, Abbott R, Lu G, Burchfiel C, Curb JD. Influence of myocardial infarction, coronary artery bypass surgery, and stroke on cognitive impairment in late life. *Am J Cardiol* 1998;81:1017-1021.
285. Burchfiel CM, Abbott RD, Arakaki R, Curb JD, Rodriguez BL, Sharp DS, Yano K. Hyperinsulinemia and cardiovascular disease in elderly men: The Honolulu Heart Program. *Arterioscl Thromb Vasc Biol* 1998;18:450-457.
286. Burchfiel CM, Abbott RD, Curb JD, Sharp DS, Rodriguez BL, Arakaki R, Yano K. Association of insulin levels with lipids and lipoproteins in elderly Japanese American men. *Ann Epidemiol* 1998;8:92-98.
287. Sharp DS, Masaki K, Burchfiel CM, Yano K, Schatz IJ. Prolonged QT interval, impaired pulmonary function, and a very lean body mass jointly predict all-cause mortality in elderly men. *Annals of Epidemiol* 1998;8:99-106.
288. Abbott RD, Yano K, Hakim AA, Burchfiel CM, Sharp DS, Rodriguez BL, Curb JD. Changes in total and high density lipoprotein cholesterol over 10 and 20 year periods: The Honolulu Heart Program. *American Journal of Cardiol* 1998;82:172-178.
289. Hakim AA, Ross WG, Curb JD, Rodriguez BL, Burchfiel CM, Sharp DS, Yano K, Abbott RD. Coffee consumption in hypertensive men in older middle-age and the risk of stroke: The Honolulu Heart Program. *J Clin Epidemiol* 1998;51:487-494.
290. Masaki KH, Schatz IJ, Burchfiel CM, Sharp DS, Chiu D, Foley D, Curb JD. Orthostatic hypotension predicts mortality in elderly men: The Honolulu Heart Program. *Circulation* 1998;98:2290-2295.
291. Abbott RD, White LR, Ross GW, Petrovitch H, Masaki KH, Snowdon DA, Curb JD. Height as a marker of childhood

- development and late-life cognitive function: The Honolulu-Asia Aging Study. *Pediatrics* 1998;102:602-9.
292. Galanis DJ, Harris T, Sharp DS, Petrovitch H. Relative weight, weight change, and risk of coronary heart disease in the Honolulu Heart Program. *Am J Epidemiol* 1998;147:379-86.
293. Edwards KL, Burchfiel CM, Sharp DS, Curb JD, Rodriguez BL, Fujimoto W, Lacroix AZ, Vitiello MV, Austin MA. Factors of the insulin resistance syndrome in non-diabetic and diabetic elderly Japanese-American men. *Am J Epidemiol* 1998;147:441-447.
294. Burchfiel CM, Curb JD, Arakaki R, Abbott RD, Sharp DS, Rodriguez BL, Yano K. Cardiovascular risk factors and hyperinsulinemia in elderly men: The Honolulu Heart Program. *Ann Epidemiol* 1996;6:490-497.
295. Foley D, Monjan AA, Masaki K, Enright PL, Quan SF, White LR. Associations of sleep apnea with cardiovascular disease, cognitive impairment, and mortality among older Japanese-American men. *JAGS* 1999;47:1-5.
296. Rodriguez BL, Curb JD. Cardiovascular risk factors in the elderly: The Honolulu Heart Program. *Cardiovascular Risk Factors* 1998;8:99-103.
297. Rantanen T, Guralnik JM, Foley D, Masaki K, Leveille S, Curb JD, White L. Midlife hand grip strength as predictor of old age disability. *JAMA* 1999;281:558-560.
298. Sakkinen P, Cushman M, Psaty B, Rodriguez BL, Boineau R, Kuller L, Tracy R. Relationship of plasmin generation to cardiovascular disease risk factors in elderly men and women. *Arterioscler Thromb Vasc Biol* 1999;19:499-504.
299. Ross GW, Petrovitch H, White LR, Masaki KH, Li CY, Curb JD, Yano K, Rodriguez BL, Foley DJ, Blanchette PL, Havlik R. Characterization of risk factors for vascular dementia: The Honolulu-Asia Aging Study. *Neurology* 1999;53:337-343.
300. Kalmijn S, Curb JD, Rodriguez BL, Yano K, Abbott RD. The association of body weight and anthropometry with mortality in elderly men: The Honolulu Heart Program. *Int J Obesity* 1999;23:395-402.

301. Hakim AA, Curb JD, Petrovitch H, Rodriguez BL, Yano K, Ross GW, White L, Abbott RD. Effects of walking on coronary heart disease in elderly men: The Honolulu Heart Program. *Circulation* 1999;100:9-13.
302. Curb JD, Rodriguez BL, Abbott RD, Petrovitch H, Ross W, Masaki K, Foley D, Blanchette P, Harris T, Chen R, White L. Longitudinal association of vascular and Alzheimer's dementias, diabetes, and glucose tolerance. *Neurology* 1999;52:971-975.
303. Yano K, Kodama K, Shizumi Y, Chyou P-H, Sharp DS, Tracy RP, Rodriguez BL, Curb JD, Kusumi S. Plasma fibrinogen and its correlates in elderly Japanese men living in Japan and Hawaii. *J Clin Epidemiol* 1999;52:1201-1206.
304. Rodriguez BL, Lau N, Burchfiel CM, Abbott RD, Sharp DS, Yano K, Curb JD. Glucose intolerance and 23-year risk of coronary heart disease and total mortality. *Diabetes Care* 1999;22:1262-1265.
305. Hakim AA, Curb JD, Burchfiel CM, Rodriguez BL, Sharp D, Yano K, Abbott RD. Screening for coronary heart disease in elderly men based on current and past cholesterol levels. *J Clin Epidemiol* 1999;52:1257-1265.
306. White L, Petrovitch H, Ross GW, Masaki K, Hardman J, Nelson J, Davis D, Markesberry W. Brain aging and midlife tofu consumption. *Journal of the American College of Nutrition* 2000;19:242-255.
307. Yano K, Grove JS, Masaki KH, White LR, Petrovitch H, Chen R, Teng EL, Ross GW, Rodriguez BL, Curb JD. The effects of childhood residence in Japan and language of testing on cognitive performance in late life among Japanese American men in Hawaii. *J Amer Geriatr Soc* 2000;48:199-204.
308. Masaki K, Losonczy K, White L, Petrovitch H, Ross GW, Izmirlian G, Foley D, Havlick R. The association of vitamin E and C supplement use with dementia and cognitive function in elderly Japanese American men. *Neurology* 2000;54:1265-1272.
309. Havlick R, Izmirlian G, Petrovitch H, Ross W, Masaki K, Curb JD, Saunders A, Foley D, Brock D, Launer L, White L. APOE4 Predicts incident Alzheimer's disease in

- Japanese American men; The Honolulu Asia Aging Study. Neurology 2000;54:1526-1529.
310. Curb JD, Wergowske G, Dobbs JC, Abbott RD, Huang B. Serum lipid effects of a high-monounsaturated fat diet based on macadamia nuts. Arch Int Med 2000;160:1154-1158.
311. Petrovitch H, White L, Izmirlian G, Ross W, Launer L, Markesberry W, Nelson J, Davis D, Hardman J, Foley D, Havlik R. Midlife blood pressure and neuritic plaques, neurofibrillary tangles, and brain weight at death: the HAAS. Neurobiology of Aging, Neurobiology of Aging 2000;21:57-62.
312. Ross GW, Abbott RD, Petrovitch H, Morens DM, Grandinetti A, Tung KH, Tanner CM, Masaki K, Blanchette PL, Curb JD, Popper JS, White LR. The association of coffee and caffeine intake with the risk of Parkinson's disease. JAMA 2000;283:2674-2679.
313. Sharp D, Burchfiel C, Rodriguez BL, Sharrett AR, Sorlie PD. Apolipoprotein A-1 (Apo-A1) predicts coronary heart disease (CHD) only at low concentrations of high density lipoprotein (HDL) cholesterol: An epidemiologic study of Japanese-Americans. Int J Clin Lab Res 2000;30:39-48.
314. Babar I, Enright P, Boyle P, Foley D, Sharp D, Petrovitch H, Quan S. Sleep disturbances and their correlates in elderly Japanese American men residing in Hawaii. Journal of Gerontology: Med Sci 2000;55A:M406-11.
315. Izimirlian G, Brock D, White L. Estimating incidence of dementia subtypes: assessing the impact of missed cases. Statistics in Medicine (Special Issue) 2000;19:1577-1591.
316. Rantanen T, Harris T, Leveille S, Visser D, Foley D, Masaki K, Guralnik J. Handgrip strength and body mass index as long term predictors of mortality in Japanese-American men. Journal of Gerontology: Med Sci 2000;55A:M168-73.

317. Resnick H, Rodriguez BL, Havlick R, Ferrucci L, Foley D, Curb JD, Harris TB. Diabetes and smoking modify the association between Apo E genotype and peripheral arterial disease in older men: The Honolulu-Asia Aging Study. *Genetic Epidemiology* 2000; 19:52-63.
318. Launer L, Ross GW, Petrovitch H, Masaki K, Foley D, White L, Havlick R. Midlife blood pressure and dementia. *Neurobiology of Aging* 2000; 21:49-55.
319. Rantanen T, Pennix B, Masaki K, Lintunen T, Foley D, Gurlanik J. Depressed mood and body mass index as predictors of muscle strength decline in old men. *JAGS* 2000;48:613-624.

IN PRESS

Foley D, Masaki K, Ross GW, White L. Driving cessation in elderly men with incident dementia. *JAGS*, in press. (*JAGS* in press).

Galanis DJ, Joseph C, Masaki K, Petrovitch H, Ross GW, White L. A longitudinal study of drinking and cognitive performance in elderly Japanese-American men. The Honolulu Asia Aging Study. *AJPH*, in press.

Abbott RD, Petrovitch H, Rodriguez BL, Yano K, Schatz IJ, Popper JS, Masaki KH, Ross GW, Curb JD. Ankle/Brachial Blood Pressure in Men 70 Years of Age and the Risk of Coronary Heart Disease. *American Journal of Cardiology*, in press.

Austin MA, Rodriguez BL, McKnight B, McNeely MJ, Edwards KL, Curb JD, Sharp DS. LDL particle size, triglyceride and HDL cholesterol as risk factors for coronary heart disease in older Japanese-American men: a prospective analysis from the Honolulu Heart Program. Submitted to *American Journal of Cardiology*, in press (Aug 2000).

Kalmijn S, Foley D, White L, Burchfiel C, Curb JD, Ross GW, Havlick, Launer L. The metabolic cardiovascular syndrome and

the risk of dementia in elderly men; The Honolulu Asia Aging Study. Submitted to Arteriosclerosis, Thrombosis, and Vascular Biology, in press.

UPDATED 7/27/00