

Subject ID Label

MULTICENTER HEMOPHILIA COHORT STUDY
SUPPLEMENTAL QUESTIONNAIRE FOR HEMOPHILIACS WITH PARTNERS

ASSURANCE OF CONFIDENTIALITY

All information which would provide identification of the individual will be held in strict confidence, will be used only for purposes of and by persons engaged in the Survey, and will not be disclosed or released to others for any purposes, in accordance with Public Law 92-255, as amended.

INSTRUCTIONS FOR COMPLETING THIS QUESTIONNAIRE

1. Circling Codes

Most of the questions ask you to circle a code number to indicate your answer.

For example: G1. Are you employed? (CIRCLE ONE)

NO.....02
YES.....01

2. Skipping Questions That Do Not Apply To You

If your answer to a question indicates that the next questions do not apply to you, there will be a "skip" instruction next to the code number you circled.

For example: A3. Who was more likely to suggest vaginal intercourse?

(CIRCLE ONE)

Both of us equally.....01
Usually her.....02
Usually me.....03
We didn't have vaginal sex...04 (SKIP TO A6)

3. Writing Comments

Do not hesitate to use the white spaces next to the question if you feel a more complete answer is necessary for clarity, etc.

THE QUESTIONNAIRE BEGINS ON THE FOLLOWING PAGE

A6. Since you began using a condom with her, how many times have you had intercourse with her when you did NOT use a condom or rubber?

<u>FREQUENCY</u>	(CIRCLE ONE)
0 (always used a condom since that date)..	00
1-5 times since that date.....	01
6-10 times since that date.....	02
11-50 times since that date.....	03
more than 50 times since that date.....	04

Still thinking about the 12 months before the date in A2, please tell us who was more likely to do the following things, you or your female partner in the study.

A7. Who was more likely to suggest or initiate vaginal intercourse?

	(CIRCLE ONE)
Both of us equally.....	01
Usually her.....	02
Usually me.....	03
We didn't have vaginal sex.....	04 (SKIP TO A10)

A8. Who was more likely to suggest using a condom for vaginal intercourse?

	(CIRCLE ONE)
Both of us equally.....	01
Usually her.....	02
Usually me.....	03
Neither of us suggested or used a condom for vaginal sex.....	04 (SKIP TO A10)

A9. Who was more likely to complain about (or resist) using a condom for vaginal intercourse?

	(CIRCLE ONE)
Both of us equally.....	01
Usually her.....	02
Usually me.....	03
Neither of us complained or resisted..	04

A10. Who was more likely to suggest or initiate oral sex on you?

	(CIRCLE ONE)
Both of us equally.....	01
Usually her.....	02
Usually me.....	03
She didn't do oral sex on me.....	04 (SKIP TO A13)

A11. Who was more likely to suggest using a condom for oral sex?

(CIRCLE ONE)

- Both of us equally.....01
- Usually her.....02
- Usually me.....03
- Neither of us suggested or used a
condom for oral sex.....04 (SKIP TO A13)

A12. Who was more likely to complain (or resist) using a condom for oral sex?

(CIRCLE ONE)

- Both of us equally.....01
- Usually her.....02
- Usually me.....03
- Neither of us complained or resisted..04

A13. Who was more likely to suggest or initiate anal sex?

(CIRCLE ONE)

- Both of us equally.....01
- Usually her.....02
- Usually me.....03
- We didn't do anal sex.....04 (SKIP TO A16)

A14. Who was more likely to suggest using a condom for anal sex?

(CIRCLE ONE)

- Both of us equally.....01
- Usually her.....02
- Usually me.....03
- Neither of us suggested or used a
condom for anal sex.....04 (SKIP TO A16)

A15. Who was more likely to complain (or resist) using a condom for anal sex?

(CIRCLE ONE)

- Both of us equally.....01
- Usually her.....02
- Usually me.....03
- Neither of us complained or resisted..04

A16. Who was more likely to provide condoms when they were used?

(CIRCLE ONE)

- Both of us equally.....01
- Usually her.....02
- Usually me.....03
- Neither of us provided condoms.....04

PART B. The following questions ask about your attitudes and your partner's attitudes towards condom use. Answer True if this describes you/your partner. Answer False if it does not. Please answer these with respect to your **most recent sexual partner in the study** (not other partners you may have had).

(CIRCLE "01" FOR TRUE OR "02" FOR FALSE)

	<u>TRUE</u>	<u>FALSE</u>
B1. I feel comfortable talking to my partner about what we do in bed.	01	02
B2. I feel (or would feel) awkward using a condom with my partner.	01	02
B3. I enjoy vaginal intercourse just as much when we use a condom as when we do not.	01	02
B4. Using a condom makes vaginal intercourse less enjoyable for me.	01	02
B5. I think using a condom makes sex less spontaneous.	01	02
B6. I feel (or would feel) closer or more intimate with my partner if we did not use a condom.	01	02
B7. I would feel rejected if my partner asked me to use a condom.	01	02
B8. I do not really want to use a condom, even if I seem willing to do so.	01	02
B9. If my partner asked me to use a condom, I would be upset because it would remind me that I am HIV+.	01	02
B10. If my partner has not become infected with HIV by now, she probably will not in the future, even if we have unprotected sex.	01	02
B11. I am worried about transmitting HIV to my partner.	01	02
B12. We can control whether my partner becomes infected with HIV by controlling our behavior.	01	02
B13. If I use a condom, my partner will definitely not become infected with HIV.	01	02
B14. I will be willing to use a condom if my partner asks me to do so.	01	02
B15. My partner and I are more likely to have sex if one (or both) of us has been drinking alcohol or using illegal drugs. (WRITE IN MARGIN IF NO DRUG OR ALCOHOL USE.)	01	02
B16. I am less likely to use a condom if I have been drinking alcohol or using illegal drugs. (WRITE IN MARGIN IF NO DRUG OR ALCOHOL USE.)	01	02
B17. My partner is less likely to ask me to use a condom if she has been drinking alcohol or using illegal drugs. (WRITE IN MARGIN IF NO DRUG OR ALCOHOL USE.)	01	02

PART C. The next two sections, C and D, ask the previous questions about other female partners you had during or after you began a sexual relationship with the female partner in the study with you. First we need to learn if there is such a person.

C1. Since you first had sex with the partner enrolled in the study, have you had sex with another woman?

No.....02 (SKIP TO PART E, PAGE 12)

Yes.....01

C2. How many other women have you had sex with since you first had sex with your study female partner?

_____ number of other women (not the study female partner)
(If NONE, SKIP TO PART E)

C3. When did you last have vaginal intercourse with a woman other than your study female partner?

_____ 19_____
MONTH DAY YEAR

C4. Does your most recent other partner know that you are infected with HIV?

No.....02

Yes.....01

Think about the 12 months before the date in C3, and answer the next questions which ask about your activities and your use of birth control devices with your most recent other female partner listed in C2 (not the study partner).

C5. During those 12 months, how often did you use a condom with your most recent other partner?

FREQUENCY (CIRCLE ONE CODE)

Never.....00 (SKIP TO C9)

Occasionally (less than half the time)....01

Usually (more than half the time).....02

Always.....03

C6. How many times has the condom broken or fallen off during vaginal intercourse with her? (If no condom failures write "0")

Condom Failures

C7. When did you first start using a condom or rubber with her?

_____ 19 _____
MONTH YEAR

C8. Since that date, how many times have you had intercourse with her when you did NOT use a condom or rubber?

FREQUENCY

(CIRCLE ONE CODE)

- 0 (always used a condom since that date)..00
- 1-5 times since that date.....01
- 6-10 times since that date.....02
- 11-50 times since that date.....03
- more than 50 times since that date.....04

Now, tell us who was more likely to do the following things, you or your other female partner not in the study with you.

C9. Who was more likely to suggest or initiate vaginal intercourse?

(CIRCLE ONE)

- Both of us equally..... 01
- Usually her..... 02
- Usually me..... 03
- We didn't have vaginal sex.....04 (SKIP TO C12)

C10. Who was more likely to suggest using a condom for vaginal intercourse?
(CIRCLE ONE)

- Both of us equally.....01
- Usually her.....02
- Usually me.....03
- Neither of us suggested or used a
condom for vaginal sex.....04 (SKIP TO C12)

C11. Who was more likely to complain about (or resist) using a condom
for vaginal intercourse?

(CIRCLE ONE)

- Both of us equally..... 01
- Usually her.....02
- Usually me.....03
- Neither of us complained or resisted..04

C12. Who was more likely to suggest or initiate oral sex on you?

(CIRCLE ONE)

- Both of us equally.....01
- Usually her.....02
- Usually me.....03
- She didn't do oral sex on me.....04 (SKIP TO C15)

C13. Who was more likely to suggest using a condom for oral sex?

(CIRCLE ONE)

- Both of us equally..... 01
- Usually her..... 02
- Usually me.....03
- Neither of us suggested or used a
condom for oral sex.....04 (SKIP TO C15)

C14. Who was more likely to complain about (or resist) using a condom
for oral sex?

(CIRCLE ONE)

- Both of us equally.....01
- Usually her.....02
- Usually me.....03
- Neither of us complained or resisted..04

C15. Who was more likely to suggest or initiate anal sex?

(CIRCLE ONE)

- Both of us equally..... 01
- Usually her..... 02
- Usually me..... 03
- We didn't do anal sex.....04 (SKIP TO C18)

C16. Who was more likely to suggest using a condom for anal sex?

(CIRCLE ONE)

- Both of us equally.....01
- Usually her.....02
- Usually me.....03
- Neither of us suggested or used a
condom for anal sex.....04 (SKIP TO C18)

C17. Who was more likely to complain about (or resist) using a condom for anal sex?

(CIRCLE ONE)

- Both of us equally.....01
- Usually her.....02
- Usually me.....03
- Neither of us complained or resisted..04

C18. Who was more likely to provide condoms when they were used?

(CIRCLE ONE)

- Both of us equally.....01
- Usually her.....02
- Usually me.....03
- Neither of us provided condoms.....04

These next few questions ask about your sexual activities and alcohol and illegal drug use with your most recent other female partner.

C19. How often did you drink alcohol within 2 hours of having sex with your most recent other female partner?

(CIRCLE ONE)

- Never.....01 (SKIP TO C21)
- Rarely.....02
- Occasionally (less than half the time).03
- Often (more than half the time).....04
- Always (every time).....05

C20. On the average, how many drinks did you usually consume before you had sex with this partner?

_____ # of drinks

C21. How often did you use illegal drugs before having sex with your most recent other female partner?

(CIRCLE ONE)

- Never..... 01 (SKIP TO PART D)
- Rarely..... 02
- Occasionally (less than half the time) 03
- Often (more than half the time)..... 04
- Always (every time)..... 05

C22. What drugs did you usually take before having sex with your most recent other partner? (Circle all that you used.)

(CIRCLE ONE)

- Marijuana..... 01
- Cocaine (crack or any other form)..... 02
- Heroin..... 03
- Other (SPECIFY) _____ 04

PART D. The following questions ask about your attitudes towards condom use. Answer True if this describes you/your partner. Answer False if it does not. Please answer these with respect to your **most recent other female sexual partner**, not the female partner who is enrolled in this study with you.

(CIRCLE "01" FOR TRUE OR "02" FOR FALSE)

	<u>TRUE</u>	<u>FALSE</u>
D1. I feel comfortable talking to my partner about what we do in bed.	01	02
D2. I feel (or would feel) awkward using a condom with my partner.	01	02
D3. I enjoy vaginal intercourse just as much when we use a condom as when we do not.	01	02
D4. Using a condom makes vaginal intercourse less enjoyable for me.	01	02
D5. I think using a condom makes sex less spontaneous.	01	02
D6. I feel (or would feel) closer or more intimate with my partner if we did not use a condom.	01	02
D7. I would feel rejected if my partner asked me to use a condom.	01	02
D8. I do not really want to use a condom, even if I seem willing to do so.	01	02
D9. If my partner asked me to use a condom, I would be upset because it would remind me that I am HIV+.	01	02
D10. If my partner has not become infected with HIV by now, she probably will not in the future, even if we have unprotected sex.	01	02
D11. I am worried about transmitting HIV to my female partner.	01	02
D12. My other female partner knows that I am infected with HIV.	01	02
D13. We can control whether my partner becomes infected with HIV by controlling our behavior.	01	02
D14. If I use a condom, my partner will definitely not become infected with HIV.	01	02
D15. I will be willing to use a condom if my partner asks me to.	01	02
D16. My partner and I are more likely to have sex if we have been drinking alcohol or using illegal drugs. (WRITE IN MARGIN IF NO DRUG OR ALCOHOL USE.)	01	02
D17. I am less likely to use a condom if I have been drinking alcohol or using illegal drugs. (WRITE IN MARGIN IF NO DRUG OR ALCOHOL USE.)	01	02
D18. My partner is less likely to ask me to use a condom if she has been drinking alcohol or using illegal drugs. (WRITE IN MARGIN IF NO DRUG OR ALCOHOL USE.)	01	02

This next set of questions asks about your feelings and thoughts about fathering a child. Please circle the number that best describes how true each statement was or is for you. The number four (4) would mean the statement is extremely close to what you think or feel. One (1) means the statement is not at all close to your thoughts or feelings.

(CIRCLE ONE)

	<u>Least true</u>			<u>Most true</u>
E7. I wanted my partner to become pregnant.	1	2	3	4
E8. Our relatives wanted her to become pregnant.	1	2	3	4
E9. My friends all had children.	1	2	3	4
E10. The doctor would have been angry if my partner became pregnant.	1	2	3	4
E11. I was afraid my partner might become HIV infected.	1	2	3	4
E12. I was afraid the baby might be HIV infected.	1	2	3	4
E13. I was afraid I might die and leave my partner a single parent.	1	2	3	4
E14. I was afraid that if my partner became HIV infected, my child might be left an orphan.	1	2	3	4
E15. I was afraid that having a child would interfere with my future plans.	1	2	3	4
E16. My partner and I would have a better or more stable relationship if we had a child.	1	2	3	4
E17. I wanted to have a child because then part of me would survive.	1	2	3	4
E18. I believed that our relatives would help us take care of the child.	1	2	3	4
E19. Our community has/had good support networks and services for families.	1	2	3	4

PART F.

The following series of questions are about your opinions and beliefs about various aspects of HIV/AIDS.

We are interested in your beliefs about what causes AIDS. Don't worry about whether your answers are right or wrong; just indicate what you think.

	Definitely Yes	Probably Yes	Probably No	Definitely No
F1. A person can "carry" and pass on the HIV/AIDS virus without him/herself having AIDS.	4	3	2	1
F2. The HIV/AIDS virus is primarily transmitted in bodily secretions (such as semen or "come" and blood).	4	3	2	1
F3. A single exposure is all it takes to pass on the HIV/AIDS virus.	4	3	2	1
F4. Ordinary contact with other people, such as working in the same place or eating together, can pass on the virus that causes AIDS.	4	3	2	1
F5. Anal sex can cause AIDS even if neither person has the HIV virus.	4	3	2	1
F6. A woman who is not infected can get HIV while trying to become pregnant by a man who is infected.	4	3	2	1
F7. A woman who is HIV negative can bear a child who is HIV infected.	4	3	2	1
F8. A woman infected with HIV can pass it on to her unborn child.	4	3	2	1

F9. How likely do you think it is that you will develop AIDS in the next 5 years?

<u>FREQUENCY</u>	<u>(CIRCLE ONE CODE)</u>
Not at all likely.....	01
A little bit likely.....	02
Somewhat likely.....	03
Very likely.....	04
I already developed AIDS.....	05

F10. How likely do you think it is that your primary partner will become infected with HIV in the next 5 years?

<u>FREQUENCY</u>	<u>(CIRCLE ONE CODE)</u>
Not at all likely.....	01
A little bit likely.....	02
Somewhat likely.....	03
Very likely.....	04
My partner is already infected...	05

F11. How much do you think that changing your sex life will reduce the chances that your partner will become HIV infected?

<u>FREQUENCY</u>	<u>(CIRCLE ONE CODE)</u>
My partner is already infected...	01
Not at all.....	02
A little.....	03
Somewhat.....	04
Quite a bit.....	05
A great deal.....	06

F12. Compared to all other problems you might be having in your life, how concerned are you about changing your sexual behavior or practices?

<u>FREQUENCY</u>	<u>(CIRCLE ONE CODE)</u>
Not at all concerned.....	01
A little concerned.....	02
Somewhat concerned.....	03
Very concerned.....	04

PART G.

G1. Are you employed? (CIRCLE ONE)

No.....02

Yes.....01

G2. Is your female partner employed?

(CIRCLE ONE)

No.....02

Yes.....01

G3. What is the average yearly income of your household?

(CIRCLE ONE)

less than \$15,000.....01

\$15,000 - \$29,999.....02

\$30,000 - \$39,999.....03

\$40,000 - \$49,999.....04

\$50,000 - \$69,999.....05

more than \$70,000.....06

END
of
QUESTIONNAIRE

Thank you very much for your help. Please feel free to write any question or additional comments in the space below or on the back cover.