

MULTIPLE RISK FACTOR INTERVENTION TRIAL FIRST ANNUAL VISIT FORM

To be completed at first annual follow-up examination. The participant's name should be imprinted on the first page of each part of this form using the addressograph plate before the appointment. An ID label should be attached to each of the three parts. When completing the form, please print using a ball point pen.

_				
	Year o	of Follow-up	24	1

Attach ID Label Here

Has the participant indicated that he has been hospitalized during the past year by completing item 49 of Form 94?

2 🗆 no		Signature for Release o Information Obtained
	Name of Hospital	26 1 🗍 yes 2 🗍 no
	Name of Hospital	
	Street No. and Name	
	City, State	
		27 1 yes 2 no
	Name of Hospital	
	Street No. and Name	
	City, State	
†		26 1 ☐ yes 2 ☐ no
	Name of Hospital	
	Street No. and Name	
	City, State	

1 yes
20
2 no

Continue with item 1.

1. Pulse:	Beats in 30 seconds	30 x 2 = PULSE12	beats/minute
2. Sitting Bl	ood Pressure Measurement	s:	
Blood Pro	essure Observer's Code:	32	
The pa	rticipant must be quiet and rer its. During the measurements o	nain continuously in a seated position for of the blood pressure there should be no ch	5 minutes before and during the 4 meas- nange in the position of the participant.
		Systolic	Disappearance 5th Phase Diastolic
ı	Reading 1 (Std)	34	37
Re	eading 2 (R - Z)	40	43
	Zero	46	48
STDSBP12 STDDBP12	Corrected	50	53
J	Reading 3 (Std)	56	59
Re	eading 4 (R - Z)	62	65
	Zero	68	70
	Corrected	72	75
averag	e blood pressure. The computa	R-Z readings (Nos. 2 and 4) must be trans tion of the averages using the standard me	cribed here for the computation of the rcury sphygmomanometer is optional.
Zero mu	adier mercury spnygmoma	nometer readings (corrected value): Systolic	Disappearance 5th Phase Diastolic
	Reading 2		
CHYP12	Reading 4		
	Sum	· · · · ·	
	Average	SBP12	
			Average DBP
3. Average	diastolic blood pressure (C	BP) as determined by zero muddler	DBP12 78 mm Hg Write average DBP on FORM 105
4. Standing	Blood Pressure Measurem	ents:	
<u></u>	After having the partici	pant remain in a standing position for two sure using a standard mercury sphygmomal	nometer.
		Systolic JPSBP12 81	Disappearance 5th Phase Diastolic

5. Weight (nearest half	-pound, disrobed)	17 <u> </u>	lbs.			
6. a. To be completed	I by technician at the tim	ne of the resting	ECG in the sup	ine position.		
Room temperature	Permanent Cassette No,	Technician Code	0-E	or Square Reading	0-V4	Heart Rate
Comments on restin						
	lar Hypertrophy present Definition. Refer to Min			1 ☐ yes 2 ☐ no		
c. Time participant	last ate		i.m. Please co.m. a.m. or			
	od specimen must be obtai					
	od specimen obtained	7	o.m. Please o	circle		
7. Do you now smoke	cigarettes?					
1	8. During the past yea	ar did you stop sr	noking cigarett	es for any perio	d of time?	
NOW42 2 □ no	1	124 1 ☐ less th 3 ☐ 8 to 1	go was it that y an 4 months 2 months (not ing 12 months)	ou stopped smo 2 4 to 8 more including 8	nths (not 8 months)	es?
↓	STOPLYR12	10. What was the at that time tas 1 ☐ less the 24 hours are 1 ☐ 1-2 m	? en 2 ☐ 1 c urs les	d of time you st or more days but s than 1 week er 2 months	3 🔲 1 or	more weeks ess than
		11. At the time	you stopped, v		□ easy	
		Continue with que	stion 12.			
INHALE12	12. When you smoke ci	e chest 2 🗍 pai	tly into the ches	•	ack as the thro	at
OFTEN12	1 ☐ Inhale almost e	every puff of each o	igarette 2 🗌	you smoke cigar inhale only a few I don't usually inl	puffs of each o	igarette
	14. When you smoke a far you let it burn.	cigarette, indicat	e on the diagra	m below with a	checkmark (/) how
	Mouthpiece End	+				-Burning End
	7.4	1	2 3	4		
BURN12	15. How much of your	=	vithout your sn □ a moderate a	_	a great deal	
Continue with guestion 22.	Continue with question 16	_			a great ucai	
quotion ££.	John Milli question 10	.,				

BMI12

CIGS12	16. On the average, about how many cigarettes do you now smoke a day?
	17. What brand of cigarettes do you usually smoke?
	18. What type of cigarettes are they?
	Are they 136 1 ☐ filter tip or 2 ☐ non-filter tip
	Are they 137 1 plain or 2 menthol
	Are they 138 1 hard pack or 2 soft pack
	Are they 139 1 ☐ regular size or 2 ☐ king size or 3 ☐ 100 millimeter
	19. Do you expect that one year from now you will be smoking: 340 1 ☐ more cigarettes 2 ☐ same number 3 ☐ fewer cigarettes 4 ☐ none at all
	20. Have you tried sources of outside help, or techniques in an effort to stop smoking?
	1 pes 21. Which sources of outside help or techniques did you try?
	2 🗆 no
	Continue with
	question 22.
22. Do you smoke ciç	pars?
1 □ yes	23. How often do you smoke cigars?
142	143 1 once in a while 2 1-2 daily 3 3-4 daily 4 5-7 daily 5 8 or more daily
2 ☐ no CIGAR12 	24. With cigars, how deeply do you inhale the smoke?
3.5,	1 deeply into the chest 2 partly into the chest 3 as far back as the throat 4 well back into the mouth 5 draw into the mouth, or just puff
Y	25. For cigars how often do you usually inhale?
	148 1 inhale almost every puff of each cigar 2 inhale a few puffs of each cigar 3 inhale a few puffs of some cigars 4 inhale a few puffs of each cigar
26. Do you smoke ci	garillos?
1 □ yes	27. How often do you smoke cigarillos?
146	147 1 once in a while 2 1-2 daily 3 3-4 daily 4 5-7 daily 5 8 or more daily
CIGLO12 2 □ no	28. With cigarillos, how deeply do you inhale the smoke?
	1 deeply into the chest 2 partly into the chest 3 as far back as the throat 4 well back into the mouth 5 draw into the mouth, or just puff
•	29. For cigarillos, how often do you usually inhale?
	1 inhale almost every puff of each cigarillo 2 inhale a few puffs of each cigarillo 3 inhale a few puffs of some cigarillos 4 inhale a few puffs of each cigarillo
30 Do you smoke pi	ipes?
1 □ yes	→ 31. How often do you smoke pipes?
DIDE12	151 1 once in a while 2 1-2 daily 3 3-4 daily 4 5-7 daily 5 8 or more daily
PIPE 12 2 no	32. With pipes, how deeply do you inhale the smoke?
	1 ☐ deeply into the chest 2 ☐ partly into the chest 3 ☐ as far back as the throat
CCP12	4 well back into the mouth 5 draw into the mouth, or just puff
·	33. For pipes, how often do you usually inhale?
	1 inhale almost every puff of each pipeful 2 inhale a few puffs of each pipeful 3 inhale a few puffs of some pipefuls 4 inhale a few puffs of each pipeful 4 inhale a few puffs of each pipeful
Continue with question	34.

FORM 91 (4-12) JAN 75

SKIP 154-Et

MULTIPLE RISK FACTOR INTERVENTION TRIAL FIRST ANNUAL VISIT FORM (Part 2) Year of Follow-up 24 ADDRESSOGRAPH PLAT Attach ID Label Here PHYSICAL EXAMINATION **EYES** 25 1 yes 2 no 34. Is xanthelasma present? 35. Is there an abnormality present in the undilated fundi? 36. A-V compression? 27 1 yes 2 no 1 🗌 yes • 26 37. Focal narrowing? 28 1 🗌 yes 2 🔲 no 2 🔲 no 38. Exudates? 29 1 🗌 yes 2 🗌 no 39. Hemorrhages? 30 1 yes 2 no 40. Papilledema? 31 1 🗌 yes 2 🗌 no 41. Other fundi abnormalities? Specify_ 32 1 🗌 yes 2 🗌 no 42. Other eye abnormalities? Specify _ _33 1 🔲 yes 2 🔲 no 43. Is there an abnormality present in the thyroid? 34 1 🗌 yes 2 🔲 no 44. Are carotid bruits present? 35 1 **□** yes 45. Check appropriate box. 2 🗌 no 36 1 ☐ right only 2 ☐ left only 3 Dilateral 46. Are carotid pulses absent? ₃₇ 1 ☐ yes — 47. Check appropriate box. 38 1 ☐ right only 2 left only 3 🔲 bilateral 2 🗌 no 48. Is there an abnormality present in the jugular venous pulsations? 39 1 🗌 yes 2 🔲 no 49. Is the jugular venous pressure raised? 40 1 yes 2 no **LUNGS** 50. Are breath sounds diminished/absent? 51. Check appropriate box. ្នុ 1 🔲 yes 2 🗌 no 42 1 🔲 right only 2 | left only 3 🔲 bilateral

FORM 91 (5-12) JAN 75
MAPIT - MULTIPLE RISK FACTOR INTERVENTION TRIAL
SOUSDINGS OF VARIONAL HEART AND LUNG INSTITUTS
OFFICE OF MANAGEMENT AND SUDGET NO. 88-R1376, APPROVAL EXPIRES SEPT. 1, 1979

56. Other lung abnormality(s)? Specify

54. Are rhonchi or wheezes present?

53. Check appropriate box.

55. Check appropriate box.

44 1 🔲 right only

at: 1 🔲 right only

2 left only

2 left only

3 🔲 bilateral

3 Dilateral

___4 / 1 🔲 yes 2 🔲 no

52. Are rales present?

1 □ yes →

2 🗌 no

1 Dyes


2 🔲 no

58. Is S₁ abnorn 59. Is A ₂ abnorn	nal? Specify nal? Specify		• • • • • • • • • • • • • • • • • • • •			4.5.	
61. Is there an S						S 1 ☐ yes 2 ☐ no	
62. Is there an S	T 7					© 1 ☐ yes 2 ☐ no	
oz. is tilele dii 3	д уанор:					1уез 2110	
63. Is there a sys	stolic murmur?			*****			
	Grad		Type of Murmur				
1 ☐ yes —→	Position	1-6	Ejection	Holo	systolic	Other	
2	Apical	Ц	1 ☐ yes 2 ☐	no 1 ∐ ye	s 2 🗌 no	1 yes 2 no	
	Pulmonic		1 ☐ yes 2 ☐	no 1 ☐ ye	s 2 🗌 no	1 ☐ yes 2 ☐ no	
. ↓	Aortic		1	no 1 ∐ ye	es 2 🗌 no	1	
•		Ħ					
	Other		1 🗌 yes 2 🗍	no 1 ∐ ye	es 2 🗌 no	1 yes 2 no	
64. Is there a dia	stolic murmur?						
				Indicate T	ime of Murmur		
1 🗀	Position	Grade* 1-6	Early	Mid	Late	Other	
1 ☐ yes ——➤	rosition	1-0 —	Larry	WIIG	Luto		
2 □ no	Apical		1 yes 2 no		1 yes 2 no		
	Pulmonic	님	1 🗌 yes 2 🗍 no	1 ∐ yes 2 ∐ no	1 🗌 yes 2 🗍 no	1 yes 2 no	
↓	Aortic		1 ☐ yes 2 ☐ no				
	Left sternal border		1 ☐ yes 2 ☐ no	1	1 🗌 yes 2 🛄 no	1	
*Grade intensity a	2 Fai	ely Audible nt derate	4 Loud 5 Very loud 6 Murmur hear	d off chest wall	murmu must b	For each position where it is heard the murmur e both graded and type indicated.	
	n palpable? ther abdominal m	=	cify where:			92 1 yes 2 no 93 1 yes 2 no 1 yes 2 no	
68. Is there an a	ortic aneurysm p	resent?	•			1 ☐ yes 2 ☐ no	
PERIPHERAL 69. In the right a) is the p		minished?				96 1 ∐yes 2 ∐no	
PERART12 b) is a bru	iit heard?					ay 1 ☐ yes 2 ☐ no	
70. In the left for	emoral artery,						
a) is the p	oulse absent or di	minished?				1 ☐ yes 2 ☐ no	
b) is a bru	it heard?					1 ☐ yes 2 ☐ no	
71. In the right	dorsalis pedis art	ery, is the	pulse absent or dim	ninished?) 00 1 ☐ yes 2 ☐ no	
72. In the right	posterior tibial a	tery, is the	e pulse absent or di	minished?		70 1 ☐ yes 2 ☐ no	
73. In the left d	orsalis pedis arte	ry, is the p	ulse absent or dimi	nished?		1 ☐ yes 2 ☐ no	
74. In the left p	osterior tibial art	ery, is the	pulse absent or din	ninished?		1 ☐ yes 2 ☐ no	
	oitting edema of a					164 1 ☐ yes 2 ☐ no	
76. Is there a hi	story of sudden p	ain or colo	iness of a foot or a	leg during the pa	st twelve months	s? 105 1 ☐ yes 2 ☐ no	
	c ulcers present o					1 ☐ yes 2 ☐ no	
78. Is there a hi sympathect	story of operatio	n for perip ion during	heral arterial insuff the past twelve mo	iciency: arterial (nths?	graft, embolector	my, 1 □ yes 2 □ no	

NEUROPSYCHIATRIC

STROKE1279), Is	s there evidence of either hemiplegia or hemiparesis?		1	os 1 🗌 yes 2 🗍 no
		Ask questions 80 and 81 and check the appropriate answer.			
80). D	uring the past year, have you experienced a decrease in sexual acti	vity?		1
81	. D	uring the past year, have you felt so depressed (sad) that it interfecteation, or sleep?	red with your wo	ork,	1 yes 2 no
Sk	ÇIN				
82	2. A	are xanthomata present? (Exclude xanthelasma which should be no	ated in question :	34.)	11 1
		re ear tophi present?			12 1 yes 2 no
84		ased on the medical history, the physical examination and the ECG heck if present, suspect or no evidence.	G, for each condi	tion	
	Α.	Circulatory Diseases:	Present	Suspect	No Evidence
ΡΗΥΔΔα12	a.	Congestive heart failure	: 343 1 □	2 🗆	3 🗇
TTTTAATZ		Angina pectoris PHYAAb12	114 1 🗇	2 🗍	3 🗇
PHYAAc12	_	Myocardial infarction	1 🗆	2 🗆	3 □
111701012		Intermittent cerebral ischemic attacks with neurological deficit			5 D
	_	lasting less than 24 hours PHYAAd12	1 🗖	2 🗆	3 🗆
		Stroke with neurological deficit lasting more than 24 hours	117 1 🗖	2 🗆	3 🗇
	f.	Intermittent claudication PHYAAf12	1.0 1 🗆	2 🗆	3 □
PHYAAg12	g	Peripheral arterial occlusion	1 🗆	2 🗆	3 🗆
	h	Pulmonary embolism PHYAAh12	1 🗆	2 🗆	3 🗆
PHYAAi12	i.	Thrombophlebitis	127 1 🗆	2 🗍	3 □
	į.	Atrial fibrillation PHYAAj12	122 1 🗖	2 🗆	3 🗆
	k.	Arrhythmias other than atrial fibrillation PHYAAk12	1 🗆	2 🗆	3 🗆
	I.	Other circulatory diseases, specify	1 🗆	2 🗆	3 🗆
	D.	Malignant Neoplasm:	-		
	D. _				
	40.0	Lung PHYABa12□	125 1 🔲	2 🗆	3 □
		GI PHYABb12□	126 1 🔲	2 🗆	3□
	_	GU PHYABc12□	1 🗖	2 🗆	3 🗖
		Skin PHYABd12□	1 🗆	2 🗆	3 🗆
	е	Other, Specify: PHYABe12	_ 129 1 🗍	2 🗆	3 🖸
	C.	Endocrine Metabolic Disease:			
Á.	a.	Diabetes PHYACa12	130 1 🗍	2 🗆	3□
	b	Gout PHYACb12□	131 1 🖸	2 🗇	3□
	C.	Hyperthyroidism PHYACc12□	1 🗖	2 🗆	3 □
	d.	Hypothyroidism PHYACd12□	1 🗖	2 🗆	3 🗖
14	е	Cushing's syndrome PHYACe12□	134 1 🛛	2 🔲	3 🗖
	f.	Pheochromocytoma PHYACf12	135 1 🖸	2 🗆	3 🗖
	g.	Primary aldosteronism PHYACg12□	1 🔲	2 🗆	3 □
•		Other, specify:	_ 1 🗆	2 🗆	3 🗆
				_	—

Quest	on 84 continued.			
D.	Mental Disease:	Present	Suspect	No Evidence
a.	Psychosis	1 🗍	2 🖂	3 🗀
	Psychoneurosis	1 🛘	2 🗍	3 🗍
	Alcoholism	1 🔲	2 🗆	3 🗆
d.	Drug addiction	1 🗀	2 🗆	3 🗆
	Depression	1 🖂	2 🗍	3 🗀
	Other, specify:	1 🗍	2 🗀	3 🗍
E.	Neurologic Disease:			
a.	Convulsive disorder PHYAEa12	1 🗍	2 []	3 🗍
	Other, specify:		2 🗍	3 🗀
	Musculo-Skeletal Disease:	1 [7]	2 □	3 □
a.	Arthritis or rheumatism PHYAFa12 Other, specify:	1 🗆	2 🗆	3 🗍
13.	Other, specify.	. ' 1	- ()	·
G.	Respiratory Disease:			
a.	Chronic obstructive lung disease PHYAGa12	1 🗇	2 🗆	3 🗆
b.	Asthma PHYAGb12□	1 🗌	2 🗆	3 🗍
C.	Tuberculosis PHYAGc12	1 🗆	2 🗆	3 □
d.	Other, specify:	. 1 🗆	2 🗆	3 🗖
Н	Digestive Disease:	•		
a.	Peptic ulcer PHYAHa12□	1 🔲	2 🖂	3 🗀
	Gall bladder disease PHYAHb12	1 🗆	2 🗀	3 🗆
c.		1 🔲	2 🔲	3 🗖
d.	Other liver disease PHYAHd12	1 🗆	2 🗀	3 []
	Other, specify:	1 🗆	2 🗌	3 🗍 .
1.	Genito-Urinary Conditions:	-		
	Prostatism PHYAla12□	1 🗆	2 🗀	3 🔲
	Nephritis/Nephrosis PHYAIb12	1 🗆	2 🗆	3 🗆
	Urinary tract infection PHYAIc12	1 🗆	2 🗆	3 🗆
	Nephrolithiasis PhYAld12	1 🗆	2 🗆	3 □
	Other, specify:	_	2 🗍	3 🗆
	U	-		
	Hematopoietic Diseases:	,	0.1-1	a [7]
	Anemia PHYAJa12	1 🗍	2 🗍	3 🖂
b	Other Hematopoietic Diseases, Specify:	1 🗆	2 🗍	3 🗀
		_		



FIRST ANNUAL VISIT FORM (Part 3)

Year of Follow-up	
-------------------	--

Attach ID Label Here

85. Has the participant brought along any antihypertensive medications or has he indicated that he is currently taking them? Include propranolol here if it is being taken primarily as an antihypertensive agent.

C12 Chlorthalidone (C) 1 50 mg 2 100 mg	Number of pills/day es/day e.
C12 Chlorthalidone (C) 1 50 mg 2 100 mg	
—	
H12 Hydrochlorothiazide (H) 50 mg	
Spironolactone 25 mg	
Reserpine (R) 0.25 mg	
T12 50 mg C and 0.25 mg R	
R12	
M12 Methyldopa 250 mg	w
HY12 Hydralazine 1 10 mg 2 2 25 mg 3 50 mg	
G12 Guanethidine 1 10 mg 2 2 5 mg	cu.
P12 Propranolol	

FOR COORDINATING CENTER USE ONL	LY
72	

Continue with item 87.

 a. Digitalis b. Nitrates including nitroglycerine c. Propranolol for other than treatment of blood pressure 12 d. Lipid-lowering drugs: Clofibrate, Cholestyramine and other sterolbinding resins such as Colestipol, S-sitosterol (Cytellin), Nicotinic Acid derivatives, Neomycin, Dextrothyroxine (Choloxin), Probucol (Biphenabid), Estrogens, Progestins, Heparin, Halofinate 112 e. Insulin or oral hypoglycemic agents f. Anticoagulants g. Antibiotics or anti-infection agents h. Steroids (including cortisone) 	// 1 yes -/ 1 yes	2 yes 2 yes 2 yes	3 🗌 no
 b. Nitrates including nitroglycerine c. Propranolol for other than treatment of blood pressure 12 d. Lipid-lowering drugs: Clofibrate, Cholestyramine and other sterol-binding resins such as Colestipol, 3-sitosterol (Cytellin), Nicotinic Acid derivatives, Neomycin, Dextrothyroxine (Choloxin), Probucol (Biphenabid), Estrogens, Progestins, Heparin, Halofinate 12 e. Insulin or oral hypoglycemic agents f. Anticoagulants g. Antibiotics or anti-infection agents 	1		
Lipid-lowering drugs: Clofibrate, Cholestyramine and other sterol-binding resins such as Colestipol, S-sitosterol (Cytellin), Nicotinic Acid derivatives, Neomycin, Dextrothyroxine (Choloxin), Probucol (Biphenabid), Estrogens, Progestins, Heparin, Halofinate 12 e. Insulin or oral hypoglycemic agents f. Anticoagulants g. Antibiotics or anti-infection agents	ं ंे 1	2 🗌 yes	3 🗌 no
binding resins such as Colestipol, S-sitosterol (Cytellin), Nicotinic Acid derivatives, Neomycin, Dextrothyroxine (Choloxin), Probucol (Biphenabid), Estrogens, Progestins, Heparin, Halofinate 12 e. Insulin or oral hypoglycemic agents f. Anticoagulants g. Antibiotics or anti-infection agents			3 🗌 no
f. Anticoagulants g. Antibiotics or anti-infection agents	j 1 ☐ yes	2 ☐ yes	3 <u>□</u> no
f. Anticoagulants g. Antibiotics or anti-infection agents		2 🗌 yes	3 🗌 no
g. Antibiotics or anti-infection agents	1 ☐ yes	2 🗌 yes	3 🔲 no
•	", " 1 🗍 yes	2 🗌 yes	3 🔲 no
	1 🔲 yes	2 🗆 yes	3 🗌 no
i. Amphetamines or other stimulant	ii 1 ☐ yes	2 🗌 yes	3 🔲 no
j. Barbiturates or other sedative	1 □ yes	2 🗆 yes	3 🗌 no
k. Librium, Valium or other anti-anxiety agents	≅ 1 🔲 yes	2 🗌 yes	3 🗌 no
			CC USI
PHYSICIAN'S COMMENTS ON CLINICAL F	INDINGS		
			

LOCAL LABORATORY RESULTS

	BLOOD					
WBC12	88. White Blood Ce	Il Count	\$100	no./mm ³ x	10 ³	
HEMA12	89. Hematocrit		6.7	(vol. %)		
	URINALYSIS (LA	BSTIX)				
	Check the appropria	ate box for eac	h determinatio	n		
UBLOOD12	90 Blood	2 small	3 🔲 moderate	4 🗌 large		
UKETON12		2 🗌 small	3 moderate	4 🗌 large		
UGLUC12	92 Glucose 1 ☐ negative	2 □ light 0.25g/dl	3 🗌 medium	dark 4		
UPROT12	93 Protein	2 🔲 trace	3 □ + 30 mg/di	• • • • • • • • • • • • • • • • • • • •	5 🗆 300	6 □ ⁺⁺⁺⁺
UPH12		□ five (5) 3 (□six (6) 4	□ seven (7) !	5 ∏ eight (8)	6 □ nine (9)

1 Special Intervention	96. What is the participant's schedule for hypertension management or treatment? (check one) 1 a. 8 week observation visit for participant with last average DBP 90-94 mm Hg.
2 🗔 Hawal Cara	2 ☐ b. 4 week observation visit for participant with last average DBP≥95 mm Hg.
2 Usual Care	3 ☐ c. 8 week observation visit for non-obese participant with last average DBP 95-104 mm Hg.
	4 \(d. 8 week observation visit for obese participant with last average DBP 95-104 mm Hg and
	recommendation of weight reduction.
	5 e. 8 week observation visit for obese participant with last average DBP 95-104 mm Hg and emphasized weight reduction program.
•	6 f. Individualized Therapy Schedule for participant whose antihypertensive medication is prescribed or dispensed from an outside source.
FINISHED	7 g. Step-Up, Maintenance or Step-Down Schedule for participant currently receiving anti- hypertensive medication prescribed or dispensed by MRFIT.
	8 h. Participant is not in a hypertension management or treatment schedule.
	97. Is item 96 a-e checked in question 96 above?
	Transcribe items 1, 2, 3, 4 and 5 to FORM 42 and complete the remainder of FORM 42 if this visit coincides with a hypertension intervention visit. If this visit does not coincide with a hypertension intervention visit, FORM 42 should not be completed. FINISHED.
	98. Is the participant currently receiving antihypertensive medication?
	Transcribe items 1, 2, 3, 4 and 5 to FORM 44 and complete the remainder of FORM 44 if this visit coincides with a hypertension intervention visit. If this visit does not coincide with a hypertension intervention visit, FORM 44 should not be completed. FINISHED.
	Transcribe items 1, 2, 3, 4 and 5 to FORM 42 and complete the remainder of FORM 42 if this visit coincides with a hypertension intervention visit. If this visit does not coincide with a hypertension intervention visit, FORM 42 should not be completed. FINISHED.
	100. Is the current average DBP (item 3) ≥ 95 mm Hg?
	1 □ yes → Invite participant back within 4 weeks for blood pressure measurement. Complete FORM 42 at the 4 week visit. FINISHED.
	101. Is the current average DBP (item 3) 90-94 mm Hg?
	1 ☐ yes → Invite participant back within 8 weeks for blood pressure measurement. Complete FORM 42 at the 8 week visit. FINISHED.
	See participant at next four month visit for blood pressure measurement. Complete FORM 40 at next four month visit. FINISHED.

SKIP 112-END