date 38 1. Date Completed:	Patient ID: (site) patid38 patchk38 Entity Name: Front Back
1. Date Completed:	patid38 patchk38 Entity Name:
2. Date of Episode:	
2. Date of Episode:	Front Back
1 ○ Yes → Primary Source: 1 ○ EMS Source38 2 ○ Other medical 3 ○ Volunteer 4 ○ Torso inspection Put Black Dot (approximately this size ●) where pads we located: → dtatmp38 (month) Adequacy of Pad Adherence: (check one only) O Good (would conduct shock) Adequate (almost surely would conduct shock) O Inadequate (probably wouldn't conduct shock adequate probably wouldn	Front Back
Source38 2 Other medical (approximately this size) where pads we located: 1 O Torso inspection 2 O No, unable to contact appropriate source dtatmp38 3 O No, source can't remember Date Contacted (day) Adequacy of Pad Adherence: (check one only) 1 O Good (would conduct shock) 2 O Adequate (almost surely would conduct shock) 3 O Inadequate (probably wouldn't conduct shock adequate probably wouldn't conduct shock adequate (probably wouldn't conduct shock adequate probably wouldn't conduct	Front L'A 1 T Dack
Source38 2 ○ Other medical (approximately this size) where pads we located: → Date Contacted: → Date Contacted (dtcont38 (month) (day)) Adequacy of Pad Adherence: (check one only) Adequacy of Pad Adherence: (check one only) O Good (would conduct shock) Adequate (almost surely would conduct shock) I nadequate (probably wouldn't conduct shock adequate probably wouldn't conduct shock adequat	
2 O Other medical 3 O Volunteer 4 O Torso inspection 2 O No, unable to contact appropriate source where pads we located: 3 O No, source can't remember Date Contacted dtcont38 (month) 4 O Torso inspection 4 O No, unable to contact appropriate source Date Contacted Odd (month) 4 O Date Contacted Odd (month) 5 O Adequacy of Pad Adherence: (check one only) 1 O Good (would conduct shock) 2 O Adequate (almost surely would conduct shock) 3 O Inadequate (probably wouldn't conduct shock adequate of Ounknown Any obvious difficulties? (e.g., reason for inadequate of Spdif138)	
where pads we located: Torso inspection No, unable to contact appropriate source dtatmp38 No, source can't remember Date Contacted dtcont38 (month) Adequacy of Pad Adherence: (check one only) Good (would conduct shock) Adequate (almost surely would conduct shock) Adequate (probably wouldn't conduct shock adequat	
2 O No, unable to contact appropriate source datatmp38 3 O No, source can't remember Date Contacted dtcont38 Adequacy of Pad Adherence: (check one only) 1 O Good (would conduct shock) 2 O Adequate (almost surely would conduct shock) 3 O Inadequate (probably wouldn't conduct shock adequate probably wouldn't conduct shock adequate	///·`\\ // //\
dtatmp38 dtatmp38 The state of the state o	
dtatmp38 O No, source can't remember Date Contacted dtcont38 (month) Adequacy of Pad Adherence: (check one only) O Good (would conduct shock) Adequate (almost surely would conduct shock) Inadequate (probably wouldn't conduct shock adequate (probably wouldn't conduct shock adequate O Unknown Any obvious difficulties? (e.g., reason for inadequate a spdif138	创工局到一十一位
dtatmp38 O No, source can't remember Date Contacted dtcont38 (month) Adequacy of Pad Adherence: (check one only) O Good (would conduct shock) Adequate (almost surely would conduct shock) Inadequate (probably wouldn't conduct shock adequate (probably wouldn't conduct shock adequate (probably wouldn't conduct shock adequate spdif138	
dtatmp38 O No, source can't remember Date Contacted dtcont38 (month) Adequacy of Pad Adherence: (check one only) O Good (would conduct shock) Adequate (almost surely would conduct shock) Inadequate (probably wouldn't conduct shock adequate (probably wouldn't conduct shock adequate of the conduct sh	
dtatmp38 O No, source can't remember Date Contacted dtcont38 (month) Adequacy of Pad Adherence: (check one only) O Good (would conduct shock) Adequate (almost surely would conduct shock) Inadequate (probably wouldn't conduct shock adequate probably wouldn't conduct shock adequate (probably wouldn't conduct shock adequate probably wouldn't conduct shock adequate	13)51 / 11 1
dtatmp38 O No, source can't remember Date Contacted dtcont38 (month) Adequacy of Pad Adherence: (check one only) O Good (would conduct shock) Adequate (almost surely would conduct shock) Inadequate (probably wouldn't conduct shock adequate (probably wouldn't conduct shock adequate of the conduct sh	1st Attempted: # Attempts:
Adequacy of Pad Adherence: (check one only) 1	
Adequacy of Pad Adherence: (check one only) 1	n) (day) (year) numtry38
 Good (would conduct shock) Adequate (almost surely would conduct shock) Inadequate (probably wouldn't conduct shock adequate) Unknown Any obvious difficulties? (e.g., reason for inadequate aspaif138	n) (day) (year) numtry38
 Adequate (almost surely would conduct shock) Inadequate (probably wouldn't conduct shock adequate of the conduct shock adequate of	n) (day) (year) numtry38
 3 O Inadequate (probably wouldn't conduct shock adequate of the conduct shock adequ]/
 Inadequate (probably wouldn't conduct shock adequate of the conduct shock adequate	
Any obvious difficulties? (e.g., reason for inadequate a spdif138	
spdif138	year)
spdif138	year)
	(year)
spdif238	(year)
	(year)
spdif338	(year)
code38	(year)
Code36	(year) herence, hairy chest, diaphoresis)
	(year) herence, hairy chest, diaphoresis) For CTC Use Only
Signature of person filling out this form Code Number Mail / FAX	Itely) therence, hairy chest, diaphoresis)