

**Data Set Name: abg.sas7bdat**

Num	Variable	Type	Len	Format	Informat	Label
1	CASEID	Num	8	BEST12.	BEST32.	Random Case ID
2	LINENUMBER	Num	8	BEST12.	BEST32.	Table Line Number. ABG data are entered consecutively. Each line represents a different draw.
3	ABGDT	Num	8	BEST12.	BEST32.	Elapsed days from ED Admit to arterial blood gas draw
4	FIO2	Num	8	BEST12.	BEST32.	FiO2 value (%)
5	HCO3	Num	8	BEST12.	BEST32.	HCO3 value (mEq/L)
6	NOFIO2	Num	8	BEST12.	BEST32.	FiO2 value missing
7	PACO2	Num	8	BEST12.	BEST32.	PaCO2 value (mmHg)
8	PAO2	Num	8	BEST12.	BEST32.	PaO2 value (mmHg)
9	PH	Num	8	BEST12.	BEST32.	PH level
10	ABGTM	Num	8	BEST12.	BEST32.	Elapsed time (sec) from ED Admit to arterial blood gas draw

**Data Set Name: cases\_update\_v3.sas7bdat**

Num	Variable	Type	Len	Format	Informat	Label
1	CASEID	Num	8	BEST12.	BEST32.	Random Case ID
2	CATX	Num	8	BEST12.	BEST32.	Cardiac arrest treated by EMS
3	NOCOMP	Num	8	BEST12.	BEST32.	No fire/EMS compressions
4	RIGNP1	Num	8	BEST12.	BEST32.	EMS response: Rig 1 Number of Personnel
5	RIGNP2	Num	8	BEST12.	BEST32.	EMS response: Rig 2 Number of Personnel
6	RIGNP3	Num	8	BEST12.	BEST32.	EMS response: Rig 3 Number of Personnel
7	RIGNP4	Num	8	BEST12.	BEST32.	EMS response: Rig 4 Number of Personnel
8	RIGSL1	Num	8	BEST12.	BEST32.	EMS response: Rig 1 Service Level
9	RIGSL2	Num	8	BEST12.	BEST32.	EMS response: Rig 2 Service Level
10	RIGSL3	Num	8	BEST12.	BEST32.	EMS response: Rig 3 Service Level
11	RIGSL4	Num	8	BEST12.	BEST32.	EMS response: Rig 4 Service Level
12	RIGTM1	Num	8	BEST12.	BEST32.	Elapsed time (sec) from dispatch call to Rig 1 arrival time
13	RIGTM2	Num	8	BEST12.	BEST32.	Elapsed time (sec) from dispatch call to Rig 2 arrival time
14	RIGTM3	Num	8	BEST12.	BEST32.	Elapsed time (sec) from dispatch call to Rig 3 arrival time
15	RIGTM4	Num	8	BEST12.	BEST32.	Elapsed time (sec) from dispatch call to Rig 4 arrival time
16	ARTMSR1	Num	8	BEST12.	BEST32.	EMS response: Rig 1 Source of Arrival Time
17	ARTMSR2	Num	8	BEST12.	BEST32.	EMS response: Rig 2 Source of Arrival Time
18	ARTMSR3	Num	8	BEST12.	BEST32.	EMS response: Rig 3 Source of Arrival Time
19	ARTMSR4	Num	8	BEST12.	BEST32.	EMS response: Rig 4 Source of Arrival Time
20	CALLDSPORDER	Num	8	BEST12.	BEST32.	Event order: 1st 911 call received at dispatch
21	VIDSPORDER	Num	8	BEST12.	BEST32.	Event order: 1st vehicle dispatch
22	V1ARRORDER	Num	8	BEST12.	BEST32.	Event order: 1st vehicle arrival at scene
23	EMSAEDORDER	Num	8	BEST12.	BEST32.	Event order: 1st fire/EMS AED/defib turned on
24	EMSCPRORDER	Num	8	BEST12.	BEST32.	Event order: 1st fire/EMS CPR
25	EMSSHOCKORDER	Num	8	BEST12.	BEST32.	Event order: 1st fire/EMS shock
26	ALSARRORDER	Num	8	BEST12.	BEST32.	Event order: 1st ALS arrival at scene
27	IVIOORDER	Num	8	BEST12.	BEST32.	Event order: 1st successful fire/EMS IV/IO access
28	EPIVASOORDER	Num	8	BEST12.	BEST32.	Event order: 1st epinephrine or vasopressin
29	AIRWAYORDER	Num	8	BEST12.	BEST32.	Event order: 1st successful fire/EMS advanced airway
30	XPORTORDER	Num	8	BEST12.	BEST32.	Event order: Patient transported from scene
31	DESTARRORDER	Num	8	BEST12.	BEST32.	Event order: Fire/EMS destination arrival
32	EMSWITORDER	Num	8	BEST12.	BEST32.	Event order: Arrest witnessed by fire/EMS
33	ROSCORDER	Num	8	BEST12.	BEST32.	Event order: 1st ROSC
34	RESUSSTOPORDER	Num	8	BEST12.	BEST32.	Event order: Resuscitation stopped due to death
35	NONEMSSHOCKORDER	Num	8	BEST12.	BEST32.	Event order: 1st no-fire/EMS shock
36	HYPOTHERMORDER	Num	8	BEST12.	BEST32.	Event order: Hypothermia started by fire/EMS

Num	Variable	Type	Len	Format	Informat	Label
37	COMPDEVORDER	Num	8	BEST12.	BEST32.	Event order: 1st mechanical compression device
38	CALLDSPNDT	Num	8	BEST12.	BEST32.	No documented time: 1st 911 call received at dispatch
39	V1DSPNDT	Num	8	BEST12.	BEST32.	No documented time: 1st vehicle dispatch
40	V1ARRNDT	Num	8	BEST12.	BEST32.	No documented time: 1st vehicle arrival at scene
41	EMSAEDNDT	Num	8	BEST12.	BEST32.	No documented time: 1st fire/EMS AED/defib turned on
42	EMSCPRNDT	Num	8	BEST12.	BEST32.	No documented time: 1st fire/EMS CPR
43	EMSSHOCKNDT	Num	8	BEST12.	BEST32.	No documented time: 1st fire/EMS shock
44	ALSARRNDT	Num	8	BEST12.	BEST32.	No documented time: 1st ALS arrival at scene
45	IVIONDT	Num	8	BEST12.	BEST32.	No documented time: 1st successful fire/EMS IV/IO access
46	EPIVASONDT	Num	8	BEST12.	BEST32.	No documented time: 1st epinephrine or vasopressin
47	AIRWAYNDT	Num	8	BEST12.	BEST32.	No documented time: 1st successful fire/EMS advanced airway
48	XPORTNDT	Num	8	BEST12.	BEST32.	No documented time: Patient transported from scene
49	DESTARRNDT	Num	8	BEST12.	BEST32.	No documented time: Fire/EMS destination arrival
50	EMSWITNDT	Num	8	BEST12.	BEST32.	No documented time: Arrest witnessed by fire/EMS
51	ROSCNDT	Num	8	BEST12.	BEST32.	No documented time: 1st ROSC
52	RESUSSTOPNDT	Num	8	BEST12.	BEST32.	No documented time: Resuscitation stopped due to death
53	NONEMSSHOCKNDT	Num	8	BEST12.	BEST32.	No documented time: 1st no-fire/EMS shock
54	HYPOTHERMNDT	Num	8	BEST12.	BEST32.	No documented time: Hypothermia started by fire/EMS
55	COMPDEVNDT	Num	8	BEST12.	BEST32.	No documented time: 1st mechanical compression device
56	CALLDSPALNTM	Num	8	BEST12.	BEST32.	Time category of 1st 911 call received at dispatch
57	V1DSPALNTM	Num	8	BEST12.	BEST32.	Elapsed time (sec) from dispatch call to 1st vehicle dispatch
58	V1ARRALNTM	Num	8	BEST12.	BEST32.	Elapsed time (sec) from dispatch call to 1st vehicle arrival at scene
59	EMSAEDALNTM	Num	8	BEST12.	BEST32.	Elapsed time (sec) from dispatch call to 1st fire/EMS AED/defib turned on
60	EMSCPRLALNTM	Num	8	BEST12.	BEST32.	Elapsed time (sec) from dispatch call to 1st fire/EMS CPR
61	EMSSHOCKALNTM	Num	8	BEST12.	BEST32.	Elapsed time (sec) from dispatch call to 1st fire/EMS shock
62	ALSARRALNTM	Num	8	BEST12.	BEST32.	Elapsed time (sec) from dispatch call to 1st ALS arrival at scene
63	IVIOALNTM	Num	8	BEST12.	BEST32.	Elapsed time (sec) from dispatch call to 1st successful fire/EMS IV/IO access
64	EPIVASOALNTM	Num	8	BEST12.	BEST32.	Elapsed time (sec) from dispatch call to 1st epinephrine or vasopressin
65	AIRWAYALNTM	Num	8	BEST12.	BEST32.	Elapsed time (sec) from dispatch call to 1st successful fire/EMS advanced airway
66	XPORTALNTM	Num	8	BEST12.	BEST32.	Elapsed time (sec) from dispatch call to patient transported from scene
67	DESTARRALNTM	Num	8	BEST12.	BEST32.	Elapsed time (sec) from dispatch call to fire/EMS destination arrival
68	EMSWITALNTM	Num	8	BEST12.	BEST32.	Elapsed time (sec) from dispatch call to arrest witnessed by fire/EMS
69	ROSCALNTM	Num	8	BEST12.	BEST32.	Elapsed time (sec) from dispatch call to 1st ROSC

Num	Variable	Type	Len	Format	Informat	Label
70	RESUSSTOPALNTM	Num	8	BEST12.	BEST32.	Elapsed time (sec) from dispatch call to resuscitation stopped due to death
71	NONEMSSHOCKALNTM	Num	8	BEST12.	BEST32.	Elapsed time (sec) from dispatch call to 1st no-fire/EMS shock
72	HYPOTHERMALNTM	Num	8	BEST12.	BEST32.	Elapsed time (sec) from dispatch call to hypothermia started by fire/EMS
73	COMPDEVALNTM	Num	8	BEST12.	BEST32.	Elapsed time (sec) from dispatch call to 1st mechanical compression device
74	CALLDSPADJ	Num	8	BEST12.	BEST32.	1st 911 call received at dispatch time adjusted?
75	V1DSPADJ	Num	8	BEST12.	BEST32.	1st vehicle dispatch time adjusted?
76	V1ARRADJ	Num	8	BEST12.	BEST32.	1st vehicle arrival at scene time adjusted?
77	EMSAEDADJ	Num	8	BEST12.	BEST32.	1st fire/EMS AED/defib turned on time adjusted?
78	EMSCPRADJ	Num	8	BEST12.	BEST32.	1st fire/EMS CPR time adjusted?
79	EMSSHOCKADJ	Num	8	BEST12.	BEST32.	1st fire/EMS shock time adjusted?
80	ALSARRADJ	Num	8	BEST12.	BEST32.	1st ALS arrival at scene time adjusted?
81	IVIOADJ	Num	8	BEST12.	BEST32.	1st successful fire/EMS IV/IO access time adjusted?
82	EPIVASOAJ	Num	8	BEST12.	BEST32.	1st epinephrine or vasopressin time adjusted?
83	AIRWAYADJ	Num	8	BEST12.	BEST32.	1st successful fire/EMS advanced airway time adjusted?
84	XPORTADJ	Num	8	BEST12.	BEST32.	Patient transported from scene time adjusted?
85	DESTARRADJ	Num	8	BEST12.	BEST32.	Fire/EMS destination arrival time adjusted?
86	EMSWITADJ	Num	8	BEST12.	BEST32.	Arrest witnessed by fire/EMS time adjusted?
87	ROSCADJ	Num	8	BEST12.	BEST32.	1st ROSC time adjusted?
88	RESUSSTOPADJ	Num	8	BEST12.	BEST32.	Resuscitation stopped due to death time adjusted?
89	NONEMSSHOCKADJ	Num	8	BEST12.	BEST32.	1st no-fire/EMS shock time adjusted?
90	HYPOTHERMADJ	Num	8	BEST12.	BEST32.	Hypothermia started by fire/EMS time adjusted?
91	COMPDEVADJ	Num	8	BEST12.	BEST32.	1st mechanical compression device time adjusted?
92	CALLDSPSDD	Num	8	BEST12.	BEST32.	Source (Disp or Defib): 1st 911 call received at dispatch time
93	V1DSPSDD	Num	8	BEST12.	BEST32.	Source (Disp or Defib): 1st vehicle dispatch time
94	V1ARRSDD	Num	8	BEST12.	BEST32.	Source (Disp or Defib): 1st vehicle arrival at scene time
95	EMSAEDSDD	Num	8	BEST12.	BEST32.	Source (Disp or Defib): 1st fire/EMS AED/defib turned on time
96	EMSCPRSDD	Num	8	BEST12.	BEST32.	Source (Disp or Defib): 1st fire/EMS CPR time
97	EMSSHOCKSDD	Num	8	BEST12.	BEST32.	Source (Disp or Defib): 1st fire/EMS shock time
98	ALSARRSDD	Num	8	BEST12.	BEST32.	Source (Disp or Defib): 1st ALS arrival at scene time
99	IVIOSDD	Num	8	BEST12.	BEST32.	Source (Disp or Defib): 1st successful fire/EMS IV/IO access
100	EPIVASOSDD	Num	8	BEST12.	BEST32.	Source (Disp or Defib): 1st epinephrine or vasopressin time
101	AIRWAYSDD	Num	8	BEST12.	BEST32.	Source (Disp or Defib): 1st successful fire/EMS advanced airway time
102	XPORTSDD	Num	8	BEST12.	BEST32.	Source (Disp or Defib): Patient transported from scene time
103	DESTARRSDD	Num	8	BEST12.	BEST32.	Source (Disp or Defib): Fire/EMS destination arrival time
104	EMSWITSDD	Num	8	BEST12.	BEST32.	Source (Disp or Defib): Arrest witnessed by fire/EMS time
105	ROSCSDD	Num	8	BEST12.	BEST32.	Source (Disp or Defib): 1st ROSC time

Num	Variable	Type	Len	Format	Informat	Label
106	RESUSSTOPSDD	Num	8	BEST12.	BEST32.	Source (Disp or Defib): Resuscitation stopped due to death time
107	NONEMSSHOCKSDD	Num	8	BEST12.	BEST32.	Source (Disp or Defib): 1st no-fire/EMS shock time
108	HYPOTHERMSDD	Num	8	BEST12.	BEST32.	Source (Disp or Defib): Hypothermia started by fire/EMS time
109	COMPDEVSDD	Num	8	BEST12.	BEST32.	Source (Disp or Defib): 1st mechanical compression device time
110	CALLDSPSYNC	Num	8	BEST12.	BEST32.	1st 911 call received at dispatch synced to atomic clock (no Epistry 1a or 1b)
111	V1DSPSYNC	Num	8	BEST12.	BEST32.	1st vehicle dispatch synced to atomic clock (no Epistry 1a or 1b)
112	V1ARRSYNC	Num	8	BEST12.	BEST32.	1st vehicle arrival at scene synced to atomic clock (no Epistry 1a or 1b)
113	EMSAEDSYNC	Num	8	BEST12.	BEST32.	1st fire/EMS AED/defib turned on synced to atomic clock (no Epistry 1a or 1b)
114	EMSCPRSYNC	Num	8	BEST12.	BEST32.	1st fire/EMS CPR synced to atomic clock (no Epistry 1a or 1b)
115	EMSSHOCKSYNC	Num	8	BEST12.	BEST32.	1st fire/EMS shock synced to atomic clock (no Epistry 1a or 1b)
116	ALSARRSYNC	Num	8	BEST12.	BEST32.	1st ALS arrival at scene synced to atomic clock (no Epistry 1a or 1b)
117	IVIOSYNC	Num	8	BEST12.	BEST32.	1st successful fire/EMS IV/IO access synced to atomic clock
118	EPIVASOSYNC	Num	8	BEST12.	BEST32.	1st epinephrine or vasopressin synced to atomic clock
119	AIRWAYSYNC	Num	8	BEST12.	BEST32.	1st successful fire/EMS advanced airway synced to atomic clock
120	XPORTSYNC	Num	8	BEST12.	BEST32.	Patient transported from scene synced to atomic clock (no Epistry 1a or 1b)
121	DESTARRSYNC	Num	8	BEST12.	BEST32.	Fire/EMS destination arrival synced to atomic clock (no Epistry 1a or 1b)
122	EMSWITSYNC	Num	8	BEST12.	BEST32.	Synced to Atomic Clock: Arrest witnessed by fire/EMS
123	ROSCSYNC	Num	8	BEST12.	BEST32.	1st ROSC synced to atomic clock (no Epistry 1a or 1b)
124	RESUSSTOPSYNC	Num	8	BEST12.	BEST32.	Resuscitation stopped due to death synced to atomic clock (no Epistry 1a or 1b)
125	NONEMSSHOCKSYNC	Num	8	BEST12.	BEST32.	1st no-fire/EMS shock synced to atomic clock
126	HYPOTHERMSYNC	Num	8	BEST12.	BEST32.	Hypothermia started by fire/EMS synced to atomic clock
127	COMPDEVSYNC	Num	8	BEST12.	BEST32.	1st mechanical compression device synced to atomic clock
128	LOCPUB	Num	8	BEST12.	BEST32.	Episode Location public/non-public
129	LOCTYP	Num	8	BEST12.	BEST32.	Episode Location public/non-public type
130	RESTYP	Num	8	BEST12.	BEST32.	Episode Location: public/non-public: Residential institution type
131	AGE	Num	8	BEST12.	BEST32.	EMS Treated: Patient age
132	AGESRP	Num	8	BEST12.	BEST32.	EMS Treated: Age Source
133	AGECAT	Num	8	BEST12.	BEST32.	EMS Treated: Age Category (if continuous age not entered)
134	SEX	Num	8	BEST12.	BEST32.	EMS Treated: Gender/Sex
135	HISPANIC	Num	8	BEST12.	BEST32.	Race/ethnicity: Hispanic or Latino
136	ASIAN	Num	8	BEST12.	BEST32.	Race/ethnicity: Asian
137	WHITE	Num	8	BEST12.	BEST32.	Race/ethnicity: White/Caucasian
138	BLACK	Num	8	BEST12.	BEST32.	Race/ethnicity: African-American/Black
139	OTHERRACE	Num	8	BEST12.	BEST32.	Race/ethnicity: Other

Num	Variable	Type	Len	Format	Informat	Label
140	UNKRC	Num	8	BEST12.	BEST32.	Race/ethnicity: Unknown/not noted
141	WITEMS	Num	8	BEST12.	BEST32.	Cardiac arrest occurred before fire/EMS arrival (EMS did not witness arrest) or after fire/EMS arrival (EMS witnessed arrest)
142	WITBYS	Num	8	BEST12.	BEST32.	Cardiac arrest before fire/EMS arrival: Bystander witnessed collapse?
143	RESBYS	Num	8	BEST12.	BEST32.	Resuscitation attempted by bystanders?
144	CPRATT	Num	8	BEST12.	BEST32.	Bystander CPR attempted prior to fire/EMS arrival
145	CPRLAY	Num	8	BEST12.	BEST32.	CPR attempted by lay person?
146	CPROTH	Num	8	BEST12.	BEST32.	CPR attempted by other?
147	CPRUNK	Num	8	BEST12.	BEST32.	CPR attempted by unknown?
148	DSPINS	Num	8	BEST12.	BEST32.	Dispatch instructions given for bystander CPR
149	CCONLY	Num	8	BEST12.	BEST32.	Bystander CPR type: chest compressions only
150	CCVENT	Num	8	BEST12.	BEST32.	Bystander CPR type: chest compressions plus ventilations
151	TCPRUN	Num	8	BEST12.	BEST32.	Bystander CPR type: not known/not noted
152	AEDAPP	Num	8	BEST12.	BEST32.	Bystander applied AED/defib prior to fire/EMS arrival
153	AEDSHK	Num	8	BEST12.	BEST32.	Bystander Shocks delivered
154	NAEDSH	Num	8	BEST12.	BEST32.	Number of AED shocks delivered
155	AEDWHO	Num	8	BEST12.	BEST32.	AED/defib applied by who?
156	PLSLST	Num	8	BEST12.	BEST32.	Was pulse lost after documented first ROSC, prior to first ED arrival?
157	ICDEVI	Num	8	BEST12.	BEST32.	Evidence of implantable cardioverter defibrillator?
158	ICDSHK	Num	8	BEST12.	BEST32.	If Implantable cardioverter defibrillator present, is shock delivered during prehospital care?
159	PNOINT	Num	8	BEST12.	BEST32.	No pre-hospital intervention from list (see source) by fire/EMS
160	CCEMS	Num	8	BEST12.	BEST32.	PH intervention: EMS chest compressions (see notes)
161	CCMAN	Num	8	BEST12.	BEST32.	PH intervention: chest compressions: manual EMS Compressions
162	CCMECH	Num	8	BEST12.	BEST32.	PH intervention: chest compressions: mechanical EMS Compressions
163	PBAG2	Num	8	BEST12.	BEST32.	PH intervention: Airway, bag-mask
164	PTRACH	Num	8	BEST12.	BEST32.	PH intervention: Continuation of non-EMS airway (tracheostomy)
165	PADARE	Num	8	BEST12.	BEST32.	PH intervention: Airway advanced, endotracheal
166	PADARS	Num	8	BEST12.	BEST32.	PH intervention: Airway advanced, supraglottal and other (Other Supraglottic Airway) (see notes)
167	OTHSUPAIR	Num	8	BEST12.	BEST32.	PH intervention: advanced airway, supraglottal: Other
168	OTHSARSUC	Num	8	BEST12.	BEST32.	PH intervention: advanced airway, supraglottal: Other successful
169	KLT	Num	8	BEST12.	BEST32.	PH intervention: advanced airway, supraglottal: King LT
170	LTSUC	Num	8	BEST12.	BEST32.	PH intervention: advanced airway, supraglottal: King LT successful
171	KLTD	Num	8	BEST12.	BEST32.	PH intervention: advanced airway, supraglottal: King LT-D
172	LTDSUC	Num	8	BEST12.	BEST32.	PH intervention: advanced airway, supraglottal: King LT-D successful

Num	Variable	Type	Len	Format	Informat	Label
173	KLTSO	Num	8	BEST12.	BEST32.	PH intervention: advanced airway, supraglottal: King LTS-D
174	LTSSUC	Num	8	BEST12.	BEST32.	PH intervention: advanced airway, supraglottal: King LTS-D successful
175	LMA	Num	8	BEST12.	BEST32.	PH intervention: advanced airway, supraglottal: LMA (laryngeal mask airway)
176	LMASSUC	Num	8	BEST12.	BEST32.	PH intervention: advanced airway, supraglottal: LMA successful
177	PHYPT2	Num	8	BEST12.	BEST32.	PH intervention: Hypothermia therapy
178	PHYPOE	Num	8	BEST12.	BEST32.	PH intervention: Hypothermia therapy: External
179	PHYPOI	Num	8	BEST12.	BEST32.	PH intervention: Hypothermia therapy: Internal
180	PFLUID2	Num	8	BEST12.	BEST32.	PH intervention: IV/IO line
181	PCONIV	Num	8	BEST12.	BEST32.	PH intervention: IV/IO line: Continuation of existing IV?
182	PIV	Num	8	BEST12.	BEST32.	PH intervention: IV/IO line: IV
183	PIVSUC	Num	8	BEST12.	BEST32.	PH intervention: IV/IO line: IV successful
184	PIO	Num	8	BEST12.	BEST32.	PH intervention: IV/IO line: IO intravascular line
185	PIOSUC	Num	8	BEST12.	BEST32.	PH intervention: IV/IO line: IO successful
186	PFLDLV	Num	8	BEST12.	BEST32.	PH intervention: IV/IO line: Fluid given
187	FLDVOL	Num	8	BEST12.	BEST32.	PH intervention: IV/IO line: Estimated volume of fluids given/delivered
188	FVLUNK	Num	8	BEST12.	BEST32.	PH intervention: IV/IO line: Unknown volume of fluids given
189	PMON2	Num	8	BEST12.	BEST32.	PH intervention: Advanced monitor attempted (see notes)
190	PETCO2	Num	8	BEST12.	BEST32.	PH intervention: Monitor, advanced: ETCO2 attempted
191	PPACE	Num	8	BEST12.	BEST32.	PH intervention: Monitor, advanced: PACE/Pacing attempted
192	PECG	Num	8	BEST12.	BEST32.	PH intervention: Monitor, advanced: 12-lead attempted
193	STELEV	Num	8	BEST12.	BEST32.	PH intervention: Monitor, advanced: 12-lead: If 12-lead attempted, ST-elevation reported
194	PDRNODR	Num	8	BEST12.	BEST32.	No drug given from following list: beta blocker category, bicarbonate, dextrose, dopamine, paralytics category, pressors/inotropes category, sedation category
195	SCLASS	Num	8	BEST12.	BEST32.	Etiology of arrest: site classification
196	PDISP	Num	8	BEST12.	BEST32.	Pre-Hospital Patient Disposition
197	PYHLT2	Num	8	BEST12.	BEST32.	Disposition: why was EMS treatment halted?
198	PROSC	Num	8	BEST12.	BEST32.	Disposition: patient status at first ED arrival
199	PHDAMIO	Num	8	BEST12.	BEST32.	PH Drugs: Amiodarone Amiodarone
200	PHDATROP	Num	8	BEST12.	BEST32.	PH Drugs: Atropine
201	PHDEPIN	Num	8	BEST12.	BEST32.	PH Drugs: Epinephrine
202	PHDVASO	Num	8	BEST12.	BEST32.	PH Drugs: Vasopressin
203	PHDLIDO	Num	8	BEST12.	BEST32.	PH Drugs: Lidocaine
204	PHDBETA	Num	8	BEST12.	BEST32.	PH Drugs: Beta Blocker Category Given
205	PHDBICARB	Num	8	BEST12.	BEST32.	PH Drugs: Bicarbonate
206	PHDDEXT	Num	8	BEST12.	BEST32.	PH Drugs: Dextrose
207	PHDDOPA	Num	8	BEST12.	BEST32.	PH Drugs: Dopamine Given

Num	Variable	Type	Len	Format	Informat	Label
208	PHDMAGN	Num	8	BEST12.	BEST32.	PH Drugs: Magnesium
209	PHDPARA	Num	8	BEST12.	BEST32.	PH Drugs: Paralytics Given
210	PHDPRESS	Num	8	BEST12.	BEST32.	PH Drugs: Pressors/inotropes Given
211	PHDPROCA	Num	8	BEST12.	BEST32.	PH Drugs: Procainamide
212	PHDSEDA	Num	8	BEST12.	BEST32.	PH Drugs: Sedation Category Given
213	PHDAMIODS	Num	8	BEST12.	BEST32.	PH Drugs: Amiodarone Total dose (mg)
214	PHDATROPDS	Num	8	BEST12.	BEST32.	PH Drugs: Atropine Total dose (mg)
215	PHDEPINDS	Num	8	BEST12.	BEST32.	PH Drugs: Epinephrine Total dose (mg)
216	PHDVASODS	Num	8	BEST12.	BEST32.	PH Drugs: Vasopressin Total dose (mg)
217	PHDLIDODS	Num	8	BEST12.	BEST32.	PH Drugs: Lidocaine Total dose (mg)
218	PHDAMIOIV	Num	8	BEST12.	BEST32.	PH Drugs: Amiodarone route: IV
219	PHDATROPIV	Num	8	BEST12.	BEST32.	PH Drugs: Atropine route: IV
220	PHDEPINIV	Num	8	BEST12.	BEST32.	PH Drugs: Epinephrine route: IV
221	PHDVASOIV	Num	8	BEST12.	BEST32.	PH Drugs: Vasopressin route: IV
222	PHDLIDOIV	Num	8	BEST12.	BEST32.	PH Drugs: Lidocaine route: IV
223	PHDAMIOET	Num	8	BEST12.	BEST32.	PH Drugs: Amiodarone route: endotracheal (ET)
224	PHDATROPET	Num	8	BEST12.	BEST32.	PH Drugs: Atropine route: endotracheal (ET)
225	PHDEPINET	Num	8	BEST12.	BEST32.	PH Drugs: Epinephrine route: endotracheal (ET)
226	PHDVASOET	Num	8	BEST12.	BEST32.	PH Drugs: Vasopressin route: endotracheal (ET)
227	PHDLIDOET	Num	8	BEST12.	BEST32.	PH Drugs: Lidocaine route: endotracheal (ET)
228	PHDAMIOIO	Num	8	BEST12.	BEST32.	PH Drugs: Amiodarone route: IO
229	PHDATROPIO	Num	8	BEST12.	BEST32.	PH Drugs: Atropine route: IO
230	PHDEPINIO	Num	8	BEST12.	BEST32.	PH Drugs: Epinephrine route: IO
231	PHDVASOIO	Num	8	BEST12.	BEST32.	PH Drugs: Vasopressin route: IO
232	PHDLIDOIO	Num	8	BEST12.	BEST32.	PH Drugs: Lidocaine route: IO
233	PHDAMIODP	Num	8	BEST12.	BEST32.	PH Drugs: Amiodarone route: drip
234	PHDATROPDP	Num	8	BEST12.	BEST32.	PH Drugs: Atropine route: drip
235	PHDEPINDP	Num	8	BEST12.	BEST32.	PH Drugs: Epinephrine route: drip
236	PHDVASODP	Num	8	BEST12.	BEST32.	PH Drugs: Vasopressin route: drip
237	PHDLIDODP	Num	8	BEST12.	BEST32.	PH Drugs: Lidocaine route: drip
238	EDARTM	Num	8	BEST12.	BEST32.	Elapsed time (sec) from dispatch call to ED Admit
239	EDARTMUNK	Num	8	BEST12.	BEST32.	Elapsed time from dispatch call to ED Admit unknown
240	EVSSRC	Num	8	BEST12.	BEST32.	Source of discharge status from final ED
241	EDSPDT	Num	8	BEST12.	BEST32.	Elapsed number of days from ED Admit to ED discharge
242	EDSPTM	Num	8	BEST12.	BEST32.	Elapsed time (minutes) from ED Admit to ED discharge
243	EDISPX	Num	8	BEST12.	BEST32.	Final ED discharge status
244	XFERED	Num	8	BEST12.	BEST32.	Was patient transferred to another ED?
245	XFERDT1	Num	8	BEST12.	BEST32.	Elapsed number of days from dispatch call to 1st transfer to another acute care hospital



Num	Variable	Type	Len	Format	Informat	Label
246	XFERDT2	Num	8	BEST12.	BEST32.	Elapsed number of days from dispatch call to 2nd transfer to another acute care hospital
247	EMSSHK	Num	8	BEST12.	BEST32.	Any shocks delivered by EMS/fire responders? Version 2- CPR form (all datasets)
248	NUMSHK	Num	8	BEST12.	BEST32.	Number of shocks delivered by EMS/fire responders
249	AGELT18	Num	8	BEST12.	BEST32.	Any shocks delivered by EMS/fire responders? Age < 18 years?
250	NOEMS	Num	8	BEST12.	BEST32.	Initial EMS CA rhythm NA
251	NOPADAED	Num	8	BEST12.	BEST32.	No PAD/AED applied
252	FAEDTM	Num	8	BEST12.	BEST32.	Elapsed time (sec) from dispatch call to 1st CA rhythm with non EMS AED/defibrillator
253	FRHYAE	Num	8	BEST12.	BEST32.	Initial non-EMS AED/defibrillator CA rhythm type
254	FRAESR	Num	8	BEST12.	BEST32.	Source of initial non-EMS AED/defibrillator CA rhythm
255	FRHYTM	Num	8	BEST12.	BEST32.	Elapsed time (sec) from dispatch call to initial EMS CA rhythm
256	FRHYEM	Num	8	BEST12.	BEST32.	Initial EMS CA rhythm type
257	FRHYSR	Num	8	BEST12.	BEST32.	Source of initial EMS CA rhythm
258	PEABPM	Num	8	BEST12.	BEST32.	Initial rhythm: PEA rate
259	PEARTU	Num	8	BEST12.	BEST32.	Initial rhythm: If PEA, rate unknown/not noted
260	CPRPRC	Num	8	BEST12.	BEST32.	Did ECG provide CPR process measurements?
261	ECGAPP1	Num	8	BEST12.	BEST32.	ECG Device 1 type
262	ECGAPP2	Num	8	BEST12.	BEST32.	ECG Device 2 type
263	ECGAPP3	Num	8	BEST12.	BEST32.	ECG Device 3 type
264	ECGAPP4	Num	8	BEST12.	BEST32.	ECG Device 4 type
265	ECGMFG1	Num	8	BEST12.	BEST32.	ECG Device 1 Manufacturer
266	ECGMFG2	Num	8	BEST12.	BEST32.	ECG Device 2 Manufacturer
267	ECGMFG3	Num	8	BEST12.	BEST32.	ECG Device 3 Manufacturer
268	ECGMFG4	Num	8	BEST12.	BEST32.	ECG Device 4 Manufacturer
269	RECRD1	Num	8	BEST12.	BEST32.	1st ECG Recording exists?
270	RECRD2	Num	8	BEST12.	BEST32.	2nd ECG Recording exists?
271	RECRD3	Num	8	BEST12.	BEST32.	3rd ECG Recording exists?
272	RECRD4	Num	8	BEST12.	BEST32.	4th Recording exists?
273	POWRONTM1	Num	8	BEST12.	BEST32.	Elapsed time (sec) from dispatch call to 1st machine power on
274	POWRONTM2	Num	8	BEST12.	BEST32.	Elapsed time (sec) from dispatch call to 2nd machine power on
275	POWRONTM3	Num	8	BEST12.	BEST32.	Elapsed time (sec) from dispatch call to 3rd machine power on
276	POWRONTM4	Num	8	BEST12.	BEST32.	Elapsed time (sec) from dispatch call to 4th machine power on
277	PADSONTM1	Num	8	BEST12.	BEST32.	Elapsed time (sec) from dispatch call to 1st pads placed
278	PADSONTM2	Num	8	BEST12.	BEST32.	Elapsed time (sec) from dispatch call to 2nd pads placed
279	PADSONTM3	Num	8	BEST12.	BEST32.	Elapsed time (sec) from dispatch call to 3rd pads placed
280	PADSONTM4	Num	8	BEST12.	BEST32.	Elapsed time (sec) from dispatch call to 4th pads placed
281	ECGSYNCH1	Num	8	BEST12.	BEST32.	1st ECG synched to atomic clock?
282	ECGSYNCH2	Num	8	BEST12.	BEST32.	2nd ECG synched to atomic clock?

Num	Variable	Type	Len	Format	Informat	Label
283	ECGSYNCH3	Num	8	BEST12.	BEST32.	3rd ECG synched to atomic clock?
284	ECGSYNCH4	Num	8	BEST12.	BEST32.	4th ECG synched to atomic clock?
285	ADJTM1	Num	8	BEST12.	BEST32.	Elapsed time (sec) from dispatch call to 1st pads placed: adjusted
286	ADJTM2	Num	8	BEST12.	BEST32.	Elapsed time (sec) from dispatch call to 2nd pads placed: adjusted
287	ADJTM3	Num	8	BEST12.	BEST32.	Elapsed time (sec) from dispatch call to 3rd pads placed: adjusted
288	ADJTM4	Char	1	\$1.	\$1.	Elapsed time (sec) from dispatch call to 4th pads placed: adjusted
289	CPRMEAS1	Num	8	BEST12.	BEST32.	1st CPR process measures available?
290	CPRMEAS2	Num	8	BEST12.	BEST32.	2nd CPR process measures available?
291	CPRMEAS3	Num	8	BEST12.	BEST32.	3rd CPR process measures available?
292	CPRMEAS4	Num	8	BEST12.	BEST32.	4th CPR process measures available?
293	CPREDH	Num	8	BEST12.	BEST32.	CPR done in ED/hospital
294	MANCMP	Num	8	BEST12.	BEST32.	CPR done in ED/hospital: manual compressions: where Manual compressions location
295	MNCWHR	Num	8	BEST12.	BEST32.	CPR done in ED/hospital: manual compressions location
296	MCHCMP	Num	8	BEST12.	BEST32.	CPR done in ED/hospital: mechanical compressions
297	MCCWHR	Num	8	BEST12.	BEST32.	CPR done in ED/hospital: mechanical compressions location
298	EHNOPR	Num	8	BEST12.	BEST32.	No major procedures from list noted in any ED or acute care hospital
299	CATH24	Num	8	BEST12.	BEST32.	Within 24 hours of first ED arrival: 1st cardiac catheterization location
300	CATHINT24	Num	8	BEST12.	BEST32.	Percutaneous coronary intervention (PCI) in addition to diagnostic angiography?
301	PCI24	Num	8	BEST12.	BEST32.	
302	BLNI24	Num	8	BEST12.	BEST32.	Within 24 hours of first ED arrival: 1st cardiac catheterization: PCI: balloon inflated?
303	BI24TM	Num	8	BEST12.	BEST32.	Elapsed time (sec) from ED Admit to 1st cardiac catheterization: PCI: 1st device/balloon inflation time
304	NOTMBI	Num	8	BEST12.	BEST32.	Elapsed time (sec) from ED Admit to 1st cardiac catheterization: PCI: 1st device/balloon inflation time not noted
305	STNT24	Num	8	BEST12.	BEST32.	Within 24 hours of first ED arrival: 1st cardiac catheterization: PCI: stent placed
306	ROTATHE24	Num	8	BEST12.	BEST32.	Within 24 hours of first ED arrival: 1st cardiac catheterization: PCI: Rotational atherectomy done?
307	CXR24	Num	8	BEST12.	BEST32.	Within 24 hours of first ED arrival: 1st CXR
308	CX24DT	Num	8	BEST12.	BEST32.	Elapsed days from ED Admit to 1st CXR
309	CX24TM	Num	8	BEST12.	BEST32.	Elapsed time (sec) from ED Admit to 1st CXR
310	NOTMCX	Num	8	BEST12.	BEST32.	Within 24 hours of first ED arrival: 1st CXR Time or Date not noted
311	XRAV24	Num	8	BEST12.	BEST32.	Within 24 hours of first ED arrival: 1st CXR report available
312	PLED24	Num	8	BEST12.	BEST32.	Within 24 hours of first ED arrival: 1st CXR Report Available and Pulmonary edema noted
313	ASPR24	Num	8	BEST12.	BEST32.	Within 24 hours of first ED arrival: 1st CXR Report Available and aspiration noted

Num	Variable	Type	Len	Format	Informat	Label
314	PNEU24	Num	8	BEST12.	BEST32.	Within 24 hours of first ED arrival: 1st CXR Report Available and pneumothorax noted
315	RBFR24	Num	8	BEST12.	BEST32.	Within 24 hours of first ED arrival: 1st CXR Report Available and rib fractures noted
316	ECG24	Num	8	BEST12.	BEST32.	Within 24 hours of first ED arrival: 1st 12-lead ECG (see notes)
317	EC24DT	Num	8	BEST12.	BEST32.	Elapsed days from ED Admit to 1st 12-lead ECG
318	EC24TM	Num	8	BEST12.	BEST32.	Elapsed time (sec) from ED Admit to 1st 12-lead ECG
319	NOTMEC	Num	8	BEST12.	BEST32.	Within 24 hours of first ED arrival: 1st 12-lead ECG time or date not noted
320	STEMED	Num	8	BEST12.	BEST32.	Within 24 hours of first ED arrival: 1st 12-lead ECG time: acute myocardial injury (STEMI) per physician/ED notes
321	STEMEC	Num	8	BEST12.	BEST32.	Within 24 hours of first ED arrival: 1st 12-lead ECG time: acute myocardial injury (STEMI) per final interpreted ECG?
322	FIBR24	Num	8	BEST12.	BEST32.	Within 24 hours of first ED arrival: Fibrinolytics 1st dose
323	FB24DT	Num	8	BEST12.	BEST32.	Elapsed days from ED Admit to Fibrinolytics 1st dose
324	FB24TM	Num	8	BEST12.	BEST32.	Elapsed time (sec) from ED Admit to Fibrinolytics 1st dose
325	NOTMFB	Num	8	BEST12.	BEST32.	Fibrinolytics 1st dose time or date not noted
326	ITMP24	Num	8	BEST12.	BEST32.	Within 24 hours of first ED arrival: Initial temperature recorded (see notes)
327	TM24DT	Num	8	BEST12.	BEST32.	Elapsed days from ED Admit to initial temperature recorded
328	TM24TM	Num	8	BEST12.	BEST32.	Elapsed time (sec) from ED Admit to initial temperature recorded
329	NOTMIT	Num	8	BEST12.	BEST32.	Initial temperature recorded time or date not noted
330	TEMP24	Num	8	BEST12.	BEST32.	Within 24 hours of first ED arrival: Initial temp: Temperature
331	TMPUNT	Num	8	BEST12.	BEST32.	Within 24 hours of first ED arrival: Initial temp: Temperature units
332	TMPMTH	Num	8	BEST12.	BEST32.	Within 24 hours of first ED arrival: Initial temp: Temperature method
333	ECHO72	Num	8	BEST12.	BEST32.	Within 72 hours of first ED arrival: Echocardiogram (see notes)
334	HMON72	Num	8	BEST12.	BEST32.	Within 72 hours of first ED arrival: hemodynamic monitoring (see notes)
335	PACATH	Num	8	BEST12.	BEST32.	Within 72 hours of first ED arrival: hemodynamic monitoring, pulmonary artery cath method
336	ARTRLN	Num	8	BEST12.	BEST32.	Within 72 hours of first ED arrival: hemodynamic monitoring, arterial line method
337	HSUP72	Num	8	BEST12.	BEST32.	Within 72 hours of first ED arrival: hemodynamic support, pressor
338	HSUD72	Num	8	BEST12.	BEST32.	Within 72 hours of first ED arrival: hemodynamic support, device
339	HSUDIA	Num	8	BEST12.	BEST32.	Within 72 hours of first ED arrival: Hemodynamic support, device: IABP
340	HSUDEC	Num	8	BEST12.	BEST32.	Within 72 hours of first ED arrival: Hemodynamic support, device: ECMO
341	HSUDVA	Num	8	BEST12.	BEST32.	Within 72 hours of first ED arrival: hemodynamic support, device VAD

Num	Variable	Type	Len	Format	Informat	Label
342	HSUDOD	Num	8	BEST12.	BEST32.	Within 72 hours of first ED arrival: hemodynamic support, device OTHER
343	EHTHAT	Num	8	BEST12.	BEST32.	Any time after first ED arrival: Hypothermia continued or started in ED
344	DMTHED	Num	8	BEST12.	BEST32.	Any time after first ED arrival: Hypothermia started in ED or different methods than pre-hospital methods started in ED
345	EXTHYP	Num	8	BEST12.	BEST32.	Any time after first ED arrival: External hypothermia started in ED
346	EXTHDT	Num	8	BEST12.	BEST32.	Elapsed days from ED Admit to external hypothermia started in ED
347	NOTMEH	Num	8	BEST12.	BEST32.	Any time after first ED arrival: External hypothermia started in ED, time or date not noted
348	EHCBLN	Num	8	BEST12.	BEST32.	Any time after first ED arrival: External hypothermia started in ED with cooling blankets
349	EHICEP	Num	8	BEST12.	BEST32.	Any time after first ED arrival: External hypothermia started in ED with ice packs
350	EHADJP	Num	8	BEST12.	BEST32.	Any time after first ED arrival: External hypothermia started in ED, adjustable cooling pads
351	INTHYP	Num	8	BEST12.	BEST32.	Any time after first ED arrival: Internal hypothermia started in ED
352	INTHDT	Num	8	BEST12.	BEST32.	Elapsed days from ED Admit to internal hypothermia started in ED
353	INTHTM	Num	8	BEST12.	BEST32.	Elapsed time (sec) from ED Admit to internal hypothermia started in ED
354	NOTMIH	Num	8	BEST12.	BEST32.	Any time after first ED arrival: Internal hypothermia started in ED, time or date not noted
355	CLDEND	Num	8	BEST12.	BEST32.	Any time after first ED arrival: Internal hypothermia started in ED, endovascular method
356	CLDINA	Num	8	BEST12.	BEST32.	Any time after first ED arrival: Internal hypothermia started in ED, intranasal method
357	IHOTHR	Num	8	BEST12.	BEST32.	Any time after first ED arrival: Internal hypothermia started in ED, other method
358	IHUNK	Num	8	BEST12.	BEST32.	Any time after first ED arrival: Internal hypothermia started in ED, method unknown/not noted
359	HHTHAT	Num	8	BEST12.	BEST32.	After first ED arrival: Hypothermia continued or started in hospital
360	DMTHHS	Num	8	BEST12.	BEST32.	After first ED arrival: Hypothermia started in Hospital or different methods of hypothermia started in hospital
361	HXTHYP	Num	8	BEST12.	BEST32.	After first ED arrival: External Hypothermia continued or started in hospital
362	HXTHDT	Num	8	BEST12.	BEST32.	Elapsed days from ED Admit to external Hypothermia continued or started in hospital
363	HXTHTM	Num	8	BEST12.	BEST32.	Elapsed time (sec) from ED Admit to external Hypothermia continued or started in hospital
364	NOTM	Num	8	BEST12.	BEST32.	After first ED arrival: Hypothermia continued or started in hospital, External time or date not noted

Num	Variable	Type	Len	Format	Informat	Label
365	HHCBLN	Num	8	BEST12.	BEST32.	After first ED arrival: External Hypothermia continued or started in hospital, cooling blankets
366	HHICEP	Num	8	BEST12.	BEST32.	After first ED arrival: External Hypothermia continued or started in hospital, ice packs
367	HHADHP	Num	8	BEST12.	BEST32.	After first ED arrival: External Hypothermia continued or started in hospital, adhesive pads
368	HHADJP	Num	8	BEST12.	BEST32.	After first ED arrival: External Hypothermia continued or started in hospital, adjustable cooling pads
369	HHOTHR	Num	8	BEST12.	BEST32.	After first ED arrival: External Hypothermia continued or started in hospital, other method
370	HHUNK	Num	8	BEST12.	BEST32.	After first ED arrival: External Hypothermia continued or started in hospital, method unknown/not noted
371	HHIHYP	Num	8	BEST12.	BEST32.	After first ED arrival: Internal Hypothermia continued or started in hospital
372	HITHDT	Num	8	BEST12.	BEST32.	Elapsed days from ED Admit to internal Hypothermia continued or started in hospital
373	HITHTM	Num	8	BEST12.	BEST32.	Elapsed time (sec) from ED Admit to internal Hypothermia continued or started in hospital
374	NOTHIH	Num	8	BEST12.	BEST32.	After first ED arrival: Hypothermia continued or started in hospital, Internal time or date not noted
375	HCLDIV	Num	8	BEST12.	BEST32.	After first ED arrival: Internal Hypothermia continued or started in hospital, Cold IV Fluids
376	HCLEND	Num	8	BEST12.	BEST32.	After first ED arrival: Internal Hypothermia continued or started in hospital, Endovascular
377	HCTSCN	Num	8	BEST12.	BEST32.	
378	HCLIN	Num	8	BEST12.	BEST32.	After first ED arrival: Internal Hypothermia continued or started in hospital, intranasal
379	HCLOTH	Num	8	BEST12.	BEST32.	After first ED arrival: Internal Hypothermia continued or started in hospital, other method
380	HIHUNK	Num	8	BEST12.	BEST32.	After first ED arrival: Internal Hypothermia continued or started in hospital, method unknown/not noted
381	ICDIMP	Num	8	BEST12.	BEST32.	After first ED arrival: ICD implanted this stay or transferred to other hospital for ICD, implanted in ED or Hospital
382	ABG24	Num	8	BEST12.	BEST32.	Arterial blood gases (ABGs) drawn within 24 hours of first ED arrival
383	INSGVN	Num	8	BEST12.	BEST32.	Glucose control: Insulin given within 48 hours of first ED arrival
384	FINSDT	Num	8	BEST12.	BEST32.	Elapsed days from ED Admit to Insulin 1st dose
385	FINSTM	Num	8	BEST12.	BEST32.	Time (sec) of Insulin 1st dose
386	NOTMGL	Num	8	BEST12.	BEST32.	Glucose control: Insulin given within 48 hours of first ED arrival, 1st dose time or date not noted
387	XFERDT3	Num	8	BEST12.	BEST32.	Elapsed number of days from dispatch call to 3rd transfer to another acute care hospital
388	XFERDT4	Num	8	BEST12.	BEST32.	Elapsed number of days from dispatch call to 4th transfer to another acute care hospital
389	FVSHSP	Num	8	BEST12.	BEST32.	Final hospital discharge status
390	HVSSRC	Num	8	BEST12.	BEST32.	Source for discharge status from final hospital

Num	Variable	Type	Len	Format	Informat	Label
391	HADMDT	Num	8	BEST12.	BEST32.	Elapsed days from ED Admit to hospital admit date
392	HADMTM	Num	8	BEST12.	BEST32.	Elapsed time (sec) from ED Admit to hospital admit
393	PRERES	Num	8	BEST12.	BEST32.	Residential status prior to arrest/event
394	PREHOM	Num	8	BEST12.	BEST32.	Residential status: Home Assistance at home prior to event
395	IDYCCU	Num	8	BEST12.	BEST32.	Total days in CCU/ICU, initial continuous
396	ICUUNK	Num	8	BEST12.	BEST32.	Number of days/date of last CCU/ICU stay not known/noted
397	ICU DT	Num	8	BEST12.	BEST32.	Elapsed days from ED Admit to last CCU/ICU stay
398	IDYVNT	Num	8	BEST12.	BEST32.	Ventilator days, initial continuous
399	VENTUNK	Num	8	BEST12.	BEST32.	Number of days or date of last ventilator use not known/noted
400	VENTDT	Num	8	BEST12.	BEST32.	Elapsed days from ED Admit to last ventilator use
401	DNRHSP	Num	8	BEST12.	BEST32.	Order written for DNR or care limited/withdrawn/reduced during hospitalization (in ED or Hospital)?
402	DNRHDT	Num	8	BEST12.	BEST32.	Elapsed days from ED Admit to date patient made DNR, DNR order written
403	DCRES	Num	8	BEST12.	BEST32.	Discharge status: disposition: Residential status at final vital status
404	DCHOME	Num	8	BEST12.	BEST32.	Discharge status: disposition: Assistance at home at final vital
405	HDSNON	Num	8	BEST12.	BEST32.	Discharge summary listed conditions: none listed from Hospital
406	HAIRBL	Num	8	BEST12.	BEST32.	Discharge conditions: general: airway bleeding (bloody fluid or frank blood)
407	HBLEED	Num	8	BEST12.	BEST32.	Discharge conditions: general: bleeding requiring intervention (either transfusion or surgical)
408	HCVA	Num	8	BEST12.	BEST32.	Discharge conditions: general: cerebral bleeding, stroke, CVA (cerebral vascular accident)
409	HYPTEN	Num	8	BEST12.	BEST32.	Discharge conditions: general: hypotension requiring vasopressors
410	HRECA	Num	8	BEST12.	BEST32.	Discharge conditions: general: recurrent cardiac arrest
411	HSEIZ	Num	8	BEST12.	BEST32.	Discharge conditions: general: seizures
412	HSEPSS	Num	8	BEST12.	BEST32.	Discharge conditions: general: sepsis
413	HCABG	Num	8	BEST12.	BEST32.	Discharge conditions: general: coronary artery bypass grafting (CABG)
414	HIAINJ	Num	8	BEST12.	BEST32.	Discharge conditions: abdomen: internal abdominal injury
415	HLIVLC	Num	8	BEST12.	BEST32.	Discharge conditions: abdomen: liver laceration
416	HINTBL	Num	8	BEST12.	BEST32.	Discharge conditions: abdomen: bleeding, internal
417	HACUTE	Num	8	BEST12.	BEST32.	Discharge conditions: acute liver failure
418	HITINJ	Num	8	BEST12.	BEST32.	Discharge conditions: chest: internal thoracic injury
419	HPNETH	Num	8	BEST12.	BEST32.	Discharge conditions: chest: pneumothorax
420	HPNEUM	Num	8	BEST12.	BEST32.	Discharge conditions: chest: pneumonia
421	HPULED	Num	8	BEST12.	BEST32.	Discharge conditions: chest: pulmonary edema
422	HRIBFR	Num	8	BEST12.	BEST32.	Discharge conditions: chest: rib fractures
423	HSTRFR	Num	8	BEST12.	BEST32.	Discharge conditions: chest: sternal fractures

<b>Num</b>	<b>Variable</b>	<b>Type</b>	<b>Len</b>	<b>Format</b>	<b>Informat</b>	<b>Label</b>
424	HOTHCN	Num	8	BEST12.	BEST32.	Discharge conditions: Other major medical or surgical conditions
425	HDCMRS	Num	8	BEST12.	BEST32.	Modified Rankin Scale at hospital discharge
426	EXTHTM	Num	8	BEST12.	BEST32.	Elapsed time (sec) from ED Admit to external hypothermia started in ED

*Data Set Name: comp.sas7bdat*

Num	Variable	Type	Len	Format	Informat	Label
1	CASEID	Num	8	BEST12.	BEST32.	Random Case ID
2	LINENUMBER	Num	8	BEST12.	BEST32.	Table Line Number. Each line represents a consecutive one minute epoch
3	CMPDEP	Num	8	BEST12.	BEST32.	Compression Depth in minute epoch
4	CMPRAT	Num	8	BEST12.	BEST32.	Compression Rate in minute epoch
5	CMPREL	Num	8	BEST12.	BEST32.	Compression release in minute epoch
6	DEVRDC	Num	8	BEST12.	BEST32.	Device Number
7	MINUTM	Num	8	BEST12.	BEST32.	Elapsed time (sec) from dispatch call to epoch start
8	COMPUNANL	Num	8	BEST12.	BEST32.	Unanalyzable rate and depth data



**Data Set Name: cpr.sas7bdat**

<b>Num</b>	<b>Variable</b>	<b>Type</b>	<b>Len</b>	<b>Format</b>	<b>Informat</b>	<b>Label</b>
1	CASEID	Num	8	BEST12.	BEST32.	Random Case ID
2	LINENUMBER	Num	8	BEST12.	BEST32.	Table Line Number. Each line represents a compression segment
3	DEVORD	Num	8	BEST12.	BEST32.	Device Number
4	ECSTOPTM	Num	8	BEST12.	BEST32.	Elapsed time (sec) from dispatch call to compression stop
5	ECSTRTTM	Num	8	BEST12.	BEST32.	Elapsed time (sec) from dispatch call to compression start
6	RSNDET	Num	8	BEST12.	BEST32.	Reason for stopping compressions determined by
7	RSNSTP	Num	8	BEST12.	BEST32.	Reason for stopping compressions
8	SHOKTM	Num	8	BEST12.	BEST32.	Elapsed time (sec) from dispatch call to shock Time
9	UNANL	Num	8	BEST12.	BEST32.	Unanalyzable compression segment