

Data Set Name: att_day.sas7bdat

Num	Variable	Type	Len	Format	Label
1	ACTION	Num	4		f10qc Action to prevent/stop attack
2	MOVED	Num	4		f10qca Moved to another location
3	CLOTH	Num	4		f10qcb Put on more clothing
4	ADJTEMP	Num	4		f10qcd Adjusted the thermostat
5	OTHR	Num	4		f10qcd Other action
6	CHANGE	Num	4		f10qd Attacks changed plans
7	NBR_ATT	Num	4		f10qe Number of attacks
8	LONG_MN	Num	4		f10qf1 Longest attack (min)
9	SHRT_MN	Num	4		f10qf2 Shortest attack (min)
10	AVMN	Num	4		f10qf3 Average length (min)
11	PAIN	Num	4		f10qg Average pain
12	PERIOD	Char	2		Data collection period
13	VERIFIED	Num	4		Attack cards -- VERIFIED attacks
14	ANYATTK	Num	4		Attack cards -- ANY attacks
15	NEWID	Num	8	4.	Patient ID
16	F10_DAYS	Num	8	4.	f10qb Diary date

Data Set Name: att_each.sas7bdat

Num	Variable	Type	Len	Format	Informat	Label
1	FINGER	Num	4	1.	BEST22.	Color of Fingers
2	HAND_LTR	Char	1			Pattern of Color
3	ATT_TIME	Num	8	HHMM.		Time of attack (military)
4	VER_ATT	Num	4			Attack cards -- VERIFIED attack
5	ANY_ATT	Num	4			Attack cards -- ANY attack
6	PERIOD	Char	2			Data collection period
7	NEWID	Num	8	4.		Patient ID
8	F10_DAYS	Num	8	4.		f10qb Diary date

Data Set Name: att_per.sas7bdat

Num	Variable	Type	Len	Format	Label
1	PERIOD	Char	2		Data collection period
2	RATE_F10	Num	8	5.2	Attack rate from Form 10
3	RATE_VAC	Num	8	5.2	Attack rate from VERIFIED attack card
4	RATE_AAC	Num	8	5.2	Attack rate from ANY attack card
5	ATT_F10	Num	8	3.	No. of attacks from Form 10
6	ATT_VAC	Num	8	3.	No. of attacks from VERIFIED attack card
7	ATT_AAC	Num	8	3.	No. of attacks from ANY attack card
8	DAY_F10	Num	8	2.	Days available from Form 10
9	DAY_VAC	Num	8	2.	Days available from VERIFIED attack card
10	DAY_AAC	Num	8	2.	Days available from ANY attack card
11	LOGR_F10	Num	8	5.2	LN(attack rate) from Form 10
12	LOGR_VAC	Num	8	5.2	LN(attack rate) from VERIFIED attack card
13	LOGR_AAC	Num	8	5.2	LN(attack rate) from ANY attack card
14	NEWID	Num	8	4.	Patient ID

Data Set Name: bf_cl.sas7bdat

Num	Variable	Type	Len	Format	Label
1	LEARNED	Num	4		Learned Biofeedback
2	COMPLETD	Num	4		Completed BF Protocol
3	COMP_LRN	Num	4		Completed and/or Learned BF
4	NEWID	Num	8	4.	Patient ID

Data Set Name: bfbfile.sas7bdat

Num	Variable	Type	Len	Format	Informat	Label
1	SEQ	Char	3			VISIT NUMBER
2	TYPE	Char	1			B=Baseline F=Feedback
3	TIME	Num	8	3.	BEST22.	TIME (Minutes)
4	LEFT	Num	8	5.2	BEST22.	Left-hand Temperature
5	RIGHT	Num	8	5.2	BEST22.	Right-hand Temperature
6	ROOMTEMP	Num	8	5.2	BEST22.	Room Temperature
7	EMG	Num	8	5.2	BEST22.	EMG Measurement
8	NEW_EMG	Num	8			
9	F9B_NUM	Num	8	2.		Visit Number for Biofeedback group
10	TYPE_NUM	Num	4	2.		Visit number within form type
11	F9B_TYPE	Char	11			Type of Biofeedback session
12	HAND	Num	4	1.	BEST22.	f04q39 Patient is right-handed
13	COHORT	Num	4	1.		Treatment Cohort (1=before 10/94)
14	SIXWEEKS	Num	8	1.		Sessions completed in 6 weeks
15	DOMINANT	Num	8	5.2		Dominant Finger Temperature
16	NONDOM	Num	8	5.2		Non-dominant Finger Temperature
17	NEWID	Num	8	4.		Patient ID
18	F9B_DAYS	Num	8	4.		Date of Visit for Biofeedback group

Data Set Name: form02.sas7bdat

Num	Variable	Type	Len	Format	Informat	Label
1	ELIG	Num	4	1.	BEST22.	f02q3 All elig. criteria except ANA
2	ELIGA	Num	4	1.	BEST22.	f02q3a < 18 years old
3	ELIGB	Num	4	1.	BEST22.	f02q3b No Raynaud's phenomenon
4	ELIGC	Num	4	1.	BEST22.	f02q3c < 14 attacks per week
5	ELIGD	Num	4	1.	BEST22.	f02q3d < 1 previous cold season
6	ELIGE	Num	4	1.	BEST22.	f02q3e Abnormal nailfold capillaries
7	ELIGF	Num	4	1.	BEST22.	f02q3f No regular contact
8	EXCL	Num	4	1.	BEST22.	f02q4 Any exclusion criteria
9	EXCLA	Num	4	1.	BEST22.	f02q4a Digital ulcers or gangrene
10	EXCLB	Num	4	1.	BEST22.	f02q4b Secondary Raynaud's
11	EXCLC	Num	4	1.	BEST22.	f02q4c Patient is unreliable
12	EXCLD	Num	4	1.	BEST22.	f02q4d Patient has another illness
13	EXCLE	Num	4	1.	BEST22.	f02q4e Patient will be moving
14	EXCLF	Num	4	1.	BEST22.	f02q4f Patient on disallowed medication
15	EXCL_RMK	Char	1			f02q4f Specify disallowed medication
16	EXCLG	Num	4	1.	BEST22.	f02q4g Intolerant to Nifedipine
17	EXCLH	Num	4	1.	BEST22.	f02q4h Previous biofeedback therapy
18	BLD_SENT	Num	4	1.	BEST22.	f02q5 Blood sent to Core Lab
19	FOUR_WK	Num	4	1.	BEST22.	f02q6 4 week supply of attack cards
20	F02_DAYS	Num	5	4.		f02q2 Days from randomization
21	NEWID	Num	8	4.		Patient ID
22	BLOOD_DY	Num	8	4.		f02q5a Day blood sent to Core Lab
23	START_DY	Num	8	4.		f02q6a Start day of attack cards

Data Set Name: form03.sas7bdat

Num	Variable	Type	Len	Format	Informat	Label
1	AGE	Num	4	1.	BEST22.	f03q3 At least 18 years old
2	COLDSEN	Num	4	1.	BEST22.	f03q4 Fingers sensitive to cold
3	UNCOLOR	Num	4	1.	BEST22.	f03q5 Fingers show color changes
4	WHITE	Num	4	1.	BEST22.	f03q5a Fingers turn white
5	BLPURP	Num	4	1.	BEST22.	f03q5b Fingers turn blue or purple
6	RED	Num	4	1.	BEST22.	f03q5c Fingers turn red
7	PTOPIN	Num	4	2.	BEST22.	f03q6 Patients opinion at exam
8	USUAL	Num	4	2.	BEST22.	f03q7 Usual fingertip color
9	EXOPIN	Num	4	2.	BEST22.	f03q8 Examiners opinion at exam
10	PALEST	Num	4	2.	BEST22.	f03q9 Palest fingertips get
11	BLUEST	Num	4	2.	BEST22.	f03q10 Bluest fingertips get
12	MOSTPURP	Num	4	2.	BEST22.	f03q11 Most purple fingertips get
13	REDDEST	Num	4	2.	BEST22.	f03q12 Reddest findertips get
14	FINGMWBP	Num	4	1.	BEST22.	f03q13 More color than rest of hand
15	PICTA	Num	4	1.	BEST22.	f03q13a Fingers resemble Picture A
16	PICTB	Num	4	1.	BEST22.	f03q13b Fingers resemble Picture B
17	PICTC	Num	4	1.	BEST22.	f03q13c Fingers resemble Picture C
18	WH_CHART	Num	4	1.	BEST22.	f03q14 Looks like hands on White Chart
19	PHOTO1_W	Num	4	1.	BEST22.	f03q14a Fingers resemble Photo 1
20	PHOTO2_W	Num	4	1.	BEST22.	f03q14b Fingers resemble Photo 2
21	PHOTO3_W	Num	4	1.	BEST22.	f03q14c Fingers resemble Photo 3
22	PHOTO4_W	Num	4	1.	BEST22.	f03q14d Fingers resemble Photo 4
23	BL_CHART	Num	4	1.	BEST22.	f03q15 Looks like hands on Blue Chart
24	PHOTO1_B	Num	4	1.	BEST22.	f03q15a Fingers resemble Photo 1
25	PHOTO2_B	Num	4	1.	BEST22.	f03q15b Fingers resemble Photo 2
26	PHOTO3_B	Num	4	1.	BEST22.	f03q15c Fingers resemble Photo 3
27	PHOTO4_B	Num	4	1.	BEST22.	f03q15d Fingers resemble Photo 4
28	DEMARC_W	Num	4	1.	BEST22.	f03q16 Demarcation line for white area
29	DEMARC_B	Num	4	1.	BEST22.	f03q17 Demarcation line for blue area
30	COLCHG	Num	4	1.	BEST22.	f03q18 Timing of color changes
31	WH_RPA	Num	4	1.	BEST22.	f03q19a Sensitive to cold and turn white
32	WH_RPB	Num	4	1.	BEST22.	f03q19b Palest color is 01 or 02
33	WH_RPC	Num	4	1.	BEST22.	f03q19c Demarcation line present
34	WH_RPD	Num	4	1.	BEST22.	f03q19d Diagnosis of white Raynauds
35	BL_RPA	Num	4	1.	BEST22.	f03q20a Sensitive to cold and turn blue
36	BL_RPB	Num	4	1.	BEST22.	f03q20b Description of blue color

Num	Variable	Type	Len	Format	Informat	Label
37	BL_RPC	Num	4	1.	BEST22.	f03q20c Demarcation line present
38	BL_RPD	Num	4	1.	BEST22.	f03q20d Color changes always present
39	BL_RPE	Num	4	1.	BEST22.	f03q20e Diagnosis of blue Raynauds
40	RESPONSE	Num	4	1.	BEST22.	f03q21 White or blue Raynauds
41	LEFT_T	Num	4	1.	BEST22.	f03q22a1 Thumb on left hand
42	LEFT_I	Num	4	1.	BEST22.	f03q22b1 Index finger on left hand
43	LEFT_M	Num	4	1.	BEST22.	f03q22c1 Middle finger on left hand
44	LEFT_R	Num	4	1.	BEST22.	f03q22d1 Ring finger on left hand
45	LEFT_L	Num	4	1.	BEST22.	f03q22e1 Little finger on left hand
46	RIGHT_T	Num	4	1.	BEST22.	f03q22a2 Thumb on right hand
47	RIGHT_I	Num	4	1.	BEST22.	f03q22b2 Index finger on right hand
48	RIGHT_M	Num	4	1.	BEST22.	f03q22c2 Middle finger on right hand
49	RIGHT_R	Num	4	1.	BEST22.	f03q22d2 Ring finger on right hand
50	RIGHT_L	Num	4	1.	BEST22.	f03q22e2 Little finger on right hand
51	ONEFING	Num	4	1.	BEST22.	f03q22b At least one finger per hand
52	ATT14	Num	4	1.	BEST22.	f03q23 >= 14 attacks last winter
53	ONECOLD	Num	4	1.	BEST22.	f03q24 Had Raynauds for >= 1 winter
54	NAIL_A	Num	4	1.	BEST22.	f03q25a Uniform dist. of capillaries
55	NAIL_B	Num	4	1.	BEST22.	f03q25b Loop width <100u in distal row
56	NAIL_C	Num	4	1.	BEST22.	f03q25c No tortuosity or deformation
57	NAIL_D	Num	4	1.	BEST22.	f03q25d Edematous appearance
58	NAIL_E	Num	4	1.	BEST22.	f03q25e Few hemorrhages
59	NAIL_F	Num	4	1.	BEST22.	f03q25f Localized avascular areas
60	NAIL_G	Num	4	1.	BEST22.	f03q25g Other abnormal findings
61	NAIL_H	Num	4	1.	BEST22.	f03q25h Normal nailfold capillaries
62	PHONE	Num	4	1.	BEST22.	f03q26 Telephone or other contact
63	CONSENT	Num	4	1.	BEST22.	f03q27 Signed the Informed Consent Form
64	DIGITAL	Num	4	1.	BEST22.	f03q28 Digital ulcers/gangrene/pits
65	SECOND	Num	4	1.	BEST22.	f03q29 Secondary Raynauds
66	ABUSE	Num	4	1.	BEST22.	f03q30 Drug/alcohol abuse or unreliable
67	OTH_ILL	Num	4	1.	BEST22.	f03q31 Other interfering disease
68	MOVING	Num	4	1.	BEST22.	f03q32 Patient will be moving
69	MEDUSE	Num	4	1.	BEST22.	f03q33 Previous medications
70	ALPHA	Num	4	1.	BEST22.	f03q33a Alpha Methyldopa used
71	ALPHA_A	Num	4	1.	BEST22.	f03q33a Improved symptoms
72	BETA	Num	4	1.	BEST22.	f03q33b Beta blockers used
73	BETA_A	Num	4	1.	BEST22.	f03q33b Improved symptoms
74	CALC	Num	4	1.	BEST22.	f03q33c Calcium channel blockers used
75	CALC_A	Num	4	1.	BEST22.	f03q33c Improved symptoms

Num	Variable	Type	Len	Format	Informat	Label
76	CLON	Num	4	1.	BEST22.	f03q33d Clonidine used
77	CLON_A	Num	4	1.	BEST22.	f03q33d Improved symptoms
78	ERGOT	Num	4	1.	BEST22.	f03q33e Ergot preparations used
79	ERGOT_A	Num	4	1.	BEST22.	f03q33e Improved symptoms
80	NITRO	Num	4	1.	BEST22.	f03q33f Nitroglycerine ointment used
81	NITRO_A	Num	4	1.	BEST22.	f03q33f Improved symptoms
82	NIC	Num	4	1.	BEST22.	f03q33g Nicotine resin or patch used
83	NIC_A	Num	4	1.	BEST22.	f03q33g Improved symptoms
84	GUAN	Num	4	1.	BEST22.	f03q33h Guanethidine used
85	GUAN_A	Num	4	1.	BEST22.	f03q33h Improved symptoms
86	HYDRA	Num	4	1.	BEST22.	f03q33i Hydralazine used
87	HYDRA_A	Num	4	1.	BEST22.	f03q33i Improved symptoms
88	MINOX	Num	4	1.	BEST22.	f03q33j Minoxidil used
89	MINOX_A	Num	4	1.	BEST22.	f03q33j Improved symptoms
90	PENT	Num	4	1.	BEST22.	f03q33k Pentoxifylline used
91	PENT_A	Num	4	1.	BEST22.	f03q33k Improved symptoms
92	PRAZ	Num	4	1.	BEST22.	f03q33l Prazosin used
93	PRAZ_A	Num	4	1.	BEST22.	f03q33l Improved symptoms
94	RESERP	Num	4	1.	BEST22.	f03q33m Reserpine used
95	RESERP_A	Num	4	1.	BEST22.	f03q33m Improved symptoms
96	OTHVAS	Num	4	1.	BEST22.	f03q33n Other vasodilators used
97	OTHVAS_A	Num	4	1.	BEST22.	f03q33n Improved symptoms
98	COUM	Num	4	1.	BEST22.	f03q33o Coumadin used
99	COUM_A	Num	4	1.	BEST22.	f03q33o Improved symptoms
100	NIF	Num	4	1.	BEST22.	f03q34 Nifedipine ever used
101	NIF_A	Num	4	1.	BEST22.	f03q34a Intolerant of Nifedipine
102	NIF_B	Num	4	1.	BEST22.	f03q34b Nifedipine used in last month
103	NIFDOSE	Num	4	3.	BEST22.	f03q34b1 Nifedipine daily dose
104	NIFIMP	Num	4	1.	BEST22.	f03q34b2 Nifedipine improved symptoms
105	BIOOTHER	Num	4	1.	BEST22.	f03q35 Previous biofeedback therapy
106	F03_DAYS	Num	5	4.		f03q2 Days from randomization
107	NEWID	Num	8	4.		Patient ID
108	B_YRS	Num	8	4.		f03q3a Age (years) at randomization
109	ON_DAYS	Num	8	8.		f03q24a Onset of Raynauds

Data Set Name: form04.sas7bdat

Num	Variable	Type	Len	Format	Informat	Label
1	SEX	Num	4	1.	BEST22.	f04q3 Sex
2	CREAT	Num	4	1.	BEST22.	f04q6 Serum creatinine > 2.0 mg/dl
3	CHILD	Num	4	1.	BEST22.	f04q7 Woman of childbearing capacity
4	PREG_POS	Num	4	1.	BEST22.	f04q7a Positive pregnancy test
5	PLANPREG	Num	4	1.	BEST22.	f04q7b Planning to become pregnant
6	CONTR	Char	1	1.		f04q7b Method of contraception
7	LACT	Num	4	1.	BEST22.	f04q7c Patient is lactating
8	EVERSMK	Num	4	1.	BEST22.	f04q8 Has patient ever smoked
9	CURRSMK	Num	4	1.	BEST22.	f04q8a Patient is currently smoking
10	NUMSMK	Num	8	3.	BEST22.	f04q8a Cigarettes per day
11	TIMESMK	Num	4	1.	BEST22.	f04q8b When patient stopped smoking
12	ALCH_USE	Num	4	1.	BEST22.	f04q9 Patient uses alcoholic beverages
13	BEER	Num	8	4.1	BEST22.	f04q9a1 Daily beer intake (bottles)
14	WINE	Num	8	4.1	BEST22.	f04q9a2 Daily wine intake (glasses)
15	LIQUOR	Num	8	4.1	BEST22.	f04q9a3 Daily liquor intake (ounces)
16	RELIEF	Num	4	1.	BEST22.	f04q9b Alcohol relieves symptoms
17	ABN	Num	4	1.	BEST22.	f04q10 Any systems/conditions abnormal
18	MH_A	Num	4	1.	BEST22.	f04q10a1 HEENT abnormal history
19	STATA	Num	4	1.	BEST22.	f04q10a2 HEENT status
20	RMKA	Char	1			f04q10a3 HEENT problem statement
21	MH_B	Num	4	1.	BEST22.	f04q10b1 Allergic abnormal history
22	STATB	Num	4	1.	BEST22.	f04q10b2 Allergic status
23	RMKB	Char	1			f04q10b3 Allergic problem statement
24	MH_C	Num	4	1.	BEST22.	f04q10c1 Pulmonary abnormal history
25	STATC	Num	4	1.	BEST22.	f04q10c2 Pulmonary status
26	RMKC	Char	1			f04q10c3 Pulmonary problem statement
27	MH_D	Num	4	1.	BEST22.	f04q10d1 Cardiovascular abnormal history
28	STATD	Num	4	1.	BEST22.	f04q10d2 Cardiovascular status
29	RMKD	Char	1			f04q10d3 Cardiovas. problem statement
30	MH_E	Num	4	1.	BEST22.	f04q10e1 Gastrointest. abnormal history
31	STATE	Num	4	1.	BEST22.	f04q10e2 Gastrointestinal status
32	RMKE	Char	1			f04q10e3 Gastrointest. problem statement
33	MH_F	Num	4	1.	BEST22.	f04q10f1 Hepatobiliary abnormal history
34	STATF	Num	4	1.	BEST22.	f04q10f2 Hepatobiliary status
35	RMKF	Char	1			f04q10f3 Hepatobil. problem statement
36	MH_G	Num	4	1.	BEST22.	f04q10g1 Genitourinary abnormal history

Num	Variable	Type	Len	Format	Informat	Label
37	STATG	Num	4	1.	BEST22.	f04q10g2 Genitourinary status
38	RMKG	Char	1			f04q10g3 Genitourinary problem statement
39	MH_H	Num	4	1.	BEST22.	f04q10h1 Musculoskel. abnormal history
40	STATH	Num	4	1.	BEST22.	f04q10h2 Musculoskeletal status
41	RMKH	Char	1			f04q10h3 Musculoskel. problem statement
42	MH_I	Num	4	1.	BEST22.	f04q10i1 Endocrine abnormal history
43	STATI	Num	4	1.	BEST22.	f04q10i2 Endocrine status
44	RMKI	Char	1			f04q10i3 Endocrine problem statement
45	MH_J	Num	4	1.	BEST22.	f04q10j1 Neurologic abnormal history
46	STATJ	Num	4	1.	BEST22.	f04q10j2 Neurologic status
47	RMKJ	Char	1			f04q10j3 Neurologic problem statement
48	MH_K	Num	4	1.	BEST22.	f04q10k1 Depression abnormal history
49	STATK	Num	4	1.	BEST22.	f04q10k2 Depression status
50	RMKK	Char	1			f04q10k3 Depression problem statement
51	MH_L	Num	4	1.	BEST22.	f04q10l1 Anxiety abnormal history
52	STATL	Num	4	1.	BEST22.	f04q10l2 Anxiety status
53	RMKL	Char	1			f04q10l3 Anxiety problem statement
54	MH_M	Num	4	1.	BEST22.	f04q10m1 Other psych. abnormal history
55	STATM	Num	4	1.	BEST22.	f04q10m2 Other psych. status
56	RMKM	Char	1			f04q10m3 Other psych problem statement
57	MH_N	Num	4	1.	BEST22.	f04q10n1 Dermatologic abnormal history
58	STATN	Num	4	1.	BEST22.	f04q10n2 Dermatologic status
59	RMKN	Char	1			f04q10n3 Dermatologic problem statement
60	COND	Num	4	1.	BEST22.	f04q11 Any of the following conditions
61	SCLER	Num	4	1.	BEST22.	f04q11a Scleroderma
62	ARTH	Num	4	1.	BEST22.	f04q11b Rheumatoid arthritis
63	TOS	Num	4	1.	BEST22.	f04q11c Thoracic outlet syndrome
64	CARP	Num	4	1.	BEST22.	f04q11d Carpal tunnel syndrome
65	VIBDIS	Num	4	1.	BEST22.	f04q11e Vibration disease
66	HRTDIS	Num	4	1.	BEST22.	f04q11f Any heart disease
67	FAM	Num	4	1.	BEST22.	f04q12 Family member has Raynauds
68	FAM_RMK	Char	1			f04q12 Specify relationship
69	RAYNMED	Num	4	1.	BEST22.	f04q13 Taking medication for Raynauds
70	OTHRMED	Num	4	1.	BEST22.	f04q14 Other medications
71	MEDA_RMK	Char	1			f04q14a Generic name
72	MEDB_RMK	Char	1			f04q14b Generic name
73	MEDC_RMK	Char	1			f04q14c Generic name
74	MEDD_RMK	Char	1			f04q14d Generic name
75	MEDE_RMK	Char	1			f04q14e Generic name

Num	Variable	Type	Len	Format	Informat	Label
76	TOES	Num	4	1.	BEST22.	f04q15 Raynauds symptoms in toes
77	STRESS	Num	4	1.	BEST22.	f04q16 Raynauds triggered by stress
78	COLD	Num	4	1.	BEST22.	f04q17a Cold weather
79	AC	Num	4	1.	BEST22.	f04q17b Air conditioning
80	WATER	Num	4	1.	BEST22.	f04q17c Cold water
81	DRAFTS	Num	4	1.	BEST22.	f04q17d Drafts
82	DRINKS	Num	4	1.	BEST22.	f04q17e Cold drinks
83	FOOD	Num	4	1.	BEST22.	f04q17f Handling frozen foods
84	DRIVE	Num	4	1.	BEST22.	f04q17g Driving in winter
85	COLD_ATT	Num	8	2.	BEST22.	f04q18 Cold weather attacks/day
86	WARM_ATT	Num	8	2.	BEST22.	f04q19 Warm weather attacks/day
87	PT_ASS	Num	4	1.	BEST22.	f04q20 Patient assessment
88	LIFE	Num	8	1.	BEST22.	f04q21 Affects patients life
89	PHY_ASS	Num	4	1.	BEST22.	f04q22 Physician assessment
90	TEMP	Num	8	5.1	BEST22.	f04q25 Temperature (F)
91	METHOD	Num	4	1.	BEST22.	f04q25a Temperature method used
92	SYS	Num	8	3.	BEST22.	f04q26a Systolic blood pressure (mm Hg)
93	DIAS	Num	8	3.	BEST22.	f04q26b Diastolic blood pressure (mm Hg)
94	PULSE	Num	8	3.	BEST22.	f04q27 Pulse (beats/minute)
95	HEAD_ABN	Num	4	1.	BEST22.	f04q28 Head and neck abnormal
96	HEAD_RMK	Char	1			f04q28 Describe head and neck
97	EENT_ABN	Num	4	1.	BEST22.	f04q29 EENT/mouth abnormal
98	EENT_RMK	Char	1			f04q29 Describe EENT/mouth
99	PULM_ABN	Num	4	1.	BEST22.	f04q30 Pulmonary abnormal
100	PULM_RMK	Char	1			f04q30 Describe pulmonary
101	CARD_ABN	Num	4	1.	BEST22.	f04q31 Cardiac abnormal
102	CARD_RMK	Char	1			f04q31 Describe cardiac
103	BR_ABN	Num	4	1.	BEST22.	f04q32 Breasts abnormal
104	BR_RMK	Char	1			f04q32 Describe breasts
105	MUSC_ABN	Num	4	1.	BEST22.	f04q33 Musculoskeletal abnormal
106	MUSC_RMK	Char	1			f04q33 Describe musculoskeletal
107	ABD_ABN	Num	4	1.	BEST22.	f04q34 Abdomen abnormal
108	ABD_RMK	Char	1			f04q34 Describe abdomen
109	EDEM_ABN	Num	4	1.	BEST22.	f04q35 Peripheral edema abnormal
110	EDEM_RMK	Char	1			f04q35 Describe peripheral edema
111	OTHR_ABN	Num	4	1.	BEST22.	f04q36 Other extremities abnormal
112	OTHR_RMK	Char	1			f04q36 Describe other extremities
113	SKIN_ABN	Num	4	1.	BEST22.	f04q37 Skin abnormal
114	SKIN_RMK	Char	1			f04q37 Describe skin

Num	Variable	Type	Len	Format	Informat	Label
115	NERV_ABN	Num	4	1.	BEST22.	f04q38 Nervous system abnormal
116	NERV_RMK	Char	1			f04q38 Describe nervous system
117	HAND	Num	4	1.	BEST22.	f04q39 Patient is right-handed
118	TOT_ALCH	Num	8	4.1		f04q9 Total daily alcohol (ounces)
119	F04_DAYS	Num	5	4.		f04q2 Days from randomization
120	AALLERGY	Num	4	1.		MED-ALERT -- Antiallergy
121	AASTHMA	Num	4	1.		MED-ALERT -- Antiasthma
122	ABIOTIC	Num	4	1.		MED-ALERT -- Antibiotic
123	ACEINHIB	Num	4	1.		MED-ALERT -- ACE Inhibitor
124	ACHOLIN	Num	4	1.		MED-ALERT -- Anticholinergic
125	ADEPRESS	Num	4	1.		MED-ALERT -- Antidepressant
126	ADOPANEU	Num	4	1.		MED-ALERT -- Antidopaneuragic
127	AFUNGAL	Num	4	1.		MED-ALERT -- Antifungal
128	AGLACOMA	Num	4	1.		MED-ALERT -- Antiglaucoma
129	AHISTAM	Num	4	1.		MED-ALERT -- Antihistamine
130	ANXIOLYT	Num	4	1.		MED-ALERT -- Anxiolytic
131	APARKIN	Num	4	1.		MED-ALERT -- Antiparkinson
132	APYRETIC	Num	4	1.		MED-ALERT -- Antipyretic
133	AVIRAL	Num	4	1.		MED-ALERT -- Antiviral
134	BENZODIA	Num	4	1.		MED-ALERT -- Benzodiazepine
135	BBLOCKER	Num	4	1.		MED-ALERT -- Beta Blocker
136	BRONCHOD	Num	4	1.		MED-ALERT -- Bronchodilator
137	CHEMO	Num	4	1.		MED-ALERT -- Chemotherapeutic agent
138	CHOLESTR	Num	4	1.		MED-ALERT -- Cholesterol Lowering Agent
139	CNSDEPR	Num	4	1.		MED-ALERT -- CNS Depressant
140	CYTOKINE	Num	4	1.		MED-ALERT -- Cytokine
141	DECONGES	Num	4	1.		MED-ALERT -- Decongestant
142	DIURETIC	Num	4	1.		MED-ALERT -- Diuretic
143	GIRELIEF	Num	4	1.		MED-ALERT -- GI Relief
144	HIPI	Num	4	1.		MED-ALERT -- Hydrogen Ion Pump Inhibitor
145	HORMONE	Num	4	1.		MED-ALERT -- Hormone
146	HYPOLIP	Num	4	1.		MED-ALERT -- Hypolipidemic Agent
147	LIPIDREG	Num	4	1.		MED-ALERT -- Lipid Regulating Agent
148	MUCOLYTC	Num	4	1.		MED-ALERT -- Mucolytic
149	MUSCLERE	Num	4	1.		MED-ALERT -- Muscle Relaxant
150	NSAID	Num	4	1.		MED-ALERT -- NSAID
151	NSAESTRO	Num	4	1.		MED-ALERT -- Nonsteroidal Antiestrogen
152	PAINREL	Num	4	1.		MED-ALERT -- Pain relief
153	SERATON	Num	4	1.		MED-ALERT -- Serotonin Antagonist

Num	Variable	Type	Len	Format	Informat	Label
154	STEROID	Num	4	1.		MED-ALERT -- Steroid
155	UNK	Num	4	1.		MED-ALERT -- Unknown/Other
156	VITAMIN	Num	4	1.		MED-ALERT -- Vitamin
157	NEWID	Num	8	4.		Patient ID
158	BODYMASS	Num	8	6.3		weight(kg) divided by height(m) squared

Data Set Name: form05.sas7bdat

Num	Variable	Type	Len	Format	Informat	Label
1	POS_ANA	Num	4	1.	BEST22.	f05q3 Positive ANA titer
2	WITHDREW	Num	4	1.	BEST22.	f05q4(r0) Withdrew from the study
3	UNABLE	Num	4	1.	BEST22.	f05q5 Unable to complete attack cards
4	OTHREAS	Num	4	1.	BEST22.	f05q8 Other reason for ineligibility
5	REAS_RMK	Char	1			f05q8 Specify other reason
6	WITHDRW1	Num	4	1.	BEST22.	f05q4(r1) Withdrew from evaluation
7	PREG05	Num	4	1.	BEST22.	f05q6 Pregnant, planning, or lactating
8	CREAT	Num	4	1.	BEST22.	f05q7 Serum creatinine > 2.0
9	NEWID	Num	8	4.		Patient ID

Data Set Name: form07nu.sas7bdat

Num	Variable	Type	Len	Format	Informat	Label
1	MARSTAT	Num	4	1.	BEST22.	f07q3 Current marital status
2	EMPSTAT	Num	4	1.	BEST22.	f07q4 Current employment status
3	OCC	Num	4	2.	BEST22.	f07q5 Occupation
4	EDUC	Num	4	1.	BEST22.	f07q6 Educational level
5	CHILDREN	Num	4	2.	BEST22.	f07q7a No. of children in household
6	ADULTS	Num	4	2.	BEST22.	f07q7b No. of adults in household
7	CLOSE	Num	4	2.	BEST22.	f07q8 No. of close friends/relatives
8	SUPPAVLA	Num	4	1.	BEST22.	f07q9a Someone to listen
9	SUPPAVLB	Num	4	1.	BEST22.	f07q9b Someone who shows love
10	SUPPAVLC	Num	4	1.	BEST22.	f07q9c Someone to give information
11	SUPPAVLD	Num	4	1.	BEST22.	f07q9d Someone to give good advice
12	SUPPAVLE	Num	4	1.	BEST22.	f07q9e Someone whose advice you want
13	SUPPAVLF	Num	4	1.	BEST22.	f07q9f Someone to help with chores
14	SUPPAVLG	Num	4	1.	BEST22.	f07q9g Someone to share worries
15	SUPPAVLH	Num	4	1.	BEST22.	f07q9h Someone to have fun with
16	SUPPNEED	Num	4	1.	BEST22.	f07q10 How easy to ask for support
17	CRIT	Num	4	1.	BEST22.	f07q11 Others criticize
18	CRIT_NO	Num	4	2.	BEST22.	f07q11a How many criticize
19	WDRWN	Num	4	1.	BEST22.	f07q12 Others have withdrawn
20	WDRWN_NO	Num	4	2.	BEST22.	f07q12a How many have withdrawn
21	HELP	Num	4	1.	BEST22.	f07q13 Less help than expected
22	HELP_NO	Num	4	2.	BEST22.	f07q13a How many give less help
23	WORSE	Num	4	1.	BEST22.	f07q14 Others make things worse
24	WORSE_NO	Num	4	2.	BEST22.	f07q14a How many make things worse
25	PROB	Num	4	1.	BEST22.	f07q15 Others make problems
26	PROB_NO	Num	4	2.	BEST22.	f07q15a How many make problems
27	ORGREL	Num	4	1.	BEST22.	f07q16 Belong to organized religion
28	RELIG	Num	4	1.	BEST22.	f07q17 Attendance at religious services
29	RATEEM	Num	4	1.	BEST22.	f07q18 Rate mental/emotional health
30	SATISEM	Num	4	1.	BEST22.	f07q19 Satisfied with mental health
31	RATEPHY	Num	4	1.	BEST22.	f07q20 Rate physical health
32	SATISPHY	Num	4	1.	BEST22.	f07q21 Satisfied with physical health
33	OVHLTH	Num	4	1.	BEST22.	f07q22 Overall health
34	SATHLTH	Num	4	1.	BEST22.	f07q23 Satisfied with overall health
35	KNOWRAYN	Num	4	1.	BEST22.	f07q24 Prior knowledge of Raynauds
36	KNOWRMK	Char	1			f07q24a How long ago

Num	Variable	Type	Len	Format	Informat	Label
37	ANGRY	Num	4	1.	BEST22.	f07q25a Felt angry
38	NERV	Num	4	1.	BEST22.	f07q25b Felt nervous
39	DEPRESS	Num	4	1.	BEST22.	f07q25c Felt depressed
40	BITTER	Num	4	1.	BEST22.	f07q25d Felt bitter
41	SCARED	Num	4	1.	BEST22.	f07q25e Felt scared
42	SAD	Num	4	1.	BEST22.	f07q25f Felt sad
43	RESENT	Num	4	1.	BEST22.	f07q25g Felt resentful
44	WORRIED	Num	4	1.	BEST22.	f07q25h Felt worried
45	DOWN	Num	4	1.	BEST22.	f07q25i Felt down
46	VIGACT	Num	4	1.	BEST22.	f07q26a Vigorous activities
47	MODACT	Num	4	1.	BEST22.	f07q26b Moderate activities
48	GROCERY	Num	4	1.	BEST22.	f07q26c Carrying/lifting groceries
49	CLMBSEV	Num	4	1.	BEST22.	f07q26d Climbing sev. flights of stairs
50	CLMBONE	Num	4	1.	BEST22.	f07q26e Climb one flight of stairs
51	LIMBEND	Num	4	1.	BEST22.	f07q26f Bending, kneeling, stooping
52	WALK1MI	Num	4	1.	BEST22.	f07q26g Walking more than 1 mile
53	WALKSEV	Num	4	1.	BEST22.	f07q26h Walking several blocks
54	WALK1BLK	Num	4	1.	BEST22.	f07q26i Walking one block
55	LIMBATH	Num	4	1.	BEST22.	f07q26j Bathing and dressing
56	OUTDOORS	Num	4	1.	BEST22.	f07q27a Outdoors in cold weather
57	GRIP	Num	4	1.	BEST22.	f07q27b1 Gripping steering wheel
58	SHIFT	Num	4	1.	BEST22.	f07q27b2 Shifting car
59	SHOP	Num	4	1.	BEST22.	f07q27c Shopping for frozen food
60	UTENSIL	Num	4	1.	BEST22.	f07q27d1 Using utensils
61	APPL	Num	4	1.	BEST22.	f07q27d2 Using kitchen appliances
62	WASHVEG	Num	4	1.	BEST22.	f07q27d3 Washing vegetables in cold water
63	FREEZER	Num	4	1.	BEST22.	f07q27d4 Removing food from freezer
64	WASHCLTH	Num	4	1.	BEST22.	f07q27e1 Using washer or dryer
65	HANGCLTH	Num	4	1.	BEST22.	f07q27e2 Folding or hanging clothes
66	HLDFOOD	Num	4	1.	BEST22.	f07q27f1 Holding cold/frozen food
67	SWFOOD	Num	4	1.	BEST22.	f07q27f2 Swallowing cold/frozen food
68	HLDGLASS	Num	4	1.	BEST22.	f07q27g1 Holding a cold glass
69	SWLIQ	Num	4	1.	BEST22.	f07q27g2 Swallowing cold liquids
70	SWIM	Num	4	1.	BEST22.	f07q27h1 Swimming in cool water
71	OUTACT	Num	4	1.	BEST22.	f07q27h2 Outdoor act. in cold weather
72	EQUIP	Num	4	1.	BEST22.	f07q27h3 Handling sports equipment
73	BATHE	Num	4	1.	BEST22.	f07q27i Bathing
74	ZIPPER	Num	4	1.	BEST22.	f07q27j1 Fastening zippers/buttons
75	SHOELACE	Num	4	1.	BEST22.	f07q27j2 Tying shoelaces

Num	Variable	Type	Len	Format	Informat	Label
76	GLOVES	Num	4	1.	BEST22.	f07q27j3 Putting on gloves
77	USECOMP	Num	4	1.	BEST22.	f07q27k Using typewriter/computer
78	USEPEN	Num	4	1.	BEST22.	f07q27l Using pen/pencil
79	USETOOLS	Num	4	1.	BEST22.	f07q27m Using tools
80	USEMACH	Num	4	1.	BEST22.	f07q27n Using machinery
81	SOCACT	Num	4	1.	BEST22.	f07q27o Social activities
82	SEXACT	Num	4	1.	BEST22.	f07q27p Sexual activity
83	AIRCOND	Num	4	1.	BEST22.	f07q27q Air-conditioned rooms
84	DEALSTR	Num	4	1.	BEST22.	f07q27r Dealing with stress
85	RATE_RAY	Num	4	1.	BEST22.	f07q28 Rate Raynauds condition
86	RAYPROBA	Num	4	1.	BEST22.	f07q29a Cut down time at work
87	RAYPROBB	Num	4	1.	BEST22.	f07q29b Accomplished less
88	RAYPROBC	Num	4	1.	BEST22.	f07q29c Limited in kind of work
89	RAYPROBD	Num	4	1.	BEST22.	f07q29d Difficultly performing work
90	EMPROBA	Num	4	1.	BEST22.	f07q30a Cut down time at work
91	EMPROBB	Num	4	1.	BEST22.	f07q30b Accomplished less
92	EMPROBC	Num	4	1.	BEST22.	f07q30c Not as careful as usual
93	INTRFER1	Num	4	1.	BEST22.	f07q31 Health interfered
94	INTRFER2	Num	4	1.	BEST22.	f07q32 Emotional problems interfered
95	INTRFER3	Num	4	1.	BEST22.	f07q33 Physical health interfered
96	INTRFER4	Num	4	1.	BEST22.	f07q34 Emotional problems interfered
97	RAYNPAIN	Num	4	1.	BEST22.	f07q35 Pain from Raynauds
98	OTHRPAIN	Num	4	1.	BEST22.	f07q36 Other pain
99	INTRAYPN	Num	4	1.	BEST22.	f07q37 Intensity of pain from Raynauds
100	INTOTHPN	Num	4	1.	BEST22.	f07q38 Intensity of other pain
101	INTRAYWK	Num	4	1.	BEST22.	f07q39 Raynauds pain interfered
102	INTOTHWK	Num	4	1.	BEST22.	f07q40 Other pain interfered
103	PEP4WK	Num	4	1.	BEST22.	f07q41a Felt full of pep
104	NERV4WK	Num	4	1.	BEST22.	f07q41b Been nervous
105	DUMP4WK	Num	4	1.	BEST22.	f07q41c Down in the dumps
106	TENSE4WK	Num	4	1.	BEST22.	f07q41d Felt tense
107	ANGRY4WK	Num	4	1.	BEST22.	f07q41e Felt angry
108	CALM4WK	Num	4	1.	BEST22.	f07q41f Felt calm and peaceful
109	ENRGY4WK	Num	4	1.	BEST22.	f07q41g Had a lot of energy
110	RES4WK	Num	4	1.	BEST22.	f07q41h Felt resentful
111	BLUE4WK	Num	4	1.	BEST22.	f07q41i Felt down-hearted and blue
112	WORN4WK	Num	4	1.	BEST22.	f07q41j Felt worn out
113	IRR4WK	Num	4	1.	BEST22.	f07q41k Felt irritable
114	WORR4WK	Num	4	1.	BEST22.	f07q41l Felt worried

Num	Variable	Type	Len	Format	Informat	Label
115	HAPPY4WK	Num	4	1.	BEST22.	f07q41m Been a happy person
116	TIRED4WK	Num	4	1.	BEST22.	f07q41n Felt tired
117	BITT4WK	Num	4	1.	BEST22.	f07q41o Felt bitter
118	ELGLOVE	Num	4	1.	BEST22.	f07q42a Used electric gloves
119	ELSOCK	Num	4	1.	BEST22.	f07q42b Used electric socks
120	INSGLOVE	Num	4	1.	BEST22.	f07q42c Used insulated gloves
121	INNSOCK	Num	4	1.	BEST22.	f07q42d Used insulated socks
122	THERMUND	Num	4	1.	BEST22.	f07q42e Used thermal underwear
123	EXSWEAT	Num	4	1.	BEST22.	f07q42f Used extra sweaters
124	HANDWARM	Num	4	1.	BEST22.	f07q42g Used chemical hand warmers
125	CLTHOTHR	Num	4	1.	BEST22.	f07q42h Used other means
126	HEATUP	Num	4	1.	BEST22.	f07q43a Turn up the heat
127	HEATER	Num	4	1.	BEST22.	f07q43b Use a space heater
128	HEATPAD	Num	4	1.	BEST22.	f07q43c Use a heating pad
129	MVWKSP	Num	4	1.	BEST22.	f07q43d Move work space
130	SWCOVER	Num	4	1.	BEST22.	f07q43e Get a steering wheel cover
131	WARMWAT	Num	4	1.	BEST22.	f07q43f Put hands under warm water
132	HEATVENT	Num	4	1.	BEST22.	f07q43g Put hands over heating vent
133	WARMLIQ	Num	4	1.	BEST22.	f07q43h Drink warm liquid
134	ALCOHOL	Num	4	1.	BEST22.	f07q43i Drink alcohol
135	RUBHAND	Num	4	1.	BEST22.	f07q43j Rub hands together
136	ARMPITS	Num	4	1.	BEST22.	f07q43k Put hands in armpits
137	WHIRL	Num	4	1.	BEST22.	f07q43l Whirl arms around
138	PRVOTHR1	Num	4	1.	BEST22.	f07q43m Other action
139	PRVOTHR2	Num	4	1.	BEST22.	f07q43n Other action
140	OFTENA	Num	4	1.	BEST22.	f07q44a Feel rested from sleep
141	OFTENB	Num	4	1.	BEST22.	f07q44b Difficultly falling asleep
142	OFTENC	Num	4	1.	BEST22.	f07q44c Awaken earlier than usual
143	OFTEND	Num	4	1.	BEST22.	f07q44d Difficultly staying awake
144	SATISSEX	Num	4	1.	BEST22.	f07q45 Current sexual relations
145	FREQSEX	Num	4	1.	BEST22.	f07q46 Satisfied with frequency of sex
146	CONF1	Num	4	1.	BEST22.	f07q47 Treatment with biofeedback
147	CONF2	Num	4	1.	BEST22.	f07q48 Treatment with nifedipine
148	CONF3	Num	4	1.	BEST22.	f07q49 Can do biofeedback
149	CONF4	Num	4	1.	BEST22.	f07q50 Can do nifedipine
150	SOCACT2	Num	4	1.	BEST22.	f07q51 Social Activities
151	MEMORY	Num	4	1.	BEST22.	f07q52 Memory and Concentration
152	SPATIAL	Num	4	1.	BEST22.	f07q53 Spatial Orientation
153	MOODS	Num	4	1.	BEST22.	f07q54 Moods and emotions

Num	Variable	Type	Len	Format	Informat	Label
154	SLEEP	Num	4	1.	BEST22.	f07q55 Sleep patterns
155	REACT1	Num	4	1.	BEST22.	f07q56 Grow as a person
156	REACT2	Num	4	1.	BEST22.	f07q57 Turn to work
157	REACT3	Num	4	1.	BEST22.	f07q58 Get upset and let emotions out
158	REACT4	Num	4	1.	BEST22.	f07q59 Try to get advice
159	REACT5	Num	4	1.	BEST22.	f07q60 Try to do something about it
160	REACT6	Num	4	1.	BEST22.	f07q61 Say "This isn't happening"
161	REACT7	Num	4	1.	BEST22.	f07q62 Put trust in God
162	REACT8	Num	4	1.	BEST22.	f07q63 Laugh about condition
163	REACT9	Num	4	1.	BEST22.	f07q64 Stop trying to deal with it
164	REACT10	Num	4	1.	BEST22.	f07q65 Keep from acting too quickly
165	REACT11	Num	4	1.	BEST22.	f07q66 Discuss feelings with someone
166	REACT12	Num	4	1.	BEST22.	f07q67 Use alcohol and drugs
167	REACT13	Num	4	1.	BEST22.	f07q68 Get used to the idea
168	REACT14	Num	4	1.	BEST22.	f07q69 Talk to others to learn more
169	REACT15	Num	4	1.	BEST22.	f07q70 Keep from getting distracted
170	REACT16	Num	4	1.	BEST22.	f07q71 Daydream about other things
171	REACT17	Num	4	1.	BEST22.	f07q72 Get upset
172	REACT18	Num	4	1.	BEST22.	f07q73 Seek God's help
173	REACT19	Num	4	1.	BEST22.	f07q74 Make a plan of action
174	REACT20	Num	4	1.	BEST22.	f07q75 Make jokes about condition
175	REACT21	Num	4	1.	BEST22.	f07q76 Accept it
176	REACT22	Num	4	1.	BEST22.	f07q77 Hold off until situation permits
177	REACT23	Num	4	1.	BEST22.	f07q78 Try to get emotional support
178	REACT24	Num	4	1.	BEST22.	f07q79 Give up trying to cope
179	REACT25	Num	4	1.	BEST22.	f07q80 Action to minimize problems
180	REACT26	Num	4	1.	BEST22.	f07q81 Lose self in drugs/alcohol
181	REACT27	Num	4	1.	BEST22.	f07q82 Refuse to believe
182	REACT28	Num	4	1.	BEST22.	f07q83 Try to let out feelings
183	REACT29	Num	4	1.	BEST22.	f07q84 Try to make it more positive
184	REACT30	Num	4	1.	BEST22.	f07q85 Talk to one who can do something
185	REACT31	Num	4	1.	BEST22.	f07q86 Sleep more than usual
186	REACT32	Num	4	1.	BEST22.	f07q87 Try to come up with strategy
187	REACT33	Num	4	1.	BEST22.	f07q88 Focus on condition
188	REACT34	Num	4	1.	BEST22.	f07q89 Sympathy from someone
189	REACT35	Num	4	1.	BEST22.	f07q90 Drink or take drugs
190	REACT36	Num	4	1.	BEST22.	f07q91 Kid around
191	REACT37	Num	4	1.	BEST22.	f07q92 Give up attempt to overcome
192	REACT38	Num	4	1.	BEST22.	f07q93 Look for something good

Num	Variable	Type	Len	Format	Informat	Label
193	REACT39	Num	4	1.	BEST22.	f07q94 Think about how to best handle
194	REACT40	Num	4	1.	BEST22.	f07q95 Pretend it hasn't happened
195	REACT41	Num	4	1.	BEST22.	f07q96 Don't act too soon
196	REACT42	Num	4	1.	BEST22.	f07q97 Prevent interference
197	REACT43	Num	4	1.	BEST22.	f07q98 Go to movies or watch TV
198	REACT44	Num	4	1.	BEST22.	f07q99 Accept the reality
199	REACT45	Num	4	1.	BEST22.	f07q100 Ask others what they did
200	REACT46	Num	4	1.	BEST22.	f07q101 Feel and express distress
201	REACT47	Num	4	1.	BEST22.	f07q102 Take direct action
202	REACT48	Num	4	1.	BEST22.	f07q103 Find comfort in religion
203	REACT49	Num	4	1.	BEST22.	f07q104 Wait until the right time
204	REACT50	Num	4	1.	BEST22.	f07q105 Make fun of condition
205	REACT51	Num	4	1.	BEST22.	f07q106 Reduce time
206	REACT52	Num	4	1.	BEST22.	f07q107 Talk to someone about feelings
207	REACT53	Num	4	1.	BEST22.	f07q108 Use alcohol or drugs
208	REACT54	Num	4	1.	BEST22.	f07q109 Learn to live with
209	REACT55	Num	4	1.	BEST22.	f07q110 Put aside other things
210	REACT56	Num	4	1.	BEST22.	f07q111 Think hard about steps
211	REACT57	Num	4	1.	BEST22.	f07q112 Act as if it doesn't exist
212	REACT58	Num	4	1.	BEST22.	f07q113 Do it one step at a time
213	REACT59	Num	4	1.	BEST22.	f07q114 Try to learn something
214	REACT60	Num	4	1.	BEST22.	f07q115 Pray more than usual
215	FEEL1	Num	4	1.	BEST22.	f07q116 Upset at unexpected
216	FEEL2	Num	4	1.	BEST22.	f07q117 Unable to control life
217	FEEL3	Num	4	1.	BEST22.	f07q118 Felt nervous and stressed
218	FEEL4	Num	4	1.	BEST22.	f07q119 Successful with problems
219	FEEL5	Num	4	1.	BEST22.	f07q120 Coping with changes
220	FEEL6	Num	4	1.	BEST22.	f07q121 Felt confident to handle prob.
221	FEEL7	Num	4	1.	BEST22.	f07q122 Things going your way
222	FEEL8	Num	4	1.	BEST22.	f07q123 Could not cope with all things
223	FEEL9	Num	4	1.	BEST22.	f07q124 Able to control irritations
224	FEEL10	Num	4	1.	BEST22.	f07q125 Felt on top of things
225	FEEL11	Num	4	1.	BEST22.	f07q126 Anger at uncontrolled things
226	FEEL12	Num	4	1.	BEST22.	f07q127 Think about things to accomplish
227	FEEL13	Num	4	1.	BEST22.	f07q128 Control time
228	FEEL14	Num	4	1.	BEST22.	f07q129 Difficulties piling too high
229	YOU1	Num	4	1.	BEST22.	f07q130 Feel lonely
230	YOU2	Num	4	1.	BEST22.	f07q131 Try to figure self out
231	YOU3	Num	4	1.	BEST22.	f07q132 Usually expect the best

Num	Variable	Type	Len	Format	Informat	Label
232	YOU4	Num	4	1.	BEST22.	f07q133 Quick to sense hunger
233	YOU5	Num	4	1.	BEST22.	f07q134 Often feel fed up
234	YOU6	Num	4	1.	BEST22.	f07q135 Gotten important things in life
235	YOU7	Num	4	1.	BEST22.	f07q136 Think about self a lot
236	YOU8	Num	4	1.	BEST22.	f07q137 If it can go wrong it will
237	YOU9	Num	4	1.	BEST22.	f07q138 Irritable
238	YOU10	Num	4	1.	BEST22.	f07q139 Positive attitude about self
239	YOU11	Num	4	1.	BEST22.	f07q140 Pay attention to inner feelings
240	YOU12	Num	4	1.	BEST22.	f07q141 Aware of changes in body temp.
241	YOU13	Num	4	1.	BEST22.	f07q142 Always look on bright side
242	YOU14	Num	4	1.	BEST22.	f07q143 Feel miserable for no reason
243	YOU15	Num	4	1.	BEST22.	f07q144 Often daydream about self
244	YOU16	Num	4	1.	BEST22.	f07q145 Person of worth
245	YOU17	Num	4	1.	BEST22.	f07q146 Would change almost nothing
246	YOU18	Num	4	1.	BEST22.	f07q147 Mood goes up and down
247	YOU19	Num	4	1.	BEST22.	f07q148 Optimistic about future
248	YOU20	Num	4	1.	BEST22.	f07q149 Never look at self hard
249	YOU21	Num	4	1.	BEST22.	f07q150 Can feel heart beating
250	YOU22	Num	4	1.	BEST22.	f07q151 Troubled by guilt
251	YOU23	Num	4	1.	BEST22.	f07q152 Satisfied with life
252	YOU24	Num	4	1.	BEST22.	f07q153 Don't expect things
253	YOU25	Num	4	1.	BEST22.	f07q154 Think about reasons
254	YOU26	Num	4	1.	BEST22.	f07q155 Nervous person
255	YOU27	Num	4	1.	BEST22.	f07q156 Nothing to be proud of
256	YOU28	Num	4	1.	BEST22.	f07q157 Things never work out
257	YOU29	Num	4	1.	BEST22.	f07q158 Step back and examine self
258	YOU30	Num	4	1.	BEST22.	f07q159 High-strung
259	YOU31	Num	4	1.	BEST22.	f07q160 Knows when mouth/throat is dry
260	YOU32	Num	4	1.	BEST22.	f07q161 Clouds have silver lining
261	YOU33	Num	4	1.	BEST22.	f07q162 Life conditions are excellent
262	YOU34	Num	4	1.	BEST22.	f07q163 Quickly notice change in mood
263	YOU35	Num	4	1.	BEST22.	f07q164 Life is very dull
264	YOU36	Num	4	1.	BEST22.	f07q165 Don't count on good things
265	YOU37	Num	4	1.	BEST22.	f07q166 No good at all
266	YOU38	Num	4	1.	BEST22.	f07q167 Knows why own mind works
267	YOU39	Num	4	1.	BEST22.	f07q168 Life is close to ideal
268	YOU40	Num	4	1.	BEST22.	f07q169 Easily hurt
269	YOU41	Num	4	1.	BEST22.	f07q170 Sensitive to bodily tensions
270	YOU42	Num	4	1.	BEST22.	f07q171 More good than bad to happen

Num	Variable	Type	Len	Format	Informat	Label
271	LOFA	Num	4	2.	BEST22.	f07q172a Ladder at present time
272	LOFB	Num	4	2.	BEST22.	f07q172b Ladder one year ago
273	LOFC	Num	4	2.	BEST22.	f07q172c Ladder one year from now
274	USUAL1	Num	4	1.	BEST22.	f07q173 Grow as a person
275	USUAL2	Num	4	1.	BEST22.	f07q174 Turn to work
276	USUAL3	Num	4	1.	BEST22.	f07q175 Get upset and let emotions out
277	USUAL4	Num	4	1.	BEST22.	f07q176 Try to get advice
278	USUAL5	Num	4	1.	BEST22.	f07q177 Try to do something about it
279	USUAL6	Num	4	1.	BEST22.	f07q178 Say "This isn't real"
280	USUAL7	Num	4	1.	BEST22.	f07q179 Put trust in God
281	USUAL8	Num	4	1.	BEST22.	f07q180 Laugh about condition
282	USUAL9	Num	4	1.	BEST22.	f07q181 Stop trying to deal with it
283	USUAL10	Num	4	1.	BEST22.	f07q182 Keep from acting too quickly
284	USUAL11	Num	4	1.	BEST22.	f07q183 Discuss feelings with someone
285	USUAL12	Num	4	1.	BEST22.	f07q184 Use alcohol and drugs
286	USUAL13	Num	4	1.	BEST22.	f07q185 Get used to the idea
287	USUAL14	Num	4	1.	BEST22.	f07q186 Talk to others to learn more
288	USUAL15	Num	4	1.	BEST22.	f07q187 Keep from getting distracted
289	USUAL16	Num	4	1.	BEST22.	f07q188 Daydream about other things
290	USUAL17	Num	4	1.	BEST22.	f07q189 Get upset
291	USUAL18	Num	4	1.	BEST22.	f07q190 Seek God's help
292	USUAL19	Num	4	1.	BEST22.	f07q191 Make a plan of action
293	USUAL20	Num	4	1.	BEST22.	f07q192 Make jokes about condition
294	USUAL21	Num	4	1.	BEST22.	f07q193 Accept it
295	USUAL22	Num	4	1.	BEST22.	f07q194 Hold off until situation permits
296	USUAL23	Num	4	1.	BEST22.	f07q195 Try to get emotional support
297	USUAL24	Num	4	1.	BEST22.	f07q196 Give up trying reach goal
298	USUAL25	Num	4	1.	BEST22.	f07q197 Action to get rid of problem
299	USUAL26	Num	4	1.	BEST22.	f07q198 Lose self in drugs/alcohol
300	USUAL27	Num	4	1.	BEST22.	f07q199 Refuse to believe
301	USUAL28	Num	4	1.	BEST22.	f07q200 Try to let out feelings
302	USUAL29	Num	4	1.	BEST22.	f07q201 Try to make it more positive
303	USUAL30	Num	4	1.	BEST22.	f07q202 Talk to one who can do something
304	USUAL31	Num	4	1.	BEST22.	f07q203 Sleep more than usual
305	USUAL32	Num	4	1.	BEST22.	f07q204 Try to come up with strategy
306	USUAL33	Num	4	1.	BEST22.	f07q205 Focus on problem
307	USUAL34	Num	4	1.	BEST22.	f07q206 Sympathy from someone
308	USUAL35	Num	4	1.	BEST22.	f07q207 Drink or take drugs
309	USUAL36	Num	4	1.	BEST22.	f07q208 Kid around

Num	Variable	Type	Len	Format	Informat	Label
310	USUAL37	Num	4	1.	BEST22.	f07q209 Give up attempt
311	USUAL38	Num	4	1.	BEST22.	f07q210 Look for something good
312	USUAL39	Num	4	1.	BEST22.	f07q211 Think about how to best handle
313	USUAL40	Num	4	1.	BEST22.	f07q212 Pretend it hasn't happened
314	USUAL41	Num	4	1.	BEST22.	f07q213 Don't act too soon
315	USUAL42	Num	4	1.	BEST22.	f07q214 Prevent interference
316	USUAL43	Num	4	1.	BEST22.	f07q215 Go to movies or watch TV
317	USUAL44	Num	4	1.	BEST22.	f07q216 Accept the reality
318	USUAL45	Num	4	1.	BEST22.	f07q217 Ask others what they did
319	USUAL46	Num	4	1.	BEST22.	f07q218 Feel and express distress
320	USUAL47	Num	4	1.	BEST22.	f07q219 Take direct action
321	USUAL48	Num	4	1.	BEST22.	f07q220 Find comfort in religion
322	USUAL49	Num	4	1.	BEST22.	f07q221 Wait until the right time
323	USUAL50	Num	4	1.	BEST22.	f07q222 Make fun of situation
324	USUAL51	Num	4	1.	BEST22.	f07q223 Reduce time
325	USUAL52	Num	4	1.	BEST22.	f07q224 Talk to someone about feelings
326	USUAL53	Num	4	1.	BEST22.	f07q225 Use alcohol or drugs
327	USUAL54	Num	4	1.	BEST22.	f07q226 Learn to live with
328	USUAL55	Num	4	1.	BEST22.	f07q227 Put aside other things
329	USUAL56	Num	4	1.	BEST22.	f07q228 Think hard about steps
330	USUAL57	Num	4	1.	BEST22.	f07q229 Act as if it hasn't happened
331	USUAL58	Num	4	1.	BEST22.	f07q230 Do it one step at a time
332	USUAL59	Num	4	1.	BEST22.	f07q231 Try to learn something
333	USUAL60	Num	4	1.	BEST22.	f07q232 Pray more than usual
334	WEIGHT	Num	4	1.	BEST22.	f07q233 Weight change
335	BACKPAIN	Num	4	1.	BEST22.	f07q234 Back pain
336	CONST	Num	4	1.	BEST22.	f07q235 Constipation
337	DIZZY	Num	4	1.	BEST22.	f07q236 Dizziness
338	DIARRHEA	Num	4	1.	BEST22.	f07q237 Diarrhea
339	FAINT	Num	4	1.	BEST22.	f07q238 Faintness
340	FATIGUE	Num	4	1.	BEST22.	f07q239 Fatigue
341	HEAD	Num	4	1.	BEST22.	f07q240 Headache
342	MIGRANE	Num	4	1.	BEST22.	f07q241 Migraine headache
343	NAUSEA	Num	4	1.	BEST22.	f07q242 Nausea
344	INDIGEST	Num	4	1.	BEST22.	f07q243 Acid stomach or indigestion
345	CRAMPS	Num	4	1.	BEST22.	f07q244 Stomach pain (e.g. cramps)
346	SPELLS	Num	4	1.	BEST22.	f07q245 Hot or cold spells
347	VOMIT	Num	4	1.	BEST22.	f07q246 Vomiting
348	TREMBLE	Num	4	1.	BEST22.	f07q247 Hands trembling

Num	Variable	Type	Len	Format	Informat	Label
349	FLUSHED	Num	4	1.	BEST22.	f07q248 Flushing
350	RACEHT	Num	4	1.	BEST22.	f07q249 Heart pounding or racing
351	APPETITE	Num	4	1.	BEST22.	f07q250 Poor appetite
352	BREATH	Num	4	1.	BEST22.	f07q251 Shortness of breath
353	NUMB	Num	4	1.	BEST22.	f07q252 Numbness or tingling
354	WEAK	Num	4	1.	BEST22.	f07q253 Weakness
355	CHSTPAIN	Num	4	1.	BEST22.	f07q254 Pains in heart or chest
356	LOWENER	Num	4	1.	BEST22.	f07q255 Feeling low in energy
357	STUFFY	Num	4	1.	BEST22.	f07q256 Stuffy head or nose
358	VISION	Num	4	1.	BEST22.	f07q257 Blurred vision
359	MUSCSORE	Num	4	1.	BEST22.	f07q258 Muscle tension or soreness
360	MUSCCRMP	Num	4	1.	BEST22.	f07q259 Muscle cramps
361	MENSTRAL	Num	4	1.	BEST22.	f07q260 Menstrual cramps
362	PALP	Num	4	1.	BEST22.	f07q261 Palpitations
363	BRUISES	Num	4	1.	BEST22.	f07q262 Bruises
364	NOSEBLD	Num	4	1.	BEST22.	f07q263 Nosebleed
365	LGHTHEAD	Num	4	1.	BEST22.	f07q264 Light headedness
366	WHEEZE	Num	4	1.	BEST22.	f07q265 Wheezing
367	COUGH	Num	4	1.	BEST22.	f07q266 Cough
368	YSTINF	Num	4	1.	BEST22.	f07q267 Yeast infection
369	BLDINF	Num	4	1.	BEST22.	f07q268 Bladder infection
370	TEETH	Num	4	1.	BEST22.	f07q269 Tooth/gum problems
371	EARACHE	Num	4	1.	BEST22.	f07q270 Earaches
372	SWELL	Num	4	1.	BEST22.	f07q271 Swelling in hands,feet,arms,legs
373	EXPECT1	Num	4	3.	BEST22.	f07q272(r0) % days practicing biofdbk
374	EXPECT2	Num	4	1.	BEST22.	f07q273(r0) Effectiveness of biofeedback
375	EXPECT3	Num	4	3.	BEST22.	f07q274(r0) % days taking medication
376	EXPECT4	Num	4	1.	BEST22.	f07q275(r0) Effectiveness of medication
377	PREFER	Num	8	1.	BEST22.	f07q272(r1) Treatment preference
378	BIO_SENS	Num	8	1.	BEST22.	f07q273(r1) Biofeedback makes sense
379	DRUG_SEN	Num	8	1.	BEST22.	f07q274(r1) Drug makes sense
380	NEWID	Num	8	4.		Patient ID

Data Set Name: form11.sas7bdat

Num	Variable	Type	Len	Format	Informat	Label
1	SPEC	Num	4	1.	BEST22.	f11q4 Specimen obtained for testing
2	SPECREAS	Char	1			f11q4a Reason specimen not obtained
3	SPECSHIP	Num	4	1.	BEST22.	f11q Specimen shipped to core lab
4	F11_NUM	Char	4			f11q3 Visit of lab specimen
5	F11_DAYS	Num	4	4.		f11q2 Days from randomization
6	NEWID	Num	8	4.		Patient ID
7	SHP_DAYS	Num	8	4.		f11q5a Specimen shipped to core lab

Data Set Name: form12nu.sas7bdat

Num	Variable	Type	Len	Format	Informat	Label
1	HEALTH	Num	4	1.	BEST22.	f12q3 Patient report of health
2	HLTH_1YR	Num	4	1.	BEST22.	f12q4 Health compared to 1 year ago
3	VIG	Num	4	1.	BEST22.	f12q5a Vigorous activities
4	MOD	Num	4	1.	BEST22.	f12q5b Moderate activities
5	LIFT	Num	4	1.	BEST22.	f12q5c Lifting or carrying groceries
6	CLIMB	Num	4	1.	BEST22.	f12q5d Climbing sev. flights of stairs
7	CLIMB1	Num	4	1.	BEST22.	f12q5e Climb one flight of stairs
8	BEND	Num	4	1.	BEST22.	f12q5f Bending, kneeling or stooping
9	WALK_MI	Num	4	1.	BEST22.	f12q5g Walking more than a mile
10	WALK_SEV	Num	4	1.	BEST22.	f12q5h Walking several blocks
11	WALK_BL	Num	4	1.	BEST22.	f12q5i Walking one block
12	BATH	Num	4	1.	BEST22.	f12q5j Bathing or dressing
13	PROBA	Num	4	1.	BEST22.	f12q6a Cut down time on work
14	PROBB	Num	4	1.	BEST22.	f12q6b Accomplished less
15	PROBC	Num	4	1.	BEST22.	f12q6c Limited in the kind of work
16	PROBD	Num	4	1.	BEST22.	f12q6d Difficulting performing work
17	PROB1A	Num	4	1.	BEST22.	f12q7a Cut down time on work
18	PROB1B	Num	4	1.	BEST22.	f12q7b Accomplished less
19	PROB1C	Num	4	1.	BEST22.	f12q7c Not as careful as usual
20	NORM_ACT	Num	4	1.	BEST22.	f12q8 Interfered with social activities
21	BOD_PAIN	Num	4	1.	BEST22.	f12q9 Bodily pain in past 4 weeks
22	PNINTERF	Num	4	1.	BEST22.	f12q10 Pain interfered with work
23	FEELA	Num	4	1.	BEST22.	f12q11a Feel full of pep
24	FEELB	Num	4	1.	BEST22.	f12q11b Have been nervous
25	FEELC	Num	4	1.	BEST22.	f12q11c Down in dumps
26	FEELD	Num	4	1.	BEST22.	f12q11d Calm and peaceful
27	FEELE	Num	4	1.	BEST22.	f12q11e Had a lot of energy
28	FEELF	Num	4	1.	BEST22.	f12q11f Down-hearted and blue
29	FEELG	Num	4	1.	BEST22.	f12q11g Felt worn out
30	FEELH	Num	4	1.	BEST22.	f12q11h Been happy
31	FEELI	Num	4	1.	BEST22.	f12q11i Felt tired
32	ACTIVITY	Num	4	1.	BEST22.	f12q12 Interfered with social activities
33	TFA	Num	4	1.	BEST22.	f12q13a Get sick easier than others
34	TFB	Num	4	1.	BEST22.	f12q13b As healthy as anyone else
35	TFC	Num	4	1.	BEST22.	f12q13c Expect health to get worse
36	TFD	Num	4	1.	BEST22.	f12q13d Health is excellent

Num	Variable	Type	Len	Format	Informat	Label
37	SEX	Num	4	1.	BEST22.	f12q14a Sex
38	OLD	Num	4	1.	BEST22.	f12q14 Age at last birthday
39	EVER	Num	4	1.	BEST22.	f12q15 Filled out form before
40	SF36_DYS	Num	5	4.		f12q2 Days since randomization
41	NEWID	Num	8	4.		Patient ID

Data Set Name: form13.sas7bdat

Num	Variable	Type	Len	Format	Informat	Label
1	FMTYP	Char	4	\$4.		FMTYP
2	EVERSMK	Num	4	2.	BEST22.	f12q3 Has patient ever smoked
3	CURRSMK	Num	4	2.	BEST22.	f13q3a Patient is currently smoking
4	NUMSMK	Num	8	2.	BEST22.	f13q3a1 Cigarettes per day
5	TIMESMK	Num	4	2.	BEST22.	f13q3b When patient stopped smoking
6	ALCH_USE	Num	4	2.	BEST22.	f13q4 Patient uses alcoholic beverages
7	BEER	Num	8	4.1	BEST22.	f13q4a1 Daily beer intake (bottles)
8	WINE	Num	8	4.1	BEST22.	f13q4a2 Daily wine intake (glasses)
9	LIQUOR	Num	8	4.1	BEST22.	f13q4a3 Daily liquor intake (ounces)
10	PREG	Num	4	2.	BEST22.	f13q5 Patient is pregnant
11	ILLLV	Num	4	2.	BEST22.	f13q6 Illnesses since last visit
12	ILL_RMK	Char	1	2.		f13q6a Describe illnesses
13	ILL_SM	Num	4	2.	BEST22.	f13q6b Illness related to study med.
14	ILL_ACT	Num	4	2.	BEST22.	f13q6c Action taken
15	ILL_RES	Num	4	2.	BEST22.	f13q6d Resolution at this exam
16	SIDEEFF	Num	4	2.	BEST22.	f13q7 Possible side effects
17	SIDE_RMK	Char	1			f13q7a Describe side effect
18	SIDE_SM	Num	4	2.	BEST22.	f13q7b Relation to study medication
19	SID_ACT	Num	4	2.	BEST22.	f13q7c Action taken
20	SID_REL	Num	4	2.	BEST22.	f13q7d Resolution at this exam
21	ANYMEDS	Num	4	2.	BEST22.	f13q8 Any other medication for Raynauds
22	OTHRMED1	Num	4	2.	BEST22.	f13q9 Medications for other conditions
23	MED1ARMK	Char	1			f13q9a Generic name
24	MED1BRMK	Char	1			f13q9b Generic name
25	MED1CRMK	Char	1			f13q9c Generic name
26	VASO	Num	4	2.	BEST22.	f13q9d Patient taking vasodilators
27	BIOASS	Num	4	2.	BEST22.	f13q10 Patient assigned to biofeedback
28	BIOMONTH	Num	4	2.	BEST22.	f13q10a How often did patient practice
29	BIODAILY	Num	4	2.	BEST22.	f13q10b Why not daily practice
30	BIORMK	Char	1			f13q10b Other reason, describe
31	MEDASS	Num	4	2.	BEST22.	f13q11 Patient assigned to study med.
32	ESTMED	Num	8	3.	BEST22.	f13q11a Patient estimate of med. taken
33	ESTREAS	Num	4	2.	BEST22.	f13q11a1 Reason less than 90%
34	EST_RMK	Char	1			f13q11a1 Other, describe
35	MOREMEDS	Num	4	2.	BEST22.	f13q11b Takes more than prescribed dose
36	FORGMED	Num	4	2.	BEST22.	f13q11c Action when dose forgotten

Num	Variable	Type	Len	Format	Informat	Label
37	FORG_RMK	Char	1			f13q11c Other, describe
38	MED_NBR	Num	4	2.	BEST22.	f11q11d Pills prescribed at this visit
39	NBR_DAY	Num	4	2.	BEST22.	f11q12(r0) No. of attacks on average day
40	PT_ASS	Num	4	2.	BEST22.	f13q13 Patient assessment of Raynauds
41	PTLIFE	Num	4	2.	BEST22.	f13q14 Patient opinion of affect on life
42	STUDYTRT	Num	4	2.	BEST22.	f13q15 Patient opinion of trt effect
43	PTFEELS	Num	4	2.	BEST22.	f13q16 How patient feels
44	PHYS_ASS	Num	4	2.	BEST22.	f13q17 Physician assessment of Raynauds
45	LIFE	Num	4	2.	BEST22.	f13q18 Phys. opinion of affect on life
46	TRT_EFF	Num	4	2.	BEST22.	f13q19 Physician opinion of trt effect
47	PTIS	Num	4	2.	BEST22.	f13q20 How patient is
48	TEMP	Num	8	5.1	BEST22.	f13q22 Temperature (F)
49	METHOD1	Num	4	2.	BEST22.	f13q22a Method for temperature
50	SYS	Num	8	3.	BEST22.	f13q23a Systolic blood pressure (mm Hg)
51	DIAS	Num	8	3.	BEST22.	f13q23b Diastolic blood pressure (mm Hg)
52	PULSE	Num	8	3.	BEST22.	f13q24 Pulse (beats/minute)
53	EXTVALUE	Num	4	2.	BEST22.	f13q25 BP or pulse are extreme
54	EXTA	Num	4	2.	BEST22.	f13q25a Extreme is related to medication
55	EXTB	Num	4	2.	BEST22.	f13q25b Action taken
56	HEENTABN	Num	4	2.	BEST22.	f13q26 HEENT abnormal
57	HEENTRMK	Char	1			f13q26a Describe HEENT abnormality
58	HEENT_B	Num	4	2.	BEST22.	f13q26b HEENT ab. related to medication
59	HEENT_C	Num	4	2.	BEST22.	f13q26c Action taken
60	CPABN	Num	4	2.	BEST22.	f13q27 Cardio-pulmonary abnormal
61	CPA_RMK	Char	1			f13q27a Describe CP abnormality
62	CPB	Num	4	2.	BEST22.	f13q27b CP ab. related to medication
63	CPC	Num	4	2.	BEST22.	f13q27c Action taken
64	SKINABN	Num	4	2.	BEST22.	f13q28 Skin abnormal
65	SKINARMK	Char	1			f13q28a Describe skin abnormality
66	SKINB	Num	4	2.	BEST22.	f13q28b Skin ab. related to medication
67	SKINC	Num	4	2.	BEST22.	f13q28c Action taken
68	EXTRABN	Num	4	2.	BEST22.	f13q29 Extremities abnormal
69	EXTRARMK	Char	1			f13q29 Describe extremities abnormality
70	EXTRB	Num	4	2.	BEST22.	f13q29b Extremities ab. related to med.
71	EXTRC	Num	4	2.	BEST22.	f13q29c Action taken
72	MVORFV	Num	4	2.	BEST22.	f13q30 M01 or FV04
73	DRAWN	Num	4	2.	BEST22.	f13q30a Blood drawn
74	VISIT4	Num	4	2.	BEST22.	f13q30b FV04
75	ANA_CORE	Num	4	2.	BEST22.	f13q30b1 Blood sent to Core Lab

Num	Variable	Type	Len	Format	Informat	Label
76	ANA1	Num	8	4.	BEST22.	f13q30b1a ANA titer 1:
77	NAILA	Num	4	2.	BEST22.	f13q30b2a Uniform dist. of capillaries
78	NAILB	Num	4	2.	BEST22.	f13q30b2b Capillary loop width <100u
79	NAILC	Num	4	2.	BEST22.	f13q30b2c Capillary loop not deformed
80	NAILD	Num	4	2.	BEST22.	f13q30b2d Edematous appearance
81	NAILE	Num	4	2.	BEST22.	f13q30b2e Few if any hemorrhages
82	NAILF	Num	4	2.	BEST22.	f13q30b2f Localized avascular areas
83	NAILG	Num	4	2.	BEST22.	f13q30b2g Abnormal microscopy findings
84	NAILH	Num	4	2.	BEST22.	f13q30b2h Normal nailfold capillaries
85	NBR_WK	Num	8	4.1	BEST22.	f13q12(r1) No. of attacks in average wk
86	ILL1	Num	4	1.		Cold/Flu/Sinusitis
87	ILL2	Num	4	1.		Diarrhea
88	ILL3	Num	4	1.		Minor Infections
89	ILL4	Num	4	1.		Joint Diseases
90	ILL5	Num	4	1.		Muscle
91	ILL6	Num	4	1.		Tumor
92	ILL7	Num	4	1.		Gastric Complaints
93	ILL8	Num	4	1.		Chest Pain
94	ILL9	Num	4	1.		Rash/Urticaria
95	ILL10	Num	4	1.		Headache/Lighthead/Visual Changes
96	ILL11	Num	4	1.		Gynecological Complaints
97	ILL12	Num	4	1.		Insect Bites
98	ILL13	Num	4	1.		Fatigue
99	ILL14	Num	4	1.		Hernia
100	ILL15	Num	4	1.		Hemorrhoids
101	ILL16	Num	4	1.		Cholecystitis
102	ILL17	Num	4	1.		Dermatological
103	ILL18	Num	4	1.		Glaucoma
104	ILL19	Num	4	1.		Eye Problems (Detached Retina)
105	ILL20	Num	4	1.		Mood change/Anxiety/Depression
106	ILL21	Num	4	1.		Hypoglycemia
107	ILL22	Num	4	1.		Cardiovascular (Hypertension, MI)
108	ILL23	Num	4	1.		Plantar Warts
109	ILL24	Num	4	1.		Allergies (not insect bites)
110	ILL25	Num	4	1.		Asthma
111	ILL26	Num	4	1.		Dental Problems (not abscesses)
112	ILL27	Num	4	1.		Ischemia
113	ILL28	Num	4	1.		Cold-induced Numbness
114	SFX1	Num	4	2.		Swelling/Headaches/Lightheaded

Num	Variable	Type	Len	Format	Informat	Label
115	SFX2	Num	4	2.		Flushing
116	SFX3	Num	4	2.		Color Change in Extremities
117	SFX4	Num	4	2.		Myalgia
118	SFX5	Num	4	2.		Gastric Pain/symptoms
119	SFX6	Num	4	2.		Fatigue
120	SFX7	Num	4	2.		Mood change/anxiety/jitters
121	SFX8	Num	4	2.		Constipation
122	SFX9	Num	4	2.		Cardiac (tachycardia/chest pain)
123	SFX10	Num	4	2.		Heavy Menses
124	SFX11	Num	4	2.		Extremity Pain
125	SFX12	Num	4	2.		Dyspnea
126	SFX13	Num	4	2.		Rash/Urticaria
127	SFX14	Num	4	2.		Diarrhea
128	SFX15	Num	4	2.		Bruising
129	SFX16	Num	4	2.		Weight Gain/Loss Inability
130	SFX17	Num	4	2.		Tinnitus
131	SFX18	Num	4	2.		Parasthesias
132	SFX19	Num	4	2.		Impotence
133	SFX20	Num	4	2.		Worsening Raynauds Attacks
134	F13_DAYS	Num	4	4.		f13q2 Days from randomization
135	NEWID	Num	8	4.		Patient ID

Data Set Name: form14.sas7bdat

Num	Variable	Type	Len	Format	Informat	Label
1	FMTYP	Char	4			FMTYP
2	PROB_RMK	Char	1			f14q3 Nature of problem
3	SEVERE	Num	4	1.	BEST22.	f14q4 Severity of problem
4	F14_DAYS	Num	5	4.		f14q2 Days from randomization
5	NEWID	Num	8	4.		Patient ID

Data Set Name: form15nu.sas7bdat

Num	Variable	Type	Len	Format	Informat	Label
1	FMTYP	Char	4			FMTYP
2	MARSTAT	Num	4	1.	BEST22.	f15q3 Current marital status
3	CLOSE	Num	4	2.	BEST22.	f15q4 No. of close friends/relatives
4	SUPPAVLA	Num	4	1.	BEST22.	f15q5a Someone to listen
5	SUPPAVLB	Num	4	1.	BEST22.	f15q5b Someone who shows love
6	SUPPAVLC	Num	4	1.	BEST22.	f15q5c Someone to give information
7	SUPPAVLD	Num	4	1.	BEST22.	f15q5d Someone to give good advice
8	SUPPAVLE	Num	4	1.	BEST22.	f15q5e Someone whose advice you want
9	SUPPAVLF	Num	4	1.	BEST22.	f15q5f Someone to help with chores
10	SUPPAVLG	Num	4	1.	BEST22.	f15q5g Someone to share worries
11	SUPPAVLH	Num	4	1.	BEST22.	f15q5h Someone to have fun with
12	SUPPNEED	Num	8	1.	BEST22.	f15q6 How easy to ask for support
13	CRIT	Num	4	1.	BEST22.	f15q7 Others criticize
14	CRIT_NO	Num	4	2.	BEST22.	f15q7a How many criticize
15	WDRWN	Num	4	1.	BEST22.	f15q8 Others have withdrawn
16	WDRWN_NO	Num	4	2.	BEST22.	f15q8a How many have withdrawn
17	HELP	Num	4	1.	BEST22.	f15q9 Less help than expected
18	HELP_NO	Num	4	2.	BEST22.	f15q9a How many give less help
19	WORSE	Num	4	1.	BEST22.	f15q10 Others make things worse
20	WORSE_NO	Num	4	2.	BEST22.	f15q10a How many make things worse
21	PROB	Num	4	1.	BEST22.	f15q11 Others make problems
22	PROB_NO	Num	4	2.	BEST22.	f15q11a How many make problems
23	ORGREL	Num	4	1.	BEST22.	f15q12 Belong to organized religion
24	RELIG	Num	4	1.	BEST22.	f15q13 Attendance at religious services
25	RATEEM	Num	4	1.	BEST22.	f15q14 Rate mental/emotional health
26	SATISEM	Num	4	1.	BEST22.	f15q15 Satisfied with mental health
27	CMPMENT	Num	4	1.	BEST22.	f15q16 Compare mental health to before
28	RATEPHY	Num	4	1.	BEST22.	f15q17 Rate physical health
29	SATISPHY	Num	4	1.	BEST22.	f15q18 Satisfied with physical health
30	CMPPHYS	Num	4	1.	BEST22.	f15q19 Compare physical health to before
31	OVHLTH	Num	4	1.	BEST22.	f15q20 Overall health
32	SATHLTH	Num	4	1.	BEST22.	f15q21 Satisfied with overall health
33	CMPLHTH	Num	4	1.	BEST22.	f15q22 Compare overall health to before
34	VIGACT	Num	4	1.	BEST22.	f15q23a Vigorous activities
35	MODACT	Num	4	1.	BEST22.	f15q23b Moderate activities
36	GROCERY	Num	4	1.	BEST22.	f15q23c Carrying/lifting groceries

Num	Variable	Type	Len	Format	Informat	Label
37	CLMBSEV	Num	4	1.	BEST22.	f15q23d Climbing sev. flights of stairs
38	CLMBONE	Num	4	1.	BEST22.	f15q23e Climb one flight of stairs
39	LIMBEND	Num	4	1.	BEST22.	f15q23f Bending, kneeling, stooping
40	WALK1MI	Num	4	1.	BEST22.	f15q23g Walking more than 1 mile
41	WALKSEV	Num	4	1.	BEST22.	f15q23h Walking several blocks
42	WALK1BLK	Num	4	1.	BEST22.	f15q23i Walking one block
43	LIMBATH	Num	4	1.	BEST22.	f15q23j Bathing and dressing
44	OUTDOORS	Num	4	1.	BEST22.	f15q24a Outdoors in cold weather
45	GRIP	Num	4	1.	BEST22.	f15q24b1 Gripping steering wheel
46	SHIFT	Num	4	1.	BEST22.	f15q24b2 Shifting car
47	SHOP	Num	4	1.	BEST22.	f15q24c Shopping for frozen food
48	UTENSIL	Num	4	1.	BEST22.	f15q24d1 Using utensils
49	APPL	Num	4	1.	BEST22.	f15q24d2 Using kitchen appliances
50	WASHVEG	Num	4	1.	BEST22.	f15q24d3 Washing vegetables in cold water
51	FREEZER	Num	4	1.	BEST22.	f15q24d4 Removing food from freezer
52	WASHCLTH	Num	4	1.	BEST22.	f15q24e1 Using washer or dryer
53	HANGCLTH	Num	4	1.	BEST22.	f15q24e2 Folding or hanging clothes
54	HLDFOOD	Num	4	1.	BEST22.	f15q24f1 Holding cold/frozen food
55	SWFOOD	Num	4	1.	BEST22.	f15q24f2 Swallowing cold/frozen food
56	HLDGLASS	Num	4	1.	BEST22.	f15q24g1 Holding a cold glass
57	SWLIQ	Num	4	1.	BEST22.	f15q24g2 Swallowing cold liquids
58	SWIM	Num	4	1.	BEST22.	f15q24h1 Swimming in cool water
59	OUTACT	Num	4	1.	BEST22.	f15q24h2 Outdoor act. in cold weather
60	EQUIP	Num	4	1.	BEST22.	f15q24h3 Handling sports equipment
61	BATHE	Num	4	1.	BEST22.	f15q24i Bathing
62	ZIPPER	Num	4	1.	BEST22.	f15q24j1 Fastening zippers/buttons
63	SHOELACE	Num	4	1.	BEST22.	f15q24j2 Tying shoelaces
64	GLOVES	Num	4	1.	BEST22.	f15q24j3 Putting on gloves
65	USECOMP	Num	4	1.	BEST22.	f15q24k Using typewriter/computer
66	USEPEN	Num	4	1.	BEST22.	f15q24l Using pen/pencil
67	USETOOLS	Num	4	1.	BEST22.	f15q24m Using tools
68	USEMACH	Num	4	1.	BEST22.	f15q24n Using machinery
69	SOCACT	Num	4	1.	BEST22.	f15q24o Social activities
70	SEXACT	Num	4	1.	BEST22.	f15q24p Sexual activity
71	AIRCOND	Num	4	1.	BEST22.	f15q24q Air-conditioned rooms
72	DEALSTR	Num	4	1.	BEST22.	f15q24r Dealing with stress
73	RAYPROBA	Num	4	1.	BEST22.	f15q25a Cut down time at work
74	RAYPROBB	Num	4	1.	BEST22.	f15q25b Accomplished less
75	RAYPROBC	Num	4	1.	BEST22.	f15q25c Limited in kind of work

Num	Variable	Type	Len	Format	Informat	Label
76	RAYPROBD	Num	4	1.	BEST22.	f15q25d Difficultly performing work
77	EMPROBA	Num	4	1.	BEST22.	f15q26a Cut down time at work
78	EMPROBB	Num	4	1.	BEST22.	f15q26b Accomplished less
79	EMPROBC	Num	4	1.	BEST22.	f15q26c Not as careful as usual
80	INTRFER1	Num	4	1.	BEST22.	f15q27 Health interfered
81	INTRFER2	Num	4	1.	BEST22.	f15q28 Emotional problems interfered
82	INTRFER3	Num	4	1.	BEST22.	f15q29 Physical health interfered
83	INTRFER4	Num	4	1.	BEST22.	f15q30 Emotional problems interfered
84	RAYNPAIN	Num	4	1.	BEST22.	f15q31 Pain from Raynauds
85	OTHRPAIN	Num	4	1.	BEST22.	f15q32 Other pain
86	INTRAYPN	Num	4	1.	BEST22.	f15q33 Intensity of pain from Raynauds
87	INTOTHPN	Num	4	1.	BEST22.	f15q34 Intensity of other pain
88	INTRAYWK	Num	4	1.	BEST22.	f15q35 Raynauds pain interfered
89	INTOTHWK	Num	4	1.	BEST22.	f15q36 Other pain interfered
90	PEP4WK	Num	4	1.	BEST22.	f15q37a Felt full of pep
91	NERV4WK	Num	4	1.	BEST22.	f15q37b Been nervous
92	DUMP4WK	Num	4	1.	BEST22.	f15q37c Down in the dumps
93	TENSE4WK	Num	4	1.	BEST22.	f15q37d Felt tense
94	ANGRY4WK	Num	4	1.	BEST22.	f15q37e Felt angry
95	CALM4WK	Num	4	1.	BEST22.	f15q37f Felt calm and peaceful
96	ENRGY4WK	Num	4	1.	BEST22.	f15q37g Had a lot of energy
97	RES4WK	Num	4	1.	BEST22.	f15q37h Felt resentful
98	BLUE4WK	Num	4	1.	BEST22.	f15q37i Felt down-hearted and blue
99	WORN4WK	Num	4	1.	BEST22.	f15q37j Felt worn out
100	IRR4WK	Num	4	1.	BEST22.	f15q37k Felt irritable
101	WORR4WK	Num	4	1.	BEST22.	f15q37l Felt worried
102	HAPPY4WK	Num	4	1.	BEST22.	f15q37m Been a happy person
103	TIRED4WK	Num	4	1.	BEST22.	f15q37n Felt tired
104	BITT4WK	Num	4	1.	BEST22.	f15q37o Felt bitter
105	ELGLOVE	Num	4	1.	BEST22.	f15q38a Used electric gloves
106	ELSOCK	Num	4	1.	BEST22.	f15q38b Used electric socks
107	INSGLOVE	Num	4	1.	BEST22.	f15q38c Used insulated gloves
108	INSSOCK	Num	4	1.	BEST22.	f15q38d Used insulated socks
109	THERMUND	Num	4	1.	BEST22.	f15q38e Used thermal underwear
110	EXSWEAT	Num	4	1.	BEST22.	f15q38f Used extra sweaters
111	HANDWARM	Num	4	1.	BEST22.	f15q38g Used chemical hand warmers
112	CLTHOTHR	Num	4	1.	BEST22.	f15q38h Used other means
113	HEATUP	Num	4	1.	BEST22.	f15q39a Turn up the heat
114	HEATER	Num	4	1.	BEST22.	f15q39b Use a space heater

Num	Variable	Type	Len	Format	Informat	Label
115	HEATPAD	Num	4	1.	BEST22.	f15q39c Use a heating pad
116	MVWKSP	Num	4	1.	BEST22.	f15q39d Move work space
117	SWCOVER	Num	4	1.	BEST22.	f15q39e Get a steering wheel cover
118	WARMWAT	Num	4	1.	BEST22.	f15q39f Put hands under warm water
119	HEATVENT	Num	4	1.	BEST22.	f15q39g Put hands over heating vent
120	WARMLIQ	Num	4	1.	BEST22.	f15q39h Drink warm liquid
121	ALCOHOL	Num	4	1.	BEST22.	f15q39i Drink alcohol
122	RUBHAND	Num	4	1.	BEST22.	f15q39j Rub hands together
123	ARMPITS	Num	4	1.	BEST22.	f15q39k Put hands in armpits
124	WHIRL	Num	4	1.	BEST22.	f15q39l Whirl arms around
125	PRVOTHR1	Num	4	1.	BEST22.	f15q39m Other action
126	PRVOTHR2	Num	4	1.	BEST22.	f15q39n Other action
127	OFTENA	Num	4	1.	BEST22.	f15q40a Feel rested from sleep
128	OFTENB	Num	4	1.	BEST22.	f15q40b Difficultly falling asleep
129	OFTENC	Num	4	1.	BEST22.	f15q40c Awaken earlier than usual
130	OFTEND	Num	4	1.	BEST22.	f15q40d Difficultly staying awake
131	SATISSEX	Num	4	1.	BEST22.	f15q41 Current sexual relations
132	FREQSEX	Num	4	1.	BEST22.	f15q42 Satisfied with frequency of sex
133	CMPCOND	Num	4	1.	BEST22.	f15q43 Rate Raynauds at present time
134	CMPSTAT	Num	4	1.	BEST22.	f15q44 Compare Raynauds to before
135	CMPFREQ	Num	4	1.	BEST22.	f15q45 Compare freq of attacks to before
136	SOACT2	Num	4	1.	BEST22.	f15q46 Social Activities
137	MEMORY	Num	4	1.	BEST22.	f15q47 Memory and Concentration
138	SPATIAL	Num	4	1.	BEST22.	f15q48 Spatial Orientation
139	MOODS	Num	4	1.	BEST22.	f15q49 Moods and emotions
140	SLEEP	Num	4	1.	BEST22.	f15q50 Sleep patterns
141	CMPCONVA	Num	4	1.	BEST22.	f15q51a Change in talking
142	CMPSOCA	Num	4	1.	BEST22.	f15q52a Change in social activities
143	CMPAWARA	Num	4	1.	BEST22.	f15q53a Change in awareness
144	CMPMEMA	Num	4	1.	BEST22.	f15q54a Change in memory/concentration
145	CMPSPA	Num	4	1.	BEST22.	f15q55a Change in spatial orientation
146	CMPMOODA	Num	4	1.	BEST22.	f15q56a Change in moods/emotions
147	CMPACTA	Num	4	1.	BEST22.	f15q57a Change in physical activity
148	CMPSLPA	Num	4	1.	BEST22.	f15q58a Change in sleep patterns
149	CMPCONVB	Num	4	1.	BEST22.	f15q51b Change in talking
150	CMPSOCB	Num	4	1.	BEST22.	f15q52b Change in social activities
151	CMPAWARB	Num	4	1.	BEST22.	f15q53b Change in awareness
152	CMPMEMB	Num	4	1.	BEST22.	f15q54b Change in memory/concentration
153	CMPSPB	Num	4	1.	BEST22.	f15q55b Change in spatial orientation

Num	Variable	Type	Len	Format	Informat	Label
154	CMPMOODB	Num	4	1.	BEST22.	f15q56b Change in moods/emotions
155	CMPACTB	Num	4	1.	BEST22.	f15q57b Change in physical activity
156	CMPSLPB	Num	4	1.	BEST22.	f15q58b Change in sleep patterns
157	CMPBEH	Num	4	1.	BEST22.	f15q59 Change has been a problem
158	CMP_RMK	Num	8	BEST22.	BEST22.	f15q59a Which change
159	REACT1	Num	4	1.	BEST22.	f15q60 Grow as a person
160	REACT2	Num	4	1.	BEST22.	f15q61 Turn to work
161	REACT3	Num	4	1.	BEST22.	f15q62 Get upset and let emotions out
162	REACT4	Num	4	1.	BEST22.	f15q63 Try to get advice
163	REACT5	Num	4	1.	BEST22.	f15q64 Try to do something about it
164	REACT6	Num	4	1.	BEST22.	f15q65 Say "This isn't happening"
165	REACT7	Num	4	1.	BEST22.	f15q66 Put trust in God
166	REACT8	Num	4	1.	BEST22.	f15q67 Laugh about condition
167	REACT9	Num	4	1.	BEST22.	f15q68 Stop trying to deal with it
168	REACT10	Num	4	1.	BEST22.	f15q69 Keep from acting too quickly
169	REACT11	Num	4	1.	BEST22.	f15q70 Discuss feelings with someone
170	REACT12	Num	4	1.	BEST22.	f15q71 Use alcohol and drugs
171	REACT13	Num	4	1.	BEST22.	f15q72 Get used to the idea
172	REACT14	Num	4	1.	BEST22.	f15q73 Talk to others to learn more
173	REACT15	Num	4	1.	BEST22.	f15q74 Keep from getting distracted
174	REACT16	Num	4	1.	BEST22.	f15q75 Daydream about other things
175	REACT17	Num	4	1.	BEST22.	f15q76 Get upset
176	REACT18	Num	4	1.	BEST22.	f15q77 Seek God's help
177	REACT19	Num	4	1.	BEST22.	f15q78 Make a plan of action
178	REACT20	Num	4	1.	BEST22.	f15q79 Make jokes about condition
179	REACT21	Num	4	1.	BEST22.	f15q80 Accept it
180	REACT22	Num	4	1.	BEST22.	f15q81 Hold off until situation permits
181	REACT23	Num	4	1.	BEST22.	f15q82 Try to get emotional support
182	REACT24	Num	4	1.	BEST22.	f15q83 Give up trying to cope
183	REACT25	Num	4	1.	BEST22.	f15q84 Action to minimize problems
184	REACT26	Num	4	1.	BEST22.	f15q85 Lose self in drugs/alcohol
185	REACT27	Num	4	1.	BEST22.	f15q86 Refuse to believe
186	REACT28	Num	4	1.	BEST22.	f15q87 Try to let out feelings
187	REACT29	Num	4	1.	BEST22.	f15q88 Try to make it more positive
188	REACT30	Num	4	1.	BEST22.	f15q89 Talk to one who can do something
189	REACT31	Num	4	1.	BEST22.	f15q90 Sleep more than usual
190	REACT32	Num	4	1.	BEST22.	f15q91 Try to come up with strategy
191	REACT33	Num	4	1.	BEST22.	f15q92 Focus on condition
192	REACT34	Num	4	1.	BEST22.	f15q93 Sympathy from someone

Num	Variable	Type	Len	Format	Informat	Label
193	REACT35	Num	4	1.	BEST22.	f15q94 Drink or take drugs
194	REACT36	Num	4	1.	BEST22.	f15q95 Kid around
195	REACT37	Num	4	1.	BEST22.	f15q96 Give up attempt to overcome
196	REACT38	Num	4	1.	BEST22.	f15q97 Look for something good
197	REACT39	Num	4	1.	BEST22.	f15q98 Think about how to best handle
198	REACT40	Num	4	1.	BEST22.	f15q99 Pretend it hasn't happened
199	REACT41	Num	4	1.	BEST22.	f15q100 Don't act too soon
200	REACT42	Num	4	1.	BEST22.	f15q101 Prevent interference
201	REACT43	Num	4	1.	BEST22.	f15q102 Go to movies or watch TV
202	REACT44	Num	4	1.	BEST22.	f15q103 Accept the reality
203	REACT45	Num	4	1.	BEST22.	f15q104 Ask others what they did
204	REACT46	Num	4	1.	BEST22.	f15q105 Feel and express distress
205	REACT47	Num	4	1.	BEST22.	f15q106 Take direct action
206	REACT48	Num	4	1.	BEST22.	f15q107 Find comfort in religion
207	REACT49	Num	4	1.	BEST22.	f15q108 Wait until the right time
208	REACT50	Num	4	1.	BEST22.	f15q109 Make fun of condition
209	REACT51	Num	4	1.	BEST22.	f15q110 Reduce time
210	REACT52	Num	4	1.	BEST22.	f15q111 Talk to someone about feelings
211	REACT53	Num	4	1.	BEST22.	f15q112 Use alcohol or drugs
212	REACT54	Num	4	1.	BEST22.	f15q113 Learn to live with
213	REACT55	Num	4	1.	BEST22.	f15q114 Put aside other things
214	REACT56	Num	4	1.	BEST22.	f15q115 Think hard about steps
215	REACT57	Num	4	1.	BEST22.	f15q116 Act as if it doesn't exist
216	REACT58	Num	4	1.	BEST22.	f15q117 Do it one step at a time
217	REACT59	Num	4	1.	BEST22.	f15q118 Try to learn something
218	REACT60	Num	4	1.	BEST22.	f15q119 Pray more than usual
219	FEEL1	Num	4	1.	BEST22.	f15q120 Upset at unexpected
220	FEEL2	Num	4	1.	BEST22.	f15q121 Unable to control life
221	FEEL3	Num	4	1.	BEST22.	f15q122 Felt nervous and stressed
222	FEEL4	Num	4	1.	BEST22.	f15q123 Successful with problems
223	FEEL5	Num	4	1.	BEST22.	f15q124 Coping with changes
224	FEEL6	Num	4	1.	BEST22.	f15q125 Felt confident to handle prob.
225	FEEL7	Num	4	1.	BEST22.	f15q126 Things going your way
226	FEEL8	Num	4	1.	BEST22.	f15q127 Could not cope with all things
227	FEEL9	Num	4	1.	BEST22.	f15q128 Able to control irritations
228	FEEL10	Num	4	1.	BEST22.	f15q129 Felt on top of things
229	FEEL11	Num	4	1.	BEST22.	f15q130 Anger at uncontrolled things
230	FEEL12	Num	4	1.	BEST22.	f15q131 Think about things to accomplish
231	FEEL13	Num	4	1.	BEST22.	f15q132 Control time

Num	Variable	Type	Len	Format	Informat	Label
232	FEEL14	Num	4	1.	BEST22.	f15q133 Difficulties piling too high
233	LIFIDEAL	Num	4	1.	BEST22.	f15q134 Life close to ideal
234	LIFEXC	Num	4	1.	BEST22.	f15q135 Conditions of life are excellent
235	LIFSAT	Num	4	1.	BEST22.	f15q136 Satisfied with life
236	LIFIMP	Num	4	1.	BEST22.	f15q137 Got the important things
237	LIFCHNG	Num	4	1.	BEST22.	f15q138 Change almost everything
238	LOFA	Num	4	2.	BEST22.	f15q139a Ladder at present time
239	LOFB	Num	4	2.	BEST22.	f15q139b Ladder one year ago
240	LOFC	Num	4	2.	BEST22.	f15q139c Ladder one year from now
241	WEIGHT	Num	4	1.	BEST22.	f15q140 Weight change
242	BACKPAIN	Num	4	1.	BEST22.	f15q141 Back pain
243	CONST	Num	4	1.	BEST22.	f15q142 Constipation
244	DIZZY	Num	4	1.	BEST22.	f15q143 Dizziness
245	DIARRHEA	Num	4	1.	BEST22.	f15q144 Diarrhea
246	FAINT	Num	4	1.	BEST22.	f15q145 Faintness
247	FATIGUE	Num	4	1.	BEST22.	f15q146 Fatigue
248	HEAD	Num	4	1.	BEST22.	f15q147 Headache
249	MIGRANE	Num	4	1.	BEST22.	f15q148 Migraine headache
250	NAUSEA	Num	4	1.	BEST22.	f15q149 Nausea
251	INDIGEST	Num	4	1.	BEST22.	f15q150 Acid stomach or indigestion
252	CRAMPS	Num	4	1.	BEST22.	f15q151 Stomach pain (e.g. cramps)
253	SPELLS	Num	4	1.	BEST22.	f15q152 Hot or cold spells
254	VOMIT	Num	4	1.	BEST22.	f15q153 Vomiting
255	TREMBLE	Num	4	1.	BEST22.	f15q154 Hands trembling
256	FLUSHED	Num	4	1.	BEST22.	f15q155 Flushing
257	RACEHT	Num	4	1.	BEST22.	f15q156 Heart pounding or racing
258	APPETITE	Num	4	1.	BEST22.	f15q157 Poor appetite
259	BREATH	Num	4	1.	BEST22.	f15q158 Shortness of breath
260	NUMB	Num	4	1.	BEST22.	f15q159 Numbness or tingling
261	WEAK	Num	4	1.	BEST22.	f15q160 Weakness
262	CHSTPAIN	Num	4	1.	BEST22.	f15q161 Pains in heart or chest
263	LOWENER	Num	4	1.	BEST22.	f15q162 Feeling low in energy
264	STUFFY	Num	4	1.	BEST22.	f15q163 Stuffy head or nose
265	VISION	Num	4	1.	BEST22.	f15q164 Blurred vision
266	MUSCSORE	Num	4	1.	BEST22.	f15q165 Muscle tension or soreness
267	MUSCCRMP	Num	4	1.	BEST22.	f15q166 Muscle cramps
268	MENSTRAL	Num	4	1.	BEST22.	f15q167 Menstrual cramps
269	PALP	Num	4	1.	BEST22.	f15q168 Palpitations
270	BRUISES	Num	4	1.	BEST22.	f15q169 Bruises

Num	Variable	Type	Len	Format	Informat	Label
271	NOSEBLD	Num	4	1.	BEST22.	f15q170 Nosebleed
272	LGHTHEAD	Num	4	1.	BEST22.	f15q171 Light headedness
273	WHEEZE	Num	4	1.	BEST22.	f15q172 Wheezing
274	COUGH	Num	4	1.	BEST22.	f15q173 Cough
275	YSTINF	Num	4	1.	BEST22.	f15q174 Yeast infection
276	BLDINF	Num	4	1.	BEST22.	f15q175 Bladder infection
277	TEETH	Num	4	1.	BEST22.	f15q176 Tooth/gum problems
278	EARACHE	Num	4	1.	BEST22.	f15q177 Earaches
279	SWELL	Num	4	1.	BEST22.	f15q178 Swelling in hands,feet,arms,legs
280	F15_DAYS	Num	8	4.		f15q2 Days from randomization
281	NEWID	Num	8	4.		Patient ID

Data Set Name: form16.sas7bdat

Num	Variable	Type	Len	Format	Informat	Label
1	FMTYP	Char	4			FMTYP
2	PTSTAT	Num	4	1.	BEST22.	f16q4 Whereabouts of patient is known
3	PT	Num	4	1.	BEST22.	f16q4a1 Attempted to contact patient
4	KIN	Num	4	1.	BEST22.	f16q4a2 Attempted to contact next of kin
5	PHYS	Num	4	1.	BEST22.	f16q4a3 Attempted to contact physician
6	EMP	Num	4	1.	BEST22.	f16q4a4 Attempted to contact employer
7	CCASSIST	Num	4	1.	BEST22.	f16q4b Requested CC help
8	ILL	Num	4	1.	BEST22.	f16q5a Patient has been ill
9	DEAD	Num	4	1.	BEST22.	f16q5b Patient died
10	MOVE	Num	4	1.	BEST22.	f16q5c Moved/phone disconnected
11	FAMPROB	Num	4	1.	BEST22.	f16q5d Transportation/family problems
12	UNCOOP	Num	4	1.	BEST22.	f16q5e Patient cooperative
13	OTHMISS	Num	4	1.	BEST22.	f16q5f Other reason visit missed
14	MISS_RMK	Char	1	1.		f16q5f Specify other reason
15	UNK	Num	4	1.	BEST22.	f16q5g Reason unknown
16	F16_NUM	Char	4			f16q3 Missed visit number
17	NEWID	Num	8	4.		Patient ID
18	F16_DAYS	Num	8	4.		f16q2 Days of expected visit

Data Set Name: form17.sas7bdat

Num	Variable	Type	Len	Format	Informat	Label
1	FMTYP	Char	4			FMTYP
2	TEMP	Num	8	5.1	BEST22.	f17q5 Temperature (F)
3	METHOD1	Num	4	1.	BEST22.	f17q5a Temperature method
4	SYS	Num	4	3.	BEST22.	f17q6a Systolic blood pressure (mm Hg)
5	DIAS	Num	4	3.	BEST22.	f17q6b Diastolic blood pressure (mm Hg)
6	PULSE	Num	4	3.	BEST22.	f17q7 Pulse (beats/minute)
7	ABN	Num	4	1.	BEST22.	f17q8 Exam revealed any abnormality
8	HEENTABN	Num	4	1.	BEST22.	f17q8a HEENT abnormality
9	HEENTRMK	Char	1			f17q8a Describe HEENT abnormality
10	CPABN	Num	4	1.	BEST22.	f17q8b Cardiopulmonary abnormality
11	CPA_RMK	Char	1			f17q8b Describe cardiopulmonary ab.
12	EXTRABN	Num	4	1.	BEST22.	f17q8c Extremities abnormality
13	EXTRARMK	Char	1			f17q8c Describe extremities abnormality
14	SKINABN	Num	4	1.	BEST22.	f17q8d Skin abnormality
15	SKINARMK	Char	1			f17q8d Describe skin abnormality
16	PILLRX	Num	4	1.	BEST22.	f17q10 Pills/day prescribed this visit
17	NEWBOT	Num	4	1.	BEST22.	f17q11 Patient given new bottle
18	F17_DAYS	Num	4	4.		f17q2 Days from randomization
19	NEWID	Num	8	4.		Patient ID
20	BODYMASS	Num	8	6.3		weight(kg) divided by height(m) squared
21	RES_DAYS	Num	8			f17q9 Days rand. to restart med.

Data Set Name: form18.sas7bdat

Num	Variable	Type	Len	Format	Informat	Label
1	FMTYP	Char	4			FMTYP
2	DISP_NBR	Num	4	3.	BEST22.	f18q4 Number of pills dispensed
3	RTN_NBR	Num	4	3.	BEST22.	f18q5 Number of pills returned
4	PILLRX	Num	8	3.1	BEST22.	f18q6 Pills prescribed at last visit
5	MEDUSED	Num	4	3.	BEST22.	f18q7 Estimated % of prescribed med used
6	F18_DAYS	Num	4	4.		f18q2 Days from rand. to returned
7	F18_DAY2	Num	4	4.		f18q3 Days from rand. to dispensed
8	NEWID	Num	8	4.		Patient ID

Data Set Name: form19.sas7bdat

Num	Variable	Type	Len	Format	Informat	Label
1	TEMP	Num	8	5.1	BEST22.	f19q3 Temperature (F)
2	METHOD1	Num	4	1.	BEST22.	f19q3a Temperature method
3	SYS	Num	4	3.	BEST22.	f19q4a Systolic blood pressure (mm Hg)
4	DIAS	Num	4	3.	BEST22.	f19q4b Diastolic blood pressure (mm Hg)
5	PULSE	Num	4	3.	BEST22.	f19q5 Pulse (beats/minute)
6	HLTHSTAT	Num	4	1.	BEST22.	f19q6 Any changes in health
7	STAT_RMK	Char	1			f19q6a Specify changes
8	F19_DAYS	Num	4	3.		f19q2 Days since randomization
9	NEWID	Num	8	4.		Patient ID

Data Set Name: form20.sas7bdat

Num	Variable	Type	Len	Format	Informat	Label
1	NOATTACH	Num	4	1.	BEST22.	f20q5 No medication labels
2	NUMPAGE	Num	4	2.	BEST22.	f20q6 Number of pages with labels
3	NUMLAB	Num	4	2.	BEST22.	f20q7 Number of medication labels
4	UNBLIND	Num	4	1.	BEST22.	f20q8 Medication was unblinded
5	UNBL_RMK	Char	1			f20q9 Explanation for unblinding
6	VIS05	Num	8	1.	BEST22.	f20q10 This is FV05
7	ENVCC	Num	4	1.	BEST22.	f20q14 Unblinding envelope attached
8	F20_NUM	Char	4			f20q3 Visit medication was dispensed
9	F20_DAYS	Num	5	4.		f20q2 Days from rand. to disp.
10	NEWID	Num	8	4.		Patient ID
11	F20_CDYS	Num	8	4.		f20q4 Date Form 20 completed

Data Set Name: form27.sas7bdat

Num	Variable	Type	Len	Format	Informat	Label
1	FMTYP	Char	4			FMTYP
2	INACA	Num	4	1.	BEST22.	f27q3a Unwilling to undergo assigned trt
3	INACB	Num	4	1.	BEST22.	f27q3b Unwilling to take time off work
4	INACC	Num	4	1.	BEST22.	f27q3c Schedule conflict other than work
5	INACD	Num	4	1.	BEST22.	f27q3d Unrelated medical illness
6	INACE	Num	4	1.	BEST22.	f27q3e Moving out of area
7	INACF	Num	4	1.	BEST22.	f27q3f Transportation problems
8	INACG	Num	4	1.	BEST22.	f27q3g Family problems
9	INACH	Num	4	1.	BEST22.	f27q3h Other
10	INAC_RMK	Char	1			f27q3h Specify other problem
11	INACI	Num	4	1.	BEST22.	f27q3i Unknown
12	INACTRT	Num	4	1.	BEST22.	f27q4 Physician has reviewed status
13	INACEFF	Num	4	1.	BEST22.	f27q5 Patient currently has side effects
14	EFF_RMK	Char	1			f27q5 Describe side effects
15	INAC_FV	Num	4	1.	BEST22.	f27q6 Attack cards/diaries at 12-15 mos
16	INACINT	Num	4	1.	BEST22.	f27q7 Attack cards/diaries at 8 weeks
17	F27_DAYS	Num	4	4.		f27q2 Days from randomization
18	NEWID	Num	8	4.		Patient ID

Data Set Name: form28.sas7bdat

Num	Variable	Type	Len	Format	Informat	Label
1	FMTYP	Char	4			FMTYP
2	RESTART	Num	4	1.	BEST22.	f28q3 Trt re-start btwn FV01 and FV02
3	BIOASS28	Num	4	1.	BEST22.	f28q4 Patient assigned to biofeedback
4	SPEC_BIO	Num	4	1.	BEST22.	f28q4a Patient chose short course
5	F28_DAYS	Num	4	4.		f28q2 Days from randomization
6	NEWID	Num	8	4.		Patient ID
7	STP_DAYS	Num	8	4.		f28q3a Days rand. to stop diaries

Data Set Name: form40.sas7bdat

Num	Variable	Type	Len	Format	Informat	Label
1	FMTYP	Char	4			FMTYP
2	SESSNBR	Num	4	2.	BEST22.	f40q3 Biofeedback session number
3	TYPEBIO	Num	4	1.	BEST22.	f40q4 Type of biofeedback (1=temp 2=emg)
4	NBRMENT	Num	4	1.	BEST22.	f40q5 Discussion of Raynauds attacks
5	INIT	Num	4	1.	BEST22.	f40q5a Initiated by (1=patient 2=ther.)
6	HOMEWORK	Num	4	1.	BEST22.	f40q6 Discussion of previous homework
7	PREADAPT	Num	4	1.	BEST22.	f40q6a During pre-adaptation period
8	ADAPT	Num	4	1.	BEST22.	f40q6b During adaptation period
9	BL	Num	4	1.	BEST22.	f40q6c During baseline period
10	BIO	Num	4	1.	BEST22.	f40q6d During biofeedback period
11	APPLIED	Num	4	1.	BEST22.	f40q7 Discussion of applied practice
12	APPA	Num	4	1.	BEST22.	f40q8a Places where attacks could occur
13	APPB	Num	4	1.	BEST22.	f40q8b Stresses other than cold stress
14	APPC	Num	4	1.	BEST22.	f40q8c Other circumstances
15	COMMA	Num	4	1.	BEST22.	f40q9a Comments during adaptation
16	COMMB	Num	4	1.	BEST22.	f40q9b Comments during baseline
17	COMMC	Num	4	1.	BEST22.	f40q9c Comments during feedback
18	DEMEANA	Num	4	1.	BEST22.	f40q10a Therapist was professional
19	DEMEANB	Num	4	1.	BEST22.	f40q10b Therapist was warm
20	DEMEANC	Num	4	1.	BEST22.	f40q10c Therapist was cold
21	DEMEAND	Num	4	1.	BEST22.	f40q10d Not able to assess
22	PRACTICE	Num	4	1.	BEST22.	f40q11 Practice assigned
23	EXAMPLE	Num	4	1.	BEST22.	f40q12 Therapist provided examples
24	PERISS	Num	4	1.	BEST22.	f40q13 Personal issues addressed
25	PERISSY	Num	4	1.	BEST22.	f40q13a Appropriate & limited discussion
26	DISPLAY	Num	4	1.	BEST22.	f40q14 Confusion about biofdbk display
27	NEWID	Num	8	4.		Patient ID
28	NEWCERT	Num	8	3.		Reviewer RTS staff number
29	F40_DAYS	Num	8	4.		f40q2 Days rand. to biofeedback session

Data Set Name: form60.sas7bdat

Num	Variable	Type	Len	Format	Informat	Label
1	FMTYP	Char	4			FMTYP
2	STATE3	Num	4	1.	BEST22.	f60q3 I feel calm
3	STATE4	Num	4	1.	BEST22.	f60q4 I feel secure
4	STATE5	Num	4	1.	BEST22.	f60q5 I am tense
5	STATE6	Num	4	1.	BEST22.	f60q6 I feel strained
6	STATE7	Num	4	1.	BEST22.	f60q7 I feel at ease
7	STATE8	Num	4	1.	BEST22.	f60q8 I feel upset
8	STATE9	Num	4	1.	BEST22.	f60q9 I am worrying
9	STATE10	Num	4	1.	BEST22.	f60q10 I feel satisfied
10	STATE11	Num	4	1.	BEST22.	f60q11 I feel frightened
11	STATE12	Num	4	1.	BEST22.	f60q12 I feel comfortable
12	STATE13	Num	4	1.	BEST22.	f60q13 I feel nervous
13	STATE14	Num	4	1.	BEST22.	f60q14 I am jittery
14	STATE15	Num	4	1.	BEST22.	f60q15 I feel decisive
15	STATE16	Num	4	1.	BEST22.	f60q16 I feel relaxed
16	STATE17	Num	4	1.	BEST22.	f60q17 I feel content
17	STATE18	Num	4	1.	BEST22.	f60q18 I feel worried
18	STATE19	Num	4	1.	BEST22.	f60q19 I feel confused
19	STATE20	Num	4	1.	BEST22.	f60q20 I feel steady
20	STATE21	Num	4	1.	BEST22.	f60q21 I feel pleasant
21	TRAIT22	Num	4	1.	BEST22.	f60q22 I feel pleasant
22	TRAIT23	Num	4	1.	BEST22.	f60q23 I feel nervous and restless
23	TRAIT24	Num	4	1.	BEST22.	f60q24 I feel satisfied with myself
24	TRAIT25	Num	4	1.	BEST22.	f60q25 I wish I was as happy as others
25	TRAIT26	Num	4	1.	BEST22.	f60q26 I feel like a failure
26	TRAIT27	Num	4	1.	BEST22.	f60q27 I feel rested
27	TRAIT28	Num	4	1.	BEST22.	f60q28 I am calm, cool and collected
28	TRAIT29	Num	4	1.	BEST22.	f60q29 I feel difficulties piling up
29	TRAIT30	Num	4	1.	BEST22.	f60q30 I worry too much over nothing
30	TRAIT31	Num	4	1.	BEST22.	f60q31 I am happy
31	TRAIT32	Num	4	1.	BEST22.	f60q32 I have disturbing thoughts
32	TRAIT33	Num	4	1.	BEST22.	f60q33 I lack self-confidence
33	TRAIT34	Num	4	1.	BEST22.	f60q34 I feel secure
34	TRAIT35	Num	4	1.	BEST22.	f60q35 I make decisions easily
35	TRAIT36	Num	4	1.	BEST22.	f60q36 I feel inadequate
36	TRAIT37	Num	4	1.	BEST22.	f60q37 I am content

Num	Variable	Type	Len	Format	Informat	Label
37	TRAIT38	Num	4	1.	BEST22.	f60q38 Unimportant thoughts bother me
38	TRAIT39	Num	4	1.	BEST22.	f60q39 Disappointments not out of mind
39	TRAIT40	Num	4	1.	BEST22.	f60q40 I am a steady person
40	TRAIT41	Num	4	1.	BEST22.	f60q41 Feel tense over recent concerns
41	F60_DAYS	Num	4	4.		f60q2 Days from randomization
42	NEWID	Num	8	4.		Patient ID

Data Set Name: form61.sas7bdat

Num	Variable	Type	Len	Format	Informat	Label
1	FMTYP	Char	4			FMTYP
2	ABLE3_61	Num	4	3.	BEST22.	f61q3 Understand biofeedback training
3	ABLE4_61	Num	4	3.	BEST22.	f61q4 Be more sensitive to body changes
4	ABLE5_61	Num	4	3.	BEST22.	f61q5 Practice homework between sessions
5	ABLE6_61	Num	4	3.	BEST22.	f61q6 More confident in cold situations
6	ABLE7_61	Num	4	3.	BEST22.	f61q7 Find time to practice skills
7	ABLE8_61	Num	4	3.	BEST22.	f61q8 Increase blood flow to fingers
8	ABLE9_61	Num	4	3.	BEST22.	f61q9 Engage in more diverse activities
9	BLV10_61	Num	4	3.	BEST22.	f61q10 BF will be stress reducing
10	BLV11_61	Num	4	3.	BEST22.	f61q11 BF will increase bloodflow
11	BLV12_61	Num	4	3.	BEST22.	f61q12 Homework will be worth the time
12	BLV13_61	Num	4	3.	BEST22.	f61q13 BF is a good treatment
13	F61_DAYS	Num	4	4.		f61q2 Days from randomization
14	NEWID	Num	8	4.		Patient ID

Data Set Name: form62.sas7bdat

Num	Variable	Type	Len	Format	Informat	Label
1	FMTYP	Char	4			FMTYP
2	ABLE3_62	Num	4	3.	BEST22.	f61q3 Understand medical regimen
3	ABLE4_62	Num	4	3.	BEST22.	f61q4 Recognize potential side effects
4	ABLE5_62	Num	4	3.	BEST22.	f61q5 Take medication regularly
5	ABLE6_62	Num	4	3.	BEST22.	f61q6 More confident in cold situations
6	ABLE7_62	Num	4	3.	BEST22.	f61q7 More tolerant of cold exposure
7	ABLE8_62	Num	4	3.	BEST22.	f61q8 Engage in more diverse activities
8	BLV9_62	Num	4	3.	BEST22.	f61q9 Medication will be stress reducing
9	BLV10_62	Num	4	3.	BEST22.	f61q10 Medication will inc blood flow
10	BLV11_62	Num	4	3.	BEST22.	f61q11 Benefits outweigh risks
11	BLV12_62	Num	4	3.	BEST22.	f61q12 Medication is a good treatment
12	F62_DAYS	Num	4	4.		f62q2 Days from randomization
13	NEWID	Num	8	4.		Patient ID

Data Set Name: form6a6b.sas7bdat

Num	Variable	Type	Len	Format	Informat	Label
1	VIS_NUM	Char	4			f6q3 Visit Nielsen Test performed
2	ARRHR	Num	4	2.	BEST22.	f6aq4 Hour Patient arrived
3	ARRMN	Num	4	2.	BEST22.	f6aq4 Minute Patient arrived
4	TEMP1	Num	4	3.	BEST22.	f6aq5 Outside temperature (C)
5	LASTMEAL	Num	4	2.	BEST22.	f6aq6 Hours since last meal
6	MEAL	Num	4	1.	BEST22.	f6aq7 Did meal conform to restrictions?
7	HEAVY	Num	4	1.	BEST22.	f6aq7a1 Meal was too heavy
8	FAT	Num	4	1.	BEST22.	f6aq7a2 Meal contained too much fat
9	CAFF	Num	4	1.	BEST22.	f6aq7a3 Meal contained caffeine
10	ALCH	Num	4	1.	BEST22.	f6aq7a4 Meal contained alcohol
11	COFF_24	Num	4	1.	BEST22.	f6aq8 Coffee with caffeine within 2 hrs
12	SODA_24	Num	4	1.	BEST22.	f6aq9 Soda with caffeine within 2 hrs
13	ALCH_24	Num	4	1.	BEST22.	f6aq10 Any alcohol within 24 hrs
14	PRESC_24	Num	4	1.	BEST22.	f6aq11 Prescription med within 24 hrs
15	MEDA	Char	1			f6aq11a Prescription medication
16	MEDB	Char	1			f6aq11b Prescription medication
17	MEDC	Char	1			f6aq11c Prescription medication
18	NON_24	Num	4	1.	BEST22.	f6aq12 Nonprescription med within 24 hrs
19	CURRSMK	Num	4	1.	BEST22.	f6aq13 Patient currently smokes
20	NUMSMK	Num	4	3.	BEST22.	f6aq13a Cigarettes per day
21	SMOKE_24	Num	4	1.	BEST22.	f6aq13b Smoked within 24 hrs
22	CHHR	Num	4	2.	BEST22.	f6aq14 Hour patient changed clothes
23	CHMN	Num	4	2.	BEST22.	f6aq14 Minutes patient changed clothes
24	TEMP2	Num	8	4.1	BEST22.	f6aq15 Temperature of outer room (C)
25	TRT_48	Num	4	1.	BEST22.	f6aq16 Any treatments within 48 hrs
26	REMIND	Num	4	1.	BEST22.	f6aq17 Reminded not to discuss treatment
27	FMTYPA	Char	4			Form 6A type
28	RIGHTS	Num	4	1.	BEST22.	f6bq6 Patient advised of rights
29	NTEMP1	Num	8	4.1	BEST22.	f6bq7 Room temp after equilibration (C)
30	ENHR	Num	4	2.	BEST22.	f6bq8 Time of entry (hour)
31	ENMN	Num	4	2.	BEST22.	f6bq8 Time of entry (minutes)
32	NTEMP2	Num	8	4.1	BEST22.	f6bq9 Starting test chamber temp (C)
33	HANDTEST	Num	4	1.	BEST22.	f6bq10 Hand tested
34	FINGTEST	Num	4	1.	BEST22.	f6bq11 Finger tested
35	MAN1000	Num	4	3.	BEST22.	f6bq12a1 Manometer SP check (1000 mmHg)
36	MAN500	Num	4	3.	BEST22.	f6bq12b1 Manometer SP check (500 mmHg)

Num	Variable	Type	Len	Format	Informat	Label
37	MAN250	Num	4	3.	BEST22.	f6bq12c1 Manometer SP check (250 mmHg)
38	DIG1000	Num	4	3.	BEST22.	f6bq12a2 Digital SP check (1000 mmHg)
39	DIG500	Num	4	3.	BEST22.	f6bq12b2 Digital SP check (500 mmHg)
40	DIG250	Num	4	3.	BEST22.	f6bq12c2 Digital SP check (250 mmHg)
41	MANSYS	Num	4	3.	BEST22.	f6bq13a Manual SBP (mmHg)
42	MANDIAS	Num	4	3.	BEST22.	f6bq13b Manual DBP (mmHg)
43	NIELSYS	Num	4	3.	BEST22.	f6bq14a 1st Nielsen SPB (mmHg)
44	NIELDIAS	Num	4	3.	BEST22.	f6bq14b 1st Nielsen DBP (mmHg)
45	NOOPEN30	Num	4	1.	BEST22.	f6bq15a1 Artery reopened at 30C
46	NOOPEN20	Num	4	1.	BEST22.	f6bq15b1 Artery reopened at 20C
47	NOOPEN15	Num	4	1.	BEST22.	f6bq15c1 Artery reopened at 15C
48	NOOPEN10	Num	4	1.	BEST22.	f6bq15c1 Artery reopened at 10C
49	NPRESS30	Num	4	3.	BEST22.	f6bq15a2 Finger SBP at 30C
50	NPRESS20	Num	4	3.	BEST22.	f6bq15b2 Finger SBP at 20C
51	NPRESS15	Num	4	3.	BEST22.	f6bq15c2 Finger SBP at 15C
52	NPRESS10	Num	4	3.	BEST22.	f6bq15d2 Finger SBP at 10C
53	NABORT	Num	4	1.	BEST22.	f6bq16 Test was aborted
54	NTEMP3	Num	4	2.	BEST22.	f6bq16a Temp when test was aborted (C)
55	NZERO	Num	4	1.	BEST22.	f6bq16b Zero reopening pressure
56	NZCMIN	Num	4	2.	BEST22.	f6bq16b1 Time to return of pulse (Min)
57	NZCSEC	Num	4	2.	BEST22.	f6bq16b1 Time to return of pulse (Sec)
58	NPULSE	Num	4	1.	BEST22.	f6bq16b2 Pulse returned
59	NTEMP4	Num	8	4.1	BEST22.	f6bq17 Ending test chamber temp (C)
60	OTHRPROB	Num	4	1.	BEST22.	f6bq18 Any other problems
61	OTHRRMK	Char	1			f6bq18a Specify other problem
62	NIELSENT	Num	8	1.	BEST22.	f6bq19(rev0) Nielsen diskette sent to CC
63	STR_RPT	Num	4	1.	BEST22.	f6bq19 Stroop/Repeat Nielsen test done
64	TESTDONE	Num	4	1.	BEST22.	f6bq19a Which test was done
65	WARMHAND	Num	4	1.	BEST22.	f6bq19b Hand warmed prior to test
66	STHR	Num	4	2.	BEST22.	f6bq19c Start time (hours)
67	STMN	Num	4	2.	BEST22.	f6bq19d Start time (min)
68	ROOPEN30	Num	4	1.	BEST22.	f6bq20a1 Artery reopened at 30C
69	ROOPEN20	Num	4	1.	BEST22.	f6bq20b1 Artery reopened at 20C
70	ROOPEN15	Num	4	1.	BEST22.	f6bq20c1 Artery reopened at 15C
71	ROOPEN10	Num	4	1.	BEST22.	f6bq20d1 Artery reopened at 10C
72	RPRESS30	Num	4	3.	BEST22.	f6bq20a2 Finger SBP at 30C
73	RPRESS20	Num	4	3.	BEST22.	f6bq20b2 Finger SBP at 20C
74	RPRESS15	Num	4	3.	BEST22.	f6bq20c2 Finger SBP at 15C
75	RPRESS10	Num	4	3.	BEST22.	f6bq20d2 Finger SBP at 10C

Num	Variable	Type	Len	Format	Informat	Label
76	RABORT	Num	4	1.	BEST22.	f6bq21 Stroop/Repeat Nielsen was aborted
77	NTEMP5	Num	4	2.	BEST22.	f6bq21a Temp when test was aborted (C)
78	RZERO	Num	4	1.	BEST22.	f6bq21b Zero reopening pressure
79	RZCMIN	Num	4	2.	BEST22.	f6bq21b1 Time to return of pulse (min)
80	RZCSEC	Num	4	2.	BEST22.	f6bq21b1 Time to return of pulse (sec)
81	RPULSE	Num	4	1.	BEST22.	f6bq21b2 Pulse returned
82	STPHR	Num	4	2.	BEST22.	f6bq22 Stroop/Rpt Nielsen stoptime (min)
83	STPMN	Num	4	2.	BEST22.	f6bq22 Stroop/Rpt Nielsen stoptime (sec)
84	STRPSENT	Num	4	1.	BEST22.	f6bq25(rev0) Stroop/RptNielsen disk sent
85	NIELDISK	Num	4	1.	BEST22.	f6bq23 Diskettes sent to CC
86	FMTYPB	Char	4			f6b Form 6B type
87	F6_DAYS	Num	4	4.		f06q2 Days from randomization
88	NEWID	Num	8	4.		Patient ID
89	BTH_DAYS	Num	8	4.		f6bq4 Days rand. to water bath calibrati
90	TMP_DAYS	Num	8	4.		f6bq5 Days rand. to finger probe calibra

Data Set Name: form70.sas7bdat

Num	Variable	Type	Len	Format	Informat	Label
1	CONTACT	Num	4	1.	BEST22.	f70q3 Type of Contact
2	NOTE	Num	4	1.	BEST22.	f70q3a Physician note written
3	HLTH	Num	4	1.	BEST22.	f70q4 Health status worsened
4	PROBLEM	Num	4	1.	BEST22.	f70q4a Patient reported problems
5	NEWSYMP	Num	4	1.	BEST22.	f70q5 Patient reported new symptoms
6	ACTIONA	Num	4	1.	BEST22.	f70q5a Action taken on new symptoms
7	RELATION	Num	4	1.	BEST22.	f70q6 Relationship to study treatment
8	CARE	Num	4	1.	BEST22.	f70q7 Continuing care discussed
9	CURRPHYS	Num	4	1.	BEST22.	f70q7a Referral to current physician
10	NEWPHYS	Num	4	1.	BEST22.	f70q7b Referral to new physician
11	BIOREF	Num	4	1.	BEST22.	f70q7c Referral to BF therapist
12	RESULT	Num	4	1.	BEST22.	f70q8 Results at end of study
13	MEDASS1	Num	4	1.	BEST22.	f70q9 Patient assigned to medication
14	STOPMED	Num	4	1.	BEST22.	f70q10 Advised to stop medication
15	PILLCNT	Num	4	1.	BEST22.	f70q11 Collected and counted medication
16	MEDCOMP	Num	4	1.	BEST22.	f70q12 Form 18 and Form 20 completed
17	UNBL_F20	Num	4	1.	BEST22.	f70q13 Unblinding envelope on Form 20
18	VC_ASS	Num	4	1.	BEST22.	f70q14 Second VC assessment
19	COLLATT	Num	4	1.	BEST22.	f70q15 All 1 yr attack booklets
20	PI_CALL	Num	4	1.	BEST22.	f70q15a PI called patient
21	NONCOLL	Num	4	1.	BEST22.	f70q15b Non-collection is documented
22	COLL1YR	Num	4	1.	BEST22.	f70q16 All 1 yr diaries
23	COLLDIAR	Num	4	1.	BEST22.	f70q17 All diaries bt FV04 and FV05
24	F70_DAYS	Num	4	4.		f70q2 Days from randomization
25	NEWID	Num	8	4.		Patient ID

Data Set Name: form9a.sas7bdat

Num	Variable	Type	Len	Format	Informat	Label
1	NO_PILLS	Num	4	1.	BEST22.	f9aq3 Pills per day since last visit
2	PILLRMK	Char	1			f9aq3a Reason less than two taken
3	NO_PRESC	Num	4	1.	BEST22.	f9aq4 Number of pills prescribed
4	PILLRMK1	Char	1			f9aq4a Reason less than two prescribed
5	F9A_NUM	Num	4	1.		Medication Visit number
6	F9A_DAYS	Num	4	4.		f9aq2 Days from Randomization
7	NEWID	Num	8	4.		Patient ID

Data Set Name: form9b.sas7bdat

Num	Variable	Type	Len	Format	Informat	Label
1	SAMEROOM	Num	4	1.	BEST22.	f9bq4 Patient and therapist in same room
2	BIOPROB	Num	4	1.	BEST22.	f9bq5 Problems in this session
3	BIO_RMK	Char	1			f9bq5 Specify problem
4	DISKSENT	Num	4	1.	BEST22.	f9bq6 Diskette sent to CC
5	AUDIO	Num	4	1.	BEST22.	f9bq7 Biofeedback session audiotaped
6	F9B_NUM	Num	8	2.		Visit Number for Biofeedback group
7	TYPE_NUM	Num	4	2.		Visit number within form type
8	F9B_TYPE	Char	11			Type of Biofeedback session
9	F9B_DAYS	Num	4	4.		f9bq2 Days from Randomization
10	NEWID	Num	8	4.		Patient ID
11	NEWCERT	Char	3	\$3.		f9bq8 RTS Staff number

Data Set Name: lab.sas7bdat

Num	Variable	Type	Len	Format	Informat	Label
1	SEX	Num	4	1.	BEST22.	f04q3 Sex
2	FMTYP	Char	4			Form Type
3	CALCIUM	Num	8			Calcium (mg/dl)
4	CALCIUMN	Char	1	\$CHAR1.		Calcium Normals (8.5,10.6)
5	PHOSPH	Num	8			Phosphorus (mg/dl)
6	PHOSPHN	Char	1	\$CHAR1.		Phosphorus Normals (2.5,4.5)
7	GLUCOSE	Num	8			Glucose (mg/dl)
8	GLUCOSEN	Char	1	\$CHAR1.		Glucose Normals (60,115)
9	BUN	Num	8			Bun (mg/dl)
10	BUNN	Char	1	\$CHAR1.		Bun Normals (7,26)
11	URICACID	Num	8			Uric Acid (mg/dl)
12	URICACDN	Char	1	\$CHAR1.		Urid Acid Normals (M:2.2,8.7 F:1.5,6.7)
13	TOT_CHOL	Num	8			Total Cholesterol (mg/dl)
14	TOTCHOLN	Char	1	\$CHAR1.		Tot Chol Normals (0,199)
15	PROTEIN	Num	8			Total Protein (g/dl)
16	PROTEINN	Char	1	\$CHAR1.		Total Protein Normals (6.0,8.5)
17	ALBUMIN	Num	8			Serum Albumin (g/dl)
18	ALBUMINN	Char	1	\$CHAR1.		Serum Albumin Normals (3.5,5.5)
19	TOT_BILI	Num	8			Total Bilirubin (mg/dl)
20	TOTBILIN	Char	1	\$CHAR1.		Tot Bili Normals (.1,1.2)
21	ALK_PHOS	Num	8			Alkaline Phosphatase (IU/L)
22	ALKPHOSN	Char	1	\$CHAR1.		Alk Phos Normals (40,150)
23	LDH	Num	8			LDH (IU/L)
24	LDHN	Char	1	\$CHAR1.		LDH Normals (100,250)
25	SGOT	Num	8			SGOT (AST) (IU/L)
26	SGOTN	Char	1	\$CHAR1.		SGOT Normals (0,50)
27	POTASS	Num	8			Serum Potassium (mEq/l)
28	POTASSN	Char	1	\$CHAR1.		Serum Pot Normals (3.5,5.5)
29	SODIUM	Num	8			Serum Sodium (eEq/l)
30	SODIUMN	Char	1	\$CHAR1.		Serum Sodium Normals (135,148)
31	CHLORIDE	Num	8			Serum Chloride (mEq/l)
32	CHLORIDN	Char	1	\$CHAR1.		Serum Chloride Normals (94,109)
33	DIR_BILI	Num	8			Direct Bilirubin (mg/dl)
34	DIRBILIN	Char	1	\$CHAR1.		Direct Bili Normals (0,.4)
35	CK	Num	8			Creatinine Kinase (U/L)
36	CKN	Char	1	\$CHAR1.		CK Normals (41,186)

Num	Variable	Type	Len	Format	Informat	Label
37	CREAT	Num	8			Serum Creatinine (mg/dl)
38	CREATN	Char	1	\$CHAR1.		Serum Creat Normals (.5,1.5)
39	MAGNES	Num	8			Serum Magnesium (mEq/l)
40	MAGNESN	Char	1	\$CHAR1.		Serum Mag Normals (1.3,2.1)
41	CO2	Num	8			Carbon Dioxide (mEq/l)
42	CO2N	Char	1	\$CHAR1.		Carbon Dioxide Normals (21,31)
43	PREG	Char	10	\$CHAR10.		Serum Pregnancy
44	WBC	Num	8			White Blood Count (x10**3/ul)
45	WBCN	Char	1	\$CHAR1.		WBC Normals (4.1,10.3)
46	RBC	Num	8			Red Blood Count (x10**6/ul)
47	RBCN	Char	1	\$CHAR1.		RBC Normals (3.85,5.60)
48	HEMOG	Num	8			Hemoglobin (g/dl)
49	HEMOGN	Char	1	\$CHAR1.		Hemoglobin Normals (11.4,17.0)
50	HEMAT	Num	8			Hematocrit (%)
51	HEMATN	Char	1	\$CHAR1.		Hematocrit Normals (34,51)
52	ANA	Char	10	\$CHAR10.		Antinuclear Antibodies
53	CASTS	Char	10	\$CHAR10.		Casts
54	BC_RATIO	Num	8			Bun/Creatinine Ratio
55	COLOR	Char	10	\$CHAR10.		Urine Color
56	APPEAR	Char	10	\$CHAR10.		Urine Appearance
57	GRAVITY	Num	8			Urine Specific Gravity
58	GRAVITYN	Char	1	\$CHAR1.		Urine SG Normals (1.01,1.03)
59	PH	Num	8			Urine pH
60	PHN	Char	1	\$CHAR1.		Urine pH Normals (5,7)
61	UGLUCOSE	Char	10	\$CHAR10.		Urine Glucose
62	UPROTEIN	Char	10	\$CHAR10.		Urine Protien
63	OCCULTBL	Char	10	\$CHAR10.		Urine Occult Blood
64	KETONES	Char	10	\$CHAR10.		Urine Ketones
65	EPITHEL	Char	10	\$CHAR10.		Epithelial Cells
66	WBCESTER	Char	11	\$CHAR10.		WBC Esterase
67	MCV	Num	8			MCV (FL)
68	MCVN	Char	1	\$CHAR1.		MCV Normals (81,95)
69	MCH	Num	8			MCH (PG)
70	MCHN	Char	1	\$CHAR1.		MCH Normals (27,33)
71	MCHC	Num	8			MCHC (g/dl)
72	MCHCN	Char	1	\$CHAR1.		MCHC Normals (32.5,35.5)
73	POLYS	Num	8			Polys (%)
74	POLYSN	Char	1	\$CHAR1.		Polys Normals (45,76)
75	LYMPHS	Num	8			Lymphs (%)

Num	Variable	Type	Len	Format	Informat	Label
76	LYMPHSN	Char	1	\$CHAR1.		Lymphs Normals (17,44)
77	MONOCYTE	Num	8			Monocytes (%)
78	MONOCYTN	Char	1	\$CHAR1.		Monocytes Normals (3,10)
79	EOS	Num	8			Eos (%)
80	EOSN	Char	1	\$CHAR1.		Eos Normals (0,4)
81	BASOS	Num	8			Basos (%)
82	BASOSN	Char	1	\$CHAR1.		Basos Normals (0,2)
83	PLATELET	Num	8			Platelets (x10**3/ul)
84	PLATELTN	Char	1	\$CHAR1.		Platelets Normals (150,415)
85	ABSPOLYS	Num	8			Polys - Absolute Value (x10**3/ul)
86	ABSPOLYN	Char	1	\$CHAR1.		Polys AV Normals (1.8,7.8)
87	ABSLYMPH	Num	8			Lymphs - Absolute Value (x10**3/ul)
88	ABSLYMPN	Char	1	\$CHAR1.		Lymphs AV Normals (.7,4.5)
89	ABSMONOC	Num	8			Monocytes - Absolute Value (x10**3/ul)
90	ABSMONON	Char	1	\$CHAR1.		Monocytes AV Normals (.1,1.0)
91	ABS_EOS	Num	8			Eos - Absolute Value (x10**3/ul)
92	ABSEOSN	Char	1	\$CHAR1.		Eos AV Normals (0,.4)
93	ABS_BASO	Num	8			Baso - Absolute Value (x10**3/ul)
94	ABSBASON	Char	1	\$CHAR1.		Baso AV Normals (0,.2)
95	BACTERIA	Char	9	\$CHAR10.		Urine Bacteria
96	MUCUS	Char	10	\$CHAR10.		Urine Mucus
97	UURIC	Char	10	\$CHAR10.		Urine Uric Acid
98	CA_OX	Char	10	\$CHAR10.		Urine Calcium Oxalate Crystals
99	TRIPLE	Char	10	\$CHAR10.		Urine Triple
100	URATES	Char	10	\$CHAR10.		Urine Amorphous Urates
101	UPHOSPH	Char	10	\$CHAR10.		Urine Phosphorus
102	YEAST	Char	10	\$CHAR10.		Urine Yeast
103	WBCHPF	Num	8			WBC/HPF
104	RBCHPF	Num	8			WBC/HPF
105	NEWID	Num	8	4.		Patient ID

Data Set Name: norm6a6b.sas7bdat

Num	Variable	Type	Len	Format	Informat	Label
1	VIS_NUM	Char	4			f6q3 Visit Nielsen Test performed
2	ARRHR	Num	4	2.	BEST22.	f6aq4 Hour Patient arrived
3	ARRMN	Num	4	2.	BEST22.	f6aq4 Minute Patient arrived
4	TEMP1	Num	4	3.	BEST22.	f6aq5 Outside temperature (C)
5	LASTMEAL	Num	4	2.	BEST22.	f6aq6 Hours since last meal
6	MEAL	Num	4	1.	BEST22.	f6aq7 Did meal conform to restrictions?
7	HEAVY	Num	4	1.	BEST22.	f6aq7a1 Meal was too heavy
8	FAT	Num	4	1.	BEST22.	f6aq7a2 Meal contained too much fat
9	CAFF	Num	4	1.	BEST22.	f6aq7a3 Meal contained caffeine
10	ALCH	Num	4	1.	BEST22.	f6aq7a4 Meal contained alcohol
11	COFF_24	Num	4	1.	BEST22.	f6aq8 Coffee with caffeine within 2 hrs
12	SODA_24	Num	4	1.	BEST22.	f6aq9 Soda with caffeine within 2 hrs
13	ALCH_24	Num	4	1.	BEST22.	f6aq10 Any alcohol within 24 hrs
14	PRESC_24	Num	4	1.	BEST22.	f6aq11 Prescription med within 24 hrs
15	MEDA	Char	1			f6aq11a Prescription medication
16	MEDB	Char	1			f6aq11b Prescription medication
17	MEDC	Char	1			f6aq11c Prescription medication
18	NON_24	Num	4	1.	BEST22.	f6aq12 Nonprescription med within 24 hrs
19	CURRSMK	Num	4	1.	BEST22.	f6aq13 Patient currently smokes
20	NUMSMK	Num	4	3.	BEST22.	f6aq13a Cigarettes per day
21	SMOKE_24	Num	4	1.	BEST22.	f6aq13b Smoked within 24 hrs
22	CHHR	Num	4	2.	BEST22.	f6aq14 Hour patient changed clothes
23	CHMN	Num	4	2.	BEST22.	f6aq14 Minutes patient changed clothes
24	TEMP2	Num	8	4.1	BEST22.	f6aq15 Temperature of outer room (C)
25	TRT_48	Num	4	1.	BEST22.	f6aq16 Any treatments within 48 hrs
26	REMIND	Num	4	1.	BEST22.	f6aq17 Reminded not to discuss treatment
27	FMTYPA	Char	4			Form 6A type
28	RIGHTS	Num	4	1.	BEST22.	f6bq6 Patient advised of rights
29	NTEMP1	Num	8	4.1	BEST22.	f6bq7 Room temp after equilibration (C)
30	ENHR	Num	4	2.	BEST22.	f6bq8 Time of entry (hour)
31	ENMN	Num	4	2.	BEST22.	f6bq8 Time of entry (minutes)
32	NTEMP2	Num	8	4.1	BEST22.	f6bq9 Starting test chamber temp (C)
33	HANDTEST	Num	4	1.	BEST22.	f6bq10 Hand tested
34	FINGTEST	Num	4	1.	BEST22.	f6bq11 Finger tested
35	MAN1000	Num	4	3.	BEST22.	f6bq12a1 Manometer SP check (1000 mmHg)
36	MAN500	Num	4	3.	BEST22.	f6bq12b1 Manometer SP check (500 mmHg)

Num	Variable	Type	Len	Format	Informat	Label
37	MAN250	Num	4	3.	BEST22.	f6bq12c1 Manometer SP check (250 mmHg)
38	DIG1000	Num	4	3.	BEST22.	f6bq12a2 Digital SP check (1000 mmHg)
39	DIG500	Num	4	3.	BEST22.	f6bq12b2 Digital SP check (500 mmHg)
40	DIG250	Num	4	3.	BEST22.	f6bq12c2 Digital SP check (250 mmHg)
41	MANSYS	Num	4	3.	BEST22.	f6bq13a Manual SBP (mmHg)
42	MANDIAS	Num	4	3.	BEST22.	f6bq13b Manual DBP (mmHg)
43	NIELSYS	Num	4	3.	BEST22.	f6bq14a 1st Nielsen SPB (mmHg)
44	NIELDIAS	Num	4	3.	BEST22.	f6bq14b 1st Nielsen DBP (mmHg)
45	NOOPEN30	Num	4	1.	BEST22.	f6bq15a1 Artery reopened at 30C
46	NOOPEN20	Num	4	1.	BEST22.	f6bq15b1 Artery reopened at 20C
47	NOOPEN15	Num	4	1.	BEST22.	f6bq15c1 Artery reopened at 15C
48	NOOPEN10	Num	4	1.	BEST22.	f6bq15c1 Artery reopened at 10C
49	NPRESS30	Num	4	3.	BEST22.	f6bq15a2 Finger SBP at 30C
50	NPRESS20	Num	4	3.	BEST22.	f6bq15b2 Finger SBP at 20C
51	NPRESS15	Num	4	3.	BEST22.	f6bq15c2 Finger SBP at 15C
52	NPRESS10	Num	4	3.	BEST22.	f6bq15d2 Finger SBP at 10C
53	NABORT	Num	4	1.	BEST22.	f6bq16 Test was aborted
54	NTEMP3	Num	4	2.	BEST22.	f6bq16a Temp when test was aborted (C)
55	NZERO	Num	4	1.	BEST22.	f6bq16b Zero reopening pressure
56	NZCMIN	Num	4	2.	BEST22.	f6bq16b1 Time to return of pulse (Min)
57	NZCSEC	Num	4	2.	BEST22.	f6bq16b1 Time to return of pulse (Sec)
58	NPULSE	Num	4	1.	BEST22.	f6bq16b2 Pulse returned
59	NTEMP4	Num	8	4.1	BEST22.	f6bq17 Ending test chamber temp (C)
60	OTHRPROB	Num	4	1.	BEST22.	f6bq18 Any other problems
61	OTHRRMK	Char	1			f6bq18a Specify other problem
62	NIELSENT	Num	8	1.	BEST22.	f6bq19(rev0) Nielsen diskette sent to CC
63	STR_RPT	Num	4	1.	BEST22.	f6bq19 Stroop/Repeat Nielsen test done
64	TESTDONE	Num	4	1.	BEST22.	f6bq19a Which test was done
65	WARMHAND	Num	4	1.	BEST22.	f6bq19b Hand warmed prior to test
66	STHR	Num	4	2.	BEST22.	f6bq19c Start time (hours)
67	STMN	Num	4	2.	BEST22.	f6bq19d Start time (min)
68	ROOPEN30	Num	4	1.	BEST22.	f6bq20a1 Artery reopened at 30C
69	ROOPEN20	Num	4	1.	BEST22.	f6bq20b1 Artery reopened at 20C
70	ROOPEN15	Num	4	1.	BEST22.	f6bq20c1 Artery reopened at 15C
71	ROOPEN10	Num	4	1.	BEST22.	f6bq20d1 Artery reopened at 10C
72	RPRESS30	Num	4	3.	BEST22.	f6bq20a2 Finger SBP at 30C
73	RPRESS20	Num	4	3.	BEST22.	f6bq20b2 Finger SBP at 20C
74	RPRESS15	Num	4	3.	BEST22.	f6bq20c2 Finger SBP at 15C
75	RPRESS10	Num	4	3.	BEST22.	f6bq20d2 Finger SBP at 10C

Num	Variable	Type	Len	Format	Informat	Label
76	RABORT	Num	4	1.	BEST22.	f6bq21 Stroop/Repeat Nielsen was aborted
77	NTEMP5	Num	4	2.	BEST22.	f6bq21a Temp when test was aborted (C)
78	RZERO	Num	4	1.	BEST22.	f6bq21b Zero reopening pressure
79	RZCMIN	Num	4	2.	BEST22.	f6bq21b1 Time to return of pulse (min)
80	RZCSEC	Num	4	2.	BEST22.	f6bq21b1 Time to return of pulse (sec)
81	RPULSE	Num	4	1.	BEST22.	f6bq21b2 Pulse returned
82	STPHR	Num	4	2.	BEST22.	f6bq22 Stroop/Rpt Nielsen stoptime (min)
83	STPMN	Num	4	2.	BEST22.	f6bq22 Stroop/Rpt Nielsen stoptime (sec)
84	STRPSENT	Num	4	1.	BEST22.	f6bq25(rev0) Stroop/RptNielsen disk sent
85	NIELDISK	Num	4	1.	BEST22.	f6bq23 Diskettes sent to CC
86	FMTYPB	Char	4			f6b Form 6B type
87	F6_DAYS	Num	4	4.		f06q2 Days from randomization
88	NEWID	Num	8		4.	Patient ID
89	BTH_DAYS	Num	8		4.	f6bq4 Days rand. to water bath calibrati
90	TMP_DAYS	Num	8		4.	f6bq5 Days rand. to finger probe calibra

Data Set Name: norm9b.sas7bdat

Num	Variable	Type	Len	Format	Informat	Label
1	SAMEROOM	Num	4	1.	BEST22.	f9bq4 Patient and therapist in same room
2	BIOPROB	Num	4	1.	BEST22.	f9bq5 Problems in this session
3	BIO_RMK	Char	1			f9bq5 Specify problem
4	DISKSENT	Num	4	1.	BEST22.	f9bq6 Diskette sent to CC
5	AUDIO	Num	4	1.	BEST22.	f9bq7 Biofeedback session audiotaped
6	F9B_NUM	Num	8	2.		Visit Number for Biofeedback group
7	TYPE_NUM	Num	4	2.		Visit number within form type
8	F9B_TYPE	Char	11			Type of Biofeedback session
9	F9B_DAYS	Num	4	4.		f9bq2 Days from Randomization
10	NEWID	Num	8	4.		Patient ID
11	NEWCERT	Char	3	\$3.		f9bq8 RTS Staff number

Data Set Name: rand.sas7bdat

Num	Variable	Type	Len	Label
1	NEWID	Num	8	Patient ID
2	TRTGRP	Num	4	Treatment Group
3	COHORT	Num	4	Treatment Cohort (1=before 10/94)