## **Data Retrieval and Transfer**

| TE         | :  |                                    |       |         |             | Field Center:     |   |                 |          |         |         |        |       |
|------------|--|------------------------------------|-------|---------|-------------|-------------------|---|-----------------|----------|---------|---------|--------|-------|
|            | mo   | day                                | yea   | ır      |             |                   | Technician                              | I <b>D</b> #: _ |          |         |         |        |       |
|            |  |                                    |       |         |             |                   | Supervisor                              | · <b>:</b> _    |          |         |         |        |       |
| _          |  | e key belc<br>he space j           |       |         | the technic | cian's al         | bility to retrieve                      | e and tra       | ansfer ( | collect | ed data | . Writ | e any |
| y <b>:</b> | N/A -<br>1 -<br>2 -  | Not appli<br>Unsatisfa<br>Below ex | ctory |         |             | 3 -<br>4 -<br>5 - | At expectation Above expect Outstanding |                 |          |         |         |        |       |
|            | PCM  | CIA card                           | conv  | erted t | o disk      |                   |   | N/A             | 1        | 2       | 3       | 4      | 5     |
|            | Scree  | Screens study at every 120 epochs  |       |         |             |                   |   | N/A             | 1        | 2       | 3       | 4      | 5     |
|            | Views oximetry summary to determine oximetry pattern           |                                    |       |         |             |                   | N/A                                     | 1               | 2        | 3       | 4       | 5      |       |
|            | Offset zero (traces centered)                                  |                                    |       |         |             |                   | N/A                                     | 1               | 2        | 3       | 4       | 5      |       |
|            | Traces are free of excess 60Hz                                 |                                    |       |         |             |                   | N/A                                     | 1               | 2        | 3       | 4       | 5      |       |
|            | Signals on each channel  |                                    |       |         |             |                   |   | N/A             | 1        | 2       | 3       | 4      | 5     |
|            | At least 6 hours of recorded data                              |                                    |       |         |             |                   |   | N/A             | 1        | 2       | 3       | 4      | 5     |
|            | At least 4 hours of oximetry                                   |                                    |       |         |             |                   | N/A                                     | 1               | 2        | 3       | 4       | 5      |       |
|            | Ability to determine the minimum standards for a passing study |                                    |       |         |             |                   |   | N/A             | 1        | 2       | 3       | 4      | 5     |
|            | Records information on Data Retrieval Form                     |                                    |       |         |             |                   | N/A                                     | 1               | 2        | 3       | 4       | 5      |       |
|            | Transfers data to Magnetic Cartridge                           |                                    |       |         |             |                   |   | N/A             | 1        | 2       | 3       | 4      | 5     |
|            | Comments:  |                                    |       |         |             |                   |   |                 |          |         |         |        |       |
|            |  |                                    |       |         |             |                   |   |                 |          |         |         |        |       |
|            |  |                                    |       |         |             |                   |   |                 |          |         |         |        |       |
|            |  |                                    |       |         |             |                   |   |                 |          |         |         |        |       |