THROMBOLYSIS IN MYOCARDIAL ISCHEMIA

EXERCISE TREATMENT TEST FORM 8E

SUPPLEMENT

COMPUTER GENERATED

Clinic No.

ID No.

Form Type

Complete this form for the exercise treadmill test (ETT) identified on this form. The ID Number, Name Code, date of study, and timing of this ETT are printed on the form. Responses to the main part of Items 4 and 5, as reported on a previously submitted Form 8E Rev. 0, are also printed on the form. If the main part of any of these items is answered yes, answers to the subitems are requested. Answers to Items 6 and 7 are also requested. Item 6 is a combination of Items 10 and 11 on Form 8E Rev. 0. Item 6.B and Item 7 include information not recorded on Form 8E Rev. 0. The requested information is needed to supplement the Form 8E Rev. 0 previously submitted. This form should be completed and returned only to the Data Coordinating Center.

PART I: IDENTIFICATION

1.	Patient's NAME CODE:	
2.	Date of study:	fm8sday
3.	Identify this exercise treadmill test (ETT):	etttype
	Pre-discharge	(1)
	Six-week follow-up	(2)
	Confirmation of CCSC Stage III or IV Angina (post-discharge)	(3)
	Other	(4)

ID	No.		-		

A. Exercise treadmill stage at which angina occurred:		
	stg	ang
0	(1)*
1/2	(2)*
1	(3)*
2	(4)
3	(5)
≥4	(6)
*Study end point has been reached.		-

5.	Did a confirmed fall of > 10 mmHg (compared to the previous confirmed reading) in		fallsbp		
	systolic blood pressure occur during exercise	(1)	(2)	(3)	
		Yes	No	Uncertain	
		\downarrow			

А.	Enter fall in blood pressure	sbpa	afall
		mmł	Hg:
В.	Exercise treadmill stage at which fall of > 10 mmHg in Systolic blood pressure occurred:		0
		stgl	opdrp
	0	(1)*
	1/2	(2)*
	1	(3)*
	2	(4)*
	3	(5)
	<u>≥</u> 4	(6)
*St	udy end point has been reached.		

ID No. ____ - ___ __

T3 Form 8S Rev 0 1/31/91 Page 3 of 4

6 Did ischemic ST-segment deviation ≥ 1 mm (compared to rest) occur	stdevaft			
during or following exercise?	(1)	(2)	(3)	
	Yes	No	Uncertain	
	\downarrow			

A.	Exercise treadmill stage at onset of ischemic	ST-seg	ment
	Deviation $\geq 1 \text{ mm}$:		
			stgdev
			-
	0		(1)
	1/ ₂		(2)
	1		(3)
	2		× /
			~ /
	3		(5)
	\geq 4		(6)
	Only during recovery phase		(7)
			1.
В.	Did ischemic ST-segment deviation $\geq 2 \text{ mm}$		ared to
	rest) occur during exercise prior to completi	on of	stdevoc
	Stage II?	(1)*	(2) (3)
	0	Yes	No Uncertain
*S	tudy end point has been reached.		
1			

ettstyep

7.	Based on the results of this ETT, has the patient reached a		
	study end point?	(1)	(2)
		Yes	No
		\downarrow	

Check all that apply.		
A. Angina prior to completion of Stage II	(1)	angps2
B. ≥ 2 mm ST deviation with or without symptoms prior to completion of Stage II	(1)	stdevps2
C. Compared to previous confirmed reading, a confirmed drop of > 10 mm Hg in SBP prior to completion of Stage II	(1)	dpsbpps2

ID	No.		-		

T3 Form 8S Rev 0 1/31/91 Page 4 of 4

PART III: ADMINISTRATIVE MATTERS

8.	Research Coordinator:	
	Signature:	T3 Staff No.:
9.	Date form completed:	Month Day Year

ID No	
-------	--

T3B form8s

The	CONTENTS	Procedure
-----	-----------------	-----------

Data Set Name:	WORK.FORM8S	Observations:	113
Member Type:	DATA	Variables:	17
Engine:	V8	Indexes:	0
Created:	13:39 Friday, February 6, 2004	Observation Length:	80
Last Modified:	13:39 Friday, February 6, 2004	Deleted Observations:	0
Protection:		Compressed:	NO
Data Set Type:		Sorted:	NO
Label:			

Alphabetic List of Variables and Attributes								
#	Variable	Туре	Len	Pos	Label			
13	ANGPS2	Num	4	64	f8Sq7A: Angina prior to Stage II			
15	DPSBPPS2	Num	4	72	f8Sq7C: Drop in sbp prior to Stage II			
4	ETTANGST	Num	4	28	f8Sq4: Angina during study			
12	ETTSTYEP	Num	4	60	f8Sq7: Patient reached study end point			
3	ETTTYPE	Num	4	24	f8Sq3: ETT Type			
6	FALLSBP	Num	4	36	f8Sq5: Fall in sbp during study			
17	FM8SDAY	Num	8	16	f8Sq2: Days to ETT study			
2	FMTYP	Char	4	76	Form Type			
16	NEWID	Num	8	8	Patient Identification			
1	REV	Num	8	0	Revision			
7	SBPAFALL	Num	4	40	f8Sq5A: Fall in sbp			
9	STDEVAFT	Num	4	48	f8Sq6: ST deviation during study			
11	STDEVOC	Num	4	56	f8Sq6B: ST deviation ge 2 mm			
14	STDEVPS2	Num	4	68	f8Sq7B: ST deviation prior to Stage II			
5	STGANG	Num	4	32	f8Sq4A: Stage angina occurred			
8	STGBPDRP	Num	4	44	f8Sq5B: Stage fall in sbp occurred			
10	STGDEV	Num	4	52	f8Sq6A: Stage ST deviation occurred			

T3B form8s

Variable	Label	Value	N	%	<= 20
REV	Revision	0	113	100.0	
FMTYP	Form Type	XS01	63	55.8	
		XS02	50	44.2	
ETTTYPE	f8Sq3: ETT Type	1	60	53.1	
		2	53	46.9	
ETTANGST	f8Sq4: Angina during study	1	43	38.1	
		2	67	59.3	
		3	3	2.7	*
STGANG	f8Sq4A: Stage angina occurred		70	61.9	
		1	1	0.9	*
		2	6	5.3	*
		3	10	8.8	*
		4	17	15.0	*
		5	5	4.4	*
		6	4	3.5	*
FALLSBP	f8Sq5: Fall in sbp during study	1	12	10.6	*
		2	101	89.4	
STGBPDRP	f8Sq5B: Stage fall in sbp occurred		101	89.4	
		2	2	1.8	*
		3	4	3.5	*
		4	5	4.4	*
		6	1	0.9	*
STDEVAFT	f8Sq6: ST deviation during study	1	87	77.0	
		2	26	23.0	

T3B form8s

Variable	Label	Value	N	%	<= 20
STGDEV	f8Sq6A: Stage ST deviation occurred		26	23.0	
		1	3	2.7	*
		2	10	8.8	*
		3	25	22.1	
		4	34	30.1	
		5	9	8.0	*
		6	4	3.5	*
		7	2	1.8	*
STDEVOC	f8Sq6B: ST deviation ge 2 mm		26	23.0	
		1	26	23.0	
		2	59	52.2	
		3	2	1.8	*
ETTSTYEP	f8Sq7: Patient reached study end point	1	55	48.7	
		2	58	51.3	
ANGPS2	f8Sq7A: Angina prior to Stage II	•	78	69.0	
		1	35	31.0	
STDEVPS2	f8Sq7B: ST deviation prior to Stage II		86	76.1	
		1	27	23.9	
DPSBPPS2	f8Sq7C: Drop in sbp prior to Stage II		102	90.3	
		1	11	9.7	*

T3B form8s

Variable	Label	Ν	Percentile	Value	n	<= 20
SBPAFALL	f8Sq5A: Fall in sbp	12	5	15	1	*
			25	20	4	*
			50	23	1	*
			75	35	3	*
			95	99	3	*
			100	99	0	*

T3B form8s

Variable	Label	Ν	Mean	Std Dev	Minimum	Maximum
FM8SDAY	f8Sq2: Days to ETT study	113	29.9	25.0	3.0	95.0