

FRAMINGHAM HEART STUDY
OFFSPRING EXAM 6
PULMONARY FUNCTION TEST
NUMBER OF RECORDS = 2816

SAS DATASET NAME: PFT6.SD2

VARIABLE	INFORMATION
-----	-----
RANDOMID	PARTICIPANT ID NUMBER 2924-9990078
IDTYPE	OFFSPRING STUDY * * DELETED TO PROTECT CONFIDENTIALITY
NUMACCEP	NUMBER OF ACCEPTABLE EFFORTS 1 - 3
BESTFVC	FORCED VITAL CAPACITY - BEST EFFORT (liters) 1.35 - 7.39
BESTFEV1	FORCED EXPIRATORY VOLUME AT 1 SECOND (liters) - BEST EFFORT 0.54 - 5.56
FEV1FVC	RATIO FEV1/FVC (CALCULATED VARIABLE) - BEST EFFORT 0.260 - 0.923
BESTPEF	PEAK EXPIRATORY FLOW (lit./sec.) - BEST EFFORT 1.66 - 17.07
BESTMMEF	MAXIMUM MID EXPIRATORY FLOW RATE (lit./sec.) - BEST EFFORT 0.18 - 6.36
BESTFET	FORCED EXPIRATORY TIME (seconds) - BEST EFFORT 3.21 - 15.87
BESTFEV3	FORCED EXPIRATORY VOLUME AT 3 SECONDS (liters) - BEST EFFORT 0.97 - 6.68
BSTFEF25	FORCED EXPIRATORY FLOW AT 25% OF FVC (lit./sec.) - BEST EFFORT 0.34 - 14.86
BSTFEF50	FORCED EXPIRATORY FLOW AT 50% OF FVC (lit./sec.) - BEST EFFORT 0.15 - 8.58
BSTFEF75	FORCED EXPIRATORY FLOW AT 75% OF FVC (lit./sec.) - BEST EFFORT 0.01 - 3.44